













# CEREC Primemill Tool Table





















## CEREC SW 5.1.3 Material Pack

### Tool Portfolio \*























Color	Description	Process & Material Types	REF	Image
	<b>Diamond 1.4 CS</b>	Wet Grinding: Glass, Hybrid, Feldspar Ceramics	67 14 088	
	<b>Diamond 1.2 CS</b>	Wet Grinding: Glass, Hybrid, Feldspar Ceramics	67 14 070	
	<b>Bur 2.5 ZrO2 CS</b>	Dry and Wet Milling: Zirconia	67 13 940	
	<b>Bur 2.5 PMMA CS</b>	Wet Milling: PMMA, Composites, Plastics	67 37 469	
	<b>Bur 1.0 CS</b>	Dry and Wet Milling All Purpose: Zirconia, PMMA, Composites, Plastics	67 13 932	
	<b>Bur 0.5 CS</b>	Dry and Wet Milling All Purpose: Zirconia, PMMA, Composites, Plastics	67 13 924	

\*These tools are only compatible with CEREC Primemill and not with CEREC MC, CEREC MC X and CEREC MC XL. CEREC MC XL-family tools are also not compatible with CEREC Primemill.

### Tool Use Cases











































































Tool Use Case	Color	Left Side	Right Side	Color	Possible Processing Modes
Mill ZrO2 & Grind		<b>Bur 2.5 ZrO2 CS</b>	<b>Bur 1.0 CS</b>		Fast, Fine Milling Zirconia
		<b>Diamond 1.4 CS</b>	<b>Diamond 1.2 CS</b>		Fast, Fine Grinding Glass Ceramics
Mill ZrO2 Extra Fine		<b>Bur 2.5 ZrO2 CS</b>	<b>Bur 1.0 CS</b>		Fast, Fine, Extra Fine Milling Zirconia
		(any tool)	<b>Bur 0.5 CS</b>		
Mill ZrO2 Super-Fast		<b>Bur 2.5 ZrO2 CS</b>	<b>Bur 2.5 ZrO2 CS</b>		Super-Fast Milling Zirconia
		<b>Bur 1.0 CS</b>	<b>Bur 1.0 CS</b>		
Mill PMMA & Grind		<b>Bur 2.5 PMMA CS</b>	<b>Bur 1.0 CS</b>		Fast, Fine Milling PMMA
		<b>Diamond 1.4 CS</b>	<b>Diamond 1.2 CS</b>		Fast, Fine Grinding Glass Ceramics
Mill PMMA Extra Fine		<b>Bur 2.5 PMMA CS</b>	<b>Bur 1.0 CS</b>		Fast, Fine, Extra Fine Milling PMMA
		(any tool)	<b>Bur 0.5 CS</b>		

### Materials

Manufacturer	Material	Tool Colors	Wet/Dry	Super-Fast	Fast	Fine	Extra Fine
Dentsply Sirona	CEREC Blocs C	 + 	Wet		X	X	
	CEREC Blocs C PC	 + 	Wet		X	X	
	CELTRA® Duo	 + 	Wet				X
	CEREC Tessera	 + 	Wet				X
	CEREC Zirconia	 + 	Dry	Dry only	X	X	X
	CEREC Zirconia Meso	 + 	Dry		X	X	X
	CEREC Zirconia+	 + 	Dry	Dry only	X	X	X
	CEREC MTL Zirconia	 + 	Dry	Dry only	X	X	X
	inCoris TZI C (Size maxi M requires LOT numbers > 3314000217)	 + 	Dry	Dry & sizes mono L and medi S only	X	X	X
	inCoris ZI Meso	 + 	Dry		X	X	
	CEREC Guide Bloc medi	 + 	Wet				X

Order no. 67 638 531, Change no. 000000

## Materials

Manufacturer	Material	Tool Colors	Wet/Dry	Super-Fast	Fast	Fine	Extra Fine
<b>3M</b>	Lava™ Ultimate	 + 	Wet		X	X	
	Chairside Zirconia	 + 	Dry	Dry only	X	X	X
<b>COLTENE</b>	BRILLIANT Crios	 + 	Wet		X	X	
<b>GC</b>	CERASMART™ 270	 + 	Wet		X	X	
	CERASMART™ 300 (for Japan only)	 + 	Wet		X	X	
	CERASMART™ LAYER (for Japan only)	 + 	Wet		X	X	
	Initial™ LRF	 + 	Wet		X	X	
	Initial™ LiSi Block	 + 	Wet				X
<b>IVOCLAR VIVADENT</b>	IPS e.max® CAD 12, 14, 16, 32, 40	 + 	Wet			X	
	IPS e.max® CAD Abutment	 + 	Wet			X	
	IPS Empress® CAD	 + 	Wet			X	
	IPS Empress® CAD Multi	 + 	Wet			X	
	Tetric® CAD	 + 	Wet		X	X	
	IPS e.max® ZirCAD LT	 + 	Wet or Dry		X	X	X
	IPS e.max® ZirCAD MT Multi	 + 	Wet or Dry	Dry only	X	X	X
	Telio® CAD	 + 	Wet	Dry only	X	X	X
	Telio® CAD Abutment	 + 	Wet		X	X	X
<b>KURARAY NORITAKE</b>	KATANA™ Avencia LT	 + 	Wet		X	X	
	KATANA™ Zr STML	 + 	Wet or Dry	Dry & sizes 12Z only	X	X	X
<b>MERZ</b>	artBloc® Temp	 + 	Wet		X	X	X
<b>SHOFU</b>	Block HC	 + 	Wet		X	X	
	Block HC (2L)	 + 	Wet		X	X	
	Block HC HARD	 + 	Wet		X	X	
	Block HC SUPERHARD (for Japan only)	 + 	Wet		X	X	
	ZR LUCENT (for Japan only)	 + 	Dry	Size S only	X	X	X
<b>VITA</b>	VITABLOCS® Mark II	 + 	Wet		X	X	
	VITABLOCS RealLife® Planned for SW 5.2	 + 	Wet		X	X	
	VITABLOCS® TriLuxe	 + 	Wet		X	X	
	VITABLOCS® TriLuxe forte	 + 	Wet		X	X	
	VITA ENAMIC®	 + 	Wet		X	X	
	VITA ENAMIC® IS	 + 	Wet		X	X	
	VITA ENAMIC® multiColor	 + 	Wet		X	X	
	VITA SUPRINITY® PC	 + 	Wet		X	X	
	VITA YZ® HT	 + 	Wet or Dry	Dry only	X	X	X
	VITA CAD-Temp®	 + 	Wet		X	X	X
	VITA CAD-Temp® multiColor CTM-40	 + 	Wet		X	X	X
	VITA CAD-Temp® IS (worldwide except USA)	 + 	Wet		X	X	X