



Astra Tech Implant System®

# Product catalog

Astra Tech Implant System® EV



## Simplicity without compromise

The design philosophy of the Astra Tech Implant System EV is based on the natural dentition. This site-specific, crown-down approach is supported by an intuitive surgical protocol and a simple prosthetic workflow, providing an increased confidence and satisfaction for all members of the treatment team.

- Versatile implant designs, including straight, conical, sloped, short, narrow and wide, using only one surgical tray
- Flexible drilling protocol allows for preferred primary stability
- Restorative components including round and triangular options supporting soft tissue sculpturing
- Unique interface with one-position-only placement for:
  - Atlantis patient-specific abutments
  - Self-guiding impression components that require only one hand for precise seating

The foundation for Astra Tech Implant System EV is the unique Astra Tech Implant System BioManagement Complex, well-documented for its long-term marginal bone maintenance and esthetic results.



# Astra Tech Implant System®

## CONTENTS

### Overview

|                      |    |
|----------------------|----|
| Product overview 3.0 | 4  |
| Product overview 3.6 | 6  |
| Product overview 4.2 | 8  |
| Product overview 4.8 | 10 |
| Product overview 5.4 | 12 |

### Surgery

|                                 |    |
|---------------------------------|----|
| Implants - OsseoSpeed® EV       | 16 |
| Cover screws                    | 17 |
| Healing abutments               |    |
| - HealDesign™ EV/Healing Uni EV | 18 |

### Prosthetics

#### Temporization - implant level

|                                |    |
|--------------------------------|----|
| TempDesign™ EV/TempAbutment EV | 21 |
| Abutment screws                | 21 |

#### Cement-retained restorations - implant level

|                 |    |
|-----------------|----|
| TiDesign™ EV    | 22 |
| ZirDesign™ EV   | 23 |
| CastDesign™ EV  | 23 |
| TitaniumBase EV | 24 |

|                                      |    |
|--------------------------------------|----|
| Impression and laboratory components |    |
| - implant level                      | 25 |

#### Cement-retained restorations - abutment level

|                     |    |
|---------------------|----|
| Direct Abutment™ EV | 27 |
|---------------------|----|

#### Screw-retained restorations - abutment level

|                                  |    |
|----------------------------------|----|
| Uni Abutment EV                  | 29 |
| Angled Abutment EV               | 31 |
| Multibase EV - SmartFix® concept | 32 |

#### Attachment retained restorations - abutment level

|                  |    |
|------------------|----|
| Locator™ EV      | 36 |
| Ball Abutment EV | 37 |

### Instruments

|                         |    |
|-------------------------|----|
| Trays                   | 40 |
| Washtray EV             | 43 |
| Drills                  | 44 |
| Surgical instruments    | 48 |
| Surgical units          | 50 |
| Restorative instruments | 51 |
| Laboratory products     | 54 |

### OsseoSpeed® Profile EV

|                                      |    |
|--------------------------------------|----|
| Product overview P4.2                | 56 |
| Product overview P4.8                | 58 |
| Implants - OsseoSpeed® Profile EV    | 60 |
| Surgical Instruments                 | 61 |
| Healing abutments                    | 62 |
| Temporary abutments                  | 63 |
| Cement-retained restorations         |    |
| - TiDesign™ Profile EV               | 64 |
| Screw-retained restorations          | 64 |
| Impression and laboratory components | 65 |

### Guided Surgery

|                          |    |
|--------------------------|----|
| Trays for guided surgery | 67 |
| Punch/Initial Drill      | 69 |
| Drills                   | 70 |
| Implant Driver EV-GS     | 73 |
| PositioningAid           | 73 |
| Fixation system          | 74 |
| Sleeves                  | 74 |

### Repair and retrieval

|   |    |
|---|----|
| Compatibility table                       | 76 |
| Remove/retrieve screw fragments           | 77 |
| Clean internal threads                    | 78 |
| Remove/retrieve Uni Abutments EV/implants | 79 |
| General instruments                       | 80 |

### Appendix

|  |    |
|--|----|
| Material matrix  | 81 |
| The numbers within brackets (X) refer to material matrix on page 81. |    |
| Torque guide   | 82 |
| Explanation of the symbols on labels and instructions for use        | 82 |
| Index: order by reference number                                     | 83 |
| Index: alphabetical order  | 88 |

For more information also follow the manufacturer's instructions:

#### Zest Anchors

- Instructions for use - Locator® implant attachment system
- Locator® Implant Attachment System, Technique Manual for detailed handling of the Locator™ Abutment

#### Cendres Métaux

- Attachment for prosthetic dentistry for detailed handling of the Dalbo®-Plus Female part

All products are subject to change without notice. All products may not be regulatory cleared/released/licensed in all markets. Please contact your local Dentsply Sirona Implants representative for current product assortment and availability.

To improve readability for our customers, Dentsply Sirona does not use ® or ™ in body copy. However, Dentsply Sirona does not waive any right to the trademark and nothing herein shall be interpreted to the contrary.


All trademarks and company names are the property of their respective owners.

Product illustrations are not to scale.

# Product overview

3.0

GREEN



## Implants

OsseoSpeed® EV 3.0 S



- 8 mm 25212
- 9 mm 25213
- 11 mm 25214
- 13 mm 25215
- 15 mm 25216


## Cover screw



- 0 mm 25280

## Healing abutments

HealDesign™ EV 3.0



- Ø 3.5 2.5 mm 25901
- Ø 3.5 3.5 mm 25298
- Ø 3.5 4.5 mm 25297
- Ø 3.5 6.5 mm 25795

Healing Uni EV 3.0



- Ø 4 2 mm 25574
- Ø 4 3 mm 25575
- Ø 4 4 mm 25576
- Ø 4 6 mm 25577

## Cement-retained


### Temporary abutments

TempDesign™ EV



- Ø 6 5 mm 25503

Temp Abutment EV



- Ø 3.3 1 mm 26251

### Abutments

TiDesign™ EV 3.0



- Ø 4.0 2.5 mm 25330
- Ø 4.0 1.5 mm 25331
- Ø 4.0 15° 1.5 mm 25332

## Screw-retained

### Abutments

Uni Abutment EV 3.0



- 2 mm 25555
- 3 mm 25556
- 5 mm 25557

### Healing caps

Uni Abutment EV  
Heal Cap



- Ø 4.3 Short 25952
- Ø 4.3 25616
- Ø 5.5 Short 25953
- Ø 5.5 25617









### Abutment









Uni Abutment EV  
Pick-up



- Ø 4.3 Short 26245
- Ø 4.3 26247
- Ø 5.5 Short 26246
- Ø 5.5 26248

**Note:** Atlantis patient-specific prosthetic solutions are available.  
Speak with your local Dentsply Sirona Implants representative for more information.


|   |  |   |
|---|--|---|
| <p><b>Direct Abutment™ EV 3.0</b></p>  <p>             Ø 3.3 1 mm 25361<br/>             Ø 3.3 2 mm 25362<br/>             Ø 3.3 3 mm 25363         </p> <p><b>TitaniumBase EV 3.0</b></p>  <p>             Ø 4.0 1 mm 25924<br/>             Ø 4.0 2 mm 25925         </p> | <p align="center"><b>Implant impressions</b></p> <p><b>Implant Pick-Up EV</b></p>  <p>Long 26231</p> <p><b>Implant Transfer EV</b></p>  <p>Long 25534</p> <p><b>Implant Pick-Up Design EV</b></p>  <p>26239</p> | <p align="center"><b>Lab products</b></p> <p><b>Lab Abutment Screw EV</b></p>  <p>25476<br/>QTY 3</p> <p><b>Lab Pin Design EV</b></p>  <p>25528</p> <p><b>Implant Replica EV</b></p>  <p>25543</p> |
|---|--|---|

|   |  |   |   |
|---|--|---|---|
| <p align="center"><b>impressions</b></p> <p><b>Uni Abutment EV Transfer</b></p>  <p>26249</p> | <p align="center"><b>Lab products</b></p> <p><b>Uni Abutment EV Replica</b></p>  <p>25615</p> <p><b>Lab Abutment Pin EV</b></p>  <p>             Short 25643<br/>             Intermediate 25644<br/>             Long 25645         </p> <p><b>Lab Bridge Screw EV</b></p>  <p>25656<br/>QTY 3</p> | <p align="center"><b>Bridge screw</b></p> <p><b>Bridge Screw EV</b></p>  <p>25481</p> | <p align="center"><b>Cylinders</b></p> <p><b>Uni Abutment EV Temporary Cylinder</b></p>  <p>26250</p> <p><b>Uni Abutment EV Semi-Burnout Cylinder</b></p>  <p>25647</p> <p><b>Uni Abutment EV Burnout Cylinder</b></p>  <p>25649</p> |
|---|--|---|---|

# Product overview

3.6

PURPLE



## Implants

OsseoSpeed® EV 3.6 S



- 6 mm 25221
- 8 mm 25222
- 9 mm 25223
- 11 mm 25224
- 13 mm 25225
- 15 mm 25226
- 17 mm 25227

## Cover screw



0 mm 25281

## Healing abutments

HealDesign™ EV 3.6



- Ø 4 2.5 mm 25902
- Ø 4 3.5 mm 25300
- Ø 4 4.5 mm 25299
- Ø 4 6.5 mm 25796
- Ø 5 2.5 mm 25903
- Ø 5 3.5 mm 25920
- Ø 5 4.5 mm 25904
- Ø 5 6.5 mm 25905
- Ø 6 3.5 mm 25906
- Ø 6 4.5 mm 25907
- △ Ø 5 3.5 mm 25301

Healing Uni EV 3.6



- Ø 4 2 mm 25285
- Ø 4 3 mm 25578
- Ø 4 4 mm 25286
- Ø 4 6 mm 25287

## Cement-retained

### Temporary abutments

TempDesign™ EV



Ø 7 5 mm 25504

Temp Abutment EV



Ø 4.0 1 mm 26252

### Abutments

TiDesign™ EV 3.6



- Ø 4.5 2.5 mm 25334
- Ø 4.5 20° 1.5 mm 25335
- △ Ø 5.5 1.5 mm 25333

CastDesign™ EV 3.6



Ø 4.1 1 mm 25326

ZirDesign™ EV 3.6



- Ø 4.5 2.5 mm 25316
- Ø 4.5 20° 1.5 mm 25317
- △ Ø 5.5 1.5 mm 25315

## Screw-retained

### Abutments

Uni Abutment EV 3.6



- 1 mm 25558
- 2 mm 25559
- 3 mm 25560
- 5 mm 25561

Angled Abutment EV 3.6 20°



- Ø 4.2 1 mm 25619
- Ø 4.2 2 mm 25620
- Ø 4.2 1 mm 25621
- Ø 4.2 2 mm 25622

Multibase Abutment EV 3.6



- 1.5 mm 26159
- 2.5 mm 26160
- 3.5 mm 26161
- 17° 1.5 mm 26162
- 17° 2.5 mm 26163
- 17° 1.5 mm 26166
- 17° 2.5 mm 26167
- 30° 1.5 mm 26164
- 30° 2.5 mm 26165
- 30° 1.5 mm 26168
- 30° 2.5 mm 26169

### Healing caps

Uni Abutment EV Heal Cap



- Ø 4.3 Short 25952
- Ø 4.3 25616
- Ø 5.5 Short 25953
- Ø 5.5 25617

Angled Abutment EV Heal Cap



25650

Multibase EV Heal Cap



Ø 5.4 - 4 mm 26193

### Abutment

Uni Abutment EV Pick-up



- Ø 4.3 Short 26245
- Ø 4.3 26247
- Ø 5.5 Short 26246
- Ø 5.5 26248

Uni Abutment EV Transfer



26249

Angled Abutment EV Pick-up



26244

## Attachment-retained

### Abutments

Locator™ Abutment EV 3.6



- 1 mm 25657
- 2 mm 25658
- 3 mm 25659
- 4 mm 25660
- 5 mm 25661

Ball Abutment EV 3.6











- 1 mm 25684
- 2 mm 25685
- 3 mm 25686
- 4 mm 25687
- 5 mm 25688
- 7 mm 25689



















### Abutment impressions








Locator™ Abutment Pick-up



24484

|  |  |  |
|--|--|--|
| <p><b>Direct Abutment™ EV 3.6</b></p>  <p>Ø 4 1 mm 25364<br/>Ø 4 2 mm 25365<br/>Ø 4 3 mm 25366</p> <p><b>TitaniumBase EV 3.6</b></p>  <p>Ø 4.1 1 mm 25926<br/>Ø 4.1 2 mm 25927</p> | <p><b>Implant impressions</b></p> <p><b>Implant Pick-Up EV</b></p>  <p>Short 26227<br/>Long 26232</p> <p><b>Implant Transfer EV</b></p>  <p>Short 25535<br/>Long 25536</p> <p><b>Implant Pick-Up Design EV</b></p>  <p>Short 26235<br/>Long 26240</p> | <p><b>Lab products</b></p> <p><b>Lab Abutment Screw EV</b></p>  <p>25477<br/>QTY 3</p> <p><b>Lab Pin Design EV</b></p>  <p>25528</p> <p><b>Implant Replica EV</b></p>  <p>25544</p> |
|--|--|--|

|   |   |   |
|---|---|---|
| <p><b>impressions</b></p> <p><b>Multibase EV Pick-up</b></p>  <p>26195</p> <p><b>Multibase EV Transfer</b></p>  <p>26194</p> | <p><b>Lab products</b></p> <p><b>Uni Abutment EV Replica</b></p>  <p>25615</p> <p><b>Angled Abutment EV Replica</b></p>  <p>25652</p> <p><b>Multibase EV Replica</b></p>  <p>26201</p> <p><b>Lab Abutment Pin EV</b></p>  <p>Short 25643<br/>Intermediate 25644<br/>Long 25645</p> <p><b>Lab Bridge Screw EV</b></p>  <p>25656<br/>QTY 3</p> <p><b>Multibase EV Lab Pin</b></p>  <p>14 mm 26197<br/>18 mm 26198<br/>22 mm 26199</p> | <p><b>Cylinders</b></p> <p><b>Uni Abutment EV Temporary Cylinder</b></p>  <p>26250</p> <p><b>Uni Abutment EV Semi-Burnout Cylinder</b></p>  <p>25647</p> <p><b>Uni Abutment EV Burnout Cylinder</b></p>  <p>25649</p> <p><b>Angled Abutment EV Temporary Cylinder</b></p>  <p>25654</p> <p><b>Angled Abutment EV Semi-Burnout Cylinder</b></p>  <p>25653</p> <p><b>Angled Abutment EV Burnout Cylinder</b></p>  <p>25655</p> <p><b>Multibase EV Temporary Cylinder</b></p>  <p>26202</p> <p><b>Multibase EV Burnout Cylinder</b></p>  <p>26203</p> <p><b>Bridge screws</b></p> <p><b>Bridge Screw EV</b></p>  <p>25481</p> <p><b>Multibase EV Bridge Screw</b></p>  <p>26196</p> |
|---|---|---|

|   |   |
|---|---|
| <p><b>Replicas</b></p> <p><b>Locator™ Abutment Replica</b></p>  <p>24485</p> <p><b>Ball Abutment EV Replica</b></p>  <p>25826</p> | <p><b>Attachment components</b></p> <p><b>Dalbo Plus Female Part TE Basic, complete</b></p>  <p>25834</p> <p><b>Locator™ Process Kit</b></p>  <p>24483</p> <p><b>Locator™ Insert - Male</b></p>  <p>Blue 24488<br/>Pink 24487<br/>Clear 24486</p> <p><b>Locator™ Insert - Extended Range Male</b></p>  <p>Grey 25679<br/>Red 24492<br/>Orange 25843<br/>Green 24489</p> <p><b>OD Cylinder EV</b></p>  <p>25638</p> |
|---|---|

# Product overview

4.2

YELLOW



## Implants

| OsseoSpeed® EV 4.2 S |       | OsseoSpeed® EV 4.2 C |       |
|----------------------|-------|----------------------|-------|
| 6 mm                 | 25231 | 8 mm                 | 25262 |
| 8 mm                 | 25232 | 9 mm                 | 25263 |
| 9 mm                 | 25233 | 11 mm                | 25264 |
| 11 mm                | 25234 | 13 mm                | 25265 |
| 13 mm                | 25235 | 15 mm                | 25266 |
| 15 mm                | 25236 | 17 mm                | 25267 |
| 17 mm                | 25237 |                      |       |

## Cover screw



0 mm 25282

## Healing abutments

| HealDesign™ EV 4.2 |  |       |              |
|--------------------|--|-------|--------------|
|                    |  | Ø 5.0 | 2.5 mm 25908 |
|                    |  | Ø 5.0 | 3.5 mm 25501 |
|                    |  | Ø 5.0 | 4.5 mm 25302 |
|                    |  | Ø 5.0 | 6.5 mm 25797 |
|                    |  | Ø 6.5 | 2.5 mm 25909 |
|                    |  | Ø 6.5 | 3.5 mm 25910 |
|                    |  | Ø 6.5 | 4.5 mm 25911 |
|                    |  | Ø 6.5 | 6.5 mm 25912 |
|                    |  | Δ 5   | 3.5 mm 25303 |
|                    |  | Δ 6.5 | 3.5 mm 25304 |

## Healing Uni EV 4.2

|  |     |            |
|--|-----|------------|
|  | Ø 4 | 2 mm 25288 |
|  | Ø 4 | 3 mm 25579 |
|  | Ø 4 | 4 mm 25289 |
|  | Ø 4 | 6 mm 25290 |

## Cement-retained

### Temporary abutments

#### TempDesign™ EV



Ø 9 5 mm 25505

#### Temp Abutment EV



Ø 4.5 1 mm 26253

### Abutments

#### TiDesign™ EV 4.2



|   |           |        |       |
|---|-----------|--------|-------|
| ○ | Ø 5.5     | 2.5 mm | 25338 |
| ○ | Ø 5.5 20° | 1.5 mm | 25339 |
| △ | Ø 5.5     | 1.5 mm | 25336 |
| △ | Ø 7.0     | 1.5 mm | 25337 |

#### CastDesign™ EV 4.2



Ø 4.1 1 mm 25327

#### ZirDesign™ EV 4.2



|   |           |        |       |
|---|-----------|--------|-------|
| ○ | Ø 5.5     | 2.5 mm | 25320 |
| ○ | Ø 5.5 20° | 1.5 mm | 25321 |
| △ | Ø 5.5     | 1.5 mm | 25318 |
| △ | Ø 7.0     | 1.5 mm | 25319 |

## Screw-retained


### Abutments

#### Uni Abutment EV 4.2




|      |       |
|------|-------|
| 1 mm | 25562 |
| 2 mm | 25563 |
| 3 mm | 25564 |
| 5 mm | 25565 |

#### Angled Abutment EV 4.2 20°



|       |            |
|-------|------------|
| Ø 4.2 | 1 mm 25625 |
| Ø 4.2 | 2 mm 25626 |
| Ø 4.2 | 1 mm 25627 |
| Ø 4.2 | 2 mm 25628 |

#### Multibase Abutment EV 4.2



|            |       |
|------------|-------|
| 1.5 mm     | 26170 |
| 2.5 mm     | 26171 |
| 3.5 mm     | 26172 |
| 17° 1.5 mm | 26173 |
| 17° 2.5 mm | 26174 |

|            |       |
|------------|-------|
| 17° 1.5 mm | 26177 |
| 17° 2.5 mm | 26178 |

|            |       |
|------------|-------|
| 30° 1.5 mm | 26175 |
| 30° 2.5 mm | 26176 |

|            |       |
|------------|-------|
| 30° 1.5 mm | 26179 |
| 30° 2.5 mm | 26180 |

### Healing caps

#### Uni Abutment EV Heal Cap



|       |       |       |
|-------|-------|-------|
| Ø 4.3 | Short | 25952 |
| Ø 4.3 |       | 25616 |
| Ø 5.5 | Short | 25953 |
| Ø 5.5 |       | 25617 |

#### Angled Abutment EV Heal Cap



25650

#### Multibase EV Heal Cap



Ø 5.4 - 4 mm 26193

### Abutment

#### Uni Abutment EV Pick-up



|       |       |       |
|-------|-------|-------|
| Ø 4.3 | Short | 26245 |
| Ø 4.3 |       | 26247 |
| Ø 5.5 | Short | 26246 |
| Ø 5.5 |       | 26248 |

#### Uni Abutment EV Transfer



26249

#### Angled Abutment EV Pick-up



26244

## Attachment-retained

### Abutments

#### Locator™ Abutment EV 4.2



|      |       |
|------|-------|
| 1 mm | 25662 |
| 2 mm | 25663 |
| 3 mm | 25664 |
| 4 mm | 25665 |
| 5 mm | 25666 |

#### Ball Abutment EV 4.2



|      |       |
|------|-------|
| 1 mm | 25690 |
| 2 mm | 25691 |
| 3 mm | 25692 |
| 4 mm | 25693 |
| 5 mm | 25694 |
| 7 mm | 25695 |









### Abutment impressions



















#### Locator™ Abutment Pick-up










24484



|   |  |  |
|---|--|--|
| <p><b>Direct Abutment™ EV 4.2</b></p>  <p>             Ø 5 1 mm 25367<br/>             Ø 5 2 mm 25368<br/>             Ø 5 3 mm 25369<br/>             Ø 6 1 mm 25494<br/>             Ø 6 2 mm 25495<br/>             Ø 6 3 mm 25496         </p> <p><b>TitaniumBase EV 4.2</b></p>  <p>             Ø 4.7 1 mm 25928<br/>             Ø 4.7 2 mm 25929         </p> | <p><b>Implant impressions</b></p> <p><b>Implant Pick-Up EV</b></p>  <p>Short 26228<br/>Long 26233</p> <p><b>Implant Transfer EV</b></p>  <p>Short 25537<br/>Long 25538</p> <p><b>Implant Pick-Up Design EV</b></p>  <p>Short 26236<br/>Long 26241</p> | <p><b>Lab products</b></p> <p><b>Lab Abutment Screw EV</b></p>  <p>25478<br/>QTY 3</p> <p><b>Lab Pin Design EV</b></p>  <p>25530</p> <p><b>Implant Replica EV</b></p>  <p>25545</p> |
|---|--|--|


|   |   |   |
|---|---|---|
| <p><b>impressions</b></p> <p><b>Multibase EV Pick-up</b></p>  <p>26195</p> <p><b>Multibase EV Transfer</b></p>  <p>26194</p> | <p><b>Lab products</b></p> <p><b>Uni Abutment EV Replica</b></p>  <p>25615</p> <p><b>Angled Abutment EV Replica</b></p>  <p>25652</p> <p><b>Multibase EV Replica</b></p>  <p>26201</p> <p><b>Lab Abutment Pin EV</b></p>  <p>Short 25643<br/>Intermediate 25644<br/>Long 25645</p> <p><b>Lab Bridge Screw EV</b></p>  <p>25656<br/>QTY 3</p> <p><b>Multibase EV Lab Pin</b></p>  <p>14 mm 26197<br/>18 mm 26198<br/>22 mm 26199</p> | <p><b>Cylinders</b></p> <p><b>Uni Abutment EV Temporary Cylinder</b></p>  <p>26250</p> <p><b>Uni Abutment EV Semi-Burnout Cylinder</b></p>  <p>25647</p> <p><b>Uni Abutment EV Burnout Cylinder</b></p>  <p>25649</p> <p><b>Angled Abutment EV Temporary Cylinder</b></p>  <p>25654</p> <p><b>Angled Abutment EV Semi-Burnout Cylinder</b></p>  <p>25653</p> <p><b>Angled Abutment EV Burnout Cylinder</b></p>  <p>25655</p> <p><b>Multibase EV Temporary Cylinder</b></p>  <p>26202</p> <p><b>Multibase EV Burnout Cylinder</b></p>  <p>26203</p> <p><b>Bridge screws</b></p> <p><b>Bridge Screw EV</b></p>  <p>25481</p> <p><b>Multibase EV Bridge Screw</b></p>  <p>26196</p> |
|---|---|---|

|   |   |
|---|---|
| <p><b>Replicas</b></p> <p><b>Locator™ Abutment Replica</b></p>  <p>24485</p> <p><b>Ball Abutment EV Replica</b></p>  <p>25826</p> | <p><b>Attachment components</b></p> <p><b>Dalbo Plus Female Part TE Basic, complete</b></p>  <p>25834</p> <p><b>Locator™ Process Kit</b></p>  <p>24483</p> <p><b>Locator™ Insert - Male</b></p>  <p>Blue 24488<br/>Pink 24487<br/>Clear 24486</p> <p><b>Locator™ Insert - Extended Range Male</b></p>  <p>Grey 25679<br/>Red 24492<br/>Orange 25843<br/>Green 24489</p> <p><b>OD Cylinder EV</b></p>  <p>25638</p> |
|---|---|

# Product overview

4.8

BLUE



## Implants

### OsseoSpeed® EV 4.8 S



6 mm 25241  
8 mm 25242  
9 mm 25243  
11 mm 25244  
13 mm 25245  
15 mm 25246  
17 mm 25247

### OsseoSpeed® EV 4.8 C



8 mm 25272  
9 mm 25273  
11 mm 25274  
13 mm 25275  
15 mm 25276  
17 mm 25277

## Cover screw



0 mm 25283

## Healing abutments

### HealDesign™ EV 4.8



Ø 5.0 2.5 mm 25913  
 Ø 5.0 3.5 mm 25502  
 Ø 5.0 4.5 mm 25914  
 Ø 5.0 6.5 mm 25915  
 Ø 6.5 2.5 mm 25916  
 Ø 6.5 3.5 mm 25917  
 Ø 6.5 4.5 mm 25306  
 Ø 6.5 6.5 mm 25798  
 Ø 7.5 3.5 mm 25918  
 Ø 7.5 4.5 mm 25919

Δ Ø 5.0 3.5 mm 25305  
 Δ Ø 6.5 3.5 mm 25307

### Healing Uni EV 4.8



Ø 4 2 mm 26219  
 Ø 4 3 mm 26220  
 Ø 4 4 mm 26221  
 Ø 4 6 mm 26222

## Cement-retained

### Temporary abutments

#### TempDesign™ EV



Ø 10 5 mm 25506

#### Temp Abutment EV



Ø 5.0 1 mm 26254

### Abutments

#### TiDesign™ EV 4.8



Ø 7.0 2.5 mm 25342  
 Ø 5.5 20° 1.5 mm 25343  
 Ø 5.5 1.5 mm 25340  
 Ø 7.0 1.5 mm 25341

#### CastDesign™ EV 4.8



Ø 5.1 1 mm 25328

#### ZirDesign™ EV 4.8



Ø 7.0 2.5 mm 25324  
 Ø 5.5 20° 1.5 mm 25325  
 Ø 5.5 1.5 mm 25322  
 Ø 7.0 1.5 mm 25323

## Screw-retained


### Abutments

#### Uni Abutment EV 4.8




1 mm 25566  
 2 mm 25567  
 3 mm 25568  
 5 mm 25569

#### Angled Abutment EV 4.8 20°



Ø 4.2 1 mm 25631  
 Ø 4.2 2 mm 25632  
 Ø 4.2 1 mm 25633  
 Ø 4.2 2 mm 25634

#### Multibase Abutment EV 4.8



1.5 mm 26181  
 2.5 mm 26182  
 3.5 mm 26183  
 17° 1.5 mm 26184  
 17° 2.5 mm 26185  
 17° 1.5 mm 26188  
 17° 2.5 mm 26189  
 30° 1.5 mm 26186  
 30° 2.5 mm 26187  
 30° 1.5 mm 26190  
 30° 2.5 mm 26191

### Healing caps

#### Uni Abutment EV Heal Cap



Ø 4.3 Short 25952  
 Ø 4.3 25616  
 Ø 5.5 Short 25953  
 Ø 5.5 25617

#### Angled Abutment EV Heal Cap



25650

#### Multibase EV Heal Cap



Ø 5.4 - 4 mm 26193

### Abutment

#### Uni Abutment EV Pick-up



Ø 4.3 Short 26245  
 Ø 4.3 26247  
 Ø 5.5 Short 26246  
 Ø 5.5 26248

#### Uni Abutment EV Transfer



26249

#### Angled Abutment EV Pick-up



26244

## Attachment-retained

### Abutments

#### Locator™ Abutment EV 4.8



1 mm 25667  
 2 mm 25668  
 3 mm 25669  
 4 mm 25670  
 5 mm 25671

#### Ball Abutment EV 4.8



1 mm 25696  
 2 mm 25697  
 3 mm 25698  
 4 mm 25699  
 5 mm 25700  
 7 mm 25701









### Abutment impressions



















#### Locator™ Abutment Pick-up










24484

**Note:** Atlantis patient-specific prosthetic solutions are available. Speak with your local Dentsply Sirona Implants representative for more information.

|   |  |  |
|---|--|--|
| <p><b>Direct Abutment™ EV 4.8</b></p>  <p>             Ø 5 1 mm 25370<br/>             Ø 5 2 mm 25371<br/>             Ø 5 3 mm 25372<br/>             Ø 6 1 mm 25497<br/>             Ø 6 2 mm 25498<br/>             Ø 6 3 mm 25499         </p> <p><b>TitaniumBase EV 4.8</b></p>  <p>             Ø 5.0 1 mm 25930<br/>             Ø 5.0 2 mm 25931         </p> | <p><b>Implant impressions</b></p> <p><b>Implant Pick-Up EV</b></p>  <p>Short 26229<br/>Long 26234</p> <p><b>Implant Transfer EV</b></p>  <p>Short 25539<br/>Long 25540</p> <p><b>Implant Pick-Up Design EV</b></p>  <p>Short 26237<br/>Long 26242</p> | <p><b>Lab products</b></p> <p><b>Lab Abutment Screw EV</b></p>  <p>25479<br/>QTY 3</p> <p><b>Lab Pin Design EV</b></p>  <p>25530</p> <p><b>Implant Replica EV</b></p>  <p>25546</p> |
|---|--|--|


|   |   |   |
|---|---|---|
| <p><b>impressions</b></p> <p><b>Multibase EV Pick-up</b></p>  <p>26195</p> <p><b>Multibase EV Transfer</b></p>  <p>26194</p> | <p><b>Lab products</b></p> <p><b>Uni Abutment EV Replica</b></p>  <p>25615</p> <p><b>Angled Abutment EV Replica</b></p>  <p>25652</p> <p><b>Multibase EV Replica</b></p>  <p>26201</p> <p><b>Lab Abutment Pin EV</b></p>  <p>Short 25643<br/>Intermediate 25644<br/>Long 25645</p> <p><b>Lab Bridge Screw EV</b></p>  <p>25656<br/>QTY 3</p> <p><b>Multibase EV Lab Pin</b></p>  <p>14 mm 26197<br/>18 mm 26198<br/>22 mm 26199</p> | <p><b>Cylinders</b></p> <p><b>Uni Abutment EV Temporary Cylinder</b></p>  <p>26250</p> <p><b>Uni Abutment EV Semi-Burnout Cylinder</b></p>  <p>25647</p> <p><b>Uni Abutment EV Burnout Cylinder</b></p>  <p>25649</p> <p><b>Angled Abutment EV Temporary Cylinder</b></p>  <p>25654</p> <p><b>Angled Abutment EV Semi-Burnout Cylinder</b></p>  <p>25653</p> <p><b>Angled Abutment EV Burnout Cylinder</b></p>  <p>25655</p> <p><b>Multibase EV Temporary Cylinder</b></p>  <p>26202</p> <p><b>Multibase EV Burnout Cylinder</b></p>  <p>26203</p> <p><b>Bridge screws</b></p> <p><b>Bridge Screw EV</b></p>  <p>25481</p> <p><b>Multibase EV Bridge Screw</b></p>  <p>26196</p> |
|---|---|---|

|   |   |
|---|---|
| <p><b>Replicas</b></p> <p><b>Locator™ Abutment Replica</b></p>  <p>24485</p> <p><b>Ball Abutment EV Replica</b></p>  <p>25826</p> | <p><b>Attachment components</b></p> <p><b>Dalbo Plus Female Part TE Basic, complete</b></p>  <p>25834</p> <p><b>Locator™ Process Kit</b></p>  <p>24483</p> <p><b>Locator™ Insert - Male</b></p>  <p>Blue 24488<br/>Pink 24487<br/>Clear 24486</p> <p><b>Locator™ Insert - Extended Range Male</b></p>  <p>Grey 25679<br/>Red 24492<br/>Orange 25843<br/>Green 24489</p> <p><b>OD Cylinder EV</b></p>  <p>25638</p> |
|---|---|

# Product overview

5.4

**BROWN**



## Implants

OsseoSpeed™ EV 5.4 S



- 6 mm 25251
- 8 mm 25252
- 9 mm 25253
- 11 mm 25254
- 13 mm 25255
- 15 mm 25256

## Cover screw



- 0 mm 25284

## Healing abutments

HealDesign™ EV 5.4



- ⊙ Ø 6.5 2.5 mm 25921
- ⊙ Ø 6.5 3.5 mm 25309
- ⊙ Ø 6.5 4.5 mm 25308
- ⊙ Ø 6.5 6.5 mm 25799
- ⊙ Ø 7.5 3.5 mm 25922
- ⊙ Ø 7.5 4.5 mm 25923

Healing Uni EV 5.4



- ⊙ Ø 4 2 mm 26223
- ⊙ Ø 4 3 mm 26224
- ⊙ Ø 4 4 mm 26225
- ⊙ Ø 4 6 mm 26226

## Cement-retained

### Temporary abutments

TempDesign™ EV



- ⊙ 10 5 mm 25507

Temp Abutment EV



- ⊙ 5.5 1 mm 26255

### Abutments

TiDesign™ EV 5.4



- ⊙ Ø 7.0 2.5 mm 25344
- ⊙ Ø 7.0 1.5 mm 25345

CastDesign™ EV 5.4



- ⊙ Ø 5.1 1 mm 25329

## Screw-retained

### Abutments

Uni Abutment EV 5.4



- 1 mm 25570
- 2 mm 25571
- 3 mm 25572
- 5 mm 25573

### Healing caps

Uni Abutment EV  
Heal Cap



- ⊙ 4.3 Short 25952
- ⊙ 4.3 25616
- ⊙ 5.5 Short 25953
- ⊙ 5.5 25617









### Abutment









Uni Abutment EV  
Pick-up



- ⊙ 4.3 Short 26245
- ⊙ 4.3 26247
- ⊙ 5.5 Short 26246
- ⊙ 5.5 26248

**Note:** Atlantis patient-specific prosthetic solutions are available.  
Speak with your local Dentsply Sirona Implants representative for more information.

|   |   |  |
|---|---|--|
| <p><b>Direct Abutment™ EV 5.4</b></p>  <p>             Ø 6 1 mm 25373<br/>             Ø 6 2 mm 25374<br/>             Ø 6 3 mm 25375         </p> <p><b>TitaniumBase EV 5.4</b></p>  <p>             Ø 5.5 1 mm 25932<br/>             Ø 5.5 2 mm 25933         </p> | <p><b>Implant impressions</b></p> <p><b>Implant Pick-Up EV</b></p>  <p>Short 26230</p> <p><b>Implant Transfer EV</b></p>  <p>Short 25541<br/>Long 25542</p> <p><b>Implant Pick-Up Design EV</b></p>  <p>Short 26238<br/>Long 26243</p> | <p><b>Lab products</b></p> <p><b>Lab Abutment Screw EV</b></p>  <p>25480<br/>QTY 3</p> <p><b>Lab Pin Design EV</b></p>  <p>25530</p> <p><b>Implant Replica EV</b></p>  <p>25547</p> |
|---|---|--|


|  |   |  |  |
|--|---|--|--|
| <p><b>impressions</b></p> <p><b>Uni Abutment EV Transfer</b></p>  <p>26249</p> | <p><b>Lab products</b></p> <p><b>Uni Abutment EV Replica</b></p>  <p>25615</p> <p><b>Lab Abutment Pin EV</b></p>  <p>Short 25643<br/>Intermediate 25644<br/>Long 25645</p> <p><b>Lab Bridge Screw EV</b></p>  <p>25656<br/>QTY 3</p> | <p><b>Bridge screw</b></p> <p><b>Bridge Screw EV</b></p>  <p>25481</p> | <p><b>Cylinders</b></p> <p><b>Uni Abutment EV Temporary Cylinder</b></p>  <p>26250</p> <p><b>Uni Abutment EV Semi-Burnout Cylinder</b></p>  <p>25647</p> <p><b>Uni Abutment EV Burnout Cylinder</b></p>  <p>25649</p> |
|--|---|--|--|

# Introduction



The design philosophy of the Astra Tech Implant System EV is based on the natural dentition utilizing a site-specific, crown-down approach supported by an intuitive surgical protocol and a simple prosthetic workflow.

The implant assortment provides versatility for meeting the needs of each individual site. This is further supported by corresponding restorative components designed for optimized soft tissue management and long-term function and esthetics.



Recommended implant size(s) in relation to tooth position, provided there is sufficient bone volume and space in relation to the adjacent dentition.



The foundation for Astra Tech Implant System EV is the unique **Astra Tech Implant System BioManagement Complex**, well-documented for its long-term marginal bone maintenance and esthetic results.

## Dentsply Sirona warranty program\* — We have you covered



\*For full terms and conditions, refer to the "Implant Systems Warranty" flyer.



# Surgery

## Versatile implant assortment

OsseoSpeed EV implants are available in a versatile range of shapes, diameters and lengths for all indications, including situations with limited space and/or bone quantity.



## Flexible drilling protocol that allows for preferred primary stability

The drilling procedure is made easy by using color-coding and a simple numbering system.



## Site-specific components

Including round and triangular healing abutments.



## Color-coded assortment

Each implant-abutment connection size is identified by a specific color, which is used consistently throughout the system. The color is applied directly to components and instruments, as well as on packaging and informational material, where appropriate.



Three peel-off labels are provided for the patient's treatment record and for communicating with the restorative team.

For specific procedural details, please refer to the respective manual.

# Implants

## OsseoSpeed® EV

Titanium (I), sterile



OsseoSpeed EV implants are available in a versatile range of shapes, diameters and lengths for all indications, including situations with limited space and/or bone quantity.

S = Straight


C = Conical



Specific colors have been assigned to the different implant-abutment connection sizes, which are consistently used throughout the system.



- Implants for all indications in both the anterior and posterior region.
- For further details – see Instructions for use or Surgical manual.
- OsseoSpeed surface treatment over the entire implant to the top of the first microthreads.
- For conical implants the body portion is 0.6 mm narrower.



## 3.0 OsseoSpeed® EV 3.0 S



|           |  |       |       |       |       |       |
|-----------|--|-------|-------|-------|-------|-------|
| Ø mm      |  | 3.0   | 3.0   | 3.0   | 3.0   | 3.0   |
| Length mm |  | 8     | 9     | 11    | 13    | 15    |
| Order No. |  | 25212 | 25213 | 25214 | 25215 | 25216 |

## 3.6 OsseoSpeed® EV 3.6 S



|           |       |       |       |       |       |       |       |
|-----------|-------|-------|-------|-------|-------|-------|-------|
| Ø mm      | 3.6   | 3.6   | 3.6   | 3.6   | 3.6   | 3.6   | 3.6   |
| Length mm | 6     | 8     | 9     | 11    | 13    | 15    | 17    |
| Order No. | 25221 | 25222 | 25223 | 25224 | 25225 | 25226 | 25227 |

## 4.2 OsseoSpeed® EV 4.2 S



|           |       |       |       |       |       |       |       |
|-----------|-------|-------|-------|-------|-------|-------|-------|
| Ø mm      | 4.2   | 4.2   | 4.2   | 4.2   | 4.2   | 4.2   | 4.2   |
| Length mm | 6     | 8     | 9     | 11    | 13    | 15    | 17    |
| Order No. | 25231 | 25232 | 25233 | 25234 | 25235 | 25236 | 25237 |

## 4.2 OsseoSpeed® EV 4.2 C



|           |  |       |       |       |       |       |       |
|-----------|--|-------|-------|-------|-------|-------|-------|
| Ø mm      |  | 4.2   | 4.2   | 4.2   | 4.2   | 4.2   | 4.2   |
| Body Ø mm |  | 3.6   | 3.6   | 3.6   | 3.6   | 3.6   | 3.6   |
| Length mm |  | 8     | 9     | 11    | 13    | 15    | 17    |
| Order No. |  | 25262 | 25263 | 25264 | 25265 | 25266 | 25267 |

4.8 OsseoSpeed® EV 4.8 S



|           |       |       |       |       |       |       |       |
|-----------|-------|-------|-------|-------|-------|-------|-------|
| Ø mm      | 4.8   | 4.8   | 4.8   | 4.8   | 4.8   | 4.8   | 4.8   |
| Length mm | 6     | 8     | 9     | 11    | 13    | 15    | 17    |
| Order No. | 25241 | 25242 | 25243 | 25244 | 25245 | 25246 | 25247 |

4.8 OsseoSpeed® EV 4.8 C



|           |  |       |       |       |       |       |       |
|-----------|--|-------|-------|-------|-------|-------|-------|
| Ø mm      |  | 4.8   | 4.8   | 4.8   | 4.8   | 4.8   | 4.8   |
| Body Ø mm |  | 4.2   | 4.2   | 4.2   | 4.2   | 4.2   | 4.2   |
| Length mm |  | 8     | 9     | 11    | 13    | 15    | 17    |
| Order No. |  | 25272 | 25273 | 25274 | 25275 | 25276 | 25277 |

5.4 OsseoSpeed® EV 5.4 S



|           |       |       |       |       |       |       |
|-----------|-------|-------|-------|-------|-------|-------|
| Ø mm      | 5.4   | 5.4   | 5.4   | 5.4   | 5.4   | 5.4   |
| Length mm | 6     | 8     | 9     | 11    | 13    | 15    |
| Order No. | 25251 | 25252 | 25253 | 25254 | 25255 | 25256 |

Cover Screw EV



|           |       |       |       |       |       |
|-----------|-------|-------|-------|-------|-------|
| Order No. | 25280 | 25281 | 25282 | 25283 | 25284 |
|-----------|-------|-------|-------|-------|-------|

Cover Screw EV  
Titanium (2), sterile




# Healing abutments

## HealDesign™ EV


Titanium (2), sterile

- For soft tissue sculpturing during the healing phase
- Can be used for both one- and two-stage surgery
- Design is primarily matched to TiDesign EV and ZirDesign EV abutments
- Heights and diameters are harmonized with the permanent abutments as well as with the tooth position
  - Round shapes are indicated for all positions in the mouth.
  - △ Triangular shapes are designed for anterior implant sites and mimic the specific shape for incisors and canines. Triangular HealDesign™ EV is a two-piece abutment.
- Marked with diameter and height



\*Compatible with OsseSpeed Profile EV 4.2 and OsseSpeed Profile EV 4.8

### 3.0 HealDesign™ EV 3.0




|           |       |       |       |       |
|-----------|-------|-------|-------|-------|
| ∅ mm      | 3.5   | 3.5   | 3.5   | 3.5   |
| Height mm | 2.5   | 3.5   | 4.5   | 6.5   |
| Order No. | 25901 | 25298 | 25297 | 25795 |

### 3.6 HealDesign™ EV 3.6



|           |       |       |       |       |       |       |       |       |       |       |       |
|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| ∅ mm      | 4     | 4     | 4     | 4     | 5     | 5     | 5     | 5     | 6     | 6     | 5     |
| Height mm | 2.5   | 3.5   | 4.5   | 6.5   | 2.5   | 3.5   | 4.5   | 6.5   | 3.5   | 4.5   | 3.5   |
| Order No. | 25902 | 25300 | 25299 | 25796 | 25903 | 25920 | 25904 | 25905 | 25906 | 25907 | 25301 |

### 4.2 HealDesign™ EV 4.2



|           |        |        |        |        |        |        |        |        |       |       |
|-----------|--------|--------|--------|--------|--------|--------|--------|--------|-------|-------|
| ∅ mm      | 5      | 5      | 5      | 5      | 6.5    | 6.5    | 6.5    | 6.5    | 5     | 6.5   |
| Height mm | 2.5    | 3.5    | 4.5    | 6.5    | 2.5    | 3.5    | 4.5    | 6.5    | 3.5   | 3.5   |
| Order No. | 25908* | 25501* | 25302* | 25797* | 25909* | 25910* | 25911* | 25912* | 25303 | 25304 |

### 4.8 HealDesign™ EV 4.8



|           |        |        |        |        |        |        |        |        |        |        |       |       |
|-----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|-------|
| ∅ mm      | 5      | 5      | 5      | 5      | 6.5    | 6.5    | 6.5    | 6.5    | 7.5    | 7.5    | 5     | 6.5   |
| Height mm | 2.5    | 3.5    | 4.5    | 6.5    | 2.5    | 3.5    | 4.5    | 6.5    | 3.5    | 4.5    | 3.5   | 3.5   |
| Order No. | 25913* | 25502* | 25914* | 25915* | 25916* | 25917* | 25306* | 25798* | 25918* | 25919* | 25305 | 25307 |

### 5.4 HealDesign™ EV 5.4



|           |       |       |       |       |       |       |
|-----------|-------|-------|-------|-------|-------|-------|
| ∅ mm      | 6.5   | 6.5   | 6.5   | 6.5   | 7.5   | 7.5   |
| Height mm | 2.5   | 3.5   | 4.5   | 6.5   | 3.5   | 4.5   |
| Order No. | 25921 | 25309 | 25308 | 25799 | 25922 | 25923 |

**3.0 Healing Uni EV 3.0**



|           |       |       |       |       |
|-----------|-------|-------|-------|-------|
| Ø mm      | 4     | 4     | 4     | 4     |
| Height mm | 2     | 3     | 4     | 6     |
| Order No. | 25574 | 25575 | 25576 | 25577 |

**3.6 Healing Uni EV 3.6**



|           |       |       |       |       |
|-----------|-------|-------|-------|-------|
| Ø mm      | 4     | 4     | 4     | 4     |
| Height mm | 2     | 3     | 4     | 6     |
| Order No. | 25285 | 25578 | 25286 | 25287 |

**4.2 Healing Uni EV 4.2**



|           |        |        |        |        |
|-----------|--------|--------|--------|--------|
| Ø mm      | 4      | 4      | 4      | 4      |
| Height mm | 2      | 3      | 4      | 6      |
| Order No. | 25288* | 25579* | 25289* | 25290* |

**4.8 Healing Uni EV 4.8**



|           |        |        |        |        |
|-----------|--------|--------|--------|--------|
| Ø mm      | 4.3    | 4.3    | 4.3    | 4.3    |
| Height mm | 2      | 3      | 4      | 6      |
| Order No. | 26219* | 26220* | 26221* | 26222* |

**5.4 Healing Uni EV 5.4**




|           |       |       |       |       |
|-----------|-------|-------|-------|-------|
| Ø mm      | 4.8   | 4.8   | 4.8   | 4.8   |
| Height mm | 2     | 3     | 4     | 6     |
| Order No. | 26223 | 26224 | 26225 | 26226 |

**Healing Uni EV**

Titanium (2), sterile

- Promotes soft tissue sculpturing primarily for Uni Abutment EV
- Laser etched bands for gauging
- Marked with height



\*Compatible with OsseoSpeed Profile EV 4.2 and OsseoSpeed Profile EV 4.8

# Prosthetics

## Site-specific restorative components

Including round and triangular options.



## Self-guiding impression components

Supports all indexing options; one-position-only, six positions and index free.

## One system - one torque

All final abutments are designed for one tightening torque value of 25 Ncm for simplicity.



## One interface - three indexing solutions



One-position-only



Six-position



Index free

The OsseoSpeed EV implant has a unique interface for one-position-only placement for restorative procedures and components, e.g. the Atlantis patient-specific, abutments. The interface also allows for the flexibility of six-position indexing of prefabricated abutments, while index-free abutments can be seated in any rotational position.

For specific procedural details, please refer to the respective manual.



# Temporary abutments – implant-level

## TempDesign™ EV




|                  |       |       |       |       |       |
|------------------|-------|-------|-------|-------|-------|
| Ø mm             | 6     | 7     | 9     | 10    | 10    |
| Margin height mm | 5     | 5     | 5     | 5     | 5     |
| Vert. height mm  | 10    | 12    | 12    | 12    | 10    |
| Order No.        | 25503 | 25504 | 25505 | 25506 | 25507 |

## TempDesign™ EV

Titanium (2)-PEEK plastic (10), non-sterile, delivered with an abutment screw

- Anatomically pre-designed for reduction technique
- For both screw- and cement-retained restorations
- Can be processed at the laboratory or chairside
- Temporary use; max 180 days
- Screw-retained restorations, limited to single-tooth only
- Indexed abutments will seat in six available positions.



## Temp Abutment EV




|                  |       |       |       |       |       |
|------------------|-------|-------|-------|-------|-------|
| Ø mm             | 3.3   | 4.0   | 4.5   | 5.0   | 5.5   |
| Margin height mm | 1     | 1     | 1     | 1     | 1     |
| Vert. height mm  | 9     | 9     | 9     | 9     | 9     |
| Order No.        | 26251 | 26252 | 26253 | 26254 | 26255 |

## Temp Abutment EV

Titanium (2), non-sterile, delivered with an abutment screw

- Designed for build-up technique
- For large, multi-unit restorations and/or long-term temporization
- For both screw- and cement-retained restorations
- Primarily processed in the laboratory
- Screw-retained restorations, limited to single-tooth only
- Indexed abutments will seat in six available positions.



## Abutment Screw EV



|           |       |       |       |       |       |
|-----------|-------|-------|-------|-------|-------|
|           | M1.4  | M1.6  | M1.8  | M2.0  | M2.0  |
| Order No. | 25203 | 25204 | 25205 | 25206 | 25207 |

## Abutment Screw EV

Titanium (2), non-sterile


**Note:** A corresponding Abutment Screw EV is included with every temporary abutment as well as final two-piece abutments. To order additional screws, refer to Abutment Screw EV section to the left.

# Cement-retained restorations – implant-level

## TiDesign™ EV

Titanium (2), non-sterile, delivered with an abutment screw

- Round - design for the majority of restorative situations
- ▲ Triangular - primarily for incisors and canines with triangular shape; low margin of 1.5 mm above implant level
- Angled design for offset situations compensating for implants in a restoratively unfavorable position
- Indexed abutments will seat in six available positions.
- Marked with Ø



A = buccal height  
B = lingual height



**Note:** A corresponding Abutment Screw EV is included with every two-piece final abutment. To order additional screws, refer to Abutment Screw EV section (p.21).

## 3.0 TiDesign™ EV 3.0




|                    |       |       |       |
|--------------------|-------|-------|-------|
| Ø mm               | 4     | 4     | 4     |
| A - height bucc mm | 2.5   | 1.5   | 1.5   |
| B - height ling mm | 3.5   | 2.5   | 2.5   |
| Vertical height mm | 8     | 7     | 7     |
| Order No.          | 25330 | 25331 | 25332 |

## 3.6 TiDesign™ EV 3.6




|                    |       |       |       |
|--------------------|-------|-------|-------|
| Ø mm               | 4.5   | 4.5   | 5.5   |
| A - height bucc mm | 2.5   | 1.5   | 1.5   |
| B - height ling mm | 3.5   | 2.5   | 2.5   |
| Vertical height mm | 10    | 9     | 9     |
| Order No.          | 25334 | 25335 | 25333 |

## 4.2 TiDesign™ EV 4.2



|                    |       |       |       |       |
|--------------------|-------|-------|-------|-------|
| Ø mm               | 5.5   | 5.5   | 5.5   | 7     |
| A - height bucc mm | 2.5   | 1.5   | 1.5   | 1.5   |
| B - height ling mm | 3.5   | 2.5   | 2.5   | 2.5   |
| Vertical height mm | 10    | 9     | 9     | 9     |
| Order No.          | 25338 | 25339 | 25336 | 25337 |

## 4.8 TiDesign™ EV 4.8



|                    |       |       |       |       |
|--------------------|-------|-------|-------|-------|
| Ø mm               | 7     | 5.5   | 5.5   | 7     |
| A - height bucc mm | 2.5   | 1.5   | 1.5   | 1.5   |
| B - height ling mm | 3.5   | 2.5   | 2.5   | 2.5   |
| Vertical height mm | 10    | 9     | 9     | 9     |
| Order No.          | 25342 | 25343 | 25340 | 25341 |

## 5.4 TiDesign™ EV 5.4



|                    |       |       |
|--------------------|-------|-------|
| Ø mm               | 7     | 7     |
| A - height bucc mm | 2.5   | 1.5   |
| B - height ling mm | 3.5   | 2.5   |
| Vertical height mm | 10    | 9     |
| Order No.          | 25344 | 25345 |

**3.6 ZirDesign™ EV 3.6**



|                    |       |       |       |
|--------------------|-------|-------|-------|
| Ø mm               | 4.5   | 4.5   | 5.5   |
| A - height bucc mm | 2.5   | 1.5   | 1.5   |
| B - height ling mm | 3.5   | 2.5   | 2.5   |
| Vertical height mm | 10    | 9     | 9     |
| Order No.          | 25316 | 25317 | 25315 |

**4.2 ZirDesign™ EV 4.2**



|                    |       |       |       |       |
|--------------------|-------|-------|-------|-------|
| Ø mm               | 5.5   | 5.5   | 5.5   | 7     |
| A - height bucc mm | 2.5   | 1.5   | 1.5   | 1.5   |
| B - height ling mm | 3.5   | 2.5   | 2.5   | 2.5   |
| Vertical height mm | 10    | 9     | 9     | 9     |
| Order No.          | 25320 | 25321 | 25318 | 25319 |

**4.8 ZirDesign™ EV 4.8**




|                    |       |       |       |       |
|--------------------|-------|-------|-------|-------|
| Ø mm               | 7     | 5.5   | 5.5   | 7     |
| A - height bucc mm | 2.5   | 1.5   | 1.5   | 1.5   |
| B - height ling mm | 3.5   | 2.5   | 2.5   | 2.5   |
| Vertical height mm | 10    | 9     | 9     | 9     |
| Order No.          | 25324 | 25325 | 25322 | 25323 |

**ZirDesign™ EV**

Zirconia (18), non-sterile, delivered with an abutment screw

- Round - design for the majority of restorative situations
- Triangular - primarily for incisors and canines with triangular shape; low margin of 1.5 mm above implant level
- Angled design for offset situations compensating for implants in a restoratively unfavorable position
- Indexed abutments will seat in six available positions.



A = buccal height  
B = lingual height



**CastDesign™ EV**




|                    |            |            |            |            |
|--------------------|------------|------------|------------|------------|
|                    | <b>3.6</b> | <b>4.2</b> | <b>4.8</b> | <b>5.4</b> |
| Ø mm               | 4.1        | 4.1        | 5.1        | 5.1        |
| Height mm          | 1          | 1          | 1          | 1          |
| Vertical height mm | 11         | 11         | 11         | 11         |
| Order No.          | 25326      | 25327      | 25328      | 25329      |

**CastDesign™ EV**

Metal Base: Gold-Platinum alloy (3)  
Cylinder: PMMA burnout plastic (11)  
Non-sterile, delivered with an abutment screw

For cases that require angulation corrections up to 30° using regular wax-up and cast-to techniques


- For both screw- and cement-retained restorations
- Screw-retained restorations, limited to single-tooth only
- Indexed abutments will seat in six available positions.



### TitaniumBase EV

Titanium (2), non-sterile, delivered with an abutment screw

- For temporary and final cement- / screw-retained restorations
  - Screw-retained restorations, limited to single-tooth only
- Single and partial situations, all positions in the mouth
- TitaniumBase EV is provided with two flattened sides forming an anti-rotational feature
- Indexed abutments will seat in six available positions



### 3.0 TitaniumBase EV 3.0



|                    |       |       |
|--------------------|-------|-------|
| Ø mm               | 4     | 4     |
| Margin height mm   | 1     | 2     |
| Vertical height mm | 5     | 6     |
| Order No.          | 25924 | 25925 |

### 3.6 TitaniumBase EV 3.6



|                    |       |       |
|--------------------|-------|-------|
| Ø mm               | 4.1   | 4.1   |
| Margin height mm   | 1     | 2     |
| Vertical height mm | 5     | 6     |
| Order No.          | 25926 | 25927 |

### 4.2 TitaniumBase EV 4.2



|                    |       |       |
|--------------------|-------|-------|
| Ø mm               | 4.7   | 4.7   |
| Margin height mm   | 1     | 2     |
| Vertical height mm | 5     | 6     |
| Order No.          | 25928 | 25929 |

### 4.8 TitaniumBase EV 4.8



|                    |       |       |
|--------------------|-------|-------|
| Ø mm               | 5     | 5     |
| Margin height mm   | 1     | 2     |
| Vertical height mm | 5     | 6     |
| Order No.          | 25930 | 25931 |

### 5.4 TitaniumBase EV 5.4



|                    |       |       |
|--------------------|-------|-------|
| Ø mm               | 5.5   | 5.5   |
| Margin height mm   | 1     | 2     |
| Vertical height mm | 5     | 6     |
| Order No.          | 25932 | 25933 |

### Digital Workflow

To be able to work with a digital workflow, a digital library is needed.

The digital library includes all necessary information of the implant system, TitaniumBase and scanbody to use

- Atlantis FLO/IO FLO
- 3Shape scanbody
- Elos Accurate scanbody/model analog.

Enables the design software to create a sufficient output to produce the restoration onto the TitaniumBase.

Download the libraries for 3Shape or Exocad from the Dentsply Sirona e-Commerce.

## Components and instruments for scanning of OsseoSpeed® EV implants

### Atlantis® FLO

For lab-based scanning of OsseoSpeed EV implants



### Atlantis® FLO screwdriver

Required for Atlantis FLO, used with lab-based scanning



|           |            |            |            |            |            |  |
|-----------|------------|------------|------------|------------|------------|--|
|           | <b>3.0</b> | <b>3.6</b> | <b>4.2</b> | <b>4.8</b> | <b>5.4</b> |  |
| FLO code  | P-01       | P-02       | P-03       | P-04       | P-05       |  |
| Order No. | 34593      | 34594      | 34595      | 34596      | 34597      |  |

|           |       |
|-----------|-------|
| Order No. | 34601 |
|-----------|-------|

### Atlantis® IO FLO


For intraoral scanning of OsseoSpeed EV implants. To be used with Hex Screwdriver EV.



|             |            |            |            |            |            |
|-------------|------------|------------|------------|------------|------------|
|             | <b>3.0</b> | <b>3.6</b> | <b>4.2</b> | <b>4.8</b> | <b>5.4</b> |
| IO FLO code | IO P-01    | IO P-02    | IO P-03    | IO P-04    | IO P-05    |
| Order No.   | 35243      | 35244      | 35245      | 35246      | 35247      |

# Impression and laboratory components – implant-level

## Implant Pick-Up EV, Short



|           |       |       |       |       |
|-----------|-------|-------|-------|-------|
| Ø mm      | 3.8   | 4.6   | 4.6   | 5.4   |
| Height mm | 16.5  | 16.5  | 16.5  | 16.5  |
| Order No. | 26227 | 26228 | 26229 | 26230 |

## Implant Pick-Up EV / Implant Pick-Up Design EV


Titanium (2), non-sterile

- Open tray technique
- Self-guiding positioning
- Designed with hex at the pin head
- Possibilities to capture the exact soft tissue shape for best possible esthetic results
- Supports all indexing options; one-position-only, six position and indexed free
- Designed for splinting possibilities


## Implant Pick-Up EV, Long



|           |       |       |       |       |
|-----------|-------|-------|-------|-------|
| Ø mm      | 3.3   | 3.8   | 4.6   | 4.6   |
| Height mm | 22    | 22    | 22    | 22    |
| Order No. | 26231 | 26232 | 26233 | 26234 |



## Implant Pick-Up Design EV, Short



|           |       |       |       |       |
|-----------|-------|-------|-------|-------|
| Ø mm      | 3.6   | 4.2   | 4.8   | 5.4   |
| Height mm | 16.7  | 16.7  | 16.7  | 16.7  |
| Order No. | 26235 | 26236 | 26237 | 26238 |



## Implant Pick-Up Design EV, Long




|           |       |       |       |       |       |
|-----------|-------|-------|-------|-------|-------|
| Ø mm      | 3.0   | 3.6   | 4.2   | 4.8   | 5.4   |
| Height mm | 22    | 22    | 22    | 22    | 22    |
| Order No. | 26239 | 26240 | 26241 | 26242 | 26243 |

### Implant Transfer EV

Titanium (2), non-sterile

- Closed tray technique
- Self-guiding positioning
- Must be repositioned in the unique site in the impression
- Designed with a hex at the pin head



### Implant Transfer EV, Short



|           |  |       |       |       |       |
|-----------|--|-------|-------|-------|-------|
|           |  | 3.6   | 4.2   | 4.8   | 5.4   |
| Ø mm      |  | 3.6   | 4.2   | 4.8   | 5.4   |
| Height mm |  | 11    | 11    | 11    | 11    |
| Order No. |  | 25535 | 25537 | 25539 | 25541 |

### Implant Transfer EV, Long



|           |       |       |       |       |       |     |
|-----------|-------|-------|-------|-------|-------|-----|
|           |       | 3.0   | 3.6   | 4.2   | 4.8   | 5.4 |
| Ø mm      | 3.5   | 3.6   | 4.2   | 4.8   | 5.4   |     |
| Height mm | 14    | 14    | 14    | 14    | 14    |     |
| Order No. | 25534 | 25536 | 25538 | 25540 | 25542 |     |


### Implant Replica EV

Titanium (2), non-sterile

Adjustment of apex allow for removal of replica from master model without need for sectioning

- Single use

### Implant Replica EV



|           |  |       |       |       |       |       |
|-----------|--|-------|-------|-------|-------|-------|
|           |  | 3.0   | 3.6   | 4.2   | 4.8   | 5.4   |
| Height mm |  | 16.5  | 16.5  | 16.5  | 16.5  | 16.5  |
| Order No. |  | 25543 | 25544 | 25545 | 25546 | 25547 |

### Lab Pin Design EV

Stainless steel (6), non-sterile

- For maintenance of screw access channel during the laboratory procedure
- Friction fit to the Lab Abutment Screw EV screw hole

### Lab Abutment Screw EV

Titanium (2), non-sterile

QTY 3

Designed for use with Implant Replica EV only

### Lab Pin Design EV



|           |  |       |       |     |     |     |
|-----------|--|-------|-------|-----|-----|-----|
|           |  | 3.0   | 3.6   | 4.2 | 4.8 | 5.4 |
| Height mm |  | 25    | 25    |     |     |     |
| Order No. |  | 25528 | 25530 |     |     |     |

### Lab Abutment Screw EV



|           |  |       |       |       |       |       |
|-----------|--|-------|-------|-------|-------|-------|
|           |  | 3.0   | 3.6   | 4.2   | 4.8   | 5.4   |
| Order No. |  | 25476 | 25477 | 25478 | 25479 | 25480 |



# Cement-retained restorations – abutment-level

## 3.0 Direct Abutment™ EV 3.0



|                  |       |       |       |
|------------------|-------|-------|-------|
| Ø mm             | 3.3   | 3.3   | 3.3   |
| Margin height mm | 1     | 2     | 3     |
| Vert. height mm  | 6     | 7     | 8     |
| Order No.        | 25361 | 25362 | 25363 |

## 3.6 Direct Abutment™ EV 3.6




|                  |       |       |       |
|------------------|-------|-------|-------|
| Ø mm             | 4.0   | 4.0   | 4.0   |
| Margin height mm | 1     | 2     | 3     |
| Vert. height mm  | 6     | 7     | 8     |
| Order No.        | 25364 | 25365 | 25366 |

## Direct Driver EV Ø3.3 Ø4




|           |       |
|-----------|-------|
| Length mm | 26    |
| Order No. | 25764 |



## Direct Abutment™ EV

Titanium (2), sterile

- Sold separately; not included in the Direct EV API™ kit
-  Index-free abutments will be seated in any rotational position.
- Marked with Ø

## Direct Driver EV Ø3.3 Ø4

Stainless steel (6), non-sterile

Required for carrying and installation of Direct Abutment EV Ø 3.3 and Ø 4.0 only.

## 4.2 Direct Abutment™ EV 4.2



|                  |        |        |        |        |        |        |
|------------------|--------|--------|--------|--------|--------|--------|
| Ø mm             | 5.0    | 5.0    | 5.0    | 6.0    | 6.0    | 6.0    |
| Margin height mm | 1      | 2      | 3      | 1      | 2      | 3      |
| Vert. height mm  | 6      | 7      | 8      | 6      | 7      | 8      |
| Order No.        | 25367* | 25368* | 25369* | 25494* | 25495* | 25496* |

## Hex Driver EV

Stainless steel (6), non-sterile

Use the Hex Driver EV for the Ø 5.0 and Ø 6.0 Direct Abutment™ EV.

## 4.8 Direct Abutment™ EV 4.8



|                  |        |        |        |        |        |        |
|------------------|--------|--------|--------|--------|--------|--------|
| Ø mm             | 5.0    | 5.0    | 5.0    | 6.0    | 6.0    | 6.0    |
| Margin height mm | 1      | 2      | 3      | 1      | 2      | 3      |
| Vert. height mm  | 6      | 7      | 8      | 6      | 7      | 8      |
| Order No.        | 25370* | 25371* | 25372* | 25497* | 25498* | 25499* |

## 5.4 Direct Abutment™ EV 5.4




|                  |       |       |       |
|------------------|-------|-------|-------|
| Ø mm             | 6.0   | 6.0   | 6.0   |
| Margin height mm | 1     | 2     | 3     |
| Vert. height mm  | 6     | 7     | 8     |
| Order No.        | 25373 | 25374 | 25375 |



\*Compatible with OsseoSpeed Profile EV 4.2 and OsseoSpeed Profile EV 4.8

### Direct EV API™

Non-sterile



### Direct EV API™



|           |       |       |       |       |
|-----------|-------|-------|-------|-------|
| Ø mm      | 3.3   | 4     | 5     | 6     |
| Order No. | 25346 | 25347 | 25348 | 25349 |

Contains all corresponding components for working with the Direct Abutment EV

- Two compartments for clinical and laboratory components respectively
- Direct Abutment EV must be ordered separately

### Direct Abutment™ EV HealCap

PC plastic (12), non-sterile

- Temporary use; maximum 30 days

### Direct Abutment™ EV HealCap



|           |       |       |       |       |
|-----------|-------|-------|-------|-------|
| Ø mm      | 3.3   | 4     | 5     | 6     |
| Order No. | 25310 | 25311 | 25312 | 25313 |

### Direct Abutment™ EV Pick-Up

PP plastic (13), non-sterile

- DA EV Pick-Up Ø3.3 and Ø6 – transparent
- DA EV Pick-Up Ø4 – white
- DA EV Pick-Up Ø5 – grey

### Direct Abutment™ EV Pick-Up



|           |       |       |       |       |
|-----------|-------|-------|-------|-------|
| Ø mm      | 3.3   | 4     | 5     | 6     |
| Order No. | 25396 | 25397 | 25398 | 25399 |

### Direct Abutment™ EV Replica

Titanium (2), non-sterile

- Single use

### Direct Abutment™ EV Replica



|           |       |       |       |       |
|-----------|-------|-------|-------|-------|
| Ø mm      | 3.3   | 4     | 5     | 6     |
| Order No. | 25401 | 25402 | 25403 | 25404 |

### Direct Abutment™ EV Burnout Cap

PMMA Burn-out Plastic (11), non-sterile

### Direct Abutment™ EV Burnout Cap



|           |       |       |       |       |
|-----------|-------|-------|-------|-------|
| Ø mm      | 3.3   | 4     | 5     | 6     |
| Order No. | 25406 | 25407 | 25408 | 25409 |

# Screw-retained restorations – abutment-level

## 3.0 Uni Abutment EV 3.0



|                    |       |       |       |
|--------------------|-------|-------|-------|
| A/B - Ø mm         | 3.6   | 3.6   | 3.6   |
| Height mm          | 2     | 3     | 5     |
| Vertical height mm | 3.2   | 4.2   | 6.2   |
| Order No.          | 25555 | 25556 | 25557 |

## Uni Driver EV



|           |       |
|-----------|-------|
| Length mm | 21.5  |
| Order No. | 25708 |

## Uni Driver EV

Stainless steel (6), non-sterile

- For placing and removing Uni Abutment EV
- Use with restorative driver handle and Torque Wrench EV, page 49
- Uni Driver EV has a hexagon on the shaft, needed to meet the removal torques. For removal of Uni Abutment EV, used together with surgical driver handle, page 49

## 3.6 Uni Abutment EV 3.6



|                    |       |       |       |       |
|--------------------|-------|-------|-------|-------|
| A/B - Ø mm         | 3.6   | 3.6   | 3.6   | 3.6   |
| Height mm          | 1     | 2     | 3     | 5     |
| Vertical height mm | 2.2   | 3.2   | 4.2   | 6.2   |
| Order No.          | 25558 | 25559 | 25560 | 25561 |

## Uni Abutment EV


Titanium (2), sterile

- Supporting multiple unit restorations only
- Design facilitates non-parallel implant situations up to 66°
- Same top cone for all platforms
- Index-free abutments will be seated in any rotational position
- Uni Driver EV required for carrying, installation and removal

## 4.2 Uni Abutment EV 4.2



|                    |        |        |        |        |
|--------------------|--------|--------|--------|--------|
| A/B - Ø mm         | 3.6    | 3.6    | 3.6    | 3.6    |
| Height mm          | 1      | 2      | 3      | 5      |
| Vertical height mm | 2.2    | 3.2    | 4.2    | 6.2    |
| Order No.          | 25562* | 25563* | 25564* | 25565* |



## 4.8 Uni Abutment EV 4.8



|                    |        |        |        |        |
|--------------------|--------|--------|--------|--------|
| A - Ø mm           | 3.6    | 3.6    | 3.6    | 3.6    |
| B - Ø mm           | 4.3    | 4.3    | 4.3    | 4.3    |
| Height mm          | 1      | 2      | 3      | 5      |
| Vertical height mm | 2.2    | 3.2    | 4.2    | 6.2    |
| Order No.          | 25566* | 25567* | 25568* | 25569* |

## 5.4 Uni Abutment EV 5.4




|                    |       |       |       |       |
|--------------------|-------|-------|-------|-------|
| A - Ø mm           | 3.6   | 3.6   | 3.6   | 3.6   |
| B - Ø mm           | 4.8   | 4.8   | 4.8   | 4.8   |
| Height mm          | 1     | 2     | 3     | 5     |
| Vertical height mm | 2.2   | 3.2   | 4.2   | 6.2   |
| Order No.          | 25570 | 25571 | 25572 | 25573 |








\*Compatible with OsseoSpeed Profile EV 4.2 and OsseoSpeed Profile EV 4.8

**Uni Abutment EV Heal Cap**  
Titanium (2), sterile, one-piece

- Marked with diameter





| Uni Abutment EV   | Heal Cap Short   | Heal Cap  | Heal Cap Short  | Heal Cap  |
|---|--|---|---|---|
|  |  |  |  |  |
| Ø mm  | 4.3  | 4.3   | 5.5   | 5.5   |
| Vert. height mm   | 3.4  | 4.4   | 3.4   | 4.4   |
| Order No.   | 25952  | 25616   | 25953   | 25617   |

|                 |       |       |       |       |
|-----------------|-------|-------|-------|-------|
| Ø mm            | 4.3   | 4.3   | 5.5   | 5.5   |
| Vert. height mm | 3.4   | 4.4   | 3.4   | 4.4   |
| Order No.       | 25952 | 25616 | 25953 | 25617 |

**Uni Abutment EV Pick-Up and Transfer**  
Stainless steel (6), non-sterile

- Design for splinting possibilities
- Designed with a hex for tightening



| Uni Abutment EV   | Pick-Up Short  | Pick-Up   | Pick-Up Short   | Pick-Up   | Transfer  |
|---|--|---|---|---|---|
|  |  |  |  |  |  |
| Ø mm  | 4.3  | 4.3   | 5.5   | 5.5   | 4.7   |
| Vert. height mm   | 14.7   | 17.6  | 14.7  | 17.6  | 9.7   |
| Order No.   | 26245  | 26247   | 26246   | 26248   | 26249   |

|                 |       |       |       |       |       |
|-----------------|-------|-------|-------|-------|-------|
| Ø mm            | 4.3   | 4.3   | 5.5   | 5.5   | 4.7   |
| Vert. height mm | 14.7  | 17.6  | 14.7  | 17.6  | 9.7   |
| Order No.       | 26245 | 26247 | 26246 | 26248 | 26249 |

**Uni Abutment EV Replica**  
Stainless steel (6), non-sterile

- Single use

**Temporary Cylinder** Titanium (2), non-sterile

**Semi-Burnout Cylinder**

Metal Base: Gold-Platinum alloy (3)  
Cylinder: PMMA burnout plastic (11), non-sterile

**Burnout Cylinder**

PMMA burnout plastic (11), non-sterile

**Note:** Bridge screws needs to be ordered separately.

| Uni Abutment EV   | Replica  | Temporary Cylinder  | Semi-Burnout Cylinder   | Burnout Cylinder  |
|---|--|---|---|---|
|  |  |  |  |  |
| Ø mm  | 3.6  | 4.4   | 4.4   | 4.2   |
| Order No.   | 25615  | 26250   | 25647   | 25649   |

|           |       |       |       |       |
|-----------|-------|-------|-------|-------|
| Ø mm      | 3.6   | 4.4   | 4.4   | 4.2   |
| Order No. | 25615 | 26250 | 25647 | 25649 |

**Bridge Screw EV**

Titanium (2), non-sterile

- M1.8, anodized (light blue)

**Lab Bridge Screw EV**

Titanium (2), non-sterile  
QTY 3

**Lab Abutment Pin EV**

Stainless steel (6), non-sterile

- For maintenance of screw access channel
- Fits the Uni Abutment EV Replica

| Bridge Screw EV   | Lab Bridge Screw EV   | Lab Abutment Pin EV   | Short   | Inter-mediate   | Long  |       |
|---|---|---|---|---|---|-------|
|  |  |  |  |  |  |       |
| Screw head height mm  | 1.6   | 1.6   |   |   |   |       |
| Screw head Ø mm   | 2.35  | 2.35  |   |   |   |       |
| Order No.   | 25481   | 25656   |   |   |   |       |
|   |   |   | Length mm   | 14  | 18  | 22    |
|   |   |   | Order No.   | 25643   | 25644   | 25645 |

|                      |       |       |
|----------------------|-------|-------|
| Screw head height mm | 1.6   | 1.6   |
| Screw head Ø mm      | 2.35  | 2.35  |
| Order No.            | 25481 | 25656 |

|           |       |       |       |
|-----------|-------|-------|-------|
| Length mm | 14    | 18    | 22    |
| Order No. | 25643 | 25644 | 25645 |

**3.6 Angled Abutment EV 3.6, 20°**



|                    |       |       |       |       |
|--------------------|-------|-------|-------|-------|
| Margin height mm   | 1     | 2     | 1     | 2     |
| Vertical height mm | 6     | 7     | 6     | 7     |
| Order No.          | 25619 | 25620 | 25621 | 25622 |

**4.2 Angled Abutment EV 4.2, 20°**



|                    |       |       |       |       |
|--------------------|-------|-------|-------|-------|
| Margin height mm   | 1     | 2     | 1     | 2     |
| Vertical height mm | 6     | 7     | 6     | 7     |
| Order No.          | 25625 | 25626 | 25627 | 25628 |

**4.8 Angled Abutment EV 4.8, 20°**




|                    |       |       |       |       |
|--------------------|-------|-------|-------|-------|
| Margin height mm   | 1     | 2     | 1     | 2     |
| Vertical height mm | 6     | 7     | 6     | 7     |
| Order No.          | 25631 | 25632 | 25633 | 25634 |

**Angled Abutment EV**

Titanium (2), sterile, delivered with an abutment screw

- Supporting multiple unit restorations only
- Same top cone for all platforms
- Indexed abutments will seat in six available positions.
- Index-free abutments will be seated in any rotational position.



**Note:** A corresponding abutment screw is included with every Angled Abutment EV. To order additional screws, refer to Abutment Screw EV section (p.21).

**Angled Abutment EV**

**Heal Cap**



**Pick-Up**  
open tray technique



**Replica**



|                    |       |       |       |
|--------------------|-------|-------|-------|
| Vertical height mm | 9     | 12    | 17    |
| Order No.          | 25650 | 26244 | 25652 |

**Angled Abutment EV HealCap**

Titanium (2), sterile, two-piece

**Angled Abutment EV Pick-Up**

Stainless steel (6), non-sterile

**Angled Abutment EV Replica**

Stainless steel (6), non-sterile

- Single use

**Angled Abutment EV**

**Temporary Cylinder**



**Semi-Burnout Cylinder**



**Burnout Cylinder**



|           |       |       |       |
|-----------|-------|-------|-------|
| Order No. | 25654 | 25653 | 25655 |
|-----------|-------|-------|-------|

**Temporary Cylinder**

Titanium (2), non-sterile

**Semi-Burnout Cylinder**

Metal Base: Gold-Platinum alloy (3)  
Cylinder: PMMA burnout plastic (11), non-sterile

**Burnout Cylinder**

PMMA burnout plastic (11), non-sterile

**Note:** Bridge screws needs to be ordered separately.


# SmartFix® concept

## Multibase Abutment EV, straight and angled



Titanium (2) with a PEEK plastic (10) holder, sterile

- Supporting multiple unit, screw-retained restorations only
- Top cone (21°) enables bridge insertion on non-parallel abutments up to 42°
- Same prosthetic interface and components for all abutments
- Delivered with a plastic holder pre-mounted to the abutment for easy installation

### Multibase Abutment EV, straight

- One-piece abutment
-  Index-free abutments can be seated in any rotational position
- Holder straight has 8 identification grooves
- Multibase Driver EV required for installation and removal

### Multibase Abutment EV, 17°/30°

- Consists of three parts; abutment body and a separate head part, delivered with a pre-assembled abutment screw
-  Indexed abutments can be seated in six available positions. Not compatible with OsseoSpeed Profile EV
-  Index-free abutments can be seated in any rotational position
- The abutment head part is pre-mounted on the holder
- Holder 17° has 4 identification grooves
- Holder 30° has 6 identification grooves
- Hex Driver EV required for installing the abutment screw and Multibase Driver EV for tightening the abutment head to the abutment body



### 3.6 Multibase Abutment EV



|               |       |       |       |
|---------------|-------|-------|-------|
| A - height mm | 1.5   | 2.5   | 3.5   |
| Order No.     | 26159 | 26160 | 26161 |

### 3.6 Multibase Abutment EV 17°



|               |       |       |       |       |
|---------------|-------|-------|-------|-------|
| A - height mm | 1.5   | 2.5   | 1.5   | 2.5   |
| B - height mm | 3     | 4     | 3     | 4     |
| Order No.     | 26162 | 26163 | 26166 | 26167 |

### 3.6 Multibase Abutment EV 30°



|               |       |       |       |       |
|---------------|-------|-------|-------|-------|
| A - height mm | 1.5   | 2.5   | 1.5   | 2.5   |
| B - height mm | 4     | 5     | 4     | 5     |
| Order No.     | 26164 | 26165 | 26168 | 26169 |

### 4.2 Multibase Abutment EV



|               |        |        |        |
|---------------|--------|--------|--------|
| A - height mm | 1.5    | 2.5    | 3.5    |
| Order No.     | 26170* | 26171* | 26172* |

### 4.2 Multibase Abutment EV 17°



|               |       |       |        |        |
|---------------|-------|-------|--------|--------|
| A - height mm | 1.5   | 2.5   | 1.5    | 2.5    |
| B - height mm | 3     | 4     | 3      | 4      |
| Order No.     | 26173 | 26174 | 26177* | 26178* |

### 4.2 Multibase Abutment EV 30°



|               |       |       |        |        |
|---------------|-------|-------|--------|--------|
| A - height mm | 1.5   | 2.5   | 1.5    | 2.5    |
| B - height mm | 4     | 5     | 4      | 5      |
| Order No.     | 26175 | 26176 | 26179* | 26180* |

\* Compatible with OsseoSpeed Profile EV

**4.8 Multibase Abutment EV**



|               |        |        |        |
|---------------|--------|--------|--------|
| A - height mm | 1.5    | 2.5    | 3.5    |
| Order No.     | 26181* | 26182* | 26183* |

**4.8 Multibase Abutment EV 17°**



|               |       |       |        |        |
|---------------|-------|-------|--------|--------|
| A - height mm | 1.5   | 2.5   | 1.5    | 2.5    |
| B - height mm | 3     | 4     | 3      | 4      |
| Order No.     | 26184 | 26185 | 26188* | 26189* |


**4.8 Multibase Abutment EV 30°**



|               |       |       |        |        |
|---------------|-------|-------|--------|--------|
| A - height mm | 1.5   | 2.5   | 1.5    | 2.5    |
| B - height mm | 4     | 5     | 4      | 5      |
| Order No.     | 26186 | 26187 | 26190* | 26191* |



\* Compatible with OsseoSpeed Profile EV



**Multibase Driver EV**



|                 |       |
|-----------------|-------|
| Total length mm | 19    |
| Order No.       | 26204 |

**Multibase Driver EV**

Stainless steel (6), non-sterile

- Used for installation and removal of the Multibase EV Abutment
- The Surgical Driver Handle could be useful when removing the abutment to support the torque transferring

**Spare parts**

**Multibase EV Abutment Head with holder**



|           |       |
|-----------|-------|
| Order No. | 26192 |
|-----------|-------|

**Multibase EV Abutment Head with holder**

Titanium (2) with a PEEK plastic (10) holder, sterile


- The head part is pre-mounted on the holder
- Multibase Abutment EV 17° and 30° use the same spare part

Applicable restorative components are marked with a groove or laser marking to differentiate from other similar components of the Astra Tech Implant System EV

### Multibase EV Heal Cap

Titanium (2), sterile, one-piece

- Marked with diameter and a laser ring for identification



### Multibase EV Heal Cap




|                 |       |
|-----------------|-------|
| Ø mm            | 5.4   |
| Vert. height mm | 4     |
| Order No.       | 26193 |

### Multibase EV Pick-up and Transfer

Stainless steel (6), non-sterile

- Pick-up two-piece, with a pronounced groove for splinting possibility
- Transfer two-piece
- Marked with a groove for identification



### Multibase EV

**Pick-up**  
open tray technique

**Transfer**  
closed tray technique



|                 |       |       |
|-----------------|-------|-------|
| Ø mm            | 5.5   | 5.5   |
| Vert. height mm | 15    | 9.5   |
| Order No.       | 26195 | 26194 |

### Polymerization Sleeve

Silicone (15), non-sterile

- Single-use
- The polymerization sleeve protects the soft tissue from acrylic resin

### Polymerization Sleeve



|           |                      |
|-----------|----------------------|
| Order No. | 31021405 / 31021890* |
|-----------|----------------------|

### Multibase EV Replica

Stainless steel (6), non-sterile

- Single use
- Marked with a groove for identification

### Multibase EV

**Replica**

**Temporary Cylinder**

**Burnout Cylinder**



|                    |       |       |       |
|--------------------|-------|-------|-------|
| Ø mm               | -     | 5.0   | 4.8   |
| Vertical height mm | -     | 12    | 10    |
| Order No.          | 26201 | 26202 | 26203 |

### Multibase EV Temporary Cylinder

Titanium (2), non-sterile


- Marked with a groove for identification

### Multibase EV Burnout Cylinder

PMMA burnout plastic (11), non-sterile

- Marked with a groove for identification

**Note:** Bridge screws need to be ordered separately.



\* For US/CA markets



**Multibase EV  
Bridge Screw**



**Multibase EV Lab  
Bridge Screw**



|                      |       |        |
|----------------------|-------|--------|
|                      | M1.4  | M1.4   |
| Screw head height mm | 1.65  | 1.65   |
| Screw head Ø mm      | 2.1   | 2.1    |
| Order No.            | 26196 | 26200* |

**Multibase EV Bridge Screw Hex**

Titanium (2), non-sterile

- Marked with a groove for identification
- M1.4, anodized (light blue)

**Multibase EV Lab Bridge Screw**

Titanium (2), non-sterile

- Marked with a groove for identification
- \*QTY 4

**Multibase EV Lab  
Abutment Pin**



|           |       |       |       |
|-----------|-------|-------|-------|
| Length mm | 14    | 18    | 22    |
| Order No. | 26197 | 26198 | 26199 |

**Multibase EV Lab Abutment Pin**

Stainless steel (6), non-sterile

- Marked with a groove for identification

**SmartFix® Guide**



|           |       |
|-----------|-------|
| Order No. | 26205 |
|-----------|-------|

**SmartFix® Guide**


Stainless steel (6), non-sterile


- Three-piece
- Used for guiding the drilling with correct angulation

# Attachment-retained restorations – abutment level

## Locator™ Abutment EV

Titanium (2), TiN (8), coated non-sterile

- Locator Core Tool required
-  Index-free abutments will be seated in any rotational position.



## 3.6 Locator™ Abutment EV 3.6



|           |       |       |       |       |       |
|-----------|-------|-------|-------|-------|-------|
| A - Ø mm  | 3.85  | 3.85  | 3.85  | 3.85  | 3.85  |
| B - Ø mm  | 3.7   | 3.7   | 3.7   | 3.7   | 3.7   |
| Height mm | 1     | 2     | 3     | 4     | 5     |
| Order No. | 25657 | 25658 | 25659 | 25660 | 25661 |

## 4.2 Locator™ Abutment EV 4.2



|           |        |        |        |        |        |
|-----------|--------|--------|--------|--------|--------|
| A - Ø mm  | 3.85   | 3.85   | 3.85   | 3.85   | 3.85   |
| B - Ø mm  | 3.7    | 3.7    | 3.7    | 3.7    | 3.7    |
| Height mm | 1      | 2      | 3      | 4      | 5      |
| Order No. | 25662* | 25663* | 25664* | 25665* | 25666* |

## 4.8 Locator™ Abutment EV 4.8



|           |        |        |        |        |        |
|-----------|--------|--------|--------|--------|--------|
| A - Ø mm  | 3.85   | 3.85   | 3.85   | 3.85   | 3.85   |
| B - Ø mm  | 4.3    | 4.3    | 4.3    | 4.3    | 4.3    |
| Height mm | 1      | 2      | 3      | 4      | 5      |
| Order No. | 25667* | 25668* | 25669* | 25670* | 25671* |



\*Compatible with OsseoSpeed Profile EV 4.2 and OsseoSpeed Profile EV 4.8

## Locator™ Core Tool

Stainless steel (6), non-sterile  
Includes plastic holder/sleeve for manual placement of the abutment.

## Locator™ Abutment Pick-up

Aluminum (7), non-sterile  
QTY 4

## Locator™ Abutment Replica

Aluminum (7), non-sterile

- Single use  
QTY 4

## Locator™


## Abutment Pick-up

Closed tray technique

## Abutment Replica

## Driver

## Core Tool



|                 |       |       |       |       |
|-----------------|-------|-------|-------|-------|
| Total length mm |       |       | 23    |       |
| Order No.       | 24484 | 24485 | 25766 | 24482 |

**Locator™ Process Kit**



|           |       |
|-----------|-------|
| Order No. | 24483 |
|-----------|-------|

**Locator™ Insert Male**

**Blue**



**Pink**



**Clear**



|                     |       |       |       |
|---------------------|-------|-------|-------|
| Grams               | 680   | 1361  | 2268  |
| Retention force, kg | 0.7   | 1.4   | 2.3   |
| Order No.           | 24488 | 24487 | 24486 |

**Locator™ Insert Extended Range Male**

**Grey**



**Red**



**Orange**



**Green**



|                     |       |         |       |           |
|---------------------|-------|---------|-------|-----------|
| Grams               | 0     | 226-680 | 907   | 1361-1814 |
| Retention force, kg | 0     | 0.5     | 0.9   | 1.8       |
| Order No.           | 25679 | 24492   | 25843 | 24489     |

**3.6 Ball Abutment EV 3.6**



|                 |       |       |       |       |       |       |
|-----------------|-------|-------|-------|-------|-------|-------|
| A/B Ø mm        | 3.6   | 3.6   | 3.6   | 3.6   | 3.6   | 3.6   |
| Height mm       | 1     | 2     | 3     | 4     | 5     | 7     |
| Vert. height mm | 3.9   | 4.9   | 5.9   | 6.9   | 7.9   | 9.9   |
| Order No.       | 25684 | 25685 | 25686 | 25687 | 25688 | 25689 |

**4.2 Ball Abutment EV 4.2**



|                 |        |        |        |        |        |        |
|-----------------|--------|--------|--------|--------|--------|--------|
| A/B Ø mm        | 3.6    | 3.6    | 3.6    | 3.6    | 3.6    | 3.6    |
| Height mm       | 1      | 2      | 3      | 4      | 5      | 7      |
| Vert. height mm | 3.9    | 4.9    | 5.9    | 6.9    | 7.9    | 9.9    |
| Order No.       | 25690* | 25691* | 25692* | 25693* | 25694* | 25695* |

**Locator™ Process Kit**

QTY 2 sets

**Locator™ Insert - Male**

Nylon (16), non-sterile

The clear, pink and blue insert retention parts allow for a divergence of up to 10° for a single implant and 20° between implants. QTY 4

**Locator™ Insert - Extended Range Male**


Nylon (16), non-sterile


The grey, red, orange and green inserts permit a divergence of 10–20° for a single implant and up to 40° between implants.

The grey insert is used temporary during long-term treatment for protecting the abutments. QTY 4

**Ball Abutment EV**

Titanium (2), sterile

- Diameter of the ball is 2.25 mm
-  Index-free abutments will be seated in any rotational position.



\*Compatible with OsseoSpeed Profile EV 4.2 and OsseoSpeed Profile EV 4.8



\*Compatible with OsseoSpeed Profile EV 4.2 and OsseoSpeed Profile EV 4.8

#### 4.8 Ball Abutment EV 4.8



|                 |        |        |        |        |        |        |
|-----------------|--------|--------|--------|--------|--------|--------|
| A Ø mm          | 3.6    | 3.6    | 3.6    | 3.6    | 3.6    | 3.6    |
| B Ø mm          | 4.3    | 4.3    | 4.3    | 4.3    | 4.3    | 4.3    |
| Height mm       | 1      | 2      | 3      | 4      | 5      | 7      |
| Vert. height mm | 3.9    | 4.9    | 5.9    | 6.9    | 7.9    | 9.9    |
| Order No.       | 25696* | 25697* | 25698* | 25699* | 25700* | 25701* |

#### Ball Abutment EV Replica

Stainless steel (6), non-sterile

- Single use

#### Ball Abutment Driver EV

Stainless steel (6), non-sterile

Ball Abutment Driver EV required for installation and removal.

#### Ball Abutment EV Replica



Order No. 25826

#### Ball Abutment Driver EV



Total length 22.7  
Order No. 25768

#### Dalbo Plus Female Part Basic includes:

- Dalbo Plus attachment Titanium (2), non-sterile
- Lamellae retention Insert E Gold alloy (4), non-sterile
- Dalbo Plus Duplicating Aid Plastic (12), non-sterile

#### Dalbo Plus Screwdriver/Activator

Stainless steel (6), non-sterile

Used with Ball Abutment for ball solutions.

#### Dalbo Plus

#### Female Part TE Basic, complete



Order No. 25834

#### Lamellae retention Insert E



25844

#### Duplicating Aid



25827

#### Screwdriver/Activator



25835

#### OD Cylinder EV

Gold alloy (4)

Non-sterile

Used with Uni Abutment EV for bar solution

- Compatible with most bar system on the market

#### OD Cylinder EV



Order No. 25638

# Instruments

## A user-friendly tray assortment – adaptable to the clinical preferences

The flexible tray design with interchangeable overlays allows for adaption of tray content according to your clinical preferences. Each overlay has an intuitive layout to support the user during the procedure. The washtrey is intended for automated reprocessing of surgical instruments and ideal for large clinics or hospitals looking for a time- and cost efficient clinical workflow.



## Small Tray EV

A flexible, compact and convenient small tray for restorative and surgical procedures and a storage option.

## Drills with excellent cutting properties

Multiple-use drills delivered in sterile packaging for the option of single-use. In addition to the diameter, all drills shafts are color-coded and marked with a number/letter for easy identification and reference.



A user-friendly packaging designed for easy handling.\*



## Versatile torque wrench design

Few parts and designed for easy handling and cleaning procedures. Interchangeable driver handles for versatile surgical and restorative needs.



\*Patent pending

# Trays

## One surgical tray - with interchangeable overlay

PPSU plastic (14), silicone (15) holders

- Tray design with interchangeable overlays allows for adaptation of tray content according to your clinical preferences.
- Color-coded and intuitive layout.


### Overlay 1

- Accommodates all implant lengths and designs for OsseoSpeed EV straight and conical implants including OsseoSpeed Profile EV for the most commonly used implant diameters.




### Overlay 2

- Accommodates the complete range of diameters for OsseoSpeed EV straight and conical implants, including OsseoSpeed Profile EV, lengths 8-17 mm.



### Overlay 3

- Supports the full implant assortment.



Large Tray EV, shown with Overlay 1




|                 |               |              |              |
|-----------------|---------------|--------------|--------------|
| Measurements mm | Length<br>290 | Width<br>178 | Height<br>54 |
| Order No.       | 25769         |              |              |

Overlay 2



Overlay 3



|           |           |           |           |
|-----------|-----------|-----------|-----------|
|           | Overlay 1 | Overlay 2 | Overlay 3 |
| Order No. | 25721     | 25722     | 25723     |



**Small Tray EV including overlay Restorative**

|           |        |
|-----------|--------|
| Order No. | 25982* |
|-----------|--------|

**Small Tray EV including overlay Surgical**

|           |        |
|-----------|--------|
| Order No. | 25983* |
|-----------|--------|

**Small Tray EV including overlay Storage**

|           |        |
|-----------|--------|
| Order No. | 25984* |
|-----------|--------|



**Small Tray EV no overlay**

| Measurements mm | Length | Width | Height |
|-----------------|--------|-------|--------|
|                 | 160    | 95    | 46     |
| Order No.       | 25770  |       |        |


**Overlay Restorative**



**Overlay Surgical**



**Overlay Storage**



| Overlay   | Restorative | Surgical | Storage |
|-----------|-------------|----------|---------|
| Order No. | 25724*      | 25725*   | 25845*  |

**Small Tray EV**

PPSU plastic (14) silicone (15) holders

A flexible, compact and convenient small tray for restorative and surgical procedures and a storage option.

**Restorative**

- Convenient storage of your restorative instruments for an efficient workflow
- One simple overlay supporting all restorative procedures; cement-, screw- or attachment-retained

**Surgical**

- Highly versatile overlay supporting a procedure-based workflow
- Easily adapted for clinical preferences to ensure only the needed instruments are at hand, preventing unnecessary cleaning
- Ideal for single-tooth procedures

**Storage**

- Flexible storage options for less frequently used drills and instruments, minimizing unnecessary wear
- Add-on solution or complement to Large Tray EV

**Small Tray EV Overlay**

PPSU plastic (14) silicone (15) holders

- Tray design with three interchangeable overlays allows for adaptation of tray content according to your clinical preferences

\*Instruments not included.



**Small Tray EV and Overlay Bone Reamer**

PPSU plastic (14) silicone (15) holders



**Small Tray EV including overlay Bone Reamers**

|                 |               |             |              |
|-----------------|---------------|-------------|--------------|
| Measurements mm | Length<br>160 | Width<br>95 | Height<br>46 |
| Order no.       | 26218*        |             |              |

**Overlay Bone Reamer**

|           |        |
|-----------|--------|
| Order no. | 26217* |
|-----------|--------|

\*Instruments not included.

**Bone Reamer EV**

Stainless steel (6), non-sterile

- The bone reamers and bone reamer guides are available from 3.0 to 5.4 in the OsseoSpeed EV assortment and cover the use for most abutment diameters and designs.
- Laser-etched depth indication lines
- Marked with diameter
- Used for removing excess crestal bone when needed for proper abutment seating

**Bone Reamer EV**




|                 |       |       |       |       |       |       |
|-----------------|-------|-------|-------|-------|-------|-------|
| Ø mm            | 4.0   | 4.6   | 5.2   | 5.8   | 6.4   | 7.0   |
| Total length mm | 26    | 26    | 26    | 26    | 26    | 26    |
| Order no.       | 26206 | 26207 | 26208 | 26209 | 26210 | 26211 |


**Bone Reamer Guide EV**

Stainless steel (6), non-sterile

- Used to guide the Bone Reamer EV



**Bone Reamer Guide EV**



|           |       |       |       |       |       |
|-----------|-------|-------|-------|-------|-------|
| Order no. | 26212 | 26213 | 26214 | 26215 | 26216 |
|-----------|-------|-------|-------|-------|-------|

**SmartFix® Guide**

Stainless steel (6), non-sterile

- Three-piece
- Used for guiding the drilling with correct angulation

**SmartFix® Guide**




|           |       |
|-----------|-------|
| Order No. | 26205 |
|-----------|-------|




# Washtrays

## Washtray Astra Tech Implant System EV



| Measurements mm | Length    | Width | Height |
|-----------------|-----------|-------|--------|
|                 | 275       | 176   | 64     |
| Order No.       | 3107 1000 |       |        |

## Washtray GS Astra Tech Implant System EV



| Measurements mm | Length    | Width | Height |
|-----------------|-----------|-------|--------|
|                 | 275       | 176   | 64     |
| Order No.       | 3107 1020 |       |        |

## Washtray Sterilization Container Astra Tech Implant System EV



|                     | Length    | Width | Height |
|---------------------|-----------|-------|--------|
| Outer dimensions mm | 312       | 190   | 92     |
| Inner dimensions mm | 280       | 180   | 78     |
| Order No.           | 3107 1002 |       |        |

## Washtray

- One tray for all steps of reprocessing: enhances time- and cost-efficiency
- Instruments are fixed and organized from chair-side through all steps of reprocessing and back to chair-side
- Sterilization container for simple, quick and safe handling can be ordered separately

**Note:** The overlay must be separated from the washtray before cleaning and re-assembled prior sterilization. Please see "Dentsply Implants Instruction for Sterilization and Instrument Care"!

## Washtray Astra Tech Implant System EV

- Including metal tray with instrument holders, overlay and guide
- The removable overlay has a layout very similar to overlay 3 the existing plastic surgical kit

## Material

Tray: Stainless steel (6)  
 Overlay: Aluminum (7)  
 Yellow parts: Silicone (15)  
 Holders: PEEK-plastic (10) with metal spring

| Spare parts   | Order No. |
|---|-----------|
| Washtray Overlay Astra Tech Implant System EV, Aluminum       | 3107 1001 |
| Instrument Holder f ISO shank, PEEK-plastic with metal spring | 3107 1004 |
| Instrument Holder f Ratchet In, Silicone                      | 3107 1006 |

## Washtray GS Astra Tech Implant System EV

- Including metal tray with instrument holders, overlay and guide
- The removable overlay has a layout very similar to the Proline overlay on the existing plastic surgical kit

## Material

Tray: Stainless steel (6)  
 Overlay: Aluminum (7)  
 Yellow parts: Silicone (15)  
 Holders: PEEK-plastic (10) with metal spring

| Spare parts   | Order No. |
|---|-----------|
| Washtray Overlay GS Astra Tech Implant System EV, Aluminum    | 3107 1021 |
| Instrument Holder f ISO shank, PEEK-plastic with metal spring | 3107 1004 |
| Instrument Holder medium, PEEK-plastic with metal spring      | 3107 1005 |
| Instrument Holder f Ratchet In, Silicone                      | 3107 1006 |

## Washtray Sterilization Container Astra Tech Implant System EV

- Including two reusable filters, could be used for 1000 cycles.

## Material

Container: Aluminum (7)

| Spare parts                     | Order No. |
|---------------------------------|-----------|
| Washtray Ster Cont Filter QTY 2 | 3107 1003 |

# Initial drills

Stainless steel (6), sterile

- Multiple-use with option for single use except for Precision Drill EV, which is single-use only
- Use for marking and reating a start point

**Note:** Precision Drill EV is extremely sharp and should never be handled manually once out of its package

Guide Drill EV



Precision Drill EV



|           |       |       |
|-----------|-------|-------|
| Ø mm      | n/a   | n/a   |
| Order No. | 25160 | 25161 |

# Spongy bone preparation

Stainless steel (6), TiN-coated (8), sterile

**Twist Drill:** Used for initial preparation and evaluation of the bone

**Step Drill:** Used for site preparation, resulting in a stepped osteotomy with apical bone support for the implant. The drills 2-6 provide guidance during the drilling process

- Laser-etched depth indication lines
- Multiple-use with option for single use
- Marked with drill diameter and corresponding number/letter
- Drills for spongy bone preparation are color-coded white (1) - (6)



Twist Drill EV, 6-13 mm

①



|           |       |
|-----------|-------|
| Ø mm      | 1.9   |
| Order No. | 25163 |

Step Drill EV, 6-13 mm

②



|           |         |         |         |         |         |
|-----------|---------|---------|---------|---------|---------|
| Ø mm      | 1.9/2.5 | 2.5/3.1 | 3.1/3.7 | 3.7/4.3 | 4.3/4.9 |
| Order No. | 25165   | 25169   | 25173   | 25177   | 25181   |

③



④



⑤




⑥



## Drilling depth

The drilling depth is measured from the widest part of the drill tip up to the indication line.

Additional tip depth is maximum 1.0 mm regardless of the drill diameter.



Twist Drill EV, 6-17 mm

①



|           |       |
|-----------|-------|
| Ø mm      | 1.9   |
| Order No. | 25162 |

Step Drill EV, 6-17 mm

②



|           |         |         |         |         |         |
|-----------|---------|---------|---------|---------|---------|
| Ø mm      | 1.9/2.5 | 2.5/3.1 | 3.1/3.7 | 3.7/4.3 | 4.3/4.9 |
| Order No. | 25164   | 25168   | 25172   | 25176   | 25180   |

③



④



⑤




⑥



# Cortical bone preparation - straight implants

## A - Cortical Drill EV



|           |         |         |         |         |         |
|-----------|---------|---------|---------|---------|---------|
| Ø mm      | 2.5/2.7 | 3.1/3.3 | 3.7/3.9 | 4.3/4.5 | 4.9/5.1 |
| Order No. | 25423   | 25488   | 25490   | 25492   | 25431   |


## Cortical bone preparation - straight implants

Stainless steel (6), TiN-coated (8), sterile  
Mandatory preparation of the cortical layer to reduce pressure in the bone around the implant neck.


- Multiple-use with option for single-use
- Cortical bone preparation drills color-coded according to implant-abutment connection.
- Color: corresponds to implant size
- Markings: diameter and drill letter
- Select (A) - or (B) - Cortical Drill EV according to cortical bone thickness
- (A) - thin cortical bone < 2 mm
- (B) - thick cortical bone ≥ 2 mm
- Length: one option

**Note:** There are separate cortical drills specific for the 6 mm implant.

## B - Cortical Drill EV




|           |         |         |         |         |         |
|-----------|---------|---------|---------|---------|---------|
| Ø mm      | 2.5/3.0 | 3.1/3.6 | 3.7/4.2 | 4.3/4.8 | 4.9/5.4 |
| Order No. | 25193   | 25195   | 25197   | 25199   | 25201   |



## A 6mm - Cortical Drill EV



|           |  |         |         |         |         |
|-----------|--|---------|---------|---------|---------|
| Ø mm      |  | 3.1/3.3 | 3.7/3.9 | 4.3/4.5 | 4.9/5.1 |
| Order No. |  | 25487   | 25412   | 25420   | 25422   |



### B 6mm - Cortical Drill EV




|           | B-6mm   | B-6mm   | B-6mm   | B-6mm   |
|-----------|---------|---------|---------|---------|
| Ø mm      | 3.1/3.6 | 3.7/4.2 | 4.3/4.8 | 4.9/5.4 |
| Order No. | 25411   | 25419   | 25421   | 25424   |

## Cortical bone preparation – conical implants

### Cortical bone preparation – conical implants

Stainless steel (6), TiN-coated (8), sterile

Mandatory preparation of the cortical layer to reduce pressure in the bone around the implant neck.

Apical border of the indication line indicates the minimum depth needed to fit the implant.


Select the (A)- or (B)- depth indication according to cortical bone thickness.

(A) In thin cortical bone, drill to the depth indication line as shown in the illustration.


(B) In thick cortical bone, drill to the full depth of the depth indication line as shown in the illustration.

Make sure enough depth is provided for the entire implant.

- Multiple-use with option for single-use
- Color: corresponds to implant
- Markings: diameter and drill letter
- Length: one option



### A/B - Conical Drill EV




|           | A/B     | A/B     |
|-----------|---------|---------|
| Ø mm      | 3.1/4.2 | 3.7/4.8 |
| Order No. | 25188   | 25190   |



# Spongy bone preparation - in medium or dense bone

**V - Twist Drill EV, 6-13 mm**




|           |       |       |       |       |       |
|-----------|-------|-------|-------|-------|-------|
| Ø mm      | 2.5   | 3.1   | 3.7   | 4.3   | 4.9   |
| Order No. | 25985 | 25986 | 25987 | 25988 | 25989 |

**V - Twist Drill EV, 6-17 mm**




|           |       |       |       |       |       |
|-----------|-------|-------|-------|-------|-------|
| Ø mm      | 2.5   | 3.1   | 3.7   | 4.3   | 4.9   |
| Order No. | 25780 | 25781 | 25782 | 25783 | 25784 |

**X - Step Drill EV, 6-13 mm**



|           |          |          |          |          |          |
|-----------|----------|----------|----------|----------|----------|
| Ø mm      | 2.5/2.85 | 3.1/3.45 | 3.7/4.05 | 4.3/4.65 | 4.9/5.25 |
| Order No. | 25482    | 25483    | 25484    | 25485    | 25486    |

**X - Step Drill EV, 6-17 mm**




|           |          |          |          |          |          |
|-----------|----------|----------|----------|----------|----------|
| Ø mm      | 2.5/2.85 | 3.1/3.45 | 3.7/4.05 | 4.3/4.65 | 4.9/5.25 |
| Order No. | 25990    | 25991    | 25992    | 25993    | 25994    |

## V-Twist Drill - apical preparation

Stainless steel (6), TiN-coated (8), sterile  
Following opening of the marginal cortical layer with cortical drill (A), (B) or conical drill (A/B), the (V)-twist drill is used to remove the apical step and creating a straight osteotomy.

The (V)-Twist Drill is strongly advocated in most medium and dense bone situations to remove the apical bone contact and hereby reduce the risk for high installation torque and periapical bone pressure.


- Multiple-use with option for single-use
- Color: corresponds to implant **Note:** for conical implants, this color refers to the implant body diameter.
- Markings: diameter and (V)
- Length: short (6-13 mm)  
long (6-17 mm)



## X-Step Drill - body and apical preparation

Stainless steel (6), TiN-coated (8), sterile  
Following opening of the marginal cortical layer with cortical drill (B) or conical drill (A/B), to level B, the (X)-step drill is used in dense bone situations to widen the entire osteotomy, i.e. the body portion of the osteotomy and remove the apical bone contact.

- Multiple-use with option for single-use
- Color: corresponds to implant **Note:** for conical implants, this color refers to the implant body diameter.
- Markings: diameter and (X)
- Length: short (6-13 mm)  
long (6-17 mm)




# Surgical instruments

## Implant Driver EV

Stainless steel (6), non-sterile

- For picking up and installing implant.
- Marked with depth and diameter
- Dimple to facilitate correct positioning

**Note:** For use with Contra Angle or Torque Wrench EV Surgical Driver Handle



## Implant Driver EV Short



3.6 4.2 4.8 5.4

|                 |       |       |       |       |
|-----------------|-------|-------|-------|-------|
| Total length mm | 23.5  | 23.5  | 24    | 24    |
| Order No.       | 25378 | 25380 | 25382 | 25384 |

## Implant Driver EV Long




3.0 3.6 4.2 4.8 5.4

|                 |       |       |       |       |       |
|-----------------|-------|-------|-------|-------|-------|
| Total length mm | 33.5  | 33.5  | 34.0  | 34.0  | 34.0  |
| Order No.       | 25377 | 25379 | 25381 | 25383 | 25385 |

## Direction Indicator EV

Titanium alloy (2), non-sterile

- For use after drill ① and drill ③



## Direction Indicator EV



## Implant Driver Extender EV-GS



## Implant Depth Gauge EV



|           |       |       |       |
|-----------|-------|-------|-------|
| Order No. | 25765 | 26021 | 25710 |
|-----------|-------|-------|-------|

## Implant Driver Extender EV-GS

Stainless steel (6), non-sterile

- Used for extending the length of a drill or the Implant Driver EV or Implant Driver EV-GS.

**Note:** Implant Driver Extender EV should only be used together with drills, Implant Driver EV or Implant Driver EV-GS.

## Implant Depth Gauge EV

Titanium (2), non-sterile

- One side corresponds to implant lengths 6-17 mm
- One side is measuring probe with 0-15 mm markings

## Titanium Bowl



|           |       |
|-----------|-------|
| Order No. | 22137 |
|-----------|-------|

## Forceps



|           |       |
|-----------|-------|
| Length    | 94 mm |
| Order No. | 22437 |

**Torque Wrench EV**



|           |       |       |
|-----------|-------|-------|
| Order No. | 25774 | 25775 |
|-----------|-------|-------|

**Torque Wrench EV Surgical Driver Handle**



**Torque Wrench EV**

Stainless steel (6), non-sterile  
Use together with Surgical Driver Handle  
For implant installation and adjustment of implant position

**Torque Wrench EV Surgical Driver Handle**

Stainless steel (6), non-sterile

**Hex Driver EV Machine**

**Short**



**Intermediate**



**Long**



|                 |       |       |       |
|-----------------|-------|-------|-------|
| Total length mm | 20    | 24    | 35    |
| Order No.       | 25790 | 25727 | 25728 |

**Hex Driver EV Machine**

Stainless steel (6), non-sterile  
For use with Contra Angle or Torque Wrench EV Surgical Driver Handle or Torque Wrench EV Restorative Driver Handle

**Hex Driver EV Manual**

**Short**



**Intermediate**



**Long**



|                 |       |       |       |
|-----------------|-------|-------|-------|
| Total length mm | 20    | 31    | 38    |
| Order No.       | 25771 | 25772 | 25773 |

**Hex Driver EV Manual**

Stainless steel (6), non-sterile

**Mucosal Punch EV**



|           |       |       |       |       |       |       |
|-----------|-------|-------|-------|-------|-------|-------|
| Ø         | 3.5   | 4     | 4.5   | 5     | 5.5   | 6.5   |
| Order No. | 25711 | 25712 | 25713 | 25714 | 25715 | 25731 |

**Mucosal Punch EV**

Stainless steel (6), ABS Plastic (17)  
Sterile  
■ Single use only  
QTY 5

**Radiographic Implant Guides EV**



|           |       |
|-----------|-------|
| Order No. | 25500 |
|-----------|-------|

**Bone Trap™**



|           |       |
|-----------|-------|
| Order No. | 22179 |
|-----------|-------|

**Radiographic Implant Guides EV**

Plastic (12), non-sterile  
■ Planning tools used prior to implant surgery  
■ Used together with x-ray of the patients' jaw  
■ Magnification range is from 1.0 to 1.8 presented in 9 separate sheets

**Bone Trap™**

Plastic (12), sterile  
■ Single-use  
■ Simplifies the procedure of collecting and using autologous bone  
Disposable and delivered sterile  
QTY 1



# Surgical units

## Implant 900 Set

### Set includes:

- Control unit
- Motor (1.8 m cable with 5 clips)
- Foot control
- Contra-angle WI-75 E/KM
- Irrigation set, disposable (3 pcs.)
- Accessories



Implant 900 Set SI-923, 230V

Implant 900 Set SI-915, 120V

|           |       |       |
|-----------|-------|-------|
| Order No. | 26264 | 26265 |
|-----------|-------|-------|

## Contra-angles

- Suitable for drills with internal and external irrigation
- WS-75 L G provides LED light from an in-built generator (LED > 300 rpm)



|           |       |       |       |
|-----------|-------|-------|-------|
|           | 20:1  | 20:1  | 20:1  |
| Order No. | 26273 | 26268 | 26269 |

## Contra-angles and handpieces

- Can be dismantled, except WI-75 E/KM
- Also compatible with previous motors for Frios Unit S/i and Implant Unit SI
- Can be sterilized

## Handpieces


- Mainly intended for general oral surgery procedures



|           |       |       |
|-----------|-------|-------|
|           | 1:1   | 1:1   |
| Order No. | 26270 | 26271 |

## Accessories

- Motor - 1.8 m cable with 5 clips
- Foot Control - 2.8 m cable
- Motor and Foot Control are not compatible with previous Frios Unit S/i or Implant Unit SI




|           |       |       |
|-----------|-------|-------|
| Order No. | 26266 | 26267 |
|-----------|-------|-------|

## Irrigation tubing and cover

Plastic, sterile

- Single-use
- Complete irrigation set for Implant 900, Frios Unit S/i & S and Implant Unit SI (with 1.8 m motor cable)
- Irrigation tubing extension, connected with Luer Lock
- Cover sleeve 240x7 cm, with latex-free elastic bands, for motor and cable



|           |       |       |       |
|-----------|-------|-------|-------|
| Order No. | 24785 | 24786 | 24787 |
|-----------|-------|-------|-------|

## Suction Tube

Plastic, sterile

- Single-use
- Ø 5.5 mm/8 mm, 2.0 m, QTY 1
- Ø 5.5 mm/8 mm, 3.5 m, QTY 1
- Ø 5.5 mm/8 mm, 2.0 m, QTY 1 With double bent suction tip



|           |       |       |       |
|-----------|-------|-------|-------|
| Order No. | 68108 | 68130 | 68118 |
|-----------|-------|-------|-------|



# Restorative instruments

## Hex Driver EV Manual

Short



Intermediate



Long



|                 |       |       |       |
|-----------------|-------|-------|-------|
| Total length mm | 20    | 31    | 38    |
| Order No.       | 25771 | 25772 | 25773 |

## Hex Driver EV Manual

Stainless steel (6), non-sterile

## Hex Driver EV Machine

Short



Intermediate



Long



|                 |       |       |       |
|-----------------|-------|-------|-------|
| Total length mm | 20    | 24    | 35    |
| Order No.       | 25790 | 25727 | 25728 |

## Hex Driver EV Machine

Stainless steel (6), non-sterile

For use with Contra Angle or Torque Wrench EV Surgical Driver Handle or Torque Wrench EV Restorative Driver Handle

## Atlantis® Angulated Screw Access Screwdriver



|                 |       |       |       |
|-----------------|-------|-------|-------|
| Total length mm | 18    | 24    | 32    |
| Order No.       | 36030 | 36031 | 36032 |

## Atlantis® Angulated Screw Access Screwdriver

Stainless steel (6), non-sterile

- Must be used in combination with Atlantis implant suprastructures that have been designed and manufactured with Angulated Screw Access on 1 or more connections
- Every connection with angulated screw access is supplied with a corresponding Atlantis prosthetic screw
- Angulated screw access allows the prosthetic screw access channel to be angled up to 30 degrees off the implant/abutment axis, for optimal esthetics and function

### Multibase Driver EV

Stainless steel (6), non-sterile

- Used for installation and removal of the Multibase EV Abutment
- The Surgical Driver Handle could be useful when removing the abutment to support the torque transferring

### Multibase Driver EV



|                 |       |
|-----------------|-------|
| Total length mm | 19    |
| Order No.       | 26204 |

### Direct Driver EV

Stainless steel (6), non-sterile

Required for carrying and installation of Direct Abutment EV Ø3.3 and Ø4

### Uni Driver EV

Stainless steel (6), non-sterile

- For installation and removal of Uni Abutment EV

### Locator™ Driver EV

Stainless steel (6), non-sterile

For placement and removal of Locator abutments

### Direct Driver EV Ø3.3 Ø4



### Uni Driver EV



### Locator™ Driver EV



|                 |       |       |       |
|-----------------|-------|-------|-------|
| Total length mm | 26    | 21.5  | 23    |
| Order No.       | 25764 | 25708 | 25766 |

**Ball Abutment Driver EV**



**Dalbo Plus Screwdriver/Activator**



**Locator™ Core Tool**



|                 |       |       |       |
|-----------------|-------|-------|-------|
| Total length mm | 22.7  |       |       |
| Order No.       | 25768 | 25835 | 24482 |

**Ball Abutment Driver EV**

Stainless steel (6), non-sterile  
For placement and removal of Ball Abutment EV

Direct, Uni, Locator and Ball Abutment drivers fit Torque Wrench EV driver handles.

**Dalbo Plus Screwdriver/Activator**

Stainless steel (6), non-sterile

**Locator™ Core Tool**

Stainless steel (6), non-sterile

Includes plastic holder/sleeve for manual placement of the abutment

**Abutment Depth Gauge EV**



|           |       |
|-----------|-------|
| Order No. | 25792 |
|-----------|-------|



|           |       |
|-----------|-------|
| Order No. | 25793 |
|-----------|-------|




|           |       |
|-----------|-------|
| Order No. | 25726 |
|-----------|-------|

**Abutment Depth Gauge EV**

Titanium (2), non-sterile

- Laser etched bands for measuring mucosal height over the implant in millimeters.
- Waist at 4–5 mm indication for better visual orientation.



**Torque Wrench EV**



|           |       |
|-----------|-------|
| Order No. | 25774 |
|-----------|-------|

**Torque Wrench EV**

Stainless steel (6), non-sterile

Use together with a restorative driver handle for tightening of abutment and/or bridge screw.

**Torque Wrench EV Restorative Driver Handle Low**



**4x4 Low**



|           |       |       |       |
|-----------|-------|-------|-------|
| Order No. | 25776 | 25777 | 25730 |
|-----------|-------|-------|-------|

**Torque Wrench EV Restorative Handles**

Stainless steel (6), non-sterile

**4x4 Low**

For compatibility for instruments with a square connection 4 x 4 mm

# Laboratory products

## Lab Abutment Screw EV

Titanium (2), anodized, non-sterile  
QTY 3

Designed for use with  
Implant Replica EV only

## Lab Abutment Screw EV



|           |       |       |       |       |       |
|-----------|-------|-------|-------|-------|-------|
| Order No. | 25476 | 25477 | 25478 | 25479 | 25480 |
|-----------|-------|-------|-------|-------|-------|

## Lab Pin Design EV

Stainless steel (6), non-sterile

- For maintenance of screw access channel during the laboratory procedure
- Friction fit to the Lab Abutment Screw EV screw hole

## Lab Pin Design EV



|           |         |             |
|-----------|---------|-------------|
| Ø mm      | 3.0/3.6 | 4.2/4.8/5.4 |
| Height mm | 25      | 25          |
| Order No. | 25528   | 25530       |


## Lab Abutment Pin EV

Stainless steel (6), non-sterile

- For maintenance of screw access channel
- Fits the UniAbutment EV Replica

## Lab Abutment Pin EV

Short Intermediate Long



|           |       |       |       |
|-----------|-------|-------|-------|
| Length mm | 14    | 18    | 22    |
| Order No. | 25643 | 25644 | 25645 |

## Lab Bridge Screw EV



|                      |       |
|----------------------|-------|
| Screw head height mm | 1.6   |
| Screw head Ø mm      | 2.35  |
| Order No.            | 25656 |

## Lab Bridge Screw EV

Titanium (2), non-sterile  
QTY 3

## Polishing Protector Uni EV

Stainless steel (6), non-sterile  
QTY 3

## Grinding Handle



|           |       |
|-----------|-------|
| Order No. | 22740 |
|-----------|-------|

## Polishing Protector Uni EV



|           |       |
|-----------|-------|
| Order No. | 25778 |
|-----------|-------|

# OsseoSpeed® Profile EV

## A unique implant specifically designed for sloped ridges

OsseoSpeed Profile EV is specially shaped for efficient use of existing bone in sloped ridge situations.



### One-position-only placement of all indexed components

The unique one-position-only placement makes the entire treatment procedure simple and predictable, from implant placement to the connection of the final abutment.



### Wide range of implant options

Available in straight and conical implant designs in 8-17 mm lengths.

### Self-guiding impression components for an accurate and predictable workflow

This innovative design provides a time-efficient installation procedure and a predictable workflow between the clinician and dental technician.



# Product overview



**YELLOW**



One-position-only



Index free



Round



Triangular

## Implants

OsseoSpeed® Profile EV  
4.2 PS



8 mm 25440  
9 mm 25441  
11 mm 25442  
13 mm 25443  
15 mm 25444  
17 mm 25445

OsseoSpeed® Profile EV  
4.2 PC



8 mm 25452  
9 mm 25453  
11 mm 25454  
13 mm 25455  
15 mm 25456  
17 mm 25457

## Cover screw


Cover Screw Profile EV 4.2



0 mm 25582

## Healing abutments

HealDesign™ Profile EV 4.2



○ Ø 5.0 3 mm 25587  
○ Ø 5.0 4 mm 25584  
△ Ø 5.0 3 mm 25585  
△ Ø 6.5 3 mm 25586

HealDesign EV 4.2



○ Ø 5.0 2.5 mm 25908  
○ Ø 5.0 3.5 mm 25501  
○ Ø 5.0 4.5 mm 25302  
○ Ø 5.0 6.5 mm 25797  
○ Ø 6.5 2.5 mm 25909  
○ Ø 6.5 3.5 mm 25910  
○ Ø 6.5 4.5 mm 25911  
○ Ø 6.5 6.5 mm 25912

Healing Uni EV 4.2



○ Ø 4 2 mm 25288  
○ Ø 4 3 mm 25579  
○ Ø 4 4 mm 25289  
○ Ø 4 6 mm 25290

## Cement-retained

### Temporary abutments

TempDesign™ Profile EV



Ø 7 1 mm 25756

Temp Abutment Profile EV



Ø 4.5 1 mm 26256

### Abutments

TiDesign™ Profile EV 4.2



○ Ø 5.5 15° 2 mm 25595  
○ Ø 5.5 3 mm 25594  
△ Ø 5.5 2 mm 25592  
△ Ø 7.0 2 mm 25593

## Screw-retained

### Abutments

Uni Abutment EV 4.2



1 mm 25562  
2 mm 25563  
3 mm 25564  
5 mm 25565

Angled Abutment Profile EV



1 mm 25890  
2 mm 25891

Multibase Abutment EV 4.2



1.5 mm 26170  
2.5 mm 26171  
3.5 mm 26172  
17° 1.5 mm 26177  
17° 2.5 mm 26178  
30° 1.5 mm 26179  
30° 2.5 mm 26180

### Healing caps

Uni Abutment EV  
Heal Cap



Ø 4.3 Short 25952  
Ø 4.3 25616  
Ø 5.5 Short 25953  
Ø 5.5 25617

Angled Abutment EV  
Heal Cap



25650

Multibase EV Heal Cap



Ø 5.4 - 4 mm  
26193

### Abutment

Uni Abutment EV  
Pick-up



Ø 4.3 Short 26245  
Ø 4.3 26247  
Ø 5.5 Short 26246  
Ø 5.5 26248

Uni Abutment EV  
Transfer



26249

Angled Abutment EV  
Pick-up



26244

## Attachment-retained


### Abutments

Locator™ Abutment EV  
4.2



1 mm 25662  
2 mm 25663  
3 mm 25664  
4 mm 25665  
5 mm 25666

Ball Abutment EV 4.2











1 mm 25690  
2 mm 25691  
3 mm 25692  
4 mm 25693  
5 mm 25694  
7 mm 25695




















### Abutment impressions








Locator™ Abutment Pick-up



24484

|  |   |  |
|--|---|--|
| <p><b>Direct Abutment™ EV 4.2</b></p>  <p>         Ø 5 1 mm 25367<br/>         Ø 5 2 mm 25368<br/>         Ø 5 3 mm 25369<br/>         Ø 6 1 mm 25494<br/>         Ø 6 2 mm 25495<br/>         Ø 6 3 mm 25496       </p> <p><b>Direct EV API™</b></p>  <p>         Ø 5 25348<br/>         Ø 6 25349       </p> | <p><b>Implant impressions</b></p> <p><b>Implant Pick-Up Profile EV</b></p>  <p>Short 26258<br/>Long 26260</p> <p><b>Implant Transfer Profile EV</b></p>  <p>Short 25606<br/>Long 25607</p> <p><b>Implant Pick-Up Design Profile EV</b></p>  <p>26262</p> | <p><b>Lab products</b></p> <p><b>Lab Abutment Screw EV</b></p>  <p>25478<br/>QTY 3</p> <p><b>Lab Pin Design EV</b></p>  <p>25530</p> <p><b>Implant Replica Profile EV</b></p>  <p>25610</p> |
|--|---|--|

|   |  |   |
|---|--|---|
| <p><b>impressions</b></p> <p><b>Multibase EV Pick-up</b></p>  <p>26195</p> <p><b>Multibase EV Transfer</b></p>  <p>26194</p> | <p><b>Lab products</b></p> <p><b>Uni Abutment EV Replica</b></p>  <p>25615</p> <p><b>Angled Abutment EV Replica</b></p>  <p>25652</p> <p><b>Multibase EV Replica</b></p>  <p>26201</p> <p><b>Lab Abutment Pin EV</b></p>  <p>Short 25643<br/>Intermediate 25644<br/>Long 25645</p> <p><b>Lab Bridge Screw EV</b></p>  <p>25656<br/>QTY 3</p> <p><b>Multibase EV Lab Pin</b></p>  <p>14 mm 26197<br/>18 mm 26198<br/>22 mm 26199</p> <p><b>Multibase EV Lab Bridge Screw</b></p>  <p>26200<br/>QTY 4</p> | <p><b>Cylinders</b></p> <p><b>Uni Abutment EV Temporary Cylinder</b></p>  <p>26250</p> <p><b>Uni Abutment EV Semi-Burnout Cylinder</b></p>  <p>25647</p> <p><b>Uni Abutment EV Burnout Cylinder</b></p>  <p>25649</p> <p><b>Angled Abutment EV Temporary Cylinder</b></p>  <p>25654</p> <p><b>Angled Abutment EV Semi-Burnout Cylinder</b></p>  <p>25653</p> <p><b>Angled Abutment EV Burnout Cylinder</b></p>  <p>25655</p> <p><b>Multibase EV Temporary Cylinder</b></p>  <p>26202</p> <p><b>Multibase EV Burnout Cylinder</b></p>  <p>26203</p> <p><b>Bridge screws</b></p> <p><b>Bridge Screw EV</b></p>  <p>25481</p> <p><b>Multibase EV Bridge Screw</b></p>  <p>26196</p> |
|---|--|---|

|   |   |
|---|---|
| <p><b>Replicas</b></p> <p><b>Locator™ Abutment Replica</b></p>  <p>24485</p> <p><b>Ball Abutment EV Replica</b></p>  <p>25826</p> | <p><b>Attachment components</b></p> <p><b>Dalbo Plus Female Part TE Basic, complete</b></p>  <p>25834</p> <p><b>Locator™ Process Kit</b></p>  <p>24483</p> <p><b>Locator™ Insert - Male</b></p>  <p>Blue 24488<br/>Pink 24487<br/>Clear 24486</p> <p><b>Locator™ Insert - Extended Range Male</b></p>  <p>Grey 25679<br/>Red 24492<br/>Orange 25843<br/>Green 24489</p> <p><b>OD Cylinder EV</b></p>  <p>25638</p> |
|---|---|

OSSEOSPEED PROFILE EV

**Note:** Atlantis patient-specific prosthetic solutions are available. Speak with your local Dentsply Sirona Implants representative for more information.

# Product overview



BLUE



One-position-only



Index free



Round



Triangular

## Implants

OsseoSpeed® Profile EV  
4.8 PS



8 mm 25446  
9 mm 25447  
11 mm 25448  
13 mm 25449  
15 mm 25450  
17 mm 25451

OsseoSpeed® Profile EV  
4.8 PC



8 mm 25458  
9 mm 25459  
11 mm 25460  
13 mm 25461  
15 mm 25462  
17 mm 25463

## Cover screw

Cover Screw Profile EV 4.8



0 mm 25583

## Healing abutments

HealDesign™ Profile EV 4.8



○ Ø 5 3 mm 25591  
○ Ø 6.5 4 mm 25589  
△ Ø 5 3 mm 25588  
△ Ø 6.5 3 mm 25590

HealDesign™ EV 4.8



○ Ø 5.0 2.5 mm 25913  
○ Ø 5.0 3.5 mm 25502  
○ Ø 5.0 4.5 mm 25914  
○ Ø 5.0 6.5 mm 25915  
○ Ø 6.5 2.5 mm 25916  
○ Ø 6.5 3.5 mm 25917  
○ Ø 6.5 4.5 mm 25306  
○ Ø 6.5 6.5 mm 25798  
○ Ø 7.5 3.5 mm 25918  
○ Ø 7.5 4.5 mm 25919

Healing Uni EV 4.8



○ Ø 4 2 mm 26219  
○ Ø 4 3 mm 26220  
○ Ø 4 4 mm 26221  
○ Ø 4 6 mm 26222

## Cement-retained

### Temporary abutments

TempDesign™ Profile EV



Ø 8 1 mm 25757

Temp Abutment Profile EV



Ø 5 1 mm 26257

### Abutments

TiDesign™ Profile EV 4.8



○ Ø 5.5 15° 2 mm 25599  
○ Ø 7.0 3 mm 25598  
△ Ø 5.5 2 mm 25596  
△ Ø 7.0 2 mm 25597

## Screw-retained

### Abutments

Uni Abutment EV 4.8



1 mm 25566  
2 mm 25567  
3 mm 25568  
5 mm 25569

Angled Abutment Profile EV



1 mm 25892  
2 mm 25893

Multibase Abutment EV 4.8



1.5 mm 26181  
2.5 mm 26182  
3.5 mm 26183  
17° 1.5 mm 26188  
17° 2.5 mm 26189  
30° 1.5 mm 26190  
30° 2.5 mm 26191

### Healing caps

Uni Abutment EV  
Heal Cap



Ø 4.3 Short 25952  
Ø 4.3 25616  
Ø 5.5 Short 25953  
Ø 5.5 25617

Angled Abutment EV  
Heal Cap



25650

Multibase EV Heal Cap



Ø 5.4 - 4 mm  
26193

### Abutment

Uni Abutment EV  
Pick-up



Ø 4.3 Short 26245  
Ø 4.3 26247  
Ø 5.5 Short 26246  
Ø 5.5 26248

Uni Abutment EV  
Transfer



26249

Angled Abutment EV  
Pick-up



26244

## Attachment-retained

### Abutments

Locator™ Abutment EV  
4.8



1 mm 25667  
2 mm 25668  
3 mm 25669  
4 mm 25670  
5 mm 25671

Ball Abutment EV 4.8



1 mm 25696  
2 mm 25697  
3 mm 25698  
4 mm 25699  
5 mm 25700  
7 mm 25701





















### Abutment impressions































































Locator™ Abutment Pick-up
























24484



|  |   |  |   |  |  |  |  |  |   |  |
|--|---|--|---|--|--|--|--|--|---|--|
| <p><b>Direct Abutment™ EV 4.8</b></p>  <p>         Ø 5 1 mm 25370<br/>         Ø 5 2 mm 25371<br/>         Ø 5 3 mm 25372<br/>         Ø 6 1 mm 25497<br/>         Ø 6 2 mm 25498<br/>         Ø 6 3 mm 25499       </p> <p><b>Direct EV API™</b></p>  <p>         Ø 5 25348<br/>         Ø 6 25349       </p> | <p align="center"><b>Implant impressions</b></p> <table border="0"> <tr> <td data-bbox="434 165 758 478"> <p><b>Implant Pick-Up Profile EV</b></p>  <p>Short 26259<br/>Long 26261</p> </td> <td data-bbox="758 165 986 478"> <p><b>Implant Transfer Profile EV</b></p>  <p>Short 25608<br/>Long 25609</p> </td> </tr> <tr> <td colspan="2" data-bbox="434 478 986 751"> <p><b>Implant Pick-Up Design Profile EV</b></p>  <p>26263</p> </td> </tr> </table> | <p><b>Implant Pick-Up Profile EV</b></p>  <p>Short 26259<br/>Long 26261</p> | <p><b>Implant Transfer Profile EV</b></p>  <p>Short 25608<br/>Long 25609</p> | <p><b>Implant Pick-Up Design Profile EV</b></p>  <p>26263</p> |  | <p align="center"><b>Lab products</b></p> <table border="0"> <tr> <td data-bbox="986 165 1236 478"> <p><b>Lab Abutment Screw EV</b></p>  <p>25479<br/>QTY 3</p> </td> <td data-bbox="1236 165 1484 478"> <p><b>Lab Pin Design EV</b></p>  <p>25530</p> </td> </tr> <tr> <td colspan="2" data-bbox="986 478 1484 751"> <p><b>Implant Replica Profile EV</b></p>  <p>25611</p> </td> </tr> </table> | <p><b>Lab Abutment Screw EV</b></p>  <p>25479<br/>QTY 3</p> | <p><b>Lab Pin Design EV</b></p>  <p>25530</p> | <p><b>Implant Replica Profile EV</b></p>  <p>25611</p> |  |
| <p><b>Implant Pick-Up Profile EV</b></p>  <p>Short 26259<br/>Long 26261</p>   | <p><b>Implant Transfer Profile EV</b></p>  <p>Short 25608<br/>Long 25609</p>   |  |   |  |  |  |  |  |   |  |
| <p><b>Implant Pick-Up Design Profile EV</b></p>  <p>26263</p>   |   |  |   |  |  |  |  |  |   |  |
| <p><b>Lab Abutment Screw EV</b></p>  <p>25479<br/>QTY 3</p>   | <p><b>Lab Pin Design EV</b></p>  <p>25530</p>  |  |   |  |  |  |  |  |   |  |
| <p><b>Implant Replica Profile EV</b></p>  <p>25611</p>  |   |  |   |  |  |  |  |  |   |  |

|  |  |   |   |  |  |   |  |   |  |   |   |  |   |  |   |  |  |  |  |  |  |  |
|--|--|---|---|--|--|---|--|---|--|---|---|--|---|--|---|--|--|--|--|--|--|--|
| <p align="center"><b>impressions</b></p> <p><b>Multibase EV Pick-up</b></p>  <p>26195</p> <p><b>Multibase EV Transfer</b></p>  <p>26194</p>   | <p align="center"><b>Lab products</b></p> <table border="0"> <tr> <td data-bbox="287 834 526 1095"> <p><b>Uni Abutment EV Replica</b></p>  <p>25615</p> </td> <td data-bbox="526 834 798 1095"> <p><b>Lab Abutment Pin EV</b></p>  <p>Short 25643<br/>Intermediate 25644<br/>Long 25645</p> </td> </tr> <tr> <td data-bbox="287 1095 526 1308"> <p><b>Angled Abutment EV Replica</b></p>  <p>25652</p> </td> <td data-bbox="526 1095 798 1308"> <p><b>Lab Bridge Screw EV</b></p>  <p>25656<br/>QTY 3</p> </td> </tr> <tr> <td data-bbox="287 1308 526 1532"> <p><b>Multibase EV Replica</b></p>  <p>26201</p> </td> <td data-bbox="526 1308 798 1532"> <p><b>Multibase EV Lab Bridge Screw</b></p>  <p>26200<br/>QTY 4</p> <p><b>Multibase EV Lab Pin</b></p>  <p>14 mm 26197<br/>18 mm 26198<br/>22 mm 26199</p> </td> </tr> </table> | <p><b>Uni Abutment EV Replica</b></p>  <p>25615</p>           | <p><b>Lab Abutment Pin EV</b></p>  <p>Short 25643<br/>Intermediate 25644<br/>Long 25645</p> | <p><b>Angled Abutment EV Replica</b></p>  <p>25652</p>  | <p><b>Lab Bridge Screw EV</b></p>  <p>25656<br/>QTY 3</p> | <p><b>Multibase EV Replica</b></p>  <p>26201</p> | <p><b>Multibase EV Lab Bridge Screw</b></p>  <p>26200<br/>QTY 4</p> <p><b>Multibase EV Lab Pin</b></p>  <p>14 mm 26197<br/>18 mm 26198<br/>22 mm 26199</p> | <p align="center"><b>Cylinders</b></p> <table border="0"> <tr> <td data-bbox="798 834 1037 1064"> <p><b>Uni Abutment EV Temporary Cylinder</b></p>  <p>26250</p> </td> <td data-bbox="1037 834 1276 1064"> <p><b>Angled Abutment EV Temporary Cylinder</b></p>  <p>25654</p> </td> <td data-bbox="1276 834 1484 1064"> <p><b>Multibase EV Temporary Cylinder</b></p>  <p>26202</p> </td> </tr> <tr> <td data-bbox="798 1064 1037 1234"> <p><b>Uni Abutment EV Semi-Burnout Cylinder</b></p>  <p>25647</p> </td> <td data-bbox="1037 1064 1276 1234"> <p><b>Angled Abutment EV Semi-Burnout Cylinder</b></p>  <p>25653</p> </td> <td data-bbox="1276 1064 1484 1234"> <p><b>Multibase EV Burnout Cylinder</b></p>  <p>26203</p> </td> </tr> <tr> <td data-bbox="798 1234 1037 1393"> <p><b>Uni Abutment EV Burnout Cylinder</b></p>  <p>25649</p> </td> <td data-bbox="1037 1234 1276 1393"> <p><b>Angled Abutment EV Burnout Cylinder</b></p>  <p>25655</p> </td> <td data-bbox="1276 1234 1484 1393"> <p><b>Multibase EV Burnout Cylinder</b></p>  <p>26203</p> </td> </tr> <tr> <td colspan="3" data-bbox="798 1393 1484 1532"> <p align="center"><b>Bridge screws</b></p> <table border="0"> <tr> <td data-bbox="798 1393 1037 1532"> <p><b>Bridge Screw EV</b></p>  <p>25481</p> </td> <td data-bbox="1037 1393 1484 1532"> <p><b>Multibase EV Bridge Screw</b></p>  <p>26196</p> </td> </tr> </table> </td> </tr> </table> | <p><b>Uni Abutment EV Temporary Cylinder</b></p>  <p>26250</p> | <p><b>Angled Abutment EV Temporary Cylinder</b></p>  <p>25654</p> | <p><b>Multibase EV Temporary Cylinder</b></p>  <p>26202</p> | <p><b>Uni Abutment EV Semi-Burnout Cylinder</b></p>  <p>25647</p> | <p><b>Angled Abutment EV Semi-Burnout Cylinder</b></p>  <p>25653</p> | <p><b>Multibase EV Burnout Cylinder</b></p>  <p>26203</p> | <p><b>Uni Abutment EV Burnout Cylinder</b></p>  <p>25649</p> | <p><b>Angled Abutment EV Burnout Cylinder</b></p>  <p>25655</p> | <p><b>Multibase EV Burnout Cylinder</b></p>  <p>26203</p> | <p align="center"><b>Bridge screws</b></p> <table border="0"> <tr> <td data-bbox="798 1393 1037 1532"> <p><b>Bridge Screw EV</b></p>  <p>25481</p> </td> <td data-bbox="1037 1393 1484 1532"> <p><b>Multibase EV Bridge Screw</b></p>  <p>26196</p> </td> </tr> </table> |  |  | <p><b>Bridge Screw EV</b></p>  <p>25481</p> | <p><b>Multibase EV Bridge Screw</b></p>  <p>26196</p> |
| <p><b>Uni Abutment EV Replica</b></p>  <p>25615</p>  | <p><b>Lab Abutment Pin EV</b></p>  <p>Short 25643<br/>Intermediate 25644<br/>Long 25645</p>  |   |   |  |  |   |  |   |  |   |   |  |   |  |   |  |  |  |  |  |  |  |
| <p><b>Angled Abutment EV Replica</b></p>  <p>25652</p>  | <p><b>Lab Bridge Screw EV</b></p>  <p>25656<br/>QTY 3</p>   |   |   |  |  |   |  |   |  |   |   |  |   |  |   |  |  |  |  |  |  |  |
| <p><b>Multibase EV Replica</b></p>  <p>26201</p>  | <p><b>Multibase EV Lab Bridge Screw</b></p>  <p>26200<br/>QTY 4</p> <p><b>Multibase EV Lab Pin</b></p>  <p>14 mm 26197<br/>18 mm 26198<br/>22 mm 26199</p>   |   |   |  |  |   |  |   |  |   |   |  |   |  |   |  |  |  |  |  |  |  |
| <p><b>Uni Abutment EV Temporary Cylinder</b></p>  <p>26250</p>   | <p><b>Angled Abutment EV Temporary Cylinder</b></p>  <p>25654</p>  | <p><b>Multibase EV Temporary Cylinder</b></p>  <p>26202</p> |   |  |  |   |  |   |  |   |   |  |   |  |   |  |  |  |  |  |  |  |
| <p><b>Uni Abutment EV Semi-Burnout Cylinder</b></p>  <p>25647</p>   | <p><b>Angled Abutment EV Semi-Burnout Cylinder</b></p>  <p>25653</p>  | <p><b>Multibase EV Burnout Cylinder</b></p>  <p>26203</p>  |   |  |  |   |  |   |  |   |   |  |   |  |   |  |  |  |  |  |  |  |
| <p><b>Uni Abutment EV Burnout Cylinder</b></p>  <p>25649</p>  | <p><b>Angled Abutment EV Burnout Cylinder</b></p>  <p>25655</p>   | <p><b>Multibase EV Burnout Cylinder</b></p>  <p>26203</p>  |   |  |  |   |  |   |  |   |   |  |   |  |   |  |  |  |  |  |  |  |
| <p align="center"><b>Bridge screws</b></p> <table border="0"> <tr> <td data-bbox="798 1393 1037 1532"> <p><b>Bridge Screw EV</b></p>  <p>25481</p> </td> <td data-bbox="1037 1393 1484 1532"> <p><b>Multibase EV Bridge Screw</b></p>  <p>26196</p> </td> </tr> </table> |  |   | <p><b>Bridge Screw EV</b></p>  <p>25481</p>  | <p><b>Multibase EV Bridge Screw</b></p>  <p>26196</p> |  |   |  |   |  |   |   |  |   |  |   |  |  |  |  |  |  |  |
| <p><b>Bridge Screw EV</b></p>  <p>25481</p>   | <p><b>Multibase EV Bridge Screw</b></p>  <p>26196</p>   |   |   |  |  |   |  |   |  |   |   |  |   |  |   |  |  |  |  |  |  |  |

|   |  |   |  |  |   |   |   |   |  |  |  |
|---|--|---|--|--|---|---|---|---|--|--|--|
| <p align="center"><b>Replicas</b></p> <table border="0"> <tr> <td data-bbox="0 1613 239 1947"> <p><b>Locator™ Abutment Replica</b></p>  <p>24485</p> </td> <td data-bbox="239 1613 418 1947"> <p><b>Ball Abutment EV Replica</b></p>  <p>25826</p> </td> </tr> </table> | <p><b>Locator™ Abutment Replica</b></p>  <p>24485</p> | <p><b>Ball Abutment EV Replica</b></p>  <p>25826</p>   | <p align="center"><b>Attachment components</b></p> <table border="0"> <tr> <td data-bbox="418 1613 686 1819"> <p><b>Dalbo Plus Female Part TE Basic, complete</b></p>  <p>25834</p> </td> <td data-bbox="686 1613 1005 1776"> <p><b>Locator™ Process Kit</b></p>  <p>24483</p> </td> <td data-bbox="1005 1613 1292 1872"> <p><b>Locator™ Insert – Extended Range Male</b></p>  <p>         Grey 25679<br/>         Red 24492<br/>         Orange 25843<br/>         Green 24489       </p> </td> <td data-bbox="1292 1613 1484 1808"> <p><b>OD Cylinder EV</b></p>  <p>25638</p> </td> </tr> <tr> <td colspan="4" data-bbox="686 1776 1005 1947"> <p><b>Locator™ Insert – Male</b></p>  <p>         Blue 24488<br/>         Pink 24487<br/>         Clear 24486       </p> </td> </tr> </table> | <p><b>Dalbo Plus Female Part TE Basic, complete</b></p>  <p>25834</p> | <p><b>Locator™ Process Kit</b></p>  <p>24483</p> | <p><b>Locator™ Insert – Extended Range Male</b></p>  <p>         Grey 25679<br/>         Red 24492<br/>         Orange 25843<br/>         Green 24489       </p> | <p><b>OD Cylinder EV</b></p>  <p>25638</p> | <p><b>Locator™ Insert – Male</b></p>  <p>         Blue 24488<br/>         Pink 24487<br/>         Clear 24486       </p> |  |  |  |
| <p><b>Locator™ Abutment Replica</b></p>  <p>24485</p>  | <p><b>Ball Abutment EV Replica</b></p>  <p>25826</p>  |   |  |  |   |   |   |   |  |  |  |
| <p><b>Dalbo Plus Female Part TE Basic, complete</b></p>  <p>25834</p>  | <p><b>Locator™ Process Kit</b></p>  <p>24483</p>      | <p><b>Locator™ Insert – Extended Range Male</b></p>  <p>         Grey 25679<br/>         Red 24492<br/>         Orange 25843<br/>         Green 24489       </p> | <p><b>OD Cylinder EV</b></p>  <p>25638</p>  |  |   |   |   |   |  |  |  |
| <p><b>Locator™ Insert – Male</b></p>  <p>         Blue 24488<br/>         Pink 24487<br/>         Clear 24486       </p>   |  |   |  |  |   |   |   |   |  |  |  |

OSSEOSPEED PROFILE EV

# Implants

## OsseoSpeed® Profile EV


Titanium (1), sterile

OsseoSpeed Profile EV implants are available in a range of shapes, diameters and lengths.


PS = Profile Straight PC = Profile Conical



Specific colors have been assigned to the different implant-abutment connection sizes, which are consistently used throughout the system.



- For further details – see Instructions for Use or the Surgical manual for Astra Tech Implant System EV.
- All implants are made of commercially pure titanium, grade 4.
- OsseoSpeed surface treatment over the entire implant to the top of the first micro threads.
- For conical implants the body portion is 0.6 mm narrower.



## P<sub>4.2</sub> OsseoSpeed® Profile EV 4.2 PS



|               |       |       |       |       |       |       |
|---------------|-------|-------|-------|-------|-------|-------|
| Length mm     | 8     | 9     | 11    | 13    | 15    | 17    |
| A - height mm | 1.4   | 1.4   | 1.4   | 1.4   | 1.4   | 1.4   |
| Order No.     | 25440 | 25441 | 25442 | 25443 | 25444 | 25445 |

## P<sub>4.2</sub> OsseoSpeed® Profile EV 4.2 PC



|               |       |       |       |       |       |       |
|---------------|-------|-------|-------|-------|-------|-------|
| Body Ø mm     | 3.6   | 3.6   | 3.6   | 3.6   | 3.6   | 3.6   |
| Length mm     | 8     | 9     | 11    | 13    | 15    | 17    |
| A - height mm | 1.3   | 1.3   | 1.3   | 1.3   | 1.3   | 1.3   |
| Order No.     | 25452 | 25453 | 25454 | 25455 | 25456 | 25457 |

## P<sub>4.8</sub> OsseoSpeed® Profile EV 4.8 PS



|               |       |       |       |       |       |       |
|---------------|-------|-------|-------|-------|-------|-------|
| Length mm     | 8     | 9     | 11    | 13    | 15    | 17    |
| A - height mm | 1.7   | 1.7   | 1.7   | 1.7   | 1.7   | 1.7   |
| Order No.     | 25446 | 25447 | 25448 | 25449 | 25450 | 25451 |

## P<sub>4.8</sub> OsseoSpeed® Profile EV 4.8 PC



|               |       |       |       |       |       |       |
|---------------|-------|-------|-------|-------|-------|-------|
| Body Ø mm     | 4.2   | 4.2   | 4.2   | 4.2   | 4.2   | 4.2   |
| Length mm     | 8     | 9     | 11    | 13    | 15    | 17    |
| A - height mm | 1.6   | 1.6   | 1.6   | 1.6   | 1.6   | 1.6   |
| Order No.     | 25458 | 25459 | 25460 | 25461 | 25462 | 25463 |

### Cover Screw Profile EV



P  
4.2



P  
4.8

|           |       |       |
|-----------|-------|-------|
| Order No. | 25582 | 25583 |
|-----------|-------|-------|

### Radiographic Implant Guides Profile EV



|           |       |
|-----------|-------|
| Order No. | 25637 |
|-----------|-------|

### Cover Screw Profile EV

Titanium (2), sterile



- Self-guiding component; engages into the implant only when correctly seated
- One height option for each implant-abutment connection size
- Cover Screw Profile EV is a two-piece cover screw with color coded sleeve. The included screw is without color
- **P** One-position-only cover screw, will seat in one position only

### Radiographic Implant Guides Profile EV

Plastic (12), non-sterile

- Planning tools used prior to implant surgery
- Used together with x-ray of the patients' jaw
- Magnification range is from 1.0 to 1.8 presented in 9 separate sheets

## Surgical instruments

### Implant Driver Profile EV Short



P  
4.2



P  
4.8

|                 |       |       |
|-----------------|-------|-------|
| Total length mm | 24    | 24    |
| Order No.       | 25464 | 25466 |

### Implant Driver Profile EV Long



P  
4.2



P  
4.8

|                 |       |       |
|-----------------|-------|-------|
| Total length mm | 34    | 34    |
| Order No.       | 25465 | 25467 |

### Implant Driver Profile EV

Stainless steel (6), non-sterile

- For picking up and installing implant
- Marked with diameter and a "P" for Profile
- Dimple and flat surface on the driver to facilitate correct positioning
- **P** One-position-only instrument, will seat in one position only



**NOTE:** For use with Contra Angle or Torque Wrench EV Surgical Driver Handle

# Healing abutments





## HealDesign™ Profile EV

Titanium (2), sterile





- For soft tissue sculpturing during the healing phase
- Self-guiding component; engages into the implant only when correctly seated
- Can be used for both one- and two-stage surgery
- Design is primarily matched to TiDesign Profile EV abutments
- HealDesign Profile EV is a two-piece abutment
- Heights and diameters are harmonized with the permanent abutments as well as with the tooth position
- Round shapes are indicated for all positions in the mouth
- △ Triangular shapes are designed for anterior implant sites and mimic the specific shape for incisors and canines
- Marked with diameter, height and "P" for Profile
- (P) One-position-only, healing abutment, will seat in one position only



## P<sub>4.2</sub> HealDesign™ Profile EV 4.2

|             |   |   |   |   |
|-------------|---|---|---|---|
|             |  |  |  |  |
| Ø mm        | 5   | 5   | 5   | 6.5   |
| Height A mm | 5   | 4   | 4.5   | 4   |
| Height B mm | 4   | 3   | 3   | 3   |
| Order No.   | 25584   | 25587   | 25585   | 25586   |

## P<sub>4.8</sub> HealDesign™ Profile EV 4.8

|             |   |   |   |   |
|-------------|---|---|---|---|
|             |  |  |  |  |
| Ø mm        | 5   | 6.5   | 5   | 6.5   |
| Height A mm | 4.5   | 5.5   | 4.5   | 4.5   |
| Height B mm | 3   | 4   | 3   | 3   |
| Order No.   | 25591   | 25589   | 25588   | 25590   |

**NOTE:** One-piece healing abutments from the standard assortment can also be used

# Temporary abutments

## TempDesign™ Profile EV




|                    |           |       |       |
|--------------------|-----------|-------|-------|
| Ø mm               |           | 7     | 8     |
| Height             | bucc A mm | 1     | 1     |
|                    | ling B mm | 1     | 1     |
| Vertical height mm |           | 12    | 12    |
| Order No.          |           | 25756 | 25757 |

## TempDesign™ Profile EV

Titanium (2)-PEEK plastic (10), non-sterile, delivered with an abutment screw

- Anatomically pre-designed for reduction technique
- For both screw- and cement-retained restorations
- Can be processed at the laboratory or chairside
- Temporary use; max 180 days
- Screw-retained restorations; limited to single-tooth only
- **(P)** One-position-only abutments, will seat in one position only



## Temp Abutment Profile EV




|                    |           |       |       |
|--------------------|-----------|-------|-------|
| Ø mm               |           | 4.5   | 5.0   |
| Height             | bucc A mm | 1     | 1     |
|                    | ling B mm | 1     | 1     |
| Vertical height mm |           | 9     | 9     |
| Order No.          |           | 26256 | 26257 |

## Temp Abutment Profile EV

Titanium (2), non-sterile, delivered with an abutment screw

- Designed for build-up technique
- For large, multi-unit restorations and/or long-term temporization
- Primarily processed in the laboratory
- Cement-retained restorations, all positions in the mouth
- Screw-retained restorations, limited to single-tooth only
- **(P)** One-position-only abutments, will seat in one-position-only



**NOTE:** A corresponding Abutment Screw EV is included with every temporary abutment as well as final two-piece abutments. To order additional screws, see below

## Abutment Screw EV



|           |  |       |       |
|-----------|--|-------|-------|
|           |  | M1.8  | M2.0  |
| Order No. |  | 25205 | 25206 |

## Abutment Screw EV

Titanium (2), non-sterile


**NOTE:** A corresponding Abutment Screw EV is included with every temporary abutment as well as final two-piece abutments.

# Cement-retained restorations

## TiDesign™ Profile EV

Titanium (2), non-sterile, delivered with an abutment screw

- Round – design for the majority of restorative situations
- △ Triangular – primarily for incisors and canines with triangular shape
- Angled design for offset situations compensating for implants in a restoratively unfavorable position
- Marked with diameter and P for Profile
- Ⓟ One-position-only abutments, will seat in one position only



## P<sub>4.2</sub> TiDesign™ Profile EV 4.2



|                    |       |       |       |       |
|--------------------|-------|-------|-------|-------|
| Ø mm               | 5.5   | 5.5   | 5.5   | 7.0   |
| A - height bucc mm | 3     | 2     | 2     | 2     |
| B - height ling mm | 3     | 2     | 2     | 2     |
| Vertical height mm | 9.5   | 8.5   | 8.5   | 8.5   |
| Order No.          | 25594 | 25595 | 25592 | 25593 |

## P<sub>4.8</sub> TiDesign™ Profile EV 4.8



|                    |       |       |       |       |
|--------------------|-------|-------|-------|-------|
| Ø mm               | 7.0   | 5.5   | 5.5   | 7.0   |
| A - height bucc mm | 3     | 2     | 2     | 2     |
| B - height ling mm | 3     | 2     | 2     | 2     |
| Vertical height mm | 9     | 8     | 8     | 8     |
| Order No.          | 25598 | 25599 | 25596 | 25597 |

# Screw-retained restorations

## Uni Abutment EV (for more information see Product catalog EV)


Titanium (2), sterile

- Supporting multiple unit restorations only
- Design facilitates non-parallel implant situations up to 66°
- Same top cone for all platforms
- Ⓟ Index-free abutments will be seated in any rotational position

## Angled Abutment Profile EV

Titanium (2), sterile, delivered with an abutment screw

- Supporting multiple unit restorations only in combination with Uni Abutment EV
- Same top cone as for the standard Angled Abutment EV
- Index-free abutments will be seated in any rotational position
- Marked with a "P"



## P<sub>4.2</sub> Angled Abutment Profile EV 4.2, 20°



|                    |       |       |
|--------------------|-------|-------|
| A - height bucc mm | 2     | 3     |
| B - height ling mm | 1     | 2     |
| Vertical height mm | 6     | 7     |
| Order No.          | 25890 | 25891 |

## P<sub>4.8</sub> Angled Abutment Profile EV 4.8, 20°



|                    |       |       |
|--------------------|-------|-------|
| A - height bucc mm | 2     | 3     |
| B - height ling mm | 1     | 2     |
| Vertical height mm | 6     | 7     |
| Order No.          | 25892 | 25893 |

# Impression and laboratory components

## Implant Pick-Up Profile EV, Short

open tray technique



|             |       |       |
|-------------|-------|-------|
| Sleeve Ø mm | 4.6   | 4.6   |
| Height mm   | 16.5  | 16.5  |
| Order No.   | 26258 | 26259 |

## Implant Pick-Up Profile EV, Long

open tray technique



|             |       |       |
|-------------|-------|-------|
| Sleeve Ø mm | 4.6   | 4.6   |
| Height mm   | 22    | 22    |
| Order No.   | 26260 | 26261 |

## Implant Pick-Up Design Profile EV

open tray technique



|             |       |       |
|-------------|-------|-------|
| Sleeve Ø mm | 4.2   | 4.8   |
| Height mm   | 22    | 22    |
| Order No.   | 26262 | 26263 |

## Implant Transfer Profile EV, Short

closed tray technique



|             |       |       |
|-------------|-------|-------|
| Sleeve Ø mm | 4.2   | 4.8   |
| Height mm   | 11    | 11    |
| Order No.   | 25606 | 25608 |

## Implant Transfer Profile EV, Long

closed tray technique




|             |       |       |
|-------------|-------|-------|
| Sleeve Ø mm | 4.2   | 4.8   |
| Height mm   | 14    | 14    |
| Order No.   | 25607 | 25609 |

## Implant Replica Profile EV



|           |       |       |
|-----------|-------|-------|
| Height mm | 16.5  | 16.5  |
| Order No. | 25610 | 25611 |

## Lab Abutment Screw EV




|           |       |       |
|-----------|-------|-------|
| Order No. | 25478 | 25479 |
|-----------|-------|-------|

## Implant Pick-Up Profile EV / Implant Pick-Up Design Profile EV

Titanium (2), non-sterile

- Self-guiding positioning
- Marked with a "P"
- Designed with hex at the pin head
- Possibilities of capture the exact soft tissue shape for best possible esthetic results
- Supports indexing options; one-position-only and index free
- Designed for splinting possibilities



Marked with a sloped groove and a "P" to identify Profile

## Implant Transfer Profile EV

Titanium (2), non-sterile

- Self-guiding positioning
- Marked with a "P"
- Must be repositioned in the unique site in the impression
- Designed with a hex at the pin head
- Supports indexing options; one-position-only and index free



Marked with a sloped groove and a "P" to identify Profile



## Implant Replica Profile EV

Titanium (2), non-sterile

Adjustment of apex allow for removal of replica from master model without need for sectioning.

- Single use

## Lab Abutment Screw EV

Titanium (2), non-sterile

QTY 3


Designed for use with Implant Replica Profile EV and Implant Replica EV only.

# Guided surgery with Astra Tech Implant System<sup>®</sup> EV

The combination of Simplant computer-guided implant treatment and the Astra Tech Implant System EV simplifies the process of digital implant dentistry without sacrificing precision and safety.

## Sleeve-on-Drill instruments for an easy and safe surgical handling

The sleeve-on design simplifies handling and eliminates the need for additional assistance in holding freestanding drill keys in place.



## Simplant Safe Guide with lateral opening for easier access

The optional lateral access provides greater ease of handling even for cases with limited inter-occlusal space. This allows for treatment of an expanded range of indications and increased patient comfort and satisfaction.



## A user-friendly tray assortment - adaptable to the clinical preferences

The flexible tray design with interchangeable overlays allows for adaption of tray content according to your clinical preferences. Each overlay has an intuitive layout to support the user during the procedure.

The washtray is intended for automated reprocessing of surgical instruments and ideal for large clinics or hospitals looking for a time- and cost efficient clinical workflow.





# Trays for guided surgery


## One plastic surgical tray with interchangeable overlay

The guided surgical tray design with interchangeable overlays allows for adaptation of tray content according to your clinical preferences.


### One surgical tray - with interchangeable overlay

- Color-coded and intuitive layout.
- PPSU plastic (14), silicone (15) holders, non-sterile

#### Streamline



#### Proline



#### Streamline Base Kit

##### Streamline

The Streamline Overlay supports the OsseoSpeed EV straight implants (3.6, 4.2, 4.8) from 6 mm to 15 mm.

##### Proline

The Proline Overlay supports the complete assortment within guided surgery of OsseoSpeed EV implants (3.6, 4.2, 4.8) including straight (6 -15 mm), conical (8-15 mm) and Profile EV (8 -15 mm).

The overlays can be snapped onto the tray base. This solution offers the possibility of adapting the tray's contents according to individual preferences.

Large Tray EV Streamline Proline  
(without overlay)


|           |       |       |       |
|-----------|-------|-------|-------|
| Order No. | 25769 | 26099 | 26098 |
|-----------|-------|-------|-------|

| OsseoSpeed® EV |          |       |       |         |       |                  |        |                 |        |
|----------------|----------|-------|-------|---------|-------|------------------|--------|-----------------|--------|
|                | Straight |       |       | Conical |       | Profile Straight |        | Profile Conical |        |
|                |          |       |       |         |       |                  |        |                 |        |
| Ø              | 3.6 S    | 4.2 S | 4.8 S | 4.2 C   | 4.8 C | 4.2 PS           | 4.8 PS | 4.2 PC          | 4.8 PC |
| Length         |          |       |       |         |       |                  |        |                 |        |
| 6 mm           | +        | +     | +     |         |       |                  |        |                 |        |
| 8 mm           | +        | +     | +     | +       | +     | +                | +      | +               | +      |
| 9 mm           | +        | +     | +     | +       | +     | +                | +      | +               | +      |
| 11 mm          | +        | +     | +     | +       | +     | +                | +      | +               | +      |
| 13 mm          | +        | +     | +     | +       | +     | +                | +      | +               | +      |
| 15 mm          | +        | +     | +     | +       | +     | +                | +      | +               | +      |

**Washtray GS  
Astra Tech Implant System® EV**

The Washtray allows for machine cleaning, disinfection and subsequent steam sterilization of instruments. For more information see page 36.

**Washtray GS Astra Tech Implant System EV**



|           |           |
|-----------|-----------|
| Order No. | 3107 1020 |
|-----------|-----------|

| Spare parts  | Order No. |
|--|-----------|
| Washtray Overlay GS Astra Tech Implant System EV, Aluminum (7)     | 3107 1021 |
| Instrument Holder f ISO shank, PEEK-plastic (10) with metal spring | 3107 1004 |
| Instrument Holder medium, PEEK-plastic (10) with metal spring      | 3107 1005 |
| Instrument Holder f Ratchet In, Silicone (15)                      | 3107 1006 |

# Punch/Initial Drill

## Punch EV-GS




|           |       |       |       |
|-----------|-------|-------|-------|
| Ø mm      | 3.6   | 4.2   | 4.8   |
| Order No. | 26010 | 26011 | 26012 |

## Punch EV-GS

Stainless steel (6), sterile

- Single-use
- Intended for gingivectomy by flapless surgery
- Laser depth indicator according to implant length
- Laser marked with (P), single use (X) and corresponding implant diameter.
- Color: corresponds to implant

**Note:** By using Simplant software or mySimplant planning service, these Drills can be ordered case specific with the SAFE Guide.



## Initial Drill




|           |       |       |       |
|-----------|-------|-------|-------|
| Ø mm      | 3.6   | 4.2   | 4.8   |
| Order No. | 26013 | 26014 | 26015 |

## Initial Drill

Stainless steel (6), sterile

- Multiple-use
- Creating a starting point for the following drills
- Laser depth indicator according to implant length
- Laser marked with (I) and corresponding implant diameter.
- Color: corresponds to implant



# Spongy bone preparation

## Drill EV-GS with narrow diameter Sleeve (ND)

Stainless steel (6), sterile

- Drill: Multiple-use
- Sleeve: Single-use
- Drills for spongy bone preparation
- Physical depth stop
- Delivered with Sleeve on Drill
- Laser marked with the corresponding number and drill diameter
- Drills color white for all diameters

**Note:** By using Simplant software or mySimplant planning service, these Drills can be ordered case specific with the SAFE Guide.

## Drill EV-GS with narrow diameter Sleeve (ND)

1-Drill EV-GS, ND



3.6 4.2

3-Drill EV-GS, ND



3.6 4.2

4-Drill EV-GS, ND



4.2

|                |          |             |             |
|----------------|----------|-------------|-------------|
| Ø mm           | Ø1.9 ND  | Ø2.5/3.1 ND | Ø3.1/3.7 ND |
| Implant length | 6-8 mm   | 6-8 mm      | 6-8 mm      |
| Order No.      | 26051    | 26054       | 26057       |
| Implant length | 9-11 mm  | 9-11 mm     | 9-11 mm     |
| Order No.      | 26052    | 26055       | 26058       |
| Implant length | 13-15 mm | 13-15 mm    | 13-15 mm    |
| Order No.      | 26053    | 26056       | 26059       |

## Drill EV-GS with wide diameter Sleeve (WD)

Stainless steel (6), sterile

- Drill: Multiple-use
- Sleeve: Single-use
- Drills for spongy bone preparation
- Physical depth stop
- Delivered with Sleeve on Drill
- Laser marked with the corresponding number and drill diameter
- Drills color white for all diameters

**Note:** By using Simplant software or mySimplant planning service, these Drills can be ordered case specific with the SAFE Guide.

## Drill EV-GS with wide diameter Sleeve (WD)

1-Drill EV-GS, WD



4.8

3-Drill EV-GS, WD



4.8

4-Drill EV-GS, WD



4.8

5-Drill EV-GS, WD



4.8

|                |          |             |             |             |
|----------------|----------|-------------|-------------|-------------|
| Ø mm           | Ø1.9 WD  | Ø2.5/3.1 WD | Ø3.1/3.7 WD | Ø3.7/4.3 WD |
| Implant length | 6-8 mm   | 6-8 mm      | 6-8 mm      | 6-8 mm      |
| Order No.      | 26060    | 26063       | 26066       | 26069       |
| Implant length | 9-11 mm  | 9-11 mm     | 9-11 mm     | 9-11 mm     |
| Order No.      | 26061    | 26064       | 26067       | 26070       |
| Implant length | 13-15 mm | 13-15 mm    | 13-15 mm    | 13-15 mm    |
| Order No.      | 26062    | 26065       | 26068       | 26071       |

# Cortical bone preparation- straight implants

## Cortical Drill EV-GS

Ⓐ-Cortical Drill EV-GS   Ⓑ-Cortical Drill EV-GS   Ⓐ-Cortical Drill EV-GS   Ⓑ-Cortical Drill EV-GS   Ⓐ-Cortical Drill EV-GS   Ⓑ-Cortical Drill EV-GS




|           |          |          |          |          |          |          |
|-----------|----------|----------|----------|----------|----------|----------|
| Ø mm      | Ø3.1/3.3 | Ø3.1/3.6 | Ø3.7/3.9 | Ø3.7/4.2 | Ø4.3/4.5 | Ø4.3/4.8 |
| Order No. | 26004    | 26005    | 26006    | 26007    | 26008    | 26009    |

## Cortical Drill EV-GS

Stainless steel (6), sterile

- Multiple-use
- For straight implants
- Mandatory preparation of the cortical layer to reduce pressure in the bone around the implant neck. The cortical drills are guided directly by the guide sleeve.
- Laser marked with Ⓐ or Ⓑ, the drill diameter and implant length
- Laser etched depth indicator
- Select Ⓐ- or Ⓑ- Cortical Drill EV-GS according to cortical bone thickness
- Ⓐ - thin cortical bone < 2 mm
- Ⓑ - thick cortical bone ≥ 2 mm
- Color: corresponds to implant
- Multiple use drill



# Cortical bone preparation - conical implants

## Conical Drill EV-GS

A/B-Drill EV-GS 4.2C, 9-13   A/B-Drill EV-GS 4.2C, 8-11-15   A/B-Drill EV-GS 4.8C, 9-13   A/B-Drill EV-GS 4.8C, 8-11-15




|           |          |          |          |          |
|-----------|----------|----------|----------|----------|
| Ø mm      | Ø3.1/4.2 | Ø3.1/4.2 | Ø3.7/4.8 | Ø3.7/4.8 |
| Order No. | 26000    | 26001    | 26002    | 26003    |

## Conical Drill EV-GS

Stainless steel (6), sterile

- Multiple-use
- For conical implants
- Mandatory preparation of the cortical layer to reduce pressure in the bone around the implant neck. The cortical drills are guided directly by the guide sleeve.
- Select the A- or B depth indication according to the cortical bone thickness
- Ⓐ - thin cortical bone < 2 mm
- Ⓑ - thick cortical bone ≥ 2 mm
- Color: corresponds to implant
- Laser marked with Ⓐ/Ⓑ, the drill diameter and implant length.



# Spongy bone preparation – in medium or dense bone

## Spongy bone preparation

### V-Drill EV-GS – apical preparation

Stainless steel (6), sterile

- Drill: Multiple-use
- Sleeve: Single-use

Following opening of the marginal cortical layer with cortical drill (A), (B) or conical drill (A/B), the (V)-twist drill is used to remove the apical step and creating a straight osteotomy.

The (V)-Twist Drill is strongly advocated in most situations to remove the apical bone contact and hereby reduce the risk for high installation torque and periapical bone pressure.

- Physical depth stop
- Delivered with Sleeve on Drill
- Laser marked with (V), the drill diameter and implant length
- Color: corresponds to implant  
**Note:** for conical implants, this color refers to the implant body diameter.

**Note:** By using Simplant software or mySimplant planning service, these Drills can be ordered case specific with the SAFE Guide.

### (V)-Drill EV-GS

(V)-Drill EV-GS  
3.6-4.2C



3.6 4.2

(V)-Drill EV-GS  
4.2



4.2

(V)-Drill EV-GS  
4.8C



4.8

(V)-Drill EV-GS  
4.8



4.8

|                |          |          |          |          |
|----------------|----------|----------|----------|----------|
| Ø mm           | Ø3.1     | Ø3.7     | Ø3.7     | Ø4.3     |
| Implant length | 6–8 mm   | 6–8 mm   | 6–8 mm   | 6–8 mm   |
| Order No.      | 26084    | 26087    | 26090    | 26093    |
| Implant length | 9–11 mm  | 9–11 mm  | 9–11 mm  | 9–11 mm  |
| Order No.      | 26085    | 26088    | 26091    | 26094    |
| Implant length | 13–15 mm | 13–15 mm | 13–15 mm | 13–15 mm |
| Order No.      | 26086    | 26089    | 26092    | 26095    |

### X-Drill EV-GS – body and apical preparation

Stainless steel (6), sterile

Following opening of the marginal cortical layer with cortical drill (B) or conical drill (A/B) to level B, the (X)-step drill is used in dense bone situations to widen the entire osteotomy, i.e. the body portion of the osteotomy and remove the apical bone contact.

- Drill: Multiple-use
- Sleeve: Single-use
- Physical depth stop
- Delivered with Sleeve on Drill
- Laser marked with (X), the drill diameter and implant length
- Color: corresponds to implant  
**Note:** for conical implants, this color refers to the implant body diameter.

**Note:** By using Simplant software or mySimplant planning service, these Drills can be ordered case specific with the SAFE Guide.

### (X)-Drill EV-GS

(X)-Drill EV-GS  
3.6-4.2C



3.6 4.2

(X)-Drill EV-GS  
4.2



4.2

(X)-Drill EV-GS  
4.8C



4.8

(X)-Drill EV-GS  
4.8




4.8

|                |           |           |           |           |
|----------------|-----------|-----------|-----------|-----------|
| Ø mm           | Ø3.1/3.45 | Ø3.7/4.05 | Ø3.7/4.05 | Ø4.3/4.65 |
| Implant length | 6–8 mm    | 6–8 mm    | 6–8 mm    | 6–8 mm    |
| Order No.      | 26072     | 26075     | 26078     | 26081     |
| Implant length | 9–11 mm   | 9–11 mm   | 9–11 mm   | 9–11 mm   |
| Order No.      | 26073     | 26076     | 26079     | 26082     |
| Implant length | 13–15 mm  | 13–15 mm  | 13–15 mm  | 13–15 mm  |
| Order No.      | 26074     | 26077     | 26080     | 26083     |

# Implant Driver EV-GS

## Implant Driver EV-GS Implant Driver Profile EV-GS



|           |                      |                      |                      |       |
|-----------|----------------------|----------------------|----------------------|-------|
| Version   | Straight and Conical | Straight and Conical | Straight and Conical |       |
| Ø mm      | 4.5                  | 4.5                  | 5.1                  |       |
| Order No. | 26016                | 26017                | 26018                | 26021 |

|           |  |                        |                        |  |
|-----------|--|------------------------|------------------------|--|
|           |  | <b>P<sub>4.2</sub></b> | <b>P<sub>4.8</sub></b> |  |
| Version   |  | Profile                | Profile                |  |
| Ø mm      |  | 4.5                    | 5.1                    |  |
| Order No. |  | 26019                  | 26020                  |  |


## Surgical Instruments Implant Driver EV-GS Implant Driver Profile EV-GS

Stainless steel (6), non-sterile

- For picking up and installing implant
- The guided surgery implant drivers can only engage into one single position in the implant
- Two grooves on the shaft indicate the corresponding implant lengths 8-11-15 mm and 6-9-13 mm, see illustration below
- One of the six is larger and indicates the one-position-only feature for pre-surgically manufactured Atlantis abutments
- Implant Driver Profile EV-GS has one notch indicating the direction of the slope of OsseoSpeed Profile EV

**Note:** For use with Contra Angle or Torque Wrench EV Surgical Driver Handle

- The Extender EV-GS can be used for the drills and implant drivers in case of limited space between teeth.



# PositioningAid

## Positioning System



|                |                      |                      |                      |
|----------------|----------------------|----------------------|----------------------|
| Ø mm           | Ø3.6                 | Ø4.2                 | Ø4.8                 |
| Implant length | 8-11-15 mm           | 8-11-15 mm           | 8-11-15 mm           |
| Type           | Straight and Conical | Straight and Conical | Straight and Conical |
| Order No.      | 26039                | 26041                | 26043                |
| Implant length | 6-9-13 mm            | 6-9-13 mm            | 6-9-13 mm            |
| Type           | Straight and Conical | Straight and Conical | Straight and Conical |
| Order No.      | 26040                | 26042                | 26044                |

|                |  |                        |                        |
|----------------|--|------------------------|------------------------|
|                |  | <b>P<sub>4.2</sub></b> | <b>P<sub>4.8</sub></b> |
| Implant length |  | 8-11-15 mm             | 8-11-15 mm             |
| Type           |  | Profile                | Profile                |
| Order No.      |  | 26045                  | 26047                  |
| Implant length |  | 6-9-13 mm              | 6-9-13 mm              |
| Type           |  | Profile                | Profile                |
| Order No.      |  | 26046                  | 26048                  |

## Positioning System

Titanium (2), non-sterile

- Multiple use
- Color: corresponds to implant
- Laser markings: Implant Length 6-9-13 mm or 8-11-15 mm

# Fixation System

## Stabilization Abutments

Titanium (2), non-sterile

- Multiple-use
- Color: corresponds to the implant
- Stabilizes the guide for further implant treatment
- Laser markings: Implant length 6-9-13 mm or 8-11-15 mm and diameter

## Stabilization Abutments

### EV-Stabilization Abutment

### EV-Stabilization Abutment

### EV-Stabilization Abutment



3.6



4.2



4.8

|                |            |            |            |
|----------------|------------|------------|------------|
| Ø mm           | Ø3.6       | Ø4.2       | Ø4.8       |
| Implant length | 8-11-15 mm | 8-11-15 mm | 8-11-15 mm |
| Order No.      | 26033      | 26035      | 26037      |
| Implant length | 6-9-13 mm  | 6-9-13 mm  | 6-9-13 mm  |
| Order No.      | 26034      | 26036      | 26038      |

## Fixation System

Stainless steel (6), sterile

Drill: Multiple-use

- Prepare the bone for the fixation screw

Screw: Single-use

- Secures the guide directly to the bone to avoid guide movement
- Hex on the top to fit the Hex driver EV manual with the ref. nr. 25771, 25772, 25773

## Fixation System

### Drill for guide fixation screw

### Guide fixation screw



|           |       |       |
|-----------|-------|-------|
|           | 14 mm | Ø2.0  |
| Order No. | 26050 | 26049 |

# Sleeves

## Sleeve-on-Drill™

Stainless steel (6), sterile

- Single use
- Laser marked with inner and outer sleeve diameter according to the corresponding drill type.
- Outer sleeve diameter = inner tube size  
ND = narrow diameter  
WD = wide diameter

## Sleeve-on-Drill™

### ND

### WD



3.6 4.2 4.2  
3.6S 4.2S 4.2C

4.8 4.8  
4.8S 4.8C

|                      |                    |                    |
|----------------------|--------------------|--------------------|
| Drill Type & Ø Inner | 1-Sleeve Ø1.9 ND   | 1-Sleeve Ø1.9 WD   |
| Order No.            | 26022              | 26027              |
| Drill Type & Ø Inner | 3/V-Sleeve Ø3.1 ND | 3-Sleeve Ø3.1 WD   |
| Order No.            | 26023              | 26028              |
| Drill Type & Ø Inner | 4/V-Sleeve Ø3.7 ND | 4/V-Sleeve Ø3.7 WD |
| Order No.            | 26024              | 26029              |
| Drill Type & Ø Inner | X-Sleeve Ø3.45 ND  | 5/V-Sleeve Ø4.3 WD |
| Order No.            | 26025              | 26030              |
| Drill Type & Ø Inner | X-Sleeve Ø4.05 ND  | X-Sleeve Ø4.05 WD  |
| Order No.            | 26026              | 26031              |
| Drill Type & Ø Inner | -                  | X-Sleeve Ø4.65 WD  |
| Order No.            | -                  | 26032              |



# Repair procedures

The Astra Tech Implant System EV proved a selection of unique products for safe and easy handling when meeting specific failures and other errors in the clinical situation. For different reasons abutments, implants or screws occasionally need to be removed and/or replaced.

The specific repair and retrieval products are used together with the ordinary instruments within Astra Tech Implant System EV.











# Compatibility table

Identify the implant/abutment size for OsseoSpeed EV.


Select the corresponding instruments; see the order number in the table below.

## Astra Tech Implant System® EV

|                                  | OsseoSpeed EV   |   |   |   |   | OsseoSpeed Profile EV  |   | Uni Abutment EV   |
|----------------------------------|---|---|---|---|---|--|---|---|
|                                  |  |  |  |  |  |  |  |  |
| Fragment Fork                    | 25856   | 25856   | 25857   | 25857   | 25857   | 25857  | 25857   | 25857   |
| Fragment Drill                   | 25858   | 25858   | 25859   | 25859   | 25859   | 25859  | 25859   | 25859   |
| Screw Extractor                  | 25860   | 25860   | 25861   | 25861   | 25861   | 25861  | 25861   | N/A   |
| Thread Cleaner                   | 25862   | 25863   | 25864   | 25865   | 25865   | 25864  | 25865   | 25864   |
| Trephine Drill                   | 25866   | 25867   | 25886<br>25868  | 25887<br>25869  | 25888<br>25870  | 25886<br>25868   | 25887<br>25869  | N/A   |
| Rescue Driver<br>Uni Abutment EV |   |   |   |   |   |  |   | 25794   |

# Remove/retrieve screw fragments

## Guiding Cylinder EV




## Guiding Cylinder EV

Stainless steel (6), non-sterile, single-use

- Guides the instruments into the center of the fragment
- Protects the internal threads in the implant
- Marked with diameter and EV
- Use together with Guiding Cylinder Handle and Fragment Drill or Fragment Fork for OsseoSpeed EV implants

## Guiding Cylinder Uni Abutment EV



## Guiding Cylinder Uni Abutment EV

Stainless steel (6), non-sterile, single-use

- Guides the instruments into the center of the fragment
- Protects the internal threads in the abutment
- Marked with diameter and EV
- Use together with Guiding Cylinder Handle and Fragment Drill or Fragment Fork for Uni Abutment EV in Astra Tech Implant System EV

## Guiding Cylinder Handle



## Guiding Cylinder Handle

Stainless steel (6), non-sterile

- Adjustable handle for Guiding Cylinders

### Fragment Fork

Tungsten-Carbide (9), non-sterile, single-use

- Used for retrieval of fractured abutment- and bridge screw fragments
- For manual use only
- Rotate the Fragment Fork counter-clockwise
- Marked with thread size
- Use together with Restorative Driver Handle EV

**Note:** Manual use only.

### Fragment Fork



|           |           |           |
|-----------|-----------|-----------|
|           | M1.4/M1.6 | M1.8/M2.0 |
| Order No. | 25856     | 25857     |

### Fragment Drill

Shank: Stainless steel (6)

Cutting portion: Tungsten-Carbide (9)

Non-sterile, single-use

- Used for creating an indentation in the abutment- or bridge screw fragment
- Drill counter-clockwise
- Marked with diameter

### Fragment Drill



|           |       |       |
|-----------|-------|-------|
| Ø         | 0.8   | 1.0   |
| Order No. | 25858 | 25859 |

### Screw Extractor

Stainless steel (6), non-sterile, single-use

- Used for retrieval of abutment screw fragments
- Rotate the screw extractor counter-clockwise
- Marked with diameter
- Use together with Surgical Driver Handle EV

**Note:** Manual use only.

### Screw Extractor



|           |       |       |
|-----------|-------|-------|
| Ø         | 0.8   | 1.0   |
| Order No. | 25860 | 25861 |

## Clean internal threads

### Thread Cleaner

Stainless steel (6), non-sterile, single-use

- Used for cleaning of threads internally in an implant/abutment
- Marked with thread size
- Use together with Restorative Driver Handle EV

**Note:** Manual use only.

### Thread Cleaner



|           |       |       |       |       |
|-----------|-------|-------|-------|-------|
|           | M1.4  | M1.6  | M1.8  | M2.0  |
| Order No. | 25862 | 25863 | 25864 | 25865 |

# Remove Uni Abutments EV/implants

## Rescue Driver Uni Abutment EV



|           |       |
|-----------|-------|
| Order No. | 25794 |
|-----------|-------|

## Rescue Driver Uni Abutment EV

Stainless steel (6), non-sterile

- Used for retrieval of Uni Abutment EV
- Used together with Surgical Driver Handle EV

## Multibase Driver EV



|                 |       |
|-----------------|-------|
| Total length mm | 19    |
| Order No.       | 26204 |

## Multibase Driver EV

Stainless steel (6), non-sterile

- Used for installation and removal of the Multibase EV Abutment
- The Surgical Driver Handle could be useful when removing the abutment to support the torque transferring

## Trephine Drill



|            |        |        |        |                  |        |                  |        |                  |        |                  |        |        |
|------------|--------|--------|--------|------------------|--------|------------------|--------|------------------|--------|------------------|--------|--------|
|            | 3.0    | 3.6    | 4.2    | P <sub>4.2</sub> | 4.2    | P <sub>4.2</sub> | 4.8    | P <sub>4.8</sub> | 4.8    | P <sub>4.8</sub> | 5.4    | 5.4    |
| Length mm  | 6-17mm | 6-17mm | 6-13mm | 6-17mm           | 6-13mm | 6-17mm           | 6-13mm | 6-17mm           | 6-13mm | 6-17mm           | 6-13mm | 6-17mm |
| Inner Ø mm | 3.2    | 3.8    | 4.4    | 4.4              | 5.0    | 5.0              | 5.6    | 5.6              | 6.4    | 6.4              |        |        |
| Outer Ø mm | 4.0    | 4.6    | 5.2    | 5.2              | 5.8    | 5.8              | 6.4    | 6.4              |        |                  |        |        |
| Order No.  | 25866  | 25867  | 25886  | 25868            | 25887  | 25869            | 25888  | 25870            |        |                  |        |        |

## Trephine Drill

Stainless steel (6), non-sterile, single-use

- Used for the retrieval of partly or fully integrated OsseoSpeed EV implants.
- Marked with diameter and length.



## Abutment Retriever



|           |       |
|-----------|-------|
| Order No. | 22429 |
|-----------|-------|

## Abutment Retriever

Stainless steel (6), non-sterile

- Use together with a Wrench.

## Implant Retriever



|           |       |
|-----------|-------|
| Order No. | 22192 |
|-----------|-------|

## Implant Retriever

Stainless steel (6), non-sterile

- Use together with a Wrench.

# General instruments

## Torque Wrench EV

Stainless steel (6), non-sterile

- Use together with a Driver Handle.

## Torque Wrench EV



|           |       |
|-----------|-------|
| Order No. | 25774 |
|-----------|-------|

## Torque Wrench EV, Surgical Driver Handle

Stainless steel (6), non-sterile

## Torque Wrench EV, Restorative Driver Handle 4x4 low

Stainless steel (6), non-sterile

## Torque Wrench EV, Surgical Driver Handle



|           |       |
|-----------|-------|
| Ø mm      | 8.9   |
| Length mm | 15.3  |
| Order No. | 25775 |

## Torque Wrench EV, Restorative Driver Handle



|           |       |       |
|-----------|-------|-------|
| Ø mm      | 8.9   | 8.9   |
| Length mm | 15.5  | 11.5  |
| Order No. | 25776 | 25777 |

## Torque Wrench EV, Restorative Driver Handle 4x4 low



|           |       |
|-----------|-------|
| Ø mm      | 8.9   |
| Length mm | 9.7   |
| Order No. | 25730 |

## Hex Driver EV Manual

Stainless steel (6), non-sterile

## Hex Driver EV Manual



|                 |       |              |       |
|-----------------|-------|--------------|-------|
|                 | Short | Intermediate | Long  |
| Total length mm | 20    | 31           | 38    |
| Order No.       | 25771 | 25772        | 25773 |

# Material specifications

Index (x) will be found at material description for specific products.

## Metals

| Type                | Index | Composition/Designation   | Standard  |
|---------------------|-------|---|-----------|
| Titanium            | 1     | Commercially pure titanium Grade 1-4  | ASTM F67  |
| Titanium alloy      | 2     | Ti6Al4V Grade 5   | ASTM F136 |
| Gold-Platinum alloy | 3     | Au 60%, Pd 20%, Pt 19%, Ir 1%   |           |
| Gold alloy          | 4     | Au 68.6%, Ag 11.85%, Cu 10.6%, Pd 3.95%, Zn 2.5%, Pt 2.45%, Ir 0.05%<br>T <sub>s</sub> - T <sub>L</sub> 880-940°C |           |
| Gold alloy, Valor   | 5     | Pt 89.0%, Au 10.0%, Ir 1.0%<br>T <sub>s</sub> - T <sub>L</sub> 1660-1710°C  |           |
| Stainless steel     | 6     | Surgical stainless steel  | ASTM F899 |
| Aluminum            | 7     | 6061 T6   |           |
| TiN Coating         | 8     | Titanium Nitride  |           |
| Tungsten-Carbide    | 9     | Sandvik H 10F   | ISO 4499  |






## Plastic

| Type                  | Index | Composition/Designation         | Standard             |
|-----------------------|-------|---------------------------------|----------------------|
| PEEK                  | 10    | Polyetereterketon               |                      |
| Burnout plastic, PMMA | 11    | Polymetylmetakrylat             | ISO 8257 MN, 100-060 |
| PC plastic            | 12    | Polycarbonate                   |                      |
| PP plastic            | 13    | Polypropylene                   |                      |
| PPSU plastic          | 14    | Polyphenylsulfone               |                      |
| Silicone              | 15    | Polysiloxanes                   |                      |
| Nylon                 | 16    | Polyamid                        |                      |
| ABS Lustran 348       | 17    | Acrylonitrile butadiene styrene |                      |

## Ceramic

| Type     | Index | Composition/Designation | Standard |
|----------|-------|-------------------------|----------|
| Zirconia | 18    | ZrO <sub>2</sub>        |          |

## Torque guide – Recommended installation and tightening torque

| Type of product installation  |  | Torque – Ncm                              |
|---|--|---|
| <ul style="list-style-type: none"> <li>Implant installations</li> </ul>   |     | Maximum 45 Ncm                            |
| <ul style="list-style-type: none"> <li>Cover screws</li> <li>Healing components</li> </ul>                            |    | 5-10 Ncm<br>Manual/<br>light finger force |
| <ul style="list-style-type: none"> <li>Temporary abutments</li> <li>Temporary restorations on all levels</li> </ul>   |     | 15 Ncm                                    |
| <ul style="list-style-type: none"> <li>Final abutments</li> <li>Single tooth restorations on implant level</li> </ul> |   | 25 Ncm                                    |
| <ul style="list-style-type: none"> <li>Final restorations on abutment level</li> </ul>                                |  | 15 Ncm                                    |

## Explanation of the symbols on labels and instructions for use

|  |  |   |   |
|--|--|---|---|
| <br>Date of manufacture | <br>Single use  | <br>Consult instructions for use<br>ifu.dentsplysirona.com | Consult instructions for use.*                                  |
| <br>Legal manufacturer. | <br>Do not re-sterilize   | <br>LOT  | LOT/BATCH number.   |
| <br>Use by              | <br>GOST is the valid quality certification system in Russian Federation.                   | <br>REF  | Article number.   |
| <br>STERILE R           | <br>Products carrying the CE mark fulfill the requirements of the Medical Device Directive. | <br>QR code  | Contains article number (GTIN number), lot number and quantity. |
| <br>Rx Only             | 0123<br>Identification of Notified Body.   | * To read PDF files you will need Adobe Reader. Download free of charge at <a href="http://get.adobe.com/reader">get.adobe.com/reader</a> .     |   |
| <br>NON STERILE         | <br>Do not use if package is damaged  |   |   |



# Index

## Order by reference number

| REF   |                                      | page                 | REF   |  | page       |
|-------|--------------------------------------|----------------------|-------|--|------------|
| 22137 | Titanium Bowl                        | 48                   | 25236 | OsseoSpeed® EV 4.2 S - 15 mm                 | 8, 16      |
| 22179 | BoneTrap                             | 49                   | 25237 | OsseoSpeed® EV 4.2 S - 17 mm                 | 8, 16      |
| 22192 | Implant Retriever                    | 79                   | 25241 | OsseoSpeed® EV 4.8 S - 6 mm                  | 10, 17     |
| 22429 | Abutment Retriever                   | 79                   | 25242 | OsseoSpeed® EV 4.8 S - 8 mm                  | 10, 17     |
| 22437 | Forceps - 94 mm                      | 48                   | 25243 | OsseoSpeed® EV 4.8 S - 9 mm                  | 10, 17     |
| 22740 | Grinding Handle                      | 54                   | 25244 | OsseoSpeed® EV 4.8 S - 11 mm                 | 10, 17     |
| 24482 | Locator™ Core Tool                   | 36, 53               | 25245 | OsseoSpeed® EV 4.8 S - 13 mm                 | 10, 17     |
| 24483 | Locator™ Process Kit                 | 7, 9, 11, 37, 57, 59 | 25246 | OsseoSpeed® EV 4.8 S - 15 mm                 | 10, 17     |
| 24484 | Locator™ Abutment Pick-up            | 6, 8, 10, 36, 56, 58 | 25247 | OsseoSpeed® EV 4.8 S - 17 mm                 | 10, 17     |
| 24485 | Locator™ Abutment Replica            | 7, 9, 11, 36, 57, 59 | 25251 | OsseoSpeed® EV 5.4 S - 6 mm                  | 12, 17     |
| 24486 | Locator™ Insert Clear                | 7, 9, 11, 37, 57, 59 | 25252 | OsseoSpeed® EV 5.4 S - 8 mm                  | 12, 17     |
| 24487 | Locator™ Insert Pink                 | 7, 9, 11, 37, 57, 59 | 25253 | OsseoSpeed® EV 5.4 S - 9 mm                  | 12, 17     |
| 24488 | Locator™ Insert Blue                 | 7, 9, 11, 37, 57, 59 | 25254 | OsseoSpeed® EV 5.4 S - 11 mm                 | 12, 17     |
| 24489 | Locator™ Insert Green                | 7, 9, 11, 37, 57, 59 | 25255 | OsseoSpeed® EV 5.4 S - 13 mm                 | 12, 17     |
| 24492 | Locator™ Insert Red                  | 7, 9, 11, 37, 57, 59 | 25256 | OsseoSpeed® EV 5.4 S - 15 mm                 | 12, 17     |
| 24785 | Irrigation Set                       | 50                   | 25262 | OsseoSpeed® EV 4.2 C - 8 mm                  | 8, 16      |
| 24786 | Tubing Extension with Luer           | 50                   | 25263 | OsseoSpeed® EV 4.2 C - 9 mm                  | 8, 16      |
| 24787 | Tubing Cover Sleeve                  | 50                   | 25264 | OsseoSpeed® EV 4.2 C - 11 mm                 | 8, 16      |
| 25160 | Guide Drill EV                       | 44                   | 25265 | OsseoSpeed® EV 4.2 C - 13 mm                 | 8, 16      |
| 25161 | Precision Drill EV                   | 44                   | 25266 | OsseoSpeed® EV 4.2 C - 15 mm                 | 8, 16      |
| 25162 | 1 - Twist Drill EV Ø 1.9, 6-17 mm    | 44                   | 25267 | OsseoSpeed® EV 4.2 C - 17 mm                 | 8, 16      |
| 25163 | 1 - Twist Drill EV Ø 1.9, 6-13 mm    | 44                   | 25272 | OsseoSpeed® EV 4.8 C - 8 mm                  | 10, 17     |
| 25164 | 2 - Step Drill EV Ø 1.9/2.5, 6-17 mm | 44                   | 25273 | OsseoSpeed® EV 4.8 C - 9 mm                  | 10, 17     |
| 25165 | 2 - Step Drill EV Ø 1.9/2.5, 6-13 mm | 44                   | 25274 | OsseoSpeed® EV 4.8 C - 11 mm                 | 10, 17     |
| 25168 | 3 - Step Drill EV Ø 2.5/3.1, 6-17 mm | 44                   | 25275 | OsseoSpeed® EV 4.8 C - 13 mm                 | 10, 17     |
| 25169 | 3 - Step Drill EV Ø 2.5/3.1, 6-13 mm | 44                   | 25276 | OsseoSpeed® EV 4.8 C - 15 mm                 | 10, 17     |
| 25172 | 4 - Step Drill EV Ø 3.1/3.7, 6-17 mm | 44                   | 25277 | OsseoSpeed® EV 4.8 C - 17 mm                 | 10, 17     |
| 25173 | 4 - Step Drill EV Ø 3.1/3.7, 6-13 mm | 44                   | 25280 | Cover Screw EV 3.0                           | 4, 17      |
| 25176 | 5 - Step Drill EV Ø 3.7/4.3, 6-17 mm | 44                   | 25281 | Cover Screw EV 3.6 - 0 mm                    | 6, 17      |
| 25177 | 5 - Step Drill EV Ø 3.7/4.3, 6-13 mm | 44                   | 25282 | Cover Screw EV 4.2 - 0 mm                    | 8, 17      |
| 25180 | 6 - Step Drill EV Ø 4.3/4.9, 6-17 mm | 44                   | 25283 | Cover Screw EV 4.8 - 0 mm                    | 10, 17     |
| 25181 | 6 - Step Drill EV Ø 4.3/4.9, 6-13 mm | 44                   | 25284 | Cover Screw EV 5.4 - 0 mm                    | 12, 17     |
| 25188 | A/B - Conical Drill EV Ø 3.1/4.2     | 46                   | 25285 | Healing Uni EV 3.6 - 2 mm/Ø 4                | 6, 19      |
| 25190 | A/B - Conical Drill EV Ø 3.7/4.8     | 46                   | 25286 | Healing Uni EV 3.6 - 4 mm/Ø 4                | 6, 19      |
| 25193 | B - Cortical Drill EV Ø 2.5/3.0      | 45                   | 25287 | Healing Uni EV 3.6 - 6 mm/Ø 4                | 6, 19      |
| 25195 | B - Cortical Drill EV Ø 3.1/3.6      | 45                   | 25288 | Healing Uni EV 4.2 - 2 mm/Ø 4                | 8, 19, 56  |
| 25197 | B - Cortical Drill EV Ø 3.7/4.2      | 45                   | 25289 | Healing Uni EV 4.2 - 4 mm/Ø 4                | 8, 19, 56  |
| 25199 | B - Cortical Drill EV Ø 4.3/4.8      | 45                   | 25290 | Healing Uni EV 4.2 - 6 mm/Ø 4                | 8, 19, 56  |
| 25201 | B - Cortical Drill EV Ø 4.9/5.4      | 45                   | 25297 | HealDesign™ EV 3.0 Ø 3.5 - 4.5 mm            | 4, 18      |
| 25203 | Abutment Screw EV 3.0                | 21                   | 25298 | HealDesign™ EV 3.0 Ø 3.5 - 3.5 mm            | 4, 18      |
| 25204 | Abutment Screw EV 3.6                | 21                   | 25299 | HealDesign™ EV 3.6 Ø 4 - 4.5 mm              | 6, 18      |
| 25205 | Abutment Screw EV 4.2                | 21, 63               | 25300 | HealDesign™ EV 3.6 Ø 4 - 3.5 mm              | 6, 18      |
| 25206 | Abutment Screw EV 4.8                | 21, 63               | 25301 | HealDesign™ EV 3.6 Ø 5 - 3.5 mm Triangular   | 6, 18      |
| 25207 | Abutment Screw EV 5.4                | 21                   | 25302 | HealDesign™ EV 4.2 Ø 5 - 4.5 mm              | 8, 18, 56  |
| 25212 | OsseoSpeed® EV 3.0 S - 8 mm          | 4, 16                | 25303 | HealDesign™ EV 4.2 Ø 5 - 3.5 mm Triangular   | 8, 18      |
| 25213 | OsseoSpeed® EV 3.0 S - 9 mm          | 4, 16                | 25304 | HealDesign™ EV 4.2 Ø 6.5 - 3.5 mm Triangular | 8, 18      |
| 25214 | OsseoSpeed® EV 3.0 S - 11 mm         | 4, 16                | 25305 | HealDesign™ EV 4.8 Ø 5 - 3.5 mm Triangular   | 10, 18     |
| 25215 | OsseoSpeed® EV 3.0 S - 13 mm         | 4, 16                | 25306 | HealDesign™ EV 4.8 Ø 6.5 - 4.5 mm            | 10, 18, 58 |
| 25216 | OsseoSpeed® EV 3.0 S - 15 mm         | 4, 16                | 25307 | HealDesign™ EV 4.8 Ø 6.5 - 3.5 mm Triangular | 10, 18     |
| 25221 | OsseoSpeed® EV 3.6 S - 6 mm          | 6, 16                | 25308 | HealDesign™ EV 5.4 Ø 6.5 - 4.5 mm            | 12, 18     |
| 25222 | OsseoSpeed® EV 3.6 S - 8 mm          | 6, 16                | 25309 | HealDesign™ EV 5.4 Ø 6.5 - 3.5 mm            | 12, 18     |
| 25223 | OsseoSpeed® EV 3.6 S - 9 mm          | 6, 16                | 25310 | Direct Abutment™ EV Heal Cap 3.3             | 28         |
| 25224 | OsseoSpeed® EV 3.6 S - 11 mm         | 6, 16                | 25311 | Direct Abutment™ EV Heal Cap 4               | 28         |
| 25225 | OsseoSpeed® EV 3.6 S - 13 mm         | 6, 16                | 25312 | Direct Abutment™ EV Heal Cap 5               | 28         |
| 25226 | OsseoSpeed® EV 3.6 S - 15 mm         | 6, 16                | 25313 | Direct Abutment™ EV Heal Cap 6               | 28         |
| 25227 | OsseoSpeed® EV 3.6 S - 17 mm         | 6, 16                | 25315 | ZirDesign™ EV 3.6 Ø 5.5 - 1.5 mm Triangular  | 6, 23      |
| 25231 | OsseoSpeed® EV 4.2 S - 6 mm          | 8, 16                | 25316 | ZirDesign™ EV 3.6 Ø 4.5 - 2.5 mm             | 6, 23      |
| 25232 | OsseoSpeed® EV 4.2 S - 8 mm          | 8, 16                | 25317 | ZirDesign™ EV 3.6 20° Ø 4.5 - 1.5 mm         | 6, 23      |
| 25233 | OsseoSpeed® EV 4.2 S - 9 mm          | 8, 16                | 25318 | ZirDesign™ EV 4.2 Ø 5.5 - 1.5 mm Triangular  | 8, 23      |
| 25234 | OsseoSpeed® EV 4.2 S - 11 mm         | 8, 16                | 25319 | ZirDesign™ EV 4.2 Ø 7 - 1.5 mm Triangular    | 8, 23      |
| 25235 | OsseoSpeed® EV 4.2 S - 13 mm         | 8, 16                | 25320 | ZirDesign™ EV 4.2 Ø 5.5 - 2.5 mm             | 8, 23      |

| REF   | page  |
|-------|---|
| 25321 | ZirDesign™ EV 4.2 20° Ø 5.5 - 1.5 mm.....8, 23            |
| 25322 | ZirDesign™ EV 4.8 Ø 5.5 - 1.5 mm Triangular.....10, 23    |
| 25323 | ZirDesign™ EV 4.8 Ø 7 - 1.5 mm Triangular.....10, 23      |
| 25324 | ZirDesign™ EV 4.8 Ø 7 - 2.5 mm.....10, 23                 |
| 25325 | ZirDesign™ EV 4.8 20° Ø 5.5 - 1.5 mm.....10, 23           |
| 25326 | CastDesign™ EV 3.6.....6, 23                              |
| 25327 | CastDesign™ EV 4.2.....8, 23                              |
| 25328 | CastDesign™ EV 4.8.....10, 23                             |
| 25329 | CastDesign™ EV 5.4.....12, 23                             |
| 25330 | TiDesign™ EV 3.0 Ø 4 - 2.5 mm.....4, 22                   |
| 25331 | TiDesign™ EV 3.0 Ø 4 - 1.5 mm.....4, 22                   |
| 25332 | TiDesign™ EV 3.0 15° Ø 4 - 1.5 mm.....4, 22               |
| 25333 | TiDesign™ EV 3.6 Ø 5.5 - 1.5/2.5 mm Triangular.....6, 22  |
| 25334 | TiDesign™ EV 3.6 Ø 4.5 - 2.5/3.5 mm.....6, 22             |
| 25335 | TiDesign™ EV 3.6 20° Ø 4.5 - 1.5/2.5 mm.....6, 22         |
| 25336 | TiDesign™ EV 4.2 Ø 5.5 - 1.5/2.5 mm Triangular.....8, 22  |
| 25337 | TiDesign™ EV 4.2 Ø 7 - 1.5/2.5 mm Triangular.....8, 22    |
| 25338 | TiDesign™ EV 4.2 Ø 5.5 - 2.5/3.5 mm.....8, 22             |
| 25339 | TiDesign™ EV 4.2 20° Ø 5.5 - 1.5/2.5 mm.....8, 22         |
| 25340 | TiDesign™ EV 4.8 Ø 5.5 - 1.5/2.5 mm Triangular.....10, 22 |
| 25341 | TiDesign™ EV 4.8 Ø 7 - 1.5/2.5 mm Triangular.....10, 22   |
| 25342 | TiDesign™ EV 4.8 Ø 7 - 2.5/3.5 mm.....10, 22              |
| 25343 | TiDesign™ EV 4.8 20° Ø 5.5 - 1.5/2.5 mm.....10, 22        |
| 25344 | TiDesign™ EV 5.4 Ø 7 - 2.5/3.5 mm.....12, 22              |
| 25345 | TiDesign™ EV 5.4 Ø 7 - 1.5/2.5 mm.....12, 22              |
| 25346 | Direct EV API™ Ø 3.3.....28                               |
| 25347 | Direct EV API™ Ø 4.....28                                 |
| 25348 | Direct EV API™ Ø 5.....28, 57, 59                         |
| 25349 | Direct EV API™ Ø 6.....28, 57, 59                         |
| 25361 | Direct Abutment™ EV 3.0 Ø 3.3 - 1 mm.....5, 27            |
| 25362 | Direct Abutment™ EV 3.0 Ø 3.3 - 2 mm.....5, 27            |
| 25363 | Direct Abutment™ EV 3.0 Ø 3.3 - 3 mm.....5, 27            |
| 25364 | Direct Abutment™ EV 3.6 Ø 4 - 1 mm.....7, 27              |
| 25365 | Direct Abutment™ EV 3.6 Ø 4 - 2 mm.....7, 27              |
| 25366 | Direct Abutment™ EV 3.6 Ø 4 - 3 mm.....7, 27              |
| 25367 | Direct Abutment™ EV 4.2 Ø 5 - 1 mm.....9, 27, 57          |
| 25368 | Direct Abutment™ EV 4.2 Ø 5 - 2 mm.....9, 27, 57          |
| 25369 | Direct Abutment™ EV 4.2 Ø 5 - 3 mm.....9, 27, 57          |
| 25370 | Direct Abutment™ EV 4.8 Ø 5 - 1 mm.....11, 27, 59         |
| 25371 | Direct Abutment™ EV 4.8 Ø 5 - 2 mm.....11, 27, 59         |
| 25372 | Direct Abutment™ EV 4.8 Ø 5 - 3 mm.....11, 27, 59         |
| 25373 | Direct Abutment™ EV 5.4 Ø 6 - 1 mm.....13, 27             |
| 25374 | Direct Abutment™ EV 5.4 Ø 6 - 2 mm.....13, 27             |
| 25375 | Direct Abutment™ EV 5.4 Ø 6 - 3 mm.....13, 27             |
| 25377 | Implant Driver EV 3.0 Long.....48                         |
| 25378 | Implant Driver EV 3.6 Short.....48                        |
| 25379 | Implant Driver EV 3.6 Long.....48                         |
| 25380 | Implant Driver EV 4.2 Short.....48                        |
| 25381 | Implant Driver EV 4.2 Long.....48                         |
| 25382 | Implant Driver EV 4.8 Short.....48                        |
| 25383 | Implant Driver EV 4.8 Long.....48                         |
| 25384 | Implant Driver EV 5.4 Short.....48                        |
| 25385 | Implant Driver EV 5.4 Long.....48                         |
| 25396 | Direct Abutment™ EV Pick-Up 3.3.....28                    |
| 25397 | Direct Abutment™ EV Pick-Up 4.....28                      |
| 25398 | Direct Abutment™ EV Pick-Up 5.....28                      |
| 25399 | Direct Abutment™ EV Pick-Up 6.....28                      |
| 25401 | Direct Abutment™ EV Replica 3.3.....28                    |
| 25402 | Direct Abutment™ EV Replica 4.....28                      |
| 25403 | Direct Abutment™ EV Replica 5.....28                      |
| 25404 | Direct Abutment™ EV Replica 6.....28                      |
| 25406 | Direct Abutment™ EV Burnout Cap 3.3.....28                |
| 25407 | Direct Abutment™ EV Burnout Cap 4.....28                  |
| 25408 | Direct Abutment™ EV Burnout Cap 5.....28                  |
| 25409 | Direct Abutment™ EV Burnout Cap 6.....28                  |
| 25411 | B 6 mm - Cortical Drill EV Ø 3.1/3.6.....46               |
| 25412 | A 6 mm - Cortical Drill EV Ø 3.7/3.9.....45               |
| 25419 | B 6 mm - Cortical Drill EV Ø 3.7/4.2.....46               |
| 25420 | A 6 mm - Cortical Drill EV Ø 4.3/4.5.....45               |
| 25421 | B 6 mm - Cortical Drill EV Ø 4.3/4.8.....46               |
| 25422 | A 6 mm - Cortical Drill EV Ø 4.9/5.1.....45               |

| REF   | page  |
|-------|---|
| 25423 | A - Cortical Drill EV Ø 2.5/2.7.....45                      |
| 25424 | B 6 mm - Cortical Drill EV Ø 4.9/5.4.....46                 |
| 25431 | A - Cortical Drill EV Ø 4.9/5.1.....45                      |
| 25440 | OsseoSpeed® Profile EV 4.2 PS - 8 mm.....56, 60             |
| 25441 | OsseoSpeed® Profile EV 4.2 PS - 9 mm.....56, 60             |
| 25442 | OsseoSpeed® Profile EV 4.2 PS - 11 mm.....56, 60            |
| 25443 | OsseoSpeed® Profile EV 4.2 PS - 13 mm.....56, 60            |
| 25444 | OsseoSpeed® Profile EV 4.2 PS - 15 mm.....56, 60            |
| 25445 | OsseoSpeed® Profile EV 4.2 PS - 17 mm.....56, 60            |
| 25446 | OsseoSpeed® Profile EV 4.8 PS - 8 mm.....58, 60             |
| 25447 | OsseoSpeed® Profile EV 4.8 PS - 9 mm.....58, 60             |
| 25448 | OsseoSpeed® Profile EV 4.8 PS - 11 mm.....58, 60            |
| 25449 | OsseoSpeed® Profile EV 4.8 PS - 13 mm.....58, 60            |
| 25450 | OsseoSpeed® Profile EV 4.8 PS - 15 mm.....58, 60            |
| 25451 | OsseoSpeed® Profile EV 4.8 PS - 17 mm.....58, 60            |
| 25452 | OsseoSpeed® Profile EV 4.2 PC - 8 mm.....56, 60             |
| 25453 | OsseoSpeed® Profile EV 4.2 PC - 9 mm.....56, 60             |
| 25454 | OsseoSpeed® Profile EV 4.2 PC - 11 mm.....56, 60            |
| 25455 | OsseoSpeed® Profile EV 4.2 PC - 13 mm.....56, 60            |
| 25456 | OsseoSpeed® Profile EV 4.2 PC - 15 mm.....56, 60            |
| 25457 | OsseoSpeed® Profile EV 4.2 PC - 17 mm.....56, 60            |
| 25458 | OsseoSpeed® Profile EV 4.8 PC - 8 mm.....58, 60             |
| 25459 | OsseoSpeed® Profile EV 4.8 PC - 9 mm.....58, 60             |
| 25460 | OsseoSpeed® Profile EV 4.8 PC - 11 mm.....58, 60            |
| 25461 | OsseoSpeed® Profile EV 4.8 PC - 13 mm.....58, 60            |
| 25462 | OsseoSpeed® Profile EV 4.8 PC - 15 mm.....58, 60            |
| 25463 | OsseoSpeed® Profile EV 4.8 PC - 17 mm.....58, 60            |
| 25464 | Implant Driver Profile EV 4.2 Short.....61                  |
| 25465 | Implant Driver Profile EV 4.2 Long.....61                   |
| 25466 | Implant Driver Profile EV 4.8 Short.....61                  |
| 25467 | Implant Driver Profile EV 4.8 Long.....61                   |
| 25476 | Lab Abutment Screw EV 3.0.....5, 26, 54                     |
| 25477 | Lab Abutment Screw EV 3.6 - M1.6.....7, 26, 54              |
| 25478 | Lab Abutment Screw EV 4.2 - M1.8.....9, 26, 54, 57, 65      |
| 25479 | Lab Abutment Screw EV 4.8 - M2.....11, 26, 54, 59, 65       |
| 25480 | Lab Abutment Screw EV 5.4 - M2.....13, 26, 54               |
| 25481 | Bridge Screw EV - M1.8.....5, 7, 9, 11, 13, 30, 57, 59      |
| 25482 | X - Step Drill EV Ø 2.5/2.85, 6-13 mm.....47                |
| 25483 | X - Step Drill EV Ø 3.1/3.45, 6-13 mm.....47                |
| 25484 | X - Step Drill EV Ø 3.7/4.05, 6-13 mm.....47                |
| 25485 | X - Step Drill EV Ø 4.3/4.65, 6-13 mm.....47                |
| 25486 | X - Step Drill EV Ø 4.9/5.25, 6-13 mm.....47                |
| 25487 | A 6 mm - Cortical Drill EV Ø 3.1/3.3.....45                 |
| 25488 | A - Cortical Drill EV Ø 3.1/3.3.....45                      |
| 25490 | A - Cortical Drill EV Ø 3.7/3.9.....45                      |
| 25492 | A - Cortical Drill EV Ø 4.3/4.5.....45                      |
| 25494 | Direct Abutment™ EV 4.2 Ø 6 - 1 mm.....9, 27, 57            |
| 25495 | Direct Abutment™ EV 4.2 Ø 6 - 2 mm.....9, 27, 57            |
| 25496 | Direct Abutment™ EV 4.2 Ø 6 - 3 mm.....9, 27, 57            |
| 25497 | Direct Abutment™ EV 4.8 Ø 6 - 1 mm.....11, 27, 59           |
| 25498 | Direct Abutment™ EV 4.8 Ø 6 - 2 mm.....11, 27, 59           |
| 25499 | Direct Abutment™ EV 4.8 Ø 6 - 3 mm.....11, 27, 59           |
| 25500 | Radiographic Implant Guides EV.....49                       |
| 25501 | HealDesign™ EV 4.2 Ø 5 - 3.5 mm.....8, 18, 56               |
| 25502 | HealDesign™ EV 4.8 Ø 5 - 3.5 mm.....10, 18, 58              |
| 25503 | TempDesign™ EV 3.0.....4, 21                                |
| 25504 | TempDesign™ EV 3.6.....6, 21                                |
| 25505 | TempDesign™ EV 4.2.....8, 21                                |
| 25506 | TempDesign™ EV 4.8.....10, 21                               |
| 25507 | TempDesign™ EV 5.4.....12, 21                               |
| 25528 | Lab Pin Design EV 3.0/3.6.....5, 7, 26, 54                  |
| 25530 | Lab Pin Design EV 4.2/4.8/5.4.....9, 11, 13, 26, 54, 57, 59 |
| 25534 | Implant Transfer EV 3.0 Long.....5, 26                      |
| 25535 | Implant Transfer EV 3.6 Short.....7, 26                     |
| 25536 | Implant Transfer EV 3.6 Long.....7, 26                      |
| 25537 | Implant Transfer EV 4.2 Short.....9, 26                     |
| 25538 | Implant Transfer EV 4.2 Long.....9, 26                      |
| 25539 | Implant Transfer EV 4.8 Short.....11, 26                    |
| 25540 | Implant Transfer EV 4.8 Long.....11, 26                     |
| 25541 | Implant Transfer EV 5.4 Short.....13, 26                    |
| 25542 | Implant Transfer EV 5.4 Long.....13, 26                     |

| REF   | page   |
|-------|--|
| 25543 | Implant Replica EV 3.0..... 5, 26  |
| 25544 | Implant Replica EV 3.6..... 7, 26  |
| 25545 | Implant Replica EV 4.2..... 9, 26  |
| 25546 | Implant Replica EV 4.8..... 11, 26   |
| 25547 | Implant Replica EV 5.4..... 13, 26   |
| 25555 | Uni Abutment EV 3.0 - 2 mm..... 4, 29  |
| 25556 | Uni Abutment EV 3.0 - 3 mm..... 4, 29  |
| 25557 | Uni Abutment EV 3.0 - 5 mm..... 4, 29  |
| 25558 | Uni Abutment EV 3.6 - 1 mm..... 6, 29  |
| 25559 | Uni Abutment EV 3.6 - 2 mm..... 6, 29  |
| 25560 | Uni Abutment EV 3.6 - 3 mm..... 6, 29  |
| 25561 | Uni Abutment EV 3.6 - 5 mm..... 6, 29  |
| 25562 | Uni Abutment EV 4.2 - 1 mm..... 8, 29, 56                                    |
| 25563 | Uni Abutment EV 4.2 - 2 mm..... 8, 29, 56                                    |
| 25564 | Uni Abutment EV 4.2 - 3 mm..... 8, 29, 56                                    |
| 25565 | Uni Abutment EV 4.2 - 5 mm..... 8, 29, 56                                    |
| 25566 | Uni Abutment EV 4.8 - 1 mm..... 10, 29, 58                                   |
| 25567 | Uni Abutment EV 4.8 - 2 mm..... 10, 29, 58                                   |
| 25568 | Uni Abutment EV 4.8 - 3 mm..... 10, 29, 58                                   |
| 25569 | Uni Abutment EV 4.8 - 5 mm..... 10, 29, 58                                   |
| 25570 | Uni Abutment EV 5.4 - 1 mm..... 12, 29                                       |
| 25571 | Uni Abutment EV 5.4 - 2 mm..... 12, 29                                       |
| 25572 | Uni Abutment EV 5.4 - 3 mm..... 12, 29                                       |
| 25573 | Uni Abutment EV 5.4 - 5 mm..... 12, 29                                       |
| 25574 | Healing Uni EV 3.0 - 2 mm..... 4, 19   |
| 25575 | Healing Uni EV 3.0 - 3 mm..... 4, 19   |
| 25576 | Healing Uni EV 3.0 - 4 mm..... 4, 19   |
| 25577 | Healing Uni EV 3.0 - 6 mm..... 4, 19   |
| 25578 | Healing Uni EV 3.6 - 3 mm/Ø 4..... 6, 19                                     |
| 25579 | Healing Uni EV 4.2 - 3 mm/Ø 4..... 8, 19, 56                                 |
| 25582 | Cover Screw Profile EV 4.2..... 56, 61                                       |
| 25583 | Cover Screw Profile EV 4.8..... 58, 61                                       |
| 25584 | HealDesign™ Profile EV 4.2, Ø 5..... 56, 62                                  |
| 25585 | HealDesign™ Profile EV 4.2, Ø 5 Triangular..... 56, 62                       |
| 25586 | HealDesign™ Profile EV 4.2, Ø 6.5 Triangular..... 56, 62                     |
| 25587 | HealDesign™ Profile EV 4.2, Ø 5..... 56, 62                                  |
| 25588 | HealDesign™ Profile EV 4.8, Ø 5 Triangular..... 58, 62                       |
| 25589 | HealDesign™ Profile EV 4.8, Ø 6.5..... 58, 62                                |
| 25590 | HealDesign™ Profile EV 4.8, Ø 6.5 Triangular..... 58, 62                     |
| 25591 | HealDesign™ Profile EV 4.8, Ø 5..... 58, 62                                  |
| 25592 | TiDesign™ Profile EV 4.2, Ø 5.5 Triangular..... 56, 64                       |
| 25593 | TiDesign™ Profile EV 4.2, Ø 7.0 Triangular..... 56, 64                       |
| 25594 | TiDesign™ Profile EV 4.2, Ø 5.5..... 56, 64                                  |
| 25595 | TiDesign™ Profile EV 4.2, Ø 5.5 15°..... 56, 64                              |
| 25596 | TiDesign™ Profile EV 4.8, Ø 5.5 Triangular..... 58, 64                       |
| 25597 | TiDesign™ Profile EV 4.8, Ø 7.0 Triangular..... 58, 64                       |
| 25598 | TiDesign™ Profile EV 4.8, Ø 7.0..... 58, 64                                  |
| 25599 | TiDesign™ Profile EV 4.8, Ø 5.5 15°..... 58, 64                              |
| 25606 | Implant Transfer Profile EV 4.2, Short..... 57, 65                           |
| 25607 | Implant Transfer Profile EV 4.2, Long..... 57, 65                            |
| 25608 | Implant Transfer Profile EV 4.8, Short..... 59, 65                           |
| 25609 | Implant Transfer Profile EV 4.8, Long..... 59, 65                            |
| 25610 | Implant Replica Profile EV 4.2..... 57, 65                                   |
| 25611 | Implant Replica Profile EV 4.8..... 59, 65                                   |
| 25615 | Uni Abutment EV Replica..... 5, 7, 9, 11, 13, 30, 57, 59                     |
| 25616 | Uni Abutment EV Heal Cap Ø 4.3 - 4.4 mm<br>..... 4, 6, 8, 10, 12, 30, 56, 58 |
| 25617 | Uni Abutment EV Heal Cap Ø 5.5 - 4.4 mm<br>..... 4, 6, 8, 10, 12, 30, 56, 58 |
| 25619 | Angled Abutment EV 3.6 20° - 1 mm..... 6, 31                                 |
| 25620 | Angled Abutment EV 3.6 20° - 2 mm..... 6, 31                                 |
| 25621 | Angled Abutment EV 3.6 20° - 1 mm NI..... 6, 31                              |
| 25622 | Angled Abutment EV 3.6 20° - 2 mm NI..... 6, 31                              |
| 25625 | Angled Abutment EV 4.2 20° - 1 mm..... 8, 31                                 |
| 25626 | Angled Abutment EV 4.2 20° - 2 mm..... 8, 31                                 |
| 25627 | Angled Abutment EV 4.2 20° - 1 mm NI..... 8, 31                              |
| 25628 | Angled Abutment EV 4.2 20° - 2 mm NI..... 8, 31                              |
| 25631 | Angled Abutment EV 4.8 20° - 1 mm..... 10, 31                                |
| 25632 | Angled Abutment EV 4.8 20° - 2 mm..... 10, 31                                |
| 25633 | Angled Abutment EV 4.8 20° - 1 mm NI..... 10, 31                             |
| 25634 | Angled Abutment EV 4.8 20° - 2 mm NI..... 10, 31                             |

| REF   | page   |
|-------|--|
| 25637 | Radiographic Implant Guides Profile EV..... 61                         |
| 25638 | OD Cylinder EV..... 7, 9, 11, 38, 57, 59                               |
| 25643 | Lab Abutment Pin EV Short..... 5, 7, 9, 11, 13, 30, 54, 57, 59         |
| 25644 | Lab Abutment Pin EV Intermediate..... 5, 7, 9, 11, 13, 30, 54, 57, 59  |
| 25645 | Lab Abutment Pin EV Long..... 5, 7, 9, 11, 13, 30, 54, 57, 59          |
| 25647 | Uni Abutment EV Semi-Burnout Cylinder..... 5, 7, 9, 11, 13, 30, 57, 59 |
| 25649 | Uni Abutment EV Burnout Cylinder..... 5, 7, 9, 11, 13, 30, 57, 59      |
| 25650 | Angled Abutment EV Heal Cap..... 6, 8, 10, 31, 56, 58                  |
| 25652 | Angled Abutment EV Replica..... 7, 9, 11, 31, 57, 59                   |
| 25653 | Angled Abutment EV Semi-Burnout Cylinder..... 7, 9, 11, 31, 57, 59     |
| 25654 | Angled Abutment EV Temporary Cylinder..... 7, 9, 11, 31, 57, 59        |
| 25655 | Angled Abutment EV Burnout Cylinder..... 7, 9, 11, 31, 57, 59          |
| 25656 | Lab Bridge Screw EV - M1.8..... 5, 7, 9, 11, 13, 30, 54, 57, 59        |
| 25657 | Locator™ Abutment EV 3.6 - 1 mm..... 6, 36                             |
| 25658 | Locator™ Abutment EV 3.6 - 2 mm..... 6, 36                             |
| 25659 | Locator™ Abutment EV 3.6 - 3 mm..... 6, 36                             |
| 25660 | Locator™ Abutment EV 3.6 - 4 mm..... 6, 36                             |
| 25661 | Locator™ Abutment EV 3.6 - 5 mm..... 6, 36                             |
| 25662 | Locator™ Abutment EV 4.2 - 1 mm..... 8, 36, 56                         |
| 25663 | Locator™ Abutment EV 4.2 - 2 mm..... 8, 36, 56                         |
| 25664 | Locator™ Abutment EV 4.2 - 3 mm..... 8, 36, 56                         |
| 25665 | Locator™ Abutment EV 4.2 - 4 mm..... 8, 36, 56                         |
| 25666 | Locator™ Abutment EV 4.2 - 5 mm..... 8, 36, 56                         |
| 25667 | Locator™ Abutment EV 4.8 - 1 mm..... 10, 36, 58                        |
| 25668 | Locator™ Abutment EV 4.8 - 2 mm..... 10, 36, 58                        |
| 25669 | Locator™ Abutment EV 4.8 - 3 mm..... 10, 36, 58                        |
| 25670 | Locator™ Abutment EV 4.8 - 4 mm..... 10, 36, 58                        |
| 25671 | Locator™ Abutment EV 4.8 - 5 mm..... 10, 36, 58                        |
| 25679 | Locator™ Insert Grey..... 7, 9, 11, 37, 57, 59                         |
| 25684 | Ball Abutment EV 3.6 - 1 mm..... 6, 37                                 |
| 25685 | Ball Abutment EV 3.6 - 2 mm..... 6, 37                                 |
| 25686 | Ball Abutment EV 3.6 - 3 mm..... 6, 37                                 |
| 25687 | Ball Abutment EV 3.6 - 4 mm..... 6, 37                                 |
| 25688 | Ball Abutment EV 3.6 - 5 mm..... 6, 37                                 |
| 25689 | Ball Abutment EV 3.6 - 7 mm..... 6, 37                                 |
| 25690 | Ball Abutment EV 4.2 - 1 mm..... 8, 37, 56                             |
| 25691 | Ball Abutment EV 4.2 - 2 mm..... 8, 37, 56                             |
| 25692 | Ball Abutment EV 4.2 - 3 mm..... 8, 37, 56                             |
| 25693 | Ball Abutment EV 4.2 - 4 mm..... 8, 37, 56                             |
| 25694 | Ball Abutment EV 4.2 - 5 mm..... 8, 37, 56                             |
| 25695 | Ball Abutment EV 4.2 - 7 mm..... 8, 37, 56                             |
| 25696 | Ball Abutment EV 4.8 - 1 mm..... 10, 38, 58                            |
| 25697 | Ball Abutment EV 4.8 - 2 mm..... 10, 38, 58                            |
| 25698 | Ball Abutment EV 4.8 - 3 mm..... 10, 38, 58                            |
| 25699 | Ball Abutment EV 4.8 - 4 mm..... 10, 38, 58                            |
| 25700 | Ball Abutment EV 4.8 - 5 mm..... 10, 38, 58                            |
| 25701 | Ball Abutment EV 4.8 - 7 mm..... 10, 38, 58                            |
| 25708 | Uni Driver EV..... 29, 52  |
| 25710 | Implant Depth Gauge EV..... 48   |
| 25711 | Mucosal Punch EV Ø 3.5..... 49   |
| 25712 | Mucosal Punch EV Ø 4..... 49   |
| 25713 | Mucosal Punch EV Ø 4.5..... 49   |
| 25714 | Mucosal Punch EV Ø 5..... 49   |
| 25715 | Mucosal Punch EV Ø 5.5..... 49   |
| 25721 | Large Tray EV, Overlay 1..... 40                                       |
| 25722 | Large Tray EV, Overlay 2..... 40                                       |
| 25723 | Large Tray EV, Overlay 3..... 40                                       |
| 25724 | Small Tray EV, Overlay Restorative..... 41                             |
| 25725 | Small Tray EV, Overlay Surgical..... 41                                |
| 25726 | Abutment Depth Gauge EV 5.4..... 53                                    |
| 25727 | Hex Driver EV Machine Intermediate, 24 mm..... 49, 51                  |
| 25728 | Hex Driver EV Machine Long, 35 mm..... 49, 51                          |
| 25730 | Torque Wrench EV Restorative Driver Handle 4x4 Low..... 53, 80         |
| 25731 | Mucosal Punch EV Ø 6.5..... 49   |
| 25756 | TempDesign™ Profile EV 4.2..... 56, 63                                 |
| 25757 | TempDesign™ Profile EV 4.8..... 58, 63                                 |
| 25764 | Direct Driver EV Ø3.3 Ø4..... 27, 52                                   |
| 25765 | Direction Indicator EV..... 48   |
| 25766 | Locator™ Driver EV..... 32, 52   |
| 25768 | Ball Abutment Driver EV..... 38, 53                                    |
| 25769 | Large Tray EV..... 40, 67  |

| REF   | page   |
|-------|--|
| 25770 | Small Tray EV (no overlay).....41                                  |
| 25771 | Hex Driver EV Manual Short, 20 mm.....49, 51, 80                   |
| 25772 | Hex Driver EV Manual Intermediate, 31 mm.....49, 51, 80            |
| 25773 | Hex Driver EV Manual Long, 38 mm.....49, 51, 80                    |
| 25774 | Torque Wrench EV.....49, 53, 80                                    |
| 25775 | Torque Wrench EV Surgical Driver Handle.....49, 80                 |
| 25776 | Torque Wrench EV Restorative Driver Handle.....53, 80              |
| 25777 | Torque Wrench EV Restorative Driver Handle Low.....53, 80          |
| 25778 | Polishing Protector Uni EV.....54                                  |
| 25780 | V - Twist Drill EV Ø 2.5, 6-17 mm.....47                           |
| 25781 | V - Twist Drill EV Ø 3.1, 6-17 mm.....47                           |
| 25782 | V - Twist Drill EV Ø 3.7, 6-17 mm.....47                           |
| 25783 | V - Twist Drill EV Ø 4.3, 6-17 mm.....47                           |
| 25784 | V - Twist Drill EV Ø 4.9, 6-17 mm.....47                           |
| 25790 | Hex Driver EV Machine Short, 20 mm.....49, 51                      |
| 25792 | Abutment Depth Gauge EV 3.0/3.6.....53                             |
| 25793 | Abutment Depth Gauge EV 4.2/4.8.....53                             |
| 25794 | Rescue Driver Uni Abutment EV.....79                               |
| 25795 | HealDesign™ EV 3.0 Ø 3.5 - 6.5 mm.....4, 18                        |
| 25796 | HealDesign™ EV 3.6 Ø 4 - 6.5 mm.....6, 18                          |
| 25797 | HealDesign™ EV 4.2 Ø 5 - 6.5 mm.....8, 18, 56                      |
| 25798 | HealDesign™ EV 4.8 Ø 6.5 - 6.5 mm.....10, 18, 58                   |
| 25799 | HealDesign™ EV 5.4 Ø 6.5 - 6.5 mm.....12, 18                       |
| 25826 | Ball Abutment EV Replica.....7, 9, 11, 38, 57, 59                  |
| 25827 | Dalbo Plus Duplicating Aid.....38                                  |
| 25834 | Dalbo Plus Female Part TE Basic, complete.....7, 9, 11, 38, 57, 59 |
| 25835 | Dalbo Plus Screwdriver / Activator.....38, 53                      |
| 25843 | Locator™ Insert Orange.....7, 9, 11, 37, 57, 59                    |
| 25844 | Dalbo Plus Lamellae retention Insert E.....38                      |
| 25845 | Small Tray EV, Overlay Storage.....41                              |
| 25846 | Guiding Cylinder EV 3.0.....77                                     |
| 25847 | Guiding Cylinder EV 3.6.....77                                     |
| 25848 | Guiding Cylinder EV 4.2, P4.2.....77                               |
| 25849 | Guiding Cylinder EV 4.8, P4.8.....77                               |
| 25850 | Guiding Cylinder EV 5.4.....77                                     |
| 25851 | Guiding Cylinder Uni Abutment EV.....77                            |
| 25855 | Guiding Cylinder Handle.....77                                     |
| 25856 | Fragment Fork M1.4/M1.6.....78                                     |
| 25857 | Fragment Fork M1.8/M2.0.....78                                     |
| 25858 | Fragment Drill Ø 0.8.....78  |
| 25859 | Fragment Drill Ø 1.0.....78  |
| 25860 | Screw Extractor 0.8.....78   |
| 25861 | Screw Extractor 1.0.....78   |
| 25862 | Thread Cleaner M1.4.....78   |
| 25863 | Thread Cleaner M1.6.....78   |
| 25864 | Thread Cleaner M1.8.....78   |
| 25865 | Thread Cleaner M2.0.....78   |
| 25866 | Trepine Drill 3.0, 6-17 mm.....79                                  |
| 25867 | Trepine Drill 3.6, 6-17 mm.....79                                  |
| 25868 | Trepine Drill 4.2, P4.2, 6-17 mm.....79                            |
| 25869 | Trepine Drill 4.8, P4.8, 6-17 mm.....79                            |
| 25870 | Trepine Drill 5.4, 6-17 mm.....79                                  |
| 25886 | Trepine Drill 4.2, P4.2, 6-13 mm.....79                            |
| 25887 | Trepine Drill 4.8, P4.8, 6-13 mm.....79                            |
| 25888 | Trepine Drill 5.4, 6-13 mm.....79                                  |
| 25890 | Angled Abutment Profile EV 4.2, 20°.....56, 64                     |
| 25891 | Angled Abutment Profile EV 4.2, 20°.....56, 64                     |
| 25892 | Angled Abutment Profile EV 4.8, 20°.....58, 64                     |
| 25893 | Angled Abutment Profile EV 4.8, 20°.....58, 64                     |
| 25901 | HealDesign™ EV 3.0, Ø 3.5 - 2.5 mm.....4, 18                       |
| 25902 | HealDesign™ EV 3.6, Ø 4 - 2.5 mm.....4, 18                         |
| 25903 | HealDesign™ EV 3.6, Ø 4 - 5 mm.....4, 18                           |
| 25904 | HealDesign™ EV 3.6, Ø 5 - 4.5 mm.....4, 18                         |
| 25905 | HealDesign™ EV 3.6, Ø 5 - 6.5 mm.....4, 18                         |
| 25906 | HealDesign™ EV 3.6, Ø 6 - 3.5 mm.....4, 18                         |
| 25907 | HealDesign™ EV 3.6, Ø 6 - 4.5 mm.....4, 18                         |
| 25908 | HealDesign™ EV 4.2, Ø 5 - 2.5 mm.....8, 18, 56                     |
| 25909 | HealDesign™ EV 4.2, Ø 6.5 - 2.5 mm.....8, 18, 56                   |
| 25910 | HealDesign™ EV 4.2, Ø 6.5 - 3.5 mm.....8, 18, 56                   |
| 25911 | HealDesign™ EV 4.2, Ø 6.5 - 4.5 mm.....8, 18, 56                   |
| 25912 | HealDesign™ EV 4.2, Ø 6.5 - 6.5 mm.....8, 18, 56                   |

| REF   | page  |
|-------|---|
| 25913 | HealDesign™ EV 4.8, Ø 5 - 2.5 mm.....10, 18, 58                                   |
| 25914 | HealDesign™ EV 4.8, Ø 5 - 4.5 mm.....10, 18, 58                                   |
| 25915 | HealDesign™ EV 4.8, Ø 5 - 6.5 mm.....10, 18, 58                                   |
| 25916 | HealDesign™ EV 4.8, Ø 6.5 - 2.5 mm.....10, 18, 58                                 |
| 25917 | HealDesign™ EV 4.8, Ø 6.5 - 3.5 mm.....10, 18, 58                                 |
| 25918 | HealDesign™ EV 4.8, Ø 7.5 - 3.5 mm.....10, 18, 58                                 |
| 25919 | HealDesign™ EV 4.8, Ø 7.5 - 4.5 mm.....10, 18, 58                                 |
| 25920 | HealDesign™ EV 3.6, Ø 5 - 3.5 mm.....6, 18  |
| 25921 | HealDesign™ EV 5.4, Ø 6.5 - 2.5 mm.....12, 18                                     |
| 25922 | HealDesign™ EV 5.4, Ø 7.5 - 3.5 mm.....12, 18                                     |
| 25923 | HealDesign™ EV 5.4, Ø 7.5 - 4.5 mm.....12, 18                                     |
| 25924 | TitaniumBase EV 3.0 Ø 4 - 5 mm.....5, 24  |
| 25925 | TitaniumBase EV 3.0 Ø 4 - 6 mm.....5, 24  |
| 25926 | TitaniumBase EV 3.6 Ø 4.1 - 5 mm.....7, 24  |
| 25927 | TitaniumBase EV 3.6 Ø 4.1 - 6 mm.....7, 24  |
| 25928 | TitaniumBase EV 4.2 Ø 4.7 - 5 mm.....9, 24  |
| 25929 | TitaniumBase EV 4.2 Ø 4.7 - 6 mm.....9, 24  |
| 25930 | TitaniumBase EV 4.8 Ø 5 - 5 mm.....11, 24   |
| 25931 | TitaniumBase EV 4.8 Ø 5 - 6 mm.....11, 24   |
| 25932 | TitaniumBase EV 4.8 Ø 5.5 - 5 mm.....13, 24                                       |
| 25933 | TitaniumBase EV 4.8 Ø 5.5 - 6 mm.....13, 24                                       |
| 25952 | Uni Abutment EV Heal Cap Short Ø 4.3 - 3.4 mm<br>.....4, 6, 8, 10, 12, 30, 56, 58 |
| 25953 | Uni Abutment EV Heal Cap Short Ø 5.5 - 3.4 mm<br>.....4, 6, 8, 10, 12, 30, 56, 58 |
| 25982 | Small Tray EV including overlay Restorative.....41                                |
| 25983 | Small Tray EV including overlay Surgical.....41                                   |
| 25984 | Small Tray EV including overlay Storage.....41                                    |
| 25985 | V - Twist Drill EV Ø 2.5, 6-13 mm.....47  |
| 25986 | V - Twist Drill EV Ø 3.1, 6-13 mm.....47  |
| 25987 | V - Twist Drill EV Ø 3.7, 6-13 mm.....47  |
| 25988 | V - Twist Drill EV Ø 4.3, 6-13 mm.....47  |
| 25989 | V - Twist Drill EV Ø 4.9, 6-13 mm.....47  |
| 25990 | X - Step Drill EV Ø 2.5/2.85, 6-17 mm.....47                                      |
| 25991 | X - Step Drill EV Ø 3.1/3.45, 6-17 mm.....47                                      |
| 25992 | X - Step Drill EV Ø 3.7/4.05, 6-17 mm.....47                                      |
| 25993 | X - Step Drill EV Ø 4.3/4.65, 6-17 mm.....47                                      |
| 25994 | X - Step Drill EV Ø 4.9/5.25, 6-17 mm.....47                                      |
| 26000 | Conical Drill EV-GS, 4.2C, Ø 3.1/4.2, 9-13.....71                                 |
| 26001 | Conical Drill EV-GS, 4.2C, Ø 3.1/4.2, 8-11-15.....71                              |
| 26002 | Conical Drill EV-GS, 4.8C, Ø 3.7/4.8, 9-13.....71                                 |
| 26003 | Conical Drill EV-GS, 4.8C, Ø 3.7/4.8, 8-11-15.....71                              |
| 26004 | Cortical Drill EV-GS, 3.6, Ø 3.1/3.3.....71                                       |
| 26005 | Cortical Drill EV-GS, 3.6, Ø 3.1/3.6.....71                                       |
| 26006 | Cortical Drill EV-GS, 4.2, Ø 3.7/3.9.....71                                       |
| 26007 | Cortical Drill EV-GS, 4.2, Ø 3.7/4.2.....71                                       |
| 26008 | Cortical Drill EV-GS, 4.8, Ø 4.3/4.5.....71                                       |
| 26009 | Cortical Drill EV-GS, 4.8, Ø 4.3/4.8.....71                                       |
| 26010 | Punch EV-GS Ø 3.6.....69  |
| 26011 | Punch EV-GS Ø 4.2.....69  |
| 26012 | Punch EV-GS Ø 4.8.....69  |
| 26013 | Initial Drill Ø 3.6.....69  |
| 26014 | Initial Drill Ø 4.2.....69  |
| 26015 | Initial Drill Ø 4.8.....69  |
| 26016 | Implant Driver EV-GS 3.6.....73   |
| 26017 | Implant Driver EV-GS 4.2.....73   |
| 26018 | Implant Driver EV-GS 4.8.....73   |
| 26019 | Implant Driver EV-GS Profile 4.2.....73   |
| 26020 | Implant Driver EV-GS Profile 4.8.....73   |
| 26021 | Implant Driver Extender EV-GS.....48, 73  |
| 26022 | Sleeve-on-Drill™ 1-Sleeve Ø1.9 ND.....74  |
| 26023 | Sleeve-on-Drill™ 3/V-Sleeve Ø3.1 ND.....74  |
| 26024 | Sleeve-on-Drill™ 4/V-Sleeve Ø3.7 ND.....74  |
| 26025 | Sleeve-on-Drill™ X-Sleeve Ø3.45 ND.....74   |
| 26026 | Sleeve-on-Drill™ X-Sleeve Ø4.05 ND.....74   |
| 26027 | Sleeve-on-Drill™ 1-Sleeve Ø1.9 WD.....74  |
| 26028 | Sleeve-on-Drill™ 3-Sleeve Ø3.1 WD.....74  |
| 26029 | Sleeve-on-Drill™ 4/V-Sleeve Ø3.7 WD.....74  |
| 26030 | Sleeve-on-Drill™ 5/V-Sleeve Ø4.3 WD.....74  |
| 26031 | Sleeve-on-Drill™ X-Sleeve Ø4.05 WD.....74   |
| 26032 | Sleeve-on-Drill™ X-Sleeve Ø4.65 WD.....74   |

| REF   | page  |
|-------|---|
| 26033 | EV-Stabilization Abutment 3.6, 8-11-15 mm.....74              |
| 26034 | EV-Stabilization Abutment 3.6, 6-9-13 mm.....74               |
| 26035 | EV-Stabilization Abutment 4.2, 8-11-15 mm.....74              |
| 26036 | EV-Stabilization Abutment 4.2, 6-9-13 mm.....74               |
| 26037 | EV-Stabilization Abutment 4.8, 8-11-15 mm.....74              |
| 26038 | EV-Stabilization Abutment 4.8, 6-9-13 mm.....74               |
| 26039 | EV-PositionAid 3.6, 8-11-15 mm.....73                         |
| 26040 | EV-PositionAid 3.6, 6-9-13 mm.....73                          |
| 26041 | EV-PositionAid 4.2, 8-11-15 mm.....73                         |
| 26042 | EV-PositionAid 4.2, 6-9-13 mm.....73                          |
| 26043 | EV-PositionAid 4.8, 8-11-15 mm.....73                         |
| 26044 | EV-PositionAid 4.8, 6-9-13 mm.....73                          |
| 26045 | EV-PositionAid Profile 4.2, 8-11-15 mm.....73                 |
| 26046 | EV-PositionAid Profile 4.2, 6-9-13 mm.....73                  |
| 26047 | EV-PositionAid Profile 4.8, 8-11-15 mm.....73                 |
| 26048 | EV-PositionAid Profile 4.8, 6-9-13 mm.....73                  |
| 26049 | Guide fixation screw.....74                                   |
| 26050 | Drill for guide fixation screw.....74                         |
| 26051 | Drill EV-GS, narrow diam. Sleeve, Ø1.9 ND 6-8 mm.....70       |
| 26052 | Drill EV-GS, narrow diam. Sleeve, Ø1.9 ND 9-11 mm.....70      |
| 26053 | Drill EV-GS, narrow diam. Sleeve, Ø1.9 ND 13-15 mm.....70     |
| 26054 | Drill EV-GS, narrow diam. Sleeve, Ø2.5/3.1 ND 6-8 mm.....70   |
| 26055 | Drill EV-GS, narrow diam. Sleeve, Ø2.5/3.1 ND 9-11 mm.....70  |
| 26056 | Drill EV-GS, narrow diam. Sleeve, Ø2.5/3.1 ND 13-15 mm.....70 |
| 26057 | Drill EV-GS, narrow diam. Sleeve, Ø3.1/3.7 ND 6-8 mm.....70   |
| 26058 | Drill EV-GS, narrow diam. Sleeve, Ø3.1/3.7 ND 9-11 mm.....70  |
| 26059 | Drill EV-GS, narrow diam. Sleeve, Ø3.1/3.7 ND 13-15 mm.....70 |
| 26060 | Drill EV-GS, wide diam. Sleeve, Ø1.9 WD 6-8 mm.....70         |
| 26061 | Drill EV-GS, wide diam. Sleeve, Ø1.9 WD 9-11 mm.....70        |
| 26062 | Drill EV-GS, wide diam. Sleeve, Ø1.9 WD 13-15 mm.....70       |
| 26063 | Drill EV-GS, wide diam. Sleeve, Ø2.5/3.1 WD 6-8 mm.....70     |
| 26064 | Drill EV-GS, wide diam. Sleeve, Ø2.5/3.1 WD 9-11 mm.....70    |
| 26065 | Drill EV-GS, wide diam. Sleeve, Ø2.5/3.1 WD 13-15 mm.....70   |
| 26066 | Drill EV-GS, wide diam. Sleeve, Ø3.1/3.7 WD 6-8 mm.....70     |
| 26067 | Drill EV-GS, wide diam. Sleeve, Ø3.1/3.7 WD 9-11 mm.....70    |
| 26068 | Drill EV-GS, wide diam. Sleeve, Ø3.1/3.7 WD 13-15 mm.....70   |
| 26069 | Drill EV-GS, wide diam. Sleeve, Ø3.7/4.3 WD 6-8 mm.....70     |
| 26070 | Drill EV-GS, wide diam. Sleeve, Ø3.7/4.3 WD 9-11 mm.....70    |
| 26071 | Drill EV-GS, wide diam. Sleeve, Ø3.7/4.3 WD 13-15 mm.....70   |
| 26072 | X-Drill EV-GS 3.6-4.2C, Ø 3.1/3.45, 6-8 mm.....72             |
| 26073 | X-Drill EV-GS 3.6-4.2C, Ø 3.1/3.45, 9-11 mm.....72            |
| 26074 | X-Drill EV-GS 3.6-4.2C, Ø 3.1/3.45, 13-15 mm.....72           |
| 26075 | X-Drill EV-GS 4.2, Ø 3.7/4.05, 6-8 mm.....72                  |
| 26076 | X-Drill EV-GS 4.2, Ø 3.7/4.05, 9-11 mm.....72                 |
| 26077 | X-Drill EV-GS 4.2, Ø 3.7/4.05, 13-15 mm.....72                |
| 26078 | X-Drill EV-GS 4.8C, Ø 3.7/4.05, 6-8 mm.....72                 |
| 26079 | X-Drill EV-GS 4.8C, Ø 3.7/4.05, 9-11 mm.....72                |
| 26080 | X-Drill EV-GS 4.8C, Ø 3.7/4.05, 13-15 mm.....72               |
| 26081 | X-Drill EV-GS 4.8, Ø 4.3/4.65, 6-8 mm.....72                  |
| 26082 | X-Drill EV-GS 4.8, Ø 4.3/4.65, 9-11 mm.....72                 |
| 26083 | X-Drill EV-GS 4.8, Ø 4.3/4.65, 13-15 mm.....72                |
| 26084 | V-Drill EV-GS 3.6-4.2C, Ø 3.1, 6-8 mm.....72                  |
| 26085 | V-Drill EV-GS 3.6-4.2C, Ø 3.1, 9-11 mm.....72                 |
| 26086 | V-Drill EV-GS 3.6-4.2C, Ø 3.1, 13-15 mm.....72                |
| 26087 | V-Drill EV-GS 4.2, Ø 3.7, 6-8 mm.....72                       |
| 26088 | V-Drill EV-GS 4.2, Ø 3.7, 9-11 mm.....72                      |
| 26089 | V-Drill EV-GS 4.2, Ø 3.7, 13-15 mm.....72                     |
| 26090 | V-Drill EV-GS 4.8C, Ø 3.7, 6-8 mm.....72                      |
| 26091 | V-Drill EV-GS 4.8C, Ø 3.7, 9-11 mm.....72                     |
| 26092 | V-Drill EV-GS 4.8C, Ø 3.7, 13-15 mm.....72                    |
| 26093 | V-Drill EV-GS 4.8, Ø 4.3, 6-8 mm.....72                       |
| 26094 | V-Drill EV-GS 4.8, Ø 4.3, 9-11 mm.....72                      |
| 26095 | V-Drill EV-GS 4.8, Ø 4.3, 13-15 mm.....72                     |
| 26098 | Large Tray EV Proline.....67                                  |
| 26099 | Large Tray EV Streamline.....67                               |
| 26159 | Multibase Abutment EV 3.6 - 1.5 mm NI.....6, 32               |
| 26160 | Multibase Abutment EV 3.6 - 2.5 mm NI.....6, 32               |
| 26161 | Multibase Abutment EV 3.6 - 3.5 mm NI.....6, 32               |
| 26162 | Multibase Abutment EV 3.6, 17° - 1.5 mm.....6, 32             |
| 26163 | Multibase Abutment EV 3.6, 17° - 2.5 mm.....6, 32             |
| 26164 | Multibase Abutment EV 3.6, 30° - 1.5 mm.....6, 32             |

| REF   | page  |
|-------|---|
| 26165 | Multibase Abutment EV 3.6, 30° - 2.5 mm.....6, 32     |
| 26166 | Multibase Abutment EV 3.6, 17° - 1.5 mm NI.....6, 32  |
| 26167 | Multibase Abutment EV 3.6, 17° - 2.5 mm NI.....6, 32  |
| 26168 | Multibase Abutment EV 3.6, 30° - 1.5 mm NI.....6, 32  |
| 26169 | Multibase Abutment EV 3.6, 30° - 2.5 mm NI.....6, 32  |
| 26170 | Multibase Abutment EV 4.2 - 1.5 mm NI.....8, 32       |
| 26171 | Multibase Abutment EV 4.2 - 2.5 mm NI.....8, 32       |
| 26172 | Multibase Abutment EV 4.2 - 3.5 mm NI.....8, 32       |
| 26173 | Multibase Abutment EV 4.2, 17° - 1.5 mm.....8, 32     |
| 26174 | Multibase Abutment EV 4.2, 17° - 2.5 mm.....8, 32     |
| 26175 | Multibase Abutment EV 4.2, 30° - 1.5 mm.....8, 32     |
| 26176 | Multibase Abutment EV 4.2, 30° - 2.5 mm.....8, 32     |
| 26177 | Multibase Abutment EV 4.2, 17° - 1.5 mm NI.....8, 32  |
| 26178 | Multibase Abutment EV 4.2, 17° - 2.5 mm NI.....8, 32  |
| 26179 | Multibase Abutment EV 4.2, 30° - 1.5 mm NI.....8, 32  |
| 26180 | Multibase Abutment EV 4.2, 30° - 2.5 mm NI.....8, 32  |
| 26181 | Multibase Abutment EV 4.8 - 1.5 mm NI.....10, 33      |
| 26182 | Multibase Abutment EV 4.8 - 2.5 mm NI.....10, 33      |
| 26183 | Multibase Abutment EV 4.8 - 3.5 mm NI.....10, 33      |
| 26184 | Multibase Abutment EV 4.8, 17° - 1.5 mm.....10, 33    |
| 26185 | Multibase Abutment EV 4.8, 17° - 2.5 mm.....10, 33    |
| 26186 | Multibase Abutment EV 4.8, 30° - 1.5 mm.....10, 33    |
| 26187 | Multibase Abutment EV 4.8, 30° - 2.5 mm.....10, 33    |
| 26188 | Multibase Abutment EV 4.8, 17° - 1.5 mm NI.....10, 33 |
| 26189 | Multibase Abutment EV 4.8, 17° - 2.5 mm NI.....10, 33 |
| 26190 | Multibase Abutment EV 4.8, 30° - 1.5 mm NI.....10, 33 |
| 26191 | Multibase Abutment EV 4.8, 30° - 2.5 mm NI.....10, 33 |
| 26192 | Multibase EV Abutment Head with holder.....33         |
| 26193 | Multibase EV Heal Cap.....6, 8, 10, 34                |
| 26194 | Multibase EV Transfer.....7, 9, 11, 34                |
| 26195 | Multibase EV Pick-up.....7, 9, 11, 34                 |
| 26196 | Multibase EV Bridge Screw.....7, 9, 11, 35            |
| 26197 | Multibase EV Lab Abutment Pin, 14 mm.....7, 9, 11, 35 |
| 26198 | Multibase EV Lab Abutment Pin, 18 mm.....7, 9, 11, 35 |
| 26199 | Multibase EV Lab Abutment Pin, 22 mm.....7, 9, 11, 35 |
| 26200 | Multibase EV Lab Bridge Screw.....7, 9, 11, 35        |
| 26201 | Multibase EV Replica.....7, 9, 11, 34                 |
| 26202 | Multibase EV Temporary Cylinder.....7, 9, 11, 34      |
| 26203 | Multibase EV Burnout Cylinder.....7, 9, 11, 34        |
| 26204 | Multibase Driver EV.....33, 52, 79                    |
| 26205 | SmartFix® Guide.....35, 42                            |
| 26206 | Bone Reamer EV Ø 4.0.....42                           |
| 26207 | Bone Reamer EV Ø 4.6.....42                           |
| 26208 | Bone Reamer EV Ø 5.2.....42                           |
| 26209 | Bone Reamer EV Ø 5.8.....42                           |
| 26210 | Bone Reamer EV Ø 6.4.....42                           |
| 26211 | Bone Reamer EV Ø 7.0.....42                           |
| 26212 | Bone Reamer Guide EV 3.0.....42                       |
| 26213 | Bone Reamer Guide EV 3.6.....42                       |
| 26214 | Bone Reamer Guide EV 4.2.....42                       |
| 26215 | Bone Reamer Guide EV 4.8.....42                       |
| 26216 | Bone Reamer Guide EV 5.4.....42                       |
| 26217 | Overlay Bone Reamer.....42                            |
| 26218 | Small Tray EV including overlay Bone Reamers.....42   |
| 26219 | Healing Uni EV 4.8 - 2 mm/Ø 4.3.....10, 19, 56        |
| 26220 | Healing Uni EV 4.8 - 3 mm/Ø 4.3.....10, 19, 58        |
| 26221 | Healing Uni EV 4.8 - 4 mm/Ø 4.3.....10, 19, 58        |
| 26222 | Healing Uni EV 4.8 - 6 mm/Ø 4.3.....10, 19, 58        |
| 26223 | Healing Uni EV 5.4 - 2 mm/Ø 4.8.....12, 19            |
| 26224 | Healing Uni EV 5.4 - 3 mm/Ø 4.8.....12, 19            |
| 26225 | Healing Uni EV 5.4 - 4 mm/Ø 4.8.....12, 19            |
| 26226 | Healing Uni EV 5.4 - 6 mm/Ø 4.8.....12, 19            |
| 26227 | Implant Pick-Up EV 3.6 Short.....7, 25                |
| 26228 | Implant Pick-Up EV 4.2 Short.....9, 25                |
| 26229 | Implant Pick-Up EV 4.8 Short.....11, 25               |
| 26230 | Implant Pick-Up EV 5.4 Short.....13, 25               |
| 26231 | Implant Pick-Up EV 3.0 Long.....5, 25                 |
| 26232 | Implant Pick-Up EV 3.6 Long.....7, 25                 |
| 26233 | Implant Pick-Up EV 4.2 Long.....9, 25                 |
| 26234 | Implant Pick-Up EV 4.8 Long.....11, 25                |
| 26235 | Implant Pick-Up Design EV 3.6 Short.....7, 25         |



| REF   |  | page                        |
|-------|--|-----------------------------|
| 26236 | Implant Pick-Up Design EV 4.2 Short.....   | 9, 25                       |
| 26237 | Implant Pick-Up Design EV 4.8 Short.....   | 11, 25                      |
| 26238 | Implant Pick-Up Design EV 5.4 Short.....   | 13, 25                      |
| 26239 | Implant Pick-Up Design EV 3.0 Long.....    | 5, 25                       |
| 26240 | Implant Pick-Up Design EV 3.6 Long.....    | 7, 25                       |
| 26241 | Implant Pick-Up Design EV 4.2 Long.....    | 9, 25                       |
| 26242 | Implant Pick-Up Design EV 4.8 Long.....    | 11, 25                      |
| 26243 | Implant Pick-Up Design EV 5.4 Long.....    | 13, 25                      |
| 26244 | Angled Abutment EV Pick-Up.....            | 6, 8, 10, 31, 56, 58        |
| 26245 | Uni Abutment EV Pick-Up Ø 4.3 Short.....   | 4, 6, 8, 10, 12, 30, 56, 58 |
| 26246 | Uni Abutment EV Pick-Up Ø 5.5 Short.....   | 4, 6, 8, 10, 12, 30, 56, 58 |
| 26247 | Uni Abutment EV Pick-Up Ø 4.3 Long.....    | 4, 6, 8, 10, 12, 30, 56, 58 |
| 26248 | Uni Abutment EV Pick-Up Ø 5.5 Long.....    | 4, 6, 8, 10, 12, 30, 56, 58 |
| 26249 | Uni Abutment EV Transfer.....              | 5, 7, 9, 11, 13, 30, 56, 58 |
| 26250 | Uni Abutment EV Temporary Cylinder.....    | 5, 7, 9, 11, 13, 30, 57, 59 |
| 26251 | Temp Abutment EV 3.0.....                  | 4, 21                       |
| 26252 | Temp Abutment EV 3.6.....                  | 6, 21                       |
| 26253 | Temp Abutment EV 4.2.....                  | 8, 21                       |
| 26254 | Temp Abutment EV 4.8.....                  | 10, 21                      |
| 26255 | Temp Abutment EV 5.4.....                  | 12, 21                      |
| 26256 | Temp Abutment Profile EV 4.2.....          | 56, 63                      |
| 26257 | Temp Abutment Profile EV 4.8.....          | 58, 63                      |
| 26258 | Implant Pick-Up Profile EV 4.2, Short..... | 57, 65                      |
| 26259 | Implant Pick-Up Profile EV 4.8, Short..... | 59, 65                      |
| 26260 | Implant Pick-Up Profile EV 4.2, Long.....  | 57, 65                      |
| 26261 | Implant Pick-Up Profile EV 4.8, Long.....  | 59, 65                      |
| 26262 | Implant Pick-Up Design Profile EV 4.2..... | 57, 65                      |
| 26263 | Implant Pick-Up Design Profile EV 4.8..... | 59, 65                      |
| 26264 | Implant 900 Set SI-923, 230 V.....         | 50                          |
| 26265 | Implant 900 Set SI-915, 120 V.....         | 50                          |

| REF       |   | page   |
|-----------|---|--------|
| 26266     | Motor EM-19.....  | 50     |
| 26267     | Foot Control S-N2, with cord.....                           | 50     |
| 26268     | Contra Angle W&H WS-75.....                                 | 50     |
| 26269     | Contra Angle W&H WS-75 L G.....                             | 50     |
| 26270     | Handpiece W&H S-11 Straight.....                            | 50     |
| 26271     | Handpiece W&H S-9 Angled.....                               | 50     |
| 26273     | Contra Angle W&H WI-75 E/KM.....                            | 50     |
| 3102 1405 | Polymerization Sleeve.....                                  | 34     |
| 3102 1890 | Polymerization Sleeve (for US markets).....                 | 34     |
| 3107 1000 | Washtray Astra Tech Implant System® EV.....                 | 43     |
| 3107 1002 | Washtray Sterilization Container ATIS EV.....               | 43     |
| 3107 1020 | Washtray GS Astra Tech Implant System® EV.....              | 43, 68 |
| 34593     | Atlantis® FLO 3.0.....                                      | 24     |
| 34594     | Atlantis® FLO 3.6.....                                      | 24     |
| 34595     | Atlantis® FLO 4.2.....                                      | 24     |
| 34596     | Atlantis® FLO 4.8.....                                      | 24     |
| 34597     | Atlantis® FLO 5.4.....                                      | 24     |
| 34601     | Atlantis® FLO screwdriver.....                              | 24     |
| 35243     | Atlantis® IO FLO 3.0.....                                   | 24     |
| 35244     | Atlantis® IO FLO 3.6.....                                   | 24     |
| 35245     | Atlantis® IO FLO 4.2.....                                   | 24     |
| 35246     | Atlantis® IO FLO 4.8.....                                   | 24     |
| 35247     | Atlantis® IO FLO 5.4.....                                   | 24     |
| 36030     | Atlantis® Angulated Screw Access Screwdriver, 18 mm.....    | 51     |
| 36031     | Atlantis® Angulated Screw Access Screwdriver, 24 mm.....    | 51     |
| 36032     | Atlantis® Angulated Screw Access Screwdriver, 38 mm.....    | 51     |
| 68108     | Suction Tube Medena 2.0 m.....                              | 50     |
| 68118     | Suction Tube Medena 3.5 m.....                              | 50     |
| 68130     | Suction Tube Medena 2.0 m incl double bent suction tip..... | 50     |

# Index

## Alphabetical order

| REF   |  | page                 |
|-------|--|----------------------|
| 25162 | 1 - Twist Drill EV Ø 1.9, 6-17 mm.....                   | 44                   |
| 25163 | 1 - Twist Drill EV Ø 1.9, 6-13 mm.....                   | 44                   |
| 25164 | 2 - Step Drill EV Ø 1.9/2.5, 6-17 mm.....                | 44                   |
| 25165 | 2 - Step Drill EV Ø 1.9/2.5, 6-13 mm.....                | 44                   |
| 25168 | 3 - Step Drill EV Ø 2.5/3.1, 6-17 mm.....                | 44                   |
| 25169 | 3 - Step Drill EV Ø 2.5/3.1, 6-13 mm.....                | 44                   |
| 25172 | 4 - Step Drill EV Ø 3.1/3.7, 6-17 mm.....                | 44                   |
| 25173 | 4 - Step Drill EV Ø 3.1/3.7, 6-13 mm.....                | 44                   |
| 25176 | 5 - Step Drill EV Ø 3.7/4.3, 6-17 mm.....                | 44                   |
| 25177 | 5 - Step Drill EV Ø 3.7/4.3, 6-13 mm.....                | 44                   |
| 25180 | 6 - Step Drill EV Ø 4.3/4.9, 6-17 mm.....                | 44                   |
| 25181 | 6 - Step Drill EV Ø 4.3/4.9, 6-13 mm.....                | 44                   |
| 25487 | A 6 mm - Cortical Drill EV Ø 3.1/3.3.....                | 45                   |
| 25412 | A 6 mm - Cortical Drill EV Ø 3.7/3.9.....                | 45                   |
| 25420 | A 6 mm - Cortical Drill EV Ø 4.3/4.5.....                | 45                   |
| 25422 | A 6 mm - Cortical Drill EV Ø 4.9/5.1.....                | 45                   |
| 25423 | A - Cortical Drill EV Ø 2.5/2.7.....                     | 45                   |
| 25488 | A - Cortical Drill EV Ø 3.1/3.3.....                     | 45                   |
| 25490 | A - Cortical Drill EV Ø 3.7/3.9.....                     | 45                   |
| 25492 | A - Cortical Drill EV Ø 4.3/4.5.....                     | 45                   |
| 25431 | A - Cortical Drill EV Ø 4.9/5.1.....                     | 45                   |
| 25188 | A/B - Conical Drill EV Ø 3.1/4.2.....                    | 46                   |
| 25190 | A/B - Conical Drill EV Ø 3.7/4.8.....                    | 46                   |
| 25792 | Abutment Depth Gauge EV 3.0/3.6.....                     | 53                   |
| 25793 | Abutment Depth Gauge EV 4.2/4.8.....                     | 53                   |
| 25726 | Abutment Depth Gauge EV 5.4.....                         | 53                   |
| 22429 | Abutment Retriever.....                                  | 79                   |
| 25203 | Abutment Screw EV 3.0.....                               | 21                   |
| 25204 | Abutment Screw EV 3.6.....                               | 21                   |
| 25205 | Abutment Screw EV 4.2.....                               | 21, 63               |
| 25206 | Abutment Screw EV 4.8.....                               | 21, 63               |
| 25207 | Abutment Screw EV 5.4.....                               | 21                   |
| 25619 | Angled Abutment EV 3.6 20° - 1 mm.....                   | 6, 31                |
| 25621 | Angled Abutment EV 3.6 20° - 1 mm NI.....                | 6, 31                |
| 25620 | Angled Abutment EV 3.6 20° - 2 mm.....                   | 6, 31                |
| 25622 | Angled Abutment EV 3.6 20° - 2 mm NI.....                | 6, 31                |
| 25625 | Angled Abutment EV 4.2 20° - 1 mm.....                   | 8, 31                |
| 25627 | Angled Abutment EV 4.2 20° - 1 mm NI.....                | 8, 31                |
| 25626 | Angled Abutment EV 4.2 20° - 2 mm.....                   | 8, 31                |
| 25628 | Angled Abutment EV 4.2 20° - 2 mm NI.....                | 8, 31                |
| 25631 | Angled Abutment EV 4.8 20° - 1 mm.....                   | 10, 31               |
| 25632 | Angled Abutment EV 4.8 20° - 2 mm.....                   | 10, 31               |
| 25633 | Angled Abutment EV 4.8 20° - 1 mm NI.....                | 10, 31               |
| 25634 | Angled Abutment EV 4.8 20° - 2 mm NI.....                | 10, 31               |
| 25655 | Angled Abutment EV Burnout Cylinder.....                 | 7, 9, 11, 31, 57, 59 |
| 25650 | Angled Abutment EV Heal Cap.....                         | 6, 8, 10, 31, 56, 58 |
| 26244 | Angled Abutment EV Pick-Up.....                          | 6, 8, 10, 31, 56, 58 |
| 25652 | Angled Abutment EV Replica.....                          | 7, 9, 11, 31, 57, 59 |
| 25653 | Angled Abutment EV Semi-Burnout Cylinder.....            | 7, 9, 11, 31, 57, 59 |
| 25654 | Angled Abutment EV Temporary Cylinder.....               | 7, 9, 11, 31, 57, 59 |
| 25890 | Angled Abutment Profile EV 4.2, 20°.....                 | 56, 64               |
| 25891 | Angled Abutment Profile EV 4.2, 20°.....                 | 56, 64               |
| 25892 | Angled Abutment Profile EV 4.8, 20°.....                 | 58, 64               |
| 25893 | Angled Abutment Profile EV 4.8, 20°.....                 | 58, 64               |
| 36030 | Atlantis® Angulated Screw Access Screwdriver, 18 mm..... | 51                   |
| 36031 | Atlantis® Angulated Screw Access Screwdriver, 24 mm..... | 51                   |
| 36032 | Atlantis® Angulated Screw Access Screwdriver, 38 mm..... | 51                   |
| 34593 | Atlantis® FLO 3.0.....                                   | 24                   |
| 34594 | Atlantis® FLO 3.6.....                                   | 24                   |
| 34595 | Atlantis® FLO 4.2.....                                   | 24                   |
| 34596 | Atlantis® FLO 4.8.....                                   | 24                   |

| REF   |  | page                        |
|-------|--|-----------------------------|
| 34597 | Atlantis® FLO 5.4.....                             | 24                          |
| 34601 | Atlantis® FLO screwdriver.....                     | 24                          |
| 35243 | Atlantis® IO FLO 3.0.....                          | 24                          |
| 35244 | Atlantis® IO FLO 3.6.....                          | 24                          |
| 35245 | Atlantis® IO FLO 4.2.....                          | 24                          |
| 35246 | Atlantis® IO FLO 4.8.....                          | 24                          |
| 35247 | Atlantis® IO FLO 5.4.....                          | 24                          |
| 25411 | B 6 mm - Cortical Drill EV Ø 3.1/3.6.....          | 46                          |
| 25419 | B 6 mm - Cortical Drill EV Ø 3.7/4.2.....          | 46                          |
| 25421 | B 6 mm - Cortical Drill EV Ø 4.3/4.8.....          | 46                          |
| 25424 | B 6 mm - Cortical Drill EV Ø 4.9/5.4.....          | 46                          |
| 25193 | B - Cortical Drill EV Ø 2.5/3.0.....               | 45                          |
| 25195 | B - Cortical Drill EV Ø 3.1/3.6.....               | 45                          |
| 25197 | B - Cortical Drill EV Ø 3.7/4.2.....               | 45                          |
| 25199 | B - Cortical Drill EV Ø 4.3/4.8.....               | 45                          |
| 25201 | B - Cortical Drill EV Ø 4.9/5.4.....               | 45                          |
| 25768 | Ball Abutment Driver EV.....                       | 38, 53                      |
| 25684 | Ball Abutment EV 3.6 - 1 mm.....                   | 6, 37                       |
| 25685 | Ball Abutment EV 3.6 - 2 mm.....                   | 6, 37                       |
| 25686 | Ball Abutment EV 3.6 - 3 mm.....                   | 6, 37                       |
| 25687 | Ball Abutment EV 3.6 - 4 mm.....                   | 6, 37                       |
| 25688 | Ball Abutment EV 3.6 - 5 mm.....                   | 6, 37                       |
| 25689 | Ball Abutment EV 3.6 - 7 mm.....                   | 6, 37                       |
| 25690 | Ball Abutment EV 4.2 - 1 mm.....                   | 8, 37, 56                   |
| 25691 | Ball Abutment EV 4.2 - 2 mm.....                   | 8, 37, 56                   |
| 25692 | Ball Abutment EV 4.2 - 3 mm.....                   | 8, 37, 56                   |
| 25693 | Ball Abutment EV 4.2 - 4 mm.....                   | 8, 37, 56                   |
| 25694 | Ball Abutment EV 4.2 - 5 mm.....                   | 8, 37, 56                   |
| 25695 | Ball Abutment EV 4.2 - 7 mm.....                   | 8, 37, 56                   |
| 25696 | Ball Abutment EV 4.8 - 1 mm.....                   | 10, 38, 58                  |
| 25697 | Ball Abutment EV 4.8 - 2 mm.....                   | 10, 38, 58                  |
| 25698 | Ball Abutment EV 4.8 - 3 mm.....                   | 10, 38, 58                  |
| 25699 | Ball Abutment EV 4.8 - 4 mm.....                   | 10, 38, 58                  |
| 25700 | Ball Abutment EV 4.8 - 5 mm.....                   | 10, 38, 58                  |
| 25701 | Ball Abutment EV 4.8 - 7 mm.....                   | 10, 38, 58                  |
| 25826 | Ball Abutment EV Replica.....                      | 7, 9, 11, 38, 57, 59        |
| 26206 | Bone Reamer EV Ø 4.0.....                          | 42                          |
| 26207 | Bone Reamer EV Ø 4.6.....                          | 42                          |
| 26208 | Bone Reamer EV Ø 5.2.....                          | 42                          |
| 26209 | Bone Reamer EV Ø 5.8.....                          | 42                          |
| 26210 | Bone Reamer EV Ø 6.4.....                          | 42                          |
| 26211 | Bone Reamer EV Ø 7.0.....                          | 42                          |
| 26212 | Bone Reamer Guide EV 3.0.....                      | 42                          |
| 26213 | Bone Reamer Guide EV 3.6.....                      | 42                          |
| 26214 | Bone Reamer Guide EV 4.2.....                      | 42                          |
| 26215 | Bone Reamer Guide EV 4.8.....                      | 42                          |
| 26216 | Bone Reamer Guide EV 5.4.....                      | 42                          |
| 22179 | BoneTrap.....                                      | 49                          |
| 25481 | Bridge Screw EV - M1.8.....                        | 5, 7, 9, 11, 13, 30, 57, 59 |
| 25326 | CastDesign™ EV 3.6.....                            | 6, 23                       |
| 25327 | CastDesign™ EV 4.2.....                            | 8, 23                       |
| 25328 | CastDesign™ EV 4.8.....                            | 10, 23                      |
| 25329 | CastDesign™ EV 5.4.....                            | 12, 23                      |
| 26001 | Conical Drill EV-GS, 4.2C, Ø 3.1/4.2, 8-11-15..... | 71                          |
| 26000 | Conical Drill EV-GS, 4.2C, Ø 3.1/4.2, 9-13.....    | 71                          |
| 26003 | Conical Drill EV-GS, 4.8C, Ø 3.7/4.8, 8-11-15..... | 71                          |
| 26002 | Conical Drill EV-GS, 4.8C, Ø 3.7/4.8, 9-13.....    | 71                          |
| 26273 | Contra Angle W&H WI-75 E/KM.....                   | 50                          |
| 26268 | Contra Angle W&H WS-75.....                        | 50                          |
| 26269 | Contra Angle W&H WS-75 L G.....                    | 50                          |
| 26004 | Cortical Drill EV-GS, 3.6, Ø 3.1/3.3.....          | 71                          |

| REF   | page  |
|-------|---|
| 26005 | Cortical Drill EV-GS, 3.6, Ø 3.1/3.6.....71                         |
| 26006 | Cortical Drill EV-GS, 4.2, Ø 3.7/3.9.....71                         |
| 26007 | Cortical Drill EV-GS, 4.2, Ø 3.7/4.2.....71                         |
| 26008 | Cortical Drill EV-GS, 4.8, Ø 4.3/4.5.....71                         |
| 26009 | Cortical Drill EV-GS, 4.8, Ø 4.3/4.8.....71                         |
| 25280 | Cover Screw EV 3.0.....4, 17  |
| 25281 | Cover Screw EV 3.6 - 0 mm.....6, 17                                 |
| 25282 | Cover Screw EV 4.2 - 0 mm.....8, 17                                 |
| 25283 | Cover Screw EV 4.8 - 0 mm.....10, 17                                |
| 25284 | Cover Screw EV 5.4 - 0 mm.....12, 17                                |
| 25582 | Cover Screw Profile EV 4.2.....56, 61                               |
| 25583 | Cover Screw Profile EV 4.8.....58, 61                               |
| 25827 | Dalbo Plus Duplicating Aid.....38                                   |
| 25834 | Dalbo Plus Female Part TE Basic, complete .....7, 9, 11, 38, 57, 59 |
| 25844 | Dalbo Plus Lamellae retention Insert E.....38                       |
| 25835 | Dalbo Plus Screwdriver / Activator.....38, 53                       |
| 25361 | Direct Abutment™ EV 3.0 Ø 3.3 - 1 mm .....5, 27                     |
| 25362 | Direct Abutment™ EV 3.0 Ø 3.3 - 2 mm .....5, 27                     |
| 25363 | Direct Abutment™ EV 3.0 Ø 3.3 - 3 mm .....5, 27                     |
| 25364 | Direct Abutment™ EV 3.6 Ø 4 - 1 mm .....7, 27                       |
| 25365 | Direct Abutment™ EV 3.6 Ø 4 - 2 mm .....7, 27                       |
| 25366 | Direct Abutment™ EV 3.6 Ø 4 - 3 mm .....7, 27                       |
| 25367 | Direct Abutment™ EV 4.2 Ø 5 - 1 mm .....9, 27, 57                   |
| 25368 | Direct Abutment™ EV 4.2 Ø 5 - 2 mm .....9, 27, 57                   |
| 25369 | Direct Abutment™ EV 4.2 Ø 5 - 3 mm .....9, 27, 57                   |
| 25494 | Direct Abutment™ EV 4.2 Ø 6 - 1 mm .....9, 27, 57                   |
| 25495 | Direct Abutment™ EV 4.2 Ø 6 - 2 mm .....9, 27, 57                   |
| 25496 | Direct Abutment™ EV 4.2 Ø 6 - 3 mm .....9, 27, 57                   |
| 25497 | Direct Abutment™ EV 4.8 Ø 6 - 1 mm .....11, 27, 59                  |
| 25498 | Direct Abutment™ EV 4.8 Ø 6 - 2 mm .....11, 27, 59                  |
| 25499 | Direct Abutment™ EV 4.8 Ø 6 - 3 mm .....11, 27, 59                  |
| 25370 | Direct Abutment™ EV 4.8 Ø 5 - 1 mm .....11, 27, 59                  |
| 25371 | Direct Abutment™ EV 4.8 Ø 5 - 2 mm .....11, 27, 59                  |
| 25372 | Direct Abutment™ EV 4.8 Ø 5 - 3 mm .....11, 27, 59                  |
| 25373 | Direct Abutment™ EV 5.4 Ø 6 - 1 mm .....13, 27                      |
| 25374 | Direct Abutment™ EV 5.4 Ø 6 - 2 mm .....13, 27                      |
| 25375 | Direct Abutment™ EV 5.4 Ø 6 - 3 mm .....13, 27                      |
| 25310 | Direct Abutment™ EV Heal Cap 3.3.....28                             |
| 25311 | Direct Abutment™ EV Heal Cap 4.....28                               |
| 25312 | Direct Abutment™ EV Heal Cap 5.....28                               |
| 25313 | Direct Abutment™ EV Heal Cap 6.....28                               |
| 25396 | Direct Abutment™ EV Pick-Up 3.3.....28                              |
| 25397 | Direct Abutment™ EV Pick-Up 4.....28                                |
| 25398 | Direct Abutment™ EV Pick-Up 5.....28                                |
| 25399 | Direct Abutment™ EV Pick-Up 6.....28                                |
| 25401 | Direct Abutment™ EV Replica 3.3.....28                              |
| 25402 | Direct Abutment™ EV Replica 4.....28                                |
| 25403 | Direct Abutment™ EV Replica 5.....28                                |
| 25404 | Direct Abutment™ EV Replica 6.....28                                |
| 25406 | Direct Abutment™ EV Burnout Cap 3.3.....28                          |
| 25407 | Direct Abutment™ EV Burnout Cap 4.....28                            |
| 25408 | Direct Abutment™ EV Burnout Cap 5.....28                            |
| 25409 | Direct Abutment™ EV Burnout Cap 6.....28                            |
| 25764 | Direct Driver EV Ø3.3 Ø4.....27, 52                                 |
| 25346 | Direct EV API™ Ø 3.3.....28   |
| 25347 | Direct EV API™ Ø 4.....28   |
| 25348 | Direct EV API™ Ø 5.....28, 57, 59                                   |
| 25349 | Direct EV API™ Ø 6.....28, 57, 59                                   |
| 25765 | Direction Indicator EV .....48                                      |
| 26051 | Drill EV-GS, narrow diam. Sleeve, Ø1.9 ND 6-8 mm.....70             |
| 26052 | Drill EV-GS, narrow diam. Sleeve, Ø1.9 ND 9-11 mm.....70            |
| 26053 | Drill EV-GS, narrow diam. Sleeve, Ø1.9 ND 13-15 mm.....70           |
| 26054 | Drill EV-GS, narrow diam. Sleeve, Ø2.5/3.1 ND 6-8 mm.....70         |
| 26055 | Drill EV-GS, narrow diam. Sleeve, Ø2.5/3.1 ND 9-11 mm.....70        |
| 26056 | Drill EV-GS, narrow diam. Sleeve, Ø2.5/3.1 ND 13-15 mm.....70       |
| 26057 | Drill EV-GS, narrow diam. Sleeve, Ø3.1/3.7 ND 6-8 mm.....70         |
| 26058 | Drill EV-GS, narrow diam. Sleeve, Ø3.1/3.7 ND 9-11 mm.....70        |
| 26059 | Drill EV-GS, narrow diam. Sleeve, Ø3.1/3.7 ND 13-15 mm.....70       |
| 26060 | Drill EV-GS, wide diam. Sleeve, Ø1.9 WD 6-8 mm.....70               |
| 26061 | Drill EV-GS, wide diam. Sleeve, Ø1.9 WD 9-11 mm.....70              |
| 26062 | Drill EV-GS, wide diam. Sleeve, Ø1.9 WD 13-15 mm.....70             |

| REF   | page  |
|-------|---|
| 26063 | Drill EV-GS, wide diam. Sleeve, Ø2.5/3.1 WD 6-8 mm.....70   |
| 26064 | Drill EV-GS, wide diam. Sleeve, Ø2.5/3.1 WD 9-11 mm.....70  |
| 26065 | Drill EV-GS, wide diam. Sleeve, Ø2.5/3.1 WD 13-15 mm.....70 |
| 26066 | Drill EV-GS, wide diam. Sleeve, Ø3.1/3.7 WD 6-8 mm.....70   |
| 26067 | Drill EV-GS, wide diam. Sleeve, Ø3.1/3.7 WD 9-11 mm.....70  |
| 26068 | Drill EV-GS, wide diam. Sleeve, Ø3.1/3.7 WD 13-15 mm.....70 |
| 26069 | Drill EV-GS, wide diam. Sleeve, Ø3.7/4.3 WD 6-8 mm.....70   |
| 26070 | Drill EV-GS, wide diam. Sleeve, Ø3.7/4.3 WD 9-11 mm.....70  |
| 26071 | Drill EV-GS, wide diam. Sleeve, Ø3.7/4.3 WD 13-15 mm.....70 |
| 26050 | Drill for guide fixation screw .....74                      |
| 26040 | EV-PositionAid 3.6, 6-9-13 mm.....73                        |
| 26039 | EV-PositionAid 3.6, 8-11-15 mm.....73                       |
| 26042 | EV-PositionAid 4.2, 6-9-13 mm.....73                        |
| 26041 | EV-PositionAid 4.2, 8-11-15 mm.....73                       |
| 26044 | EV-PositionAid 4.8, 6-9-13 mm.....73                        |
| 26043 | EV-PositionAid 4.8, 8-11-15 mm.....73                       |
| 26046 | EV-PositionAid Profile 4.2, 6-9-13 mm.....73                |
| 26045 | EV-PositionAid Profile 4.2, 8-11-15 mm.....73               |
| 26048 | EV-PositionAid Profile 4.8, 6-9-13 mm.....73                |
| 26047 | EV-PositionAid Profile 4.8, 8-11-15 mm.....73               |
| 26033 | EV-Stabilization Abutment 3.6, 8-11-15 mm.....74            |
| 26034 | EV-Stabilization Abutment 3.6, 6-9-13 mm.....74             |
| 26035 | EV-Stabilization Abutment 4.2, 8-11-15 mm.....74            |
| 26036 | EV-Stabilization Abutment 4.2, 6-9-13 mm.....74             |
| 26037 | EV-Stabilization Abutment 4.8, 8-11-15 mm.....74            |
| 26038 | EV-Stabilization Abutment 4.8, 6-9-13 mm.....74             |
| 26267 | Foot Control S-N2, with cord.....50                         |
| 22437 | Forceps - 94 mm.....48                                      |
| 25858 | Fragment Drill Ø 0.8.....78                                 |
| 25859 | Fragment Drill Ø 1.0.....78                                 |
| 25856 | Fragment Fork M1.4/M1.6.....78                              |
| 25857 | Fragment Fork M1.8/M2.0.....78                              |
| 22740 | Grinding Handle.....54                                      |
| 25160 | Guide Drill EV.....44                                       |
| 26049 | Guide fixation screw .....74                                |
| 25846 | Guiding Cylinder EV 3.0.....77                              |
| 25847 | Guiding Cylinder EV 3.6.....77                              |
| 25848 | Guiding Cylinder EV 4.2, P4.2.....77                        |
| 25849 | Guiding Cylinder EV 4.8, P4.8.....77                        |
| 25850 | Guiding Cylinder EV 5.4.....77                              |
| 25855 | Guiding Cylinder Handle.....77                              |
| 25851 | Guiding Cylinder Uni Abutment EV.....77                     |
| 26271 | Handpiece W&H S-9 Angled.....50                             |
| 26270 | Handpiece W&H S-11 Straight.....50                          |
| 25901 | HealDesign™ EV 3.0, Ø 3.5 - 2.5 mm.....4, 18                |
| 25298 | HealDesign™ EV 3.0, Ø 3.5 - 3.5 mm.....4, 18                |
| 25297 | HealDesign™ EV 3.0, Ø 3.5 - 4.5 mm.....4, 18                |
| 25795 | HealDesign™ EV 3.0, Ø 3.5 - 6.5 mm.....4, 18                |
| 25902 | HealDesign™ EV 3.6, Ø 4 - 2.5 mm.....4, 18                  |
| 25300 | HealDesign™ EV 3.6, Ø 4 - 3.5 mm.....6, 18                  |
| 25299 | HealDesign™ EV 3.6, Ø 4 - 4.5 mm.....6, 18                  |
| 25903 | HealDesign™ EV 3.6, Ø 4 - 5 mm.....4, 18                    |
| 25796 | HealDesign™ EV 3.6, Ø 4 - 6.5 mm.....6, 18                  |
| 25920 | HealDesign™ EV 3.6, Ø 5 - 3.5 mm.....6, 18                  |
| 25301 | HealDesign™ EV 3.6, Ø 5 - 3.5 mm Triangular.....6, 18       |
| 25904 | HealDesign™ EV 3.6, Ø 5 - 4.5 mm.....4, 18                  |
| 25905 | HealDesign™ EV 3.6, Ø 5 - 6.5 mm.....4, 18                  |
| 25906 | HealDesign™ EV 3.6, Ø 6 - 3.5 mm.....4, 18                  |
| 25907 | HealDesign™ EV 3.6, Ø 6 - 4.5 mm.....4, 18                  |
| 25908 | HealDesign™ EV 4.2, Ø 5 - 2.5 mm.....8, 18, 56              |
| 25501 | HealDesign™ EV 4.2, Ø 5 - 3.5 mm.....8, 18, 56              |
| 25303 | HealDesign™ EV 4.2, Ø 5 - 3.5 mm Triangular.....8, 18       |
| 25302 | HealDesign™ EV 4.2, Ø 5 - 4.5 mm.....8, 18, 56              |
| 25797 | HealDesign™ EV 4.2, Ø 5 - 6.5 mm.....8, 18, 56              |
| 25304 | HealDesign™ EV 4.2, Ø 5 - 3.5 mm Triangular.....8, 18, 56   |
| 25909 | HealDesign™ EV 4.2, Ø 6.5 - 2.5 mm.....8, 18, 56            |
| 25910 | HealDesign™ EV 4.2, Ø 6.5 - 3.5 mm.....8, 18, 56            |
| 25911 | HealDesign™ EV 4.2, Ø 6.5 - 4.5 mm.....8, 18, 56            |
| 25912 | HealDesign™ EV 4.2, Ø 6.5 - 6.5 mm.....8, 18, 56            |
| 25913 | HealDesign™ EV 4.8, Ø 5 - 2.5 mm.....10, 18, 58             |
| 25502 | HealDesign™ EV 4.8, Ø 5 - 3.5 mm.....10, 18, 58             |



| REF   | page   |
|-------|--|
| 25305 | HealDesign™ EV 4.8, Ø 5 – 3.5 mm Triangular.....10, 18   |
| 25914 | HealDesign™ EV 4.8, Ø 5 – 4.5 mm.....10, 18, 58          |
| 25915 | HealDesign™ EV 4.8, Ø 5 – 6.5 mm.....10, 18, 58          |
| 25916 | HealDesign™ EV 4.8, Ø 6.5 – 2.5 mm.....10, 18, 58        |
| 25917 | HealDesign™ EV 4.8, Ø 6.5 – 3.5 mm.....10, 18, 58        |
| 25307 | HealDesign™ EV 4.8, Ø 6.5 – 3.5 mm Triangular.....10, 18 |
| 25306 | HealDesign™ EV 4.8, Ø 6.5 – 4.5 mm.....10, 18, 58        |
| 25798 | HealDesign™ EV 4.8, Ø 6.5 – 6.5 mm.....10, 18, 58        |
| 25918 | HealDesign™ EV 4.8, Ø 7.5 – 3.5 mm.....10, 18, 58        |
| 25919 | HealDesign™ EV 4.8, Ø 7.5 – 4.5 mm.....10, 18, 58        |
| 25921 | HealDesign™ EV 5.4, Ø 6.5 – 2.5 mm.....12, 18            |
| 25309 | HealDesign™ EV 5.4, Ø 6.5 – 3.5 mm.....12, 18            |
| 25308 | HealDesign™ EV 5.4, Ø 6.5 – 4.5 mm.....12, 18            |
| 25799 | HealDesign™ EV 5.4, Ø 6.5 – 6.5 mm.....12, 18            |
| 25922 | HealDesign™ EV 5.4, Ø 7.5 – 3.5 mm.....12, 18            |
| 25923 | HealDesign™ EV 5.4, Ø 7.5 – 4.5 mm.....12, 18            |
| 25584 | HealDesign™ Profile EV 4.8, Ø 5.....56, 62               |
| 25587 | HealDesign™ Profile EV 4.2, Ø 5.....56, 62               |
| 25585 | HealDesign™ Profile EV 4.2, Ø 5 Triangular.....56, 62    |
| 25586 | HealDesign™ Profile EV 4.2, Ø 6.5 Triangular.....56, 62  |
| 25591 | HealDesign™ Profile EV 4.8, Ø 5.....58, 62               |
| 25588 | HealDesign™ Profile EV 4.8, Ø 5 Triangular.....58, 62    |
| 25589 | HealDesign™ Profile EV 4.8, Ø 6.5.....58, 62             |
| 25590 | HealDesign™ Profile EV 4.8, Ø 6.5 Triangular.....58, 62  |
| 25574 | Healing Uni EV 3.0 – 2 mm.....4, 19                      |
| 25575 | Healing Uni EV 3.0 – 3 mm.....4, 19                      |
| 25576 | Healing Uni EV 3.0 – 4 mm.....4, 19                      |
| 25577 | Healing Uni EV 3.0 – 6 mm.....4, 19                      |
| 25285 | Healing Uni EV 3.6 – 2 mm/Ø 4.....6, 19                  |
| 25578 | Healing Uni EV 3.6 – 3 mm/Ø 4.....6, 19                  |
| 25286 | Healing Uni EV 3.6 – 4 mm/Ø 4.....6, 19                  |
| 25287 | Healing Uni EV 3.6 – 6 mm/Ø 4.....6, 19                  |
| 25288 | Healing Uni EV 4.2 – 2 mm/Ø 4.....8, 19, 56              |
| 25579 | Healing Uni EV 4.2 – 3 mm/Ø 4.....8, 19, 56              |
| 25289 | Healing Uni EV 4.2 – 4 mm/Ø 4.....8, 19, 56              |
| 25290 | Healing Uni EV 4.2 – 6 mm/Ø 4.....8, 19, 56              |
| 26219 | Healing Uni EV 4.8 – 2 mm/Ø 4.3.....10, 19, 56           |
| 26220 | Healing Uni EV 4.8 – 3 mm/Ø 4.3.....10, 19, 58           |
| 26221 | Healing Uni EV 4.8 – 4 mm/Ø 4.3.....10, 19, 58           |
| 26222 | Healing Uni EV 4.8 – 6 mm/Ø 4.3.....10, 19, 58           |
| 26223 | Healing Uni EV 5.4 – 2 mm/Ø 4.8.....12, 19               |
| 26224 | Healing Uni EV 5.4 – 3 mm/Ø 4.8.....12, 19               |
| 26225 | Healing Uni EV 5.4 – 4 mm/Ø 4.8.....12, 19               |
| 26226 | Healing Uni EV 5.4 – 6 mm/Ø 4.8.....12, 19               |
| 25727 | Hex Driver EV Machine Intermediate, 24 mm.....49, 51     |
| 25728 | Hex Driver EV Machine Long, 35 mm.....49, 51             |
| 25790 | Hex Driver EV Machine Short, 20 mm.....49, 51            |
| 25771 | Hex Driver EV Manual Short, 20 mm.....49, 51, 80         |
| 25772 | Hex Driver EV Manual Intermediate, 31 mm.....49, 51, 80  |
| 25773 | Hex Driver EV Manual Long, 38 mm.....49, 51, 80          |
| 26264 | Implant 900 Set SI-923, 230 V.....50                     |
| 26265 | Implant 900 Set SI-915, 120 V.....50                     |
| 25710 | Implant Depth Gauge EV.....48                            |
| 25377 | Implant Driver EV 3.0 Long.....48                        |
| 25379 | Implant Driver EV 3.6 Long.....48                        |
| 25378 | Implant Driver EV 3.6 Short.....48                       |
| 25381 | Implant Driver EV 4.2 Long.....48                        |
| 25380 | Implant Driver EV 4.2 Short.....48                       |
| 25383 | Implant Driver EV 4.8 Long.....48                        |
| 25382 | Implant Driver EV 4.8 Short.....48                       |
| 25385 | Implant Driver EV 5.4 Long.....48                        |
| 25384 | Implant Driver EV 5.4 Short.....48                       |
| 26016 | Implant Driver EV-GS 3.6.....73                          |
| 26017 | Implant Driver EV-GS 4.2.....73                          |
| 26018 | Implant Driver EV-GS 4.8.....73                          |
| 26019 | Implant Driver EV-GS Profile 4.2.....73                  |
| 26020 | Implant Driver EV-GS Profile 4.8.....73                  |
| 26021 | Implant Driver Extender EV-GS.....48, 73                 |
| 25464 | Implant Driver Profile EV 4.2 Short.....61               |
| 25465 | Implant Driver Profile EV 4.2 Long.....61                |
| 25466 | Implant Driver Profile EV 4.8 Short.....61               |

| REF   | page   |
|-------|--|
| 25467 | Implant Driver Profile EV 4.8 Long.....61                            |
| 26239 | Implant Pick-Up Design EV 3.0 Long.....5, 25                         |
| 26240 | Implant Pick-Up Design EV 3.6 Long.....7, 25                         |
| 26235 | Implant Pick-Up Design EV 3.6 Short.....7, 25                        |
| 26241 | Implant Pick-Up Design EV 4.2 Long.....9, 25                         |
| 26236 | Implant Pick-Up Design EV 4.2 Short.....9, 25                        |
| 26242 | Implant Pick-Up Design EV 4.8 Long.....11, 25                        |
| 26237 | Implant Pick-Up Design EV 4.8 Short.....11, 25                       |
| 26243 | Implant Pick-Up Design EV 5.4 Long.....13, 25                        |
| 26238 | Implant Pick-Up Design EV 5.4 Short.....13, 25                       |
| 26262 | Implant Pick-Up Design Profile EV 4.2.....57, 65                     |
| 26263 | Implant Pick-Up Design Profile EV 4.8.....59, 65                     |
| 26231 | Implant Pick-Up EV 3.0 Long.....5, 25                                |
| 26232 | Implant Pick-Up EV 3.6 Long.....7, 25                                |
| 26227 | Implant Pick-Up EV 3.6 Short.....7, 25                               |
| 26233 | Implant Pick-Up EV 4.2 Long.....9, 25                                |
| 26228 | Implant Pick-Up EV 4.2 Short.....9, 25                               |
| 26234 | Implant Pick-Up EV 4.8 Long.....11, 25                               |
| 26229 | Implant Pick-Up EV 4.8 Short.....11, 25                              |
| 26230 | Implant Pick-Up EV 5.4 Short.....13, 25                              |
| 26260 | Implant Pick-Up Profile EV 4.2, Long.....57, 65                      |
| 26258 | Implant Pick-Up Profile EV 4.2, Short.....57, 65                     |
| 26261 | Implant Pick-Up Profile EV 4.8, Long.....59, 65                      |
| 26259 | Implant Pick-Up Profile EV 4.8, Short.....59, 65                     |
| 25543 | Implant Replica EV 3.0.....5, 26                                     |
| 25544 | Implant Replica EV 3.6.....7, 26                                     |
| 25545 | Implant Replica EV 4.2.....9, 26                                     |
| 25546 | Implant Replica EV 4.8.....11, 26                                    |
| 25547 | Implant Replica EV 5.4.....13, 26                                    |
| 25610 | Implant Replica Profile EV 4.2.....57, 65                            |
| 25611 | Implant Replica Profile EV 4.8.....59, 65                            |
| 22192 | Implant Retriever.....79   |
| 25534 | Implant Transfer EV 3.0 Long.....5, 26                               |
| 25536 | Implant Transfer EV 3.6 Long.....7, 26                               |
| 25535 | Implant Transfer EV 3.6 Short.....7, 26                              |
| 25538 | Implant Transfer EV 4.2 Long.....9, 26                               |
| 25537 | Implant Transfer EV 4.2 Short.....9, 26                              |
| 25540 | Implant Transfer EV 4.8 Long.....11, 26                              |
| 25539 | Implant Transfer EV 4.8 Short.....11, 26                             |
| 25542 | Implant Transfer EV 5.4 Long.....13, 26                              |
| 25541 | Implant Transfer EV 5.4 Short.....13, 26                             |
| 25607 | Implant Transfer Profile EV 4.2, Long.....57, 65                     |
| 25606 | Implant Transfer Profile EV 4.2, Short.....57, 65                    |
| 25609 | Implant Transfer Profile EV 4.8, Long.....59, 65                     |
| 25608 | Implant Transfer Profile EV 4.8, Short.....59, 65                    |
| 26013 | Initial Drill Ø 3.6.....69   |
| 26014 | Initial Drill Ø 4.2.....69   |
| 26015 | Initial Drill Ø 4.8.....69   |
| 24785 | Irrigation Set.....50  |
| 25644 | Lab Abutment Pin EV Intermediate.....5, 7, 9, 11, 13, 30, 54, 57, 59 |
| 25645 | Lab Abutment Pin EV Long.....5, 7, 9, 11, 13, 30, 54, 57, 59         |
| 25643 | Lab Abutment Pin EV Short.....5, 7, 9, 11, 13, 30, 54, 57, 59        |
| 25476 | Lab Abutment Screw EV 3.0.....5, 26, 54                              |
| 25477 | Lab Abutment Screw EV 3.6 – M1.6.....7, 26, 54                       |
| 25478 | Lab Abutment Screw EV 4.2 – M1.8.....9, 26, 54, 57, 65               |
| 25479 | Lab Abutment Screw EV 4.8 – M2.....11, 26, 54, 59, 65                |
| 25480 | Lab Abutment Screw EV 5.4 – M2.....13, 26, 54                        |
| 25656 | Lab Bridge Screw EV – M1.8.....5, 7, 9, 11, 13, 30, 54, 57, 59       |
| 25528 | Lab Pin Design EV 3.0/3.6.....5, 7, 26, 54                           |
| 25530 | Lab Pin Design EV 4.2/4.8/5.4.....9, 11, 13, 26, 54, 57, 59          |
| 25769 | Large Tray EV.....40, 67   |
| 25721 | Large Tray EV, Overlay 1.....40                                      |
| 25722 | Large Tray EV, Overlay 2.....40                                      |
| 25723 | Large Tray EV, Overlay 3.....40                                      |
| 26098 | Large Tray EV Proline.....67   |
| 26099 | Large Tray EV Streamline.....67                                      |
| 25657 | Locator™ Abutment EV 3.6 – 1 mm.....6, 36                            |
| 25658 | Locator™ Abutment EV 3.6 – 2 mm.....6, 36                            |
| 25659 | Locator™ Abutment EV 3.6 – 3 mm.....6, 36                            |
| 25660 | Locator™ Abutment EV 3.6 – 4 mm.....6, 36                            |
| 25661 | Locator™ Abutment EV 3.6 – 5 mm.....6, 36                            |

| REF   | page  |
|-------|---|
| 25662 | Locator™ Abutment EV 4.2 - 1 mm.....8, 36, 56         |
| 25663 | Locator™ Abutment EV 4.2 - 2 mm.....8, 36, 56         |
| 25664 | Locator™ Abutment EV 4.2 - 3 mm.....8, 36, 56         |
| 25665 | Locator™ Abutment EV 4.2 - 4 mm.....8, 36, 56         |
| 25666 | Locator™ Abutment EV 4.2 - 5 mm.....8, 36, 56         |
| 25667 | Locator™ Abutment EV 4.8 - 1 mm.....10, 36, 58        |
| 25668 | Locator™ Abutment EV 4.8 - 2 mm.....10, 36, 58        |
| 25669 | Locator™ Abutment EV 4.8 - 3 mm.....10, 36, 58        |
| 25670 | Locator™ Abutment EV 4.8 - 4 mm.....10, 36, 58        |
| 25671 | Locator™ Abutment EV 4.8 - 5 mm.....10, 36, 58        |
| 24484 | Locator™ Abutment Pick-up.....6, 8, 10, 36, 56, 58    |
| 24485 | Locator™ Abutment Replica.....7, 9, 11, 36, 57, 59    |
| 24482 | Locator™ Core Tool.....36, 53                         |
| 25766 | Locator™ Driver EV.....32, 52                         |
| 24488 | Locator™ Insert Blue.....7, 9, 11, 37, 57, 59         |
| 24486 | Locator™ Insert Clear.....7, 9, 11, 37, 57, 59        |
| 24489 | Locator™ Insert Green.....7, 9, 11, 37, 57, 59        |
| 25679 | Locator™ Insert Grey.....7, 9, 11, 37, 57, 59         |
| 25843 | Locator™ Insert Orange.....7, 9, 11, 37, 57, 59       |
| 24487 | Locator™ Insert Pink.....7, 9, 11, 37, 57, 59         |
| 24492 | Locator™ Insert Red.....7, 9, 11, 37, 57, 59          |
| 24483 | Locator™ Process Kit.....7, 9, 11, 37, 57, 59         |
| 26266 | Motor EM-19.....50                                    |
| 25711 | Mucosal Punch EV Ø 3.5.....49                         |
| 25712 | Mucosal Punch EV Ø 4.....49                           |
| 25713 | Mucosal Punch EV Ø 4.5.....49                         |
| 25714 | Mucosal Punch EV Ø 5.....49                           |
| 25715 | Mucosal Punch EV Ø 5.5.....49                         |
| 25731 | Mucosal Punch EV Ø 6.5.....49                         |
| 26159 | Multibase Abutment EV 3.6 - 1.5 mm NI.....6, 32       |
| 26160 | Multibase Abutment EV 3.6 - 2.5 mm NI.....6, 32       |
| 26161 | Multibase Abutment EV 3.6 - 3.5 mm NI.....6, 32       |
| 26162 | Multibase Abutment EV 3.6, 17° - 1.5 mm.....6, 32     |
| 26163 | Multibase Abutment EV 3.6, 17° - 2.5 mm.....6, 32     |
| 26164 | Multibase Abutment EV 3.6, 30° - 1.5 mm.....6, 32     |
| 26165 | Multibase Abutment EV 3.6, 30° - 2.5 mm.....6, 32     |
| 26166 | Multibase Abutment EV 3.6, 17° - 1.5 mm NI.....6, 32  |
| 26167 | Multibase Abutment EV 3.6, 17° - 2.5 mm NI.....6, 32  |
| 26168 | Multibase Abutment EV 3.6, 30° - 1.5 mm NI.....6, 32  |
| 26169 | Multibase Abutment EV 3.6, 30° - 2.5 mm NI.....6, 32  |
| 26170 | Multibase Abutment EV 4.2 - 1.5 mm NI.....8, 32       |
| 26171 | Multibase Abutment EV 4.2 - 2.5 mm NI.....8, 32       |
| 26172 | Multibase Abutment EV 4.2 - 3.5 mm NI.....8, 32       |
| 26173 | Multibase Abutment EV 4.2, 17° - 1.5 mm.....8, 32     |
| 26174 | Multibase Abutment EV 4.2, 17° - 2.5 mm.....8, 32     |
| 26175 | Multibase Abutment EV 4.2, 30° - 1.5 mm.....8, 32     |
| 26176 | Multibase Abutment EV 4.2, 30° - 2.5 mm.....8, 32     |
| 26177 | Multibase Abutment EV 4.2, 17° - 1.5 mm NI.....8, 32  |
| 26178 | Multibase Abutment EV 4.2, 17° - 2.5 mm NI.....8, 32  |
| 26179 | Multibase Abutment EV 4.2, 30° - 1.5 mm NI.....8, 32  |
| 26180 | Multibase Abutment EV 4.2, 30° - 2.5 mm NI.....8, 32  |
| 26181 | Multibase Abutment EV 4.8 - 1.5 mm NI.....10, 33      |
| 26182 | Multibase Abutment EV 4.8 - 2.5 mm NI.....10, 33      |
| 26183 | Multibase Abutment EV 4.8 - 3.5 mm NI.....10, 33      |
| 26184 | Multibase Abutment EV 4.8, 17° - 1.5 mm.....10, 33    |
| 26185 | Multibase Abutment EV 4.8, 17° - 2.5 mm.....10, 33    |
| 26186 | Multibase Abutment EV 4.8, 30° - 1.5 mm.....10, 33    |
| 26187 | Multibase Abutment EV 4.8, 30° - 2.5 mm.....10, 33    |
| 26188 | Multibase Abutment EV 4.8, 17° - 1.5 mm NI.....10, 33 |
| 26189 | Multibase Abutment EV 4.8, 17° - 2.5 mm NI.....10, 33 |
| 26190 | Multibase Abutment EV 4.8, 30° - 1.5 mm NI.....10, 33 |
| 26191 | Multibase Abutment EV 4.8, 30° - 2.5 mm NI.....10, 33 |
| 26204 | Multibase Driver EV.....33, 52, 79                    |
| 26192 | Multibase EV Abutment Head with holder.....33         |
| 26196 | Multibase EV Bridge Screw.....7, 9, 11, 35            |
| 26203 | Multibase EV Burnout Cylinder.....7, 9, 11, 34        |
| 26193 | Multibase EV Heal Cap.....6, 8, 10, 34                |
| 26197 | Multibase EV Lab Abutment Pin, 14 mm.....7, 9, 11, 35 |
| 26198 | Multibase EV Lab Abutment Pin, 18 mm.....7, 9, 11, 35 |
| 26199 | Multibase EV Lab Abutment Pin, 22 mm.....7, 9, 11, 35 |
| 26200 | Multibase EV Lab Bridge Screw.....7, 9, 11, 35        |

| REF   | page   |
|-------|--|
| 26195 | Multibase EV Pick-up.....7, 9, 11, 34            |
| 26201 | Multibase EV Replica.....7, 9, 11, 34            |
| 26202 | Multibase EV Temporary Cylinder.....7, 9, 11, 34 |
| 26194 | Multibase EV Transfer.....7, 9, 11, 34           |
| 25638 | OD Cylinder EV.....7, 9, 11, 38, 57, 59          |
| 25212 | OsseoSpeed® EV 3.0 S - 8 mm.....4, 16            |
| 25213 | OsseoSpeed® EV 3.0 S - 9 mm.....4, 16            |
| 25214 | OsseoSpeed® EV 3.0 S - 11 mm.....4, 16           |
| 25215 | OsseoSpeed® EV 3.0 S - 13 mm.....4, 16           |
| 25216 | OsseoSpeed® EV 3.0 S - 15 mm.....4, 16           |
| 25221 | OsseoSpeed® EV 3.6 S - 6 mm.....6, 16            |
| 25222 | OsseoSpeed® EV 3.6 S - 8 mm.....6, 16            |
| 25223 | OsseoSpeed® EV 3.6 S - 9 mm.....6, 16            |
| 25224 | OsseoSpeed® EV 3.6 S - 11 mm.....6, 16           |
| 25225 | OsseoSpeed® EV 3.6 S - 13 mm.....6, 16           |
| 25226 | OsseoSpeed® EV 3.6 S - 15 mm.....6, 16           |
| 25227 | OsseoSpeed® EV 3.6 S - 17 mm.....6, 16           |
| 25231 | OsseoSpeed® EV 4.2 S - 6 mm.....8, 16            |
| 25232 | OsseoSpeed® EV 4.2 S - 8 mm.....8, 16            |
| 25233 | OsseoSpeed® EV 4.2 S - 9 mm.....8, 16            |
| 25234 | OsseoSpeed® EV 4.2 S - 11 mm.....8, 16           |
| 25235 | OsseoSpeed® EV 4.2 S - 13 mm.....8, 16           |
| 25236 | OsseoSpeed® EV 4.2 S - 15 mm.....8, 16           |
| 25237 | OsseoSpeed® EV 4.2 S - 17 mm.....8, 16           |
| 25241 | OsseoSpeed® EV 4.8 S - 6 mm.....10, 17           |
| 25242 | OsseoSpeed® EV 4.8 S - 8 mm.....10, 17           |
| 25243 | OsseoSpeed® EV 4.8 S - 9 mm.....10, 17           |
| 25244 | OsseoSpeed® EV 4.8 S - 11 mm.....10, 17          |
| 25245 | OsseoSpeed® EV 4.8 S - 13 mm.....10, 17          |
| 25246 | OsseoSpeed® EV 4.8 S - 15 mm.....10, 17          |
| 25247 | OsseoSpeed® EV 4.8 S - 17 mm.....10, 17          |
| 25251 | OsseoSpeed® EV 5.4 S - 6 mm.....12, 17           |
| 25252 | OsseoSpeed® EV 5.4 S - 8 mm.....12, 17           |
| 25253 | OsseoSpeed® EV 5.4 S - 9 mm.....12, 17           |
| 25254 | OsseoSpeed® EV 5.4 S - 11 mm.....12, 17          |
| 25255 | OsseoSpeed® EV 5.4 S - 13 mm.....12, 17          |
| 25256 | OsseoSpeed® EV 5.4 S - 15 mm.....12, 17          |
| 25262 | OsseoSpeed® EV 4.2 C - 8 mm.....8, 16            |
| 25263 | OsseoSpeed® EV 4.2 C - 9 mm.....8, 16            |
| 25264 | OsseoSpeed® EV 4.2 C - 11 mm.....8, 16           |
| 25265 | OsseoSpeed® EV 4.2 C - 13 mm.....8, 16           |
| 25266 | OsseoSpeed® EV 4.2 C - 15 mm.....8, 16           |
| 25267 | OsseoSpeed® EV 4.2 C - 17 mm.....8, 16           |
| 25272 | OsseoSpeed® EV 4.8 C - 8 mm.....10, 17           |
| 25273 | OsseoSpeed® EV 4.8 C - 9 mm.....10, 17           |
| 25274 | OsseoSpeed® EV 4.8 C - 11 mm.....10, 17          |
| 25275 | OsseoSpeed® EV 4.8 C - 13 mm.....10, 17          |
| 25276 | OsseoSpeed® EV 4.8 C - 15 mm.....10, 17          |
| 25277 | OsseoSpeed® EV 4.8 C - 17 mm.....10, 17          |
| 25452 | OsseoSpeed® Profile EV 4.2 PC - 8 mm.....56, 60  |
| 25453 | OsseoSpeed® Profile EV 4.2 PC - 9 mm.....56, 60  |
| 25454 | OsseoSpeed® Profile EV 4.2 PC - 11 mm.....56, 60 |
| 25455 | OsseoSpeed® Profile EV 4.2 PC - 13 mm.....56, 60 |
| 25456 | OsseoSpeed® Profile EV 4.2 PC - 15 mm.....56, 60 |
| 25457 | OsseoSpeed® Profile EV 4.2 PC - 17 mm.....56, 60 |
| 25440 | OsseoSpeed® Profile EV 4.2 PS - 8 mm.....56, 60  |
| 25441 | OsseoSpeed® Profile EV 4.2 PS - 9 mm.....56, 60  |
| 25442 | OsseoSpeed® Profile EV 4.2 PS - 11 mm.....56, 60 |
| 25443 | OsseoSpeed® Profile EV 4.2 PS - 13 mm.....56, 60 |
| 25444 | OsseoSpeed® Profile EV 4.2 PS - 15 mm.....56, 60 |
| 25445 | OsseoSpeed® Profile EV 4.2 PS - 17 mm.....56, 60 |
| 25458 | OsseoSpeed® Profile EV 4.8 PC - 8 mm.....58, 60  |
| 25459 | OsseoSpeed® Profile EV 4.8 PC - 9 mm.....58, 60  |
| 25460 | OsseoSpeed® Profile EV 4.8 PC - 11 mm.....58, 60 |
| 25461 | OsseoSpeed® Profile EV 4.8 PC - 13 mm.....58, 60 |
| 25462 | OsseoSpeed® Profile EV 4.8 PC - 15 mm.....58, 60 |
| 25463 | OsseoSpeed® Profile EV 4.8 PC - 17 mm.....58, 60 |
| 25446 | OsseoSpeed® Profile EV 4.8 PS - 8 mm.....58, 60  |
| 25447 | OsseoSpeed® Profile EV 4.8 PS - 9 mm.....58, 60  |
| 25448 | OsseoSpeed® Profile EV 4.8 PS - 11 mm.....58, 60 |
| 25449 | OsseoSpeed® Profile EV 4.8 PS - 13 mm.....58, 60 |

| REF       |  | page   |
|-----------|--|--------|
| 25450     | OsseoSpeed® Profile EV 4.8 PS - 15 mm                  | 58, 60 |
| 25451     | OsseoSpeed® Profile EV 4.8 PS - 17 mm                  | 58, 60 |
| 26217     | Overlay Bone Reamer                                    | 42     |
| 25778     | Polishing Protector Uni EV                             | 54     |
| 3102 1405 | Polymerization Sleeve                                  | 34     |
| 3102 1890 | Polymerization Sleeve (for US markets)                 | 34     |
| 25161     | Precision Drill EV                                     | 44     |
| 26010     | Punch EV-GS Ø 3.6                                      | 69     |
| 26011     | Punch EV-GS Ø 4.2                                      | 69     |
| 26012     | Punch EV-GS Ø 4.8                                      | 69     |
| 25500     | Radiographic Implant Guides EV                         | 49     |
| 25637     | Radiographic Implant Guides Profile EV                 | 61     |
| 25794     | Rescue Driver Uni Abutment EV                          | 79     |
| 25860     | Screw Extractor 0.8                                    | 78     |
| 25861     | Screw Extractor 1.0                                    | 78     |
| 26022     | Sleeve-on-Drill™ 1-Sleeve Ø1.9 ND                      | 74     |
| 26027     | Sleeve-on-Drill™ 1-Sleeve Ø1.9 WD                      | 74     |
| 26028     | Sleeve-on-Drill™ 3-Sleeve Ø3.1 WD                      | 74     |
| 26023     | Sleeve-on-Drill™ 3/V-Sleeve Ø3.1 ND                    | 74     |
| 26024     | Sleeve-on-Drill™ 4/V-Sleeve Ø3.7 ND                    | 74     |
| 26029     | Sleeve-on-Drill™ 4/V-Sleeve Ø3.7 WD                    | 74     |
| 26030     | Sleeve-on-Drill™ 5/V-Sleeve Ø4.3 WD                    | 74     |
| 26025     | Sleeve-on-Drill™ X-Sleeve Ø3.45 ND                     | 74     |
| 26026     | Sleeve-on-Drill™ X-Sleeve Ø4.05 ND                     | 74     |
| 26031     | Sleeve-on-Drill™ X-Sleeve Ø4.05 WD                     | 74     |
| 26032     | Sleeve-on-Drill™ X-Sleeve Ø4.65 WD                     | 74     |
| 25770     | Small Tray EV (no overlay)                             | 41     |
| 25724     | Small Tray EV, Overlay Restorative                     | 41     |
| 25845     | Small Tray EV, Overlay Storage                         | 41     |
| 25725     | Small Tray EV, Overlay Surgical                        | 41     |
| 26218     | Small Tray EV including overlay Bone Reamers           | 42     |
| 25982     | Small Tray EV including overlay Restorative            | 41     |
| 25983     | Small Tray EV including overlay Surgical               | 41     |
| 25984     | Small Tray EV including overlay Storage                | 41     |
| 26205     | SmartFix® Guide  | 35, 42 |
| 68108     | Suction Tube Medena 2.0 m                              | 50     |
| 68130     | Suction Tube Medena 2.0 m incl double bent suction tip | 50     |
| 68118     | Suction Tube Medena 3.5 m                              | 50     |
| 26251     | Temp Abutment EV 3.0                                   | 4, 21  |
| 26252     | Temp Abutment EV 3.6                                   | 6, 21  |
| 26253     | Temp Abutment EV 4.2                                   | 8, 21  |
| 26254     | Temp Abutment EV 4.8                                   | 10, 21 |
| 26255     | Temp Abutment EV 5.4                                   | 12, 21 |
| 26256     | Temp Abutment Profile EV 4.2                           | 56, 63 |
| 26257     | Temp Abutment Profile EV 4.8                           | 58, 63 |
| 25503     | TempDesign™ EV 3.0                                     | 4, 21  |
| 25504     | TempDesign™ EV 3.6                                     | 6, 21  |
| 25505     | TempDesign™ EV 4.2                                     | 8, 21  |
| 25506     | TempDesign™ EV 4.8                                     | 10, 21 |
| 25507     | TempDesign™ EV 5.4                                     | 12, 21 |
| 25756     | TempDesign™ Profile EV 4.2                             | 56, 63 |
| 25757     | TempDesign™ Profile EV 4.8                             | 58, 63 |
| 25862     | Thread Cleaner M1.4                                    | 78     |
| 25863     | Thread Cleaner M1.6                                    | 78     |
| 25864     | Thread Cleaner M1.8                                    | 78     |
| 25865     | Thread Cleaner M2.0                                    | 78     |
| 25330     | TiDesign™ EV 3.0 Ø 4 - 2.5 mm                          | 4, 22  |
| 25331     | TiDesign™ EV 3.0 Ø 4 - 1.5 mm                          | 4, 22  |
| 25332     | TiDesign™ EV 3.0 15° Ø 4 - 1.5 mm                      | 4, 22  |
| 25333     | TiDesign™ EV 3.6 Ø 5.5 - 1.5/2.5 mm Triangular         | 6, 22  |
| 25334     | TiDesign™ EV 3.6 Ø 4.5 - 2.5/3.5 mm                    | 6, 22  |
| 25335     | TiDesign™ EV 3.6 20° Ø 4.5 - 1.5/2.5 mm                | 6, 22  |
| 25336     | TiDesign™ EV 4.2 Ø 5.5 - 1.5/2.5 mm Triangular         | 8, 22  |
| 25337     | TiDesign™ EV 4.2 Ø 7 - 1.5/2.5 mm Triangular           | 8, 22  |
| 25338     | TiDesign™ EV 4.2 Ø 5.5 - 2.5/3.5 mm                    | 8, 22  |
| 25339     | TiDesign™ EV 4.2 20° Ø 5.5 - 1.5/2.5 mm                | 8, 22  |
| 25340     | TiDesign™ EV 4.8 Ø 5.5 - 1.5/2.5 mm Triangular         | 10, 22 |
| 25341     | TiDesign™ EV 4.8 Ø 7 - 1.5/2.5 mm Triangular           | 10, 22 |
| 25342     | TiDesign™ EV 4.8 Ø 7 - 2.5/3.5 mm                      | 10, 22 |
| 25343     | TiDesign™ EV 4.8 20° Ø 5.5 - 1.5/2.5 mm                | 10, 22 |
| 25344     | TiDesign™ EV 5.4 Ø 7 - 2.5/3.5 mm                      | 12, 22 |

| REF   |  | page                        |
|-------|--|-----------------------------|
| 25345 | TiDesign™ EV 5.4 Ø 7 - 1.5/2.5 mm                  | 12, 22                      |
| 25594 | TiDesign™ Profile EV 4.2, Ø 5.5                    | 56, 64                      |
| 25595 | TiDesign™ Profile EV 4.2, Ø 5.5 15°                | 56, 64                      |
| 25592 | TiDesign™ Profile EV 4.2, Ø 5.5 Triangular         | 56, 64                      |
| 25593 | TiDesign™ Profile EV 4.2, Ø 7.0 Triangular         | 56, 64                      |
| 25599 | TiDesign™ Profile EV 4.8, Ø 5.5 15°                | 58, 64                      |
| 25596 | TiDesign™ Profile EV 4.8, Ø 5.5 Triangular         | 58, 64                      |
| 25598 | TiDesign™ Profile EV 4.8, Ø 7.0                    | 58, 64                      |
| 25597 | TiDesign™ Profile EV 4.8, Ø 7.0 Triangular         | 58, 64                      |
| 25924 | TitaniumBase EV 3.0 Ø 4 - 5 mm                     | 5, 24                       |
| 25925 | TitaniumBase EV 3.0 Ø 4 - 6 mm                     | 5, 24                       |
| 25926 | TitaniumBase EV 3.6 Ø 4.1 - 5 mm                   | 7, 24                       |
| 25927 | TitaniumBase EV 3.6 Ø 4.1 - 6 mm                   | 7, 24                       |
| 25928 | TitaniumBase EV 4.2 Ø 4.7 - 5 mm                   | 9, 24                       |
| 25929 | TitaniumBase EV 4.2 Ø 4.7 - 6 mm                   | 9, 24                       |
| 25930 | TitaniumBase EV 4.8 Ø 5 - 5 mm                     | 11, 24                      |
| 25931 | TitaniumBase EV 4.8 Ø 5 - 6 mm                     | 11, 24                      |
| 25932 | TitaniumBase EV 4.8 Ø 5.5 - 5 mm                   | 13, 24                      |
| 25933 | TitaniumBase EV 4.8 Ø 5.5 - 6 mm                   | 13, 24                      |
| 22137 | Titanium Bowl                                      | 48                          |
| 25774 | Torque Wrench EV                                   | 49, 53, 80                  |
| 25776 | Torque Wrench EV Restorative Driver Handle         | 53, 80                      |
| 25730 | Torque Wrench EV Restorative Driver Handle 4x4 Low | 53, 80                      |
| 25777 | Torque Wrench EV Restorative Driver Handle Low     | 53, 80                      |
| 25775 | Torque Wrench EV Surgical Driver Handle            | 49, 80                      |
| 25866 | Trephine Drill 3.0, 6-17 mm                        | 79                          |
| 25867 | Trephine Drill 3.6, 6-17 mm                        | 79                          |
| 25886 | Trephine Drill 4.2, P4.2, 6-13 mm                  | 79                          |
| 25868 | Trephine Drill 4.2, P4.2, 6-17 mm                  | 79                          |
| 25887 | Trephine Drill 4.8, P4.8, 6-13 mm                  | 79                          |
| 25869 | Trephine Drill 4.8, P4.8, 6-17 mm                  | 79                          |
| 25870 | Trephine Drill 5.4, 6-17 mm                        | 79                          |
| 25888 | Trephine Drill 5.4, 6-13 mm                        | 79                          |
| 24786 | Tubing Extension with Luer                         | 50                          |
| 24787 | Tubing Cover Sleeve                                | 50                          |
| 25555 | Uni Abutment EV 3.0 - 2 mm                         | 4, 29                       |
| 25556 | Uni Abutment EV 3.0 - 3 mm                         | 4, 29                       |
| 25557 | Uni Abutment EV 3.0 - 5 mm                         | 4, 29                       |
| 25558 | Uni Abutment EV 3.6 - 1 mm                         | 6, 29                       |
| 25559 | Uni Abutment EV 3.6 - 2 mm                         | 6, 29                       |
| 25560 | Uni Abutment EV 3.6 - 3 mm                         | 6, 29                       |
| 25561 | Uni Abutment EV 3.6 - 5 mm                         | 6, 29                       |
| 25562 | Uni Abutment EV 4.2 - 1 mm                         | 8, 29, 56                   |
| 25563 | Uni Abutment EV 4.2 - 2 mm                         | 8, 29, 56                   |
| 25564 | Uni Abutment EV 4.2 - 3 mm                         | 8, 29, 56                   |
| 25565 | Uni Abutment EV 4.2 - 5 mm                         | 8, 29, 56                   |
| 25566 | Uni Abutment EV 4.8 - 1 mm                         | 10, 29, 58                  |
| 25567 | Uni Abutment EV 4.8 - 2 mm                         | 10, 29, 58                  |
| 25568 | Uni Abutment EV 4.8 - 3 mm                         | 10, 29, 58                  |
| 25569 | Uni Abutment EV 4.8 - 5 mm                         | 10, 29, 58                  |
| 25570 | Uni Abutment EV 5.4 - 1 mm                         | 12, 29                      |
| 25571 | Uni Abutment EV 5.4 - 2 mm                         | 12, 29                      |
| 25572 | Uni Abutment EV 5.4 - 3 mm                         | 12, 29                      |
| 25573 | Uni Abutment EV 5.4 - 5 mm                         | 12, 29                      |
| 25649 | Uni Abutment EV Burnout Cylinder                   | 5, 7, 9, 11, 13, 30, 57, 59 |
| 25952 | Uni Abutment EV Heal Cap Short Ø 4.3 - 3.4 mm      | 4, 6, 8, 10, 12, 30, 56, 58 |
| 25616 | Uni Abutment EV Heal Cap Ø 4.3 - 4.4 mm            | 4, 6, 8, 10, 12, 30, 56, 58 |
| 25953 | Uni Abutment EV Heal Cap Short Ø 5.5 - 3.4 mm      | 4, 6, 8, 10, 12, 30, 56, 58 |
| 25617 | Uni Abutment EV Heal Cap Ø 5.5 - 4.4 mm            | 4, 6, 8, 10, 12, 30, 56, 58 |
| 26245 | Uni Abutment EV Pick-Up Ø 4.3 Short                | 4, 6, 8, 10, 12, 30, 56, 58 |
| 26246 | Uni Abutment EV Pick-Up Ø 5.5 Short                | 4, 6, 8, 10, 12, 30, 56, 58 |
| 26247 | Uni Abutment EV Pick-Up Ø 4.3 Long                 | 4, 6, 8, 10, 12, 30, 56, 58 |
| 26248 | Uni Abutment EV Pick-Up Ø 5.5 Long                 | 4, 6, 8, 10, 12, 30, 56, 58 |
| 25615 | Uni Abutment EV Replica                            | 5, 7, 9, 11, 13, 30, 57, 59 |
| 25647 | Uni Abutment EV Semi-Burnout Cylinder              | 5, 7, 9, 11, 13, 30, 57, 59 |
| 26250 | Uni Abutment EV Temporary Cylinder                 | 5, 7, 9, 11, 13, 30, 57, 59 |
| 26249 | Uni Abutment EV Transfer                           | 5, 7, 9, 11, 13, 30, 56, 58 |

| REF       | page   |
|-----------|--|
| 25708     | Uni Driver EV.....29, 52                             |
| 3107 1000 | Washtray Astra Tech Implant System® EV .....43       |
| 3107 1020 | Washtray GS Astra Tech Implant System® EV.....43, 68 |
| 3107 1002 | Washtray Sterilization Container ATIS EV.....43      |
| 26084     | V-Drill EV-GS 3.6-4.2C, Ø 3.1, 6-8 mm.....72         |
| 26085     | V-Drill EV-GS 3.6-4.2C, Ø 3.1, 9-11 mm.....72        |
| 26086     | V-Drill EV-GS 3.6-4.2C, Ø 3.1, 13-15 mm.....72       |
| 26087     | V-Drill EV-GS 4.2, Ø 3.7, 6-8 mm.....72              |
| 26088     | V-Drill EV-GS 4.2, Ø 3.7, 9-11 mm.....72             |
| 26089     | V-Drill EV-GS 4.2, Ø 3.7, 13-15 mm.....72            |
| 26090     | V-Drill EV-GS 4.8C, Ø 3.7, 6-8 mm.....72             |
| 26091     | V-Drill EV-GS 4.8C, Ø 3.7, 9-11 mm.....72            |
| 26092     | V-Drill EV-GS 4.8C, Ø 3.7, 13-15 mm.....72           |
| 26093     | V-Drill EV-GS 4.8, Ø 4.3, 6-8 mm.....72              |
| 26094     | V-Drill EV-GS 4.8, Ø 4.3, 9-11 mm.....72             |
| 26095     | V-Drill EV-GS 4.8, Ø 4.3, 13-15 mm.....72            |
| 25985     | V - Twist Drill EV Ø 2.5, 6-13 mm.....47             |
| 25780     | V - Twist Drill EV Ø 2.5, 6-17 mm.....47             |
| 25986     | V - Twist Drill EV Ø 3.1, 6-13 mm.....47             |
| 25781     | V - Twist Drill EV Ø 3.1, 6-17 mm.....47             |
| 25987     | V - Twist Drill EV Ø 3.7, 6-13 mm.....47             |
| 25782     | V - Twist Drill EV Ø 3.7, 6-17 mm.....47             |
| 25988     | V - Twist Drill EV Ø 4.3, 6-13 mm.....47             |
| 25783     | V - Twist Drill EV Ø 4.3, 6-17 mm.....47             |
| 25989     | V - Twist Drill EV Ø 4.9, 6-13 mm.....47             |
| 25784     | V - Twist Drill EV Ø 4.9, 6-17 mm.....47             |
| 26072     | X-Drill EV-GS 3.6-4.2C, Ø 3.1/3.45, 6-8 mm .....72   |
| 26073     | X-Drill EV-GS 3.6-4.2C, Ø 3.1/3.45, 9-11 mm.....72   |
| 26074     | X-Drill EV-GS 3.6-4.2C, Ø 3.1/3.45, 13-15 mm.....72  |
| 26075     | X-Drill EV-GS 4.2, Ø 3.7/4.05, 6-8 mm.....72         |

| REF   | page   |
|-------|--|
| 26076 | X-Drill EV-GS 4.2, Ø 3.7/4.05, 9-11 mm.....72          |
| 26077 | X-Drill EV-GS 4.2, Ø 3.7/4.05, 13-15 mm.....72         |
| 26078 | X-Drill EV-GS 4.8C, Ø 3.7/4.05, 6-8 mm.....72          |
| 26079 | X-Drill EV-GS 4.8C, Ø 3.7/4.05, 9-11 mm.....72         |
| 26080 | X-Drill EV-GS 4.8C, Ø 3.7/4.05, 13-15 mm.....72        |
| 26081 | X-Drill EV-GS 4.8, Ø 4.3/4.65, 6-8 mm.....72           |
| 26082 | X-Drill EV-GS 4.8, Ø 4.3/4.65, 9-11 mm.....72          |
| 26083 | X-Drill EV-GS 4.8, Ø 4.3/4.65, 13-15 mm.....72         |
| 25482 | X - Step Drill EV Ø 2.5/2.85, 6-13 mm.....47           |
| 25990 | X - Step Drill EV Ø 2.5/2.85, 6-17 mm.....47           |
| 25483 | X - Step Drill EV Ø 3.1/3.45, 6-13 mm.....47           |
| 25991 | X - Step Drill EV Ø 3.1/3.45, 6-17 mm.....47           |
| 25484 | X - Step Drill EV Ø 3.7/4.05, 6-13 mm.....47           |
| 25992 | X - Step Drill EV Ø 3.7/4.05, 6-17 mm.....47           |
| 25485 | X - Step Drill EV Ø 4.3/4.65, 6-13 mm.....47           |
| 25993 | X - Step Drill EV Ø 4.3/4.65, 6-17 mm.....47           |
| 25486 | X - Step Drill EV Ø 4.9/5.25, 6-13 mm.....47           |
| 25994 | X - Step Drill EV Ø 4.9/5.25, 6-17 mm.....47           |
| 25316 | ZirDesign™ EV 3.6 Ø 4.5 - 2.5 mm..... 6, 23            |
| 25315 | ZirDesign™ EV 3.6 Ø 5.5 - 1.5 mm Triangular..... 6, 23 |
| 25317 | ZirDesign™ EV 3.6 20° Ø 4.5 - 1.5 mm..... 6, 23        |
| 25318 | ZirDesign™ EV 4.2 Ø 5.5 - 1.5 mm Triangular..... 8, 23 |
| 25320 | ZirDesign™ EV 4.2 Ø 5.5 - 2.5 mm..... 8, 23            |
| 25319 | ZirDesign™ EV 4.2 Ø 7 - 1.5 mm Triangular..... 8, 23   |
| 25321 | ZirDesign™ EV 4.2 20° Ø 5.5 - 1.5 mm..... 8, 23        |
| 25322 | ZirDesign™ EV 4.8 Ø 5.5 - 1.5 mm Triangular.....10, 23 |
| 25323 | ZirDesign™ EV 4.8 Ø 7 - 1.5 mm Triangular.....10, 23   |
| 25324 | ZirDesign™ EV 4.8 Ø 7 - 2.5 mm.....10, 23              |
| 25325 | ZirDesign™ EV 4.8 20° Ø 5.5 - 1.5 mm.....10, 23        |



### About Dentsply Sirona Implants

Dentsply Sirona Implants offers comprehensive solutions for all phases of implant therapy, including Ankylos®, Astra Tech Implant System® and Xive® implant lines, digital technologies, such as Atlantis® patient-specific solutions and Simplant® guided surgery, Symbios® regenerative solutions, and professional and business development programs, such as STEPPS™. Dentsply Sirona Implants creates value for dental professionals and allows for predictable and lasting implant treatment outcomes, resulting in enhanced quality of life for patients.

### About Dentsply Sirona

Dentsply Sirona is the world's largest manufacturer of professional dental products and technologies, with a 130-year history of innovation and service to the dental industry and patients worldwide. Dentsply Sirona develops, manufactures, and markets a comprehensive solutions offering including dental and oral health products as well as other consumable medical devices under a strong portfolio of world class brands. As The Dental Solutions Company™, Dentsply Sirona's products provide innovative, high-quality and effective solutions to advance patient care and deliver better, safer and faster dentistry. Dentsply Sirona's global headquarters is located in York, Pennsylvania, and the international headquarters is based in Salzburg, Austria. The company's shares are listed in the United States on NASDAQ under the symbol XRAY.

Visit [www.dentsplysirona.com](http://www.dentsplysirona.com) for more information about Dentsply Sirona and its products.