

# Dentsply Sirona Implants Publications list

*A reference list of the more than 2000 original articles on Dentsply Sirona Implants products that are published in peer reviewed scientific journals.*

## Implant systems

Ankylos .....	2
Astra Tech Implant System.....	26
Xive .....	100
Frialit .....	121

## Digital implant solutions

Atlantis.....	134
Simplant .....	144

## Regenerative

Symbios.....	165
--------------	-----

\* In cases where several Dentsply Sirona Implant products have been used in the same publication, the publication is listed under multiple sections, where relevant.

# Implant systems

## Ankylos

1. Abboud M, Koeck B, Stark H, et al. Immediate loading of single-tooth implants in the posterior region. *Int J Oral Maxillofac Implants* 2005;20(1):61-8. [Abstract](#)
2. Abboud M, Wahl G, Guirado JL, et al. Application and success of two stereolithographic surgical guide systems for implant placement with immediate loading. *Int J Oral Maxillofac Implants* 2012;27(3):634-43. [Abstract](#)
3. Ahmad R, Abu-Hassan MI, Chen J, et al. The relationship of mandibular morphology with residual ridge resorption associated with implant-retained overdentures. *Int J Prosthodont* 2016;29(6):573-80. [Abstract](#)
4. Ahmad R, Abu-Hassan MI, Li Q, et al. Three dimensional quantification of mandibular bone remodeling using standard tessellation language registration based superimposition. *Clin Oral Implants Res* 2012;24(11):1273-9. [Abstract](#)
5. Ahmad R, Chen J, Abu-Hassan MI, et al. Investigation of mucosa-induced residual ridge resorption under implant-retained overdentures and complete dentures in the mandible. *Int J Oral Maxillofac Implants* 2015;30(3):657-66. [Abstract](#)
6. Albiero AM, Benato R. Computer-assisted surgery and intraoral welding technique for immediate implant-supported rehabilitation of the edentulous maxilla: Case report and technical description. *Int J Med Robot* 2016;12(3):453-60. [Abstract](#)
7. Albiero AM, Benato R, Benato A, et al. Use of intraoral welding to increase the predictability of immediately loaded computer-guided implants. *Int J Periodontics Restorative Dent* 2017;37(4):591-98. [Abstract](#)
8. Albiero AM, Benato R, Momic S, et al. Implementation of computer-guided implant planning using digital scanning technology for restorations supported by conical abutments: A dental technique. *J Prosthet Dent* 2017;119(5):720-26. [Abstract](#)
9. Al-Hashedi AA, Taiyeb-Ali TB, Yunus N. Outcomes of placing short implants in the posterior mandible: a preliminary randomized controlled trial. *Aust Dent J* 2016;61(2):208-18. [Abstract](#)
10. Aloise JP, Curcio R, Laporta MZ, et al. Microbial leakage through the implant-abutment interface of Morse taper implants in vitro. *Clin Oral Implants Res* 2010;21(3):328-35. [Abstract](#)
11. Andrikopoulou E. Detecting bone changes along dental implants, after immediate or delayed loading, using digital subtraction on cropped panoramic radiographs. A prospective clinical trial with minimum 3-year follow up. *J Osseointegration* 2019;11(March):11-20.
12. Aoki M, Takanashi K, Matsukubo T, et al. Transmission of periodontopathic bacteria from natural teeth to implants. *Clin Implant Dent Relat Res* 2012;14(3):406-11. [Abstract](#)
13. Aparicio T, D. L. Using Compartis ISUS in conjunction with ANKYLOS. CAD/CAM technology increases predictability in implant prosthetics. *Inside Dentistry* 2011;7(5).

14. Arasawa M, Oda Y, Kobayashi T, et al. Evaluation of bone volume changes after sinus floor augmentation with autogenous bone grafts. *Int J Oral Maxillofac Surg* 2012;41(7):853-7. [Abstract](#)
15. Assenza B, Tripodi D, Scarano A, et al. Bacterial leakage in implants with different implant-abutment connections: an in vitro study. *J Periodontol* 2012;83(4):491-7. [Abstract](#)
16. Baggi L, Cappelloni I, Di Girolamo M, et al. The influence of implant diameter and length on stress distribution of osseointegrated implants related to crestal bone geometry: a three-dimensional finite element analysis. *J Prosthet Dent* 2008;100(6):422-31. [Abstract](#)
17. Baggi L, Di Girolamo M, Mirisola C, et al. Microbiological evaluation of bacterial and mycotic seal in implant systems with different implant-abutment interfaces and closing torque values. *Implant Dent* 2013;22(4):344-50. [Abstract](#)
18. Baggi L, Pastore S, Di Girolamo M, et al. Implant-bone load transfer mechanisms in complete-arch prostheses supported by four implants: A three-dimensional finite element approach. *J Prosthet Dent* 2013;109(1):9-21. [Abstract](#)
19. Baixe S, Fauxpoint G, Arntz Y, et al. Microgap between zirconia abutments and titanium implants. *Int J Oral Maxillofac Implants* 2010;25(3):455-60. [Abstract](#)
20. Barros RR, Degidi M, Novaes AB, et al. Osteocyte density in the peri-implant bone of immediately loaded and submerged dental implants. *J Periodontol* 2009;80(3):499-504. [Abstract](#)
21. Benlidayi ME, Tatli U, Salimov F, et al. Comparison of autogenous and allograft bone rings in surgically created vertical bone defects around implants in a sheep model. *Clin Oral Implants Res* 2018;E-pub Oct 3 doi: 10.1111/cir.13379 [Abstract](#)
22. Bernard L, Vercruyssen M, Vanderveken J, et al. Randomized controlled trial comparing immediate loading with conventional loading using cone-anchored implant-supported screw-retained removable prostheses: A 2-year follow-up clinical trial. *J Prosthet Dent* 2019;121(2):258-64. [Abstract](#)
23. Block MS, Kaleem A. Use of sintered xenograft over allograft for ridge augmentation: technique note. *J Oral Maxillofac Surg* 2014;72(3):496-502. [Abstract](#)
24. Blum K, Wiest W, Fella C, et al. Fatigue induced changes in conical implant-abutment connections. *Dent Mater* 2015;31(11):1415-26. [Abstract](#)
25. Bozkaya D, Muftu S, Muftu A. Evaluation of load transfer characteristics of five different implants in compact bone at different load levels by finite elements analysis. *J Prosthet Dent* 2004;92(6):523-30. [Abstract](#)
26. Brandtner C, Borumandi F, Krenkel C, et al. A new technique for sandwich osteoplasty with interpositional bone grafts for fixation. *Int J Oral Maxillofac Implants* 2014;29(5):1164-9. [Abstract](#)
27. Bressan E, Grusovin MG, D'Avenia F, et al. The influence of repeated abutment changes on peri-implant tissue stability: 3-year post-loading results from a multicentre randomised controlled trial. *Eur J Oral Implantol* 2017;10(4):373-90. [Abstract](#)

28. Bressan E, Lops D. Conometric retention for complete fixed prostheses supported by four implants: 2-years prospective study. *Clin Oral Implants Res* 2014;25(5):546-52. [Abstract](#)
29. Bressan E, Sbricoli L. Five-year prospective study on conometric retention for complete fixed prostheses. *Int J Oral Implantol* 2019;12(1):105-13.
30. Brozovic J, Demoli N, Farkas N, et al. Properties of axially loaded implant-abutment assemblies using digital holographic interferometry analysis. *Dent Mater* 2014;30(3):e17-27. [Abstract](#)
31. Bruckmoser E, Gruber R, Steinmassl O, et al. Crestal sinus floor augmentation using hydraulic pressure and vibrations: A retrospective single cohort study. *Int J Oral Maxillofac Implants* 2018;33(5):1149-54. [Abstract](#)
32. Buitrago-Osuna A. Microleakage at implant-abutment interface in internal conical connection implants, an in-vitro study. *J Oral Health Dent Sci* 2019;3(1):1-6.
33. Butz F, Bachle M, Ofer M, et al. Sinus augmentation with bovine hydroxyapatite/synthetic peptide in a sodium hyaluronate carrier (PepGen P-15 Putty): a clinical investigation of different healing times. *Int J Oral Maxillofac Implants* 2011;26(6):1317-23. [Abstract](#)
34. Carbiner R, Jerjes W, Shakib K, et al. Analysis of the compatibility of dental implant systems in fibula free flap reconstruction. *Head Neck Oncol* 2012;4:37. [Abstract](#)
35. Cepa S, Koller B, Spies BC, et al. Implant-retained prostheses: ball vs. conus attachments - A randomized controlled clinical trial. *Clin Oral Implants Res* 2017;28(2):177-85. [Abstract](#)
36. Cepa S, Koller B, Wolkewitz M, et al. Implant-retained prostheses: ball vs. conus attachments - A randomized controlled clinical trial. *Z Zahnärztl Impl* 2011;27(4):320-33.
37. Chang HC, Li HY, Chen YN, et al. Mechanical analysis of a dental implant system under 3 contact conditions and with 2 mechanical factors. *J Prosthet Dent* 2019;E-pub Apr 6 doi:10.1016/j.jprosdent.2018.10.008. [Abstract](#)
38. Chou CT, Morris HF, Ochi S, et al. AICRG, Part II: Crestal bone loss associated with the Ankylos implant: loading to 36 months. *J Oral Implantol* 2004;30(3):134-43. [Abstract](#)
39. Conserva E, Lanuti A, Menini M. Cell behavior related to implant surfaces with different microstructure and chemical composition: an in vitro analysis. *Int J Oral Maxillofac Implants* 2010;25(6):1099-107. [Abstract](#)
40. Conserva E, Menini M, Ravera G, et al. The role of surface implant treatments on the biological behavior of SaOS-2 osteoblast-like cells. An in vitro comparative study. *Clin Oral Implants Res* 2013;24(8):880-9. [Abstract](#)
41. Cosyn J, Vandenbulcke E, Browaeys H, et al. Factors associated with failure of surface-modified implants up to four years of function. *Clin Implant Dent Relat Res* 2012;14(3):347-58. [Abstract](#)
42. Crespi R, Cappare P, Gherlone E. Radiographic evaluation of marginal bone levels around platform-switched and non-platform-switched implants used in an

- immediate loading protocol. *Int J Oral Maxillofac Implants* 2009;24(5):920-6.
- [Abstract](#)
43. de Oliveira RR, Novaes AB, Jr., Papalexiou V, et al. Influence of interimplant distance on papilla formation and bone resorption: a clinical-radiographic study in dogs. *J Oral Implantol* 2006;32(5):218-27. [Abstract](#)
  44. de Oliveira RR, Novaes AB, Jr., Taba M, Jr., et al. Bone remodeling adjacent to Morse cone-connection implants with platform switch: a fluorescence study in the dog mandible. *Int J Oral Maxillofac Implants* 2009;24(2):257-66. [Abstract](#)
  45. Debruyne S, Grognard N, Verleye G, et al. ISQ calculation evaluation of in vitro laser scanning vibrometry-captured resonance frequency. *Int J Implant Dent* 2017;3(1):44. [Abstract](#)
  46. Degidi M, Daprile G, Nardi D, et al. Buccal bone plate in immediately placed and restored implant with Bio-Oss((R)) collagen graft: a 1-year follow-up study. *Clin Oral Implants Res* 2013;24(11):1201-5. [Abstract](#)
  47. Degidi M, Daprile G, Nardi D, et al. Immediate provisionalization of implants placed in fresh extraction sockets using a definitive abutment: the chamber concept. *Int J Periodontics Restorative Dent* 2013;33(5):559-65. [Abstract](#)
  48. Degidi M, Daprile G, Piattelli A. Marginal bone loss around implants with platform-switched Morse-cone connection: a radiographic cross-sectional study. *Clin Oral Implants Res* 2017;28(9):1108-12. [Abstract](#)
  49. Degidi M, Gehrke P, Spanel A, et al. Syncrystallization: a technique for temporization of immediately loaded implants with metal-reinforced acrylic resin restorations. *Clin Implant Dent Relat Res* 2006;8(3):123-34. [Abstract](#)
  50. Degidi M, Iezzi G, Scarano A, et al. Immediately loaded titanium implant with a tissue-stabilizing/maintaining design ('beyond platform switch') retrieved from man after 4 weeks: a histological and histomorphometrical evaluation. A case report. *Clin Oral Implants Res* 2008;19(3):276-82. [Abstract](#)
  51. Degidi M, Nardi D, Daprile G, et al. Nonremoval of immediate abutments in cases involving subcrestally placed postextractive tapered single implants: a randomized controlled clinical study. *Clin Implant Dent Relat Res* 2014;16(6):794-805. [Abstract](#)
  52. Degidi M, Nardi D, Gianluca S, et al. The conometric concept: A 5-year follow-up of fixed partial monolithic zirconia restorations supported by cone-in-cone abutments. *Int J Periodontics Restorative Dent* 2018;38(3):363-71. [Abstract](#)
  53. Degidi M, Nardi D, Piattelli A. Prospective study with a 2-year follow-up on immediate implant loading in the edentulous mandible with a definitive restoration using intra-oral welding. *Clin Oral Implants Res* 2010;21(4):379-85. [Abstract](#)
  54. Degidi M, Nardi D, Piattelli A. One abutment at one time: non-removal of an immediate abutment and its effect on bone healing around subcrestal tapered implants. *Clin Oral Implants Res* 2011;22(11):1303-07. [Abstract](#)
  55. Degidi M, Nardi D, Piattelli A. The conometric concept: Coupling connection for immediately loaded titanium-reinforced provisional fixed partial dentures-a case series. *Int J Periodontics Restorative Dent* 2016;36(3):347-54. [Abstract](#)

56. Degidi M, Nardi D, Sighinolfi G, et al. The conometric concept: A two-year follow-up of fixed partial CEREC restorations supported by cone-In-cone abutments. *J Prosthodont* 2019;28(2):e780-e87. [Abstract](#)
57. Degidi M, Nardi D, Sighinolfi G, et al. In vitro infrared thermography assessment of temperature peaks during the intra-oral welding of titanium abutments. *Infrared Phys Technol* 2012;55:279-83.
58. Degidi M, Nardi D, Sighinolfi G, et al. Immediate rehabilitation of the edentulous mandible using Ankylos SynCone telescopic copings and intraoral welding: A pilot study. *Int J Periodontics Restorative Dent* 2012;32(6):e189-94. [Abstract](#)
59. Degidi M, Nardi D, Sighinolfi G, et al. The conometric concept: definitive fixed lithium disilicate restorations supported by conical abutments. *J Prosthodont* 2018;27(7):605-10. [Abstract](#)
60. Degidi M, Perrotti V, Piattelli A, et al. Mineralized bone-implant contact and implant stability quotient in 16 human implants retrieved after early healing periods: a histologic and histomorphometric evaluation. *Int J Oral Maxillofac Implants* 2010;25(1):45-8. [Abstract](#)
61. Degidi M, Perrotti V, Shibli JA, et al. Equicrestal and subcrestal dental implants: a histologic and histomorphometric evaluation of nine retrieved human implants. *J Periodontol* 2011;82(5):708-15. [Abstract](#)
62. Degidi M, Perrotti V, Strocchi R, et al. Is insertion torque correlated to bone-implant contact percentage in the early healing period? A histological and histomorphometrical evaluation of 17 human-retrieved dental implants. *Clin Oral Implants Res* 2009;20(8):778-81. [Abstract](#)
63. Degidi M, Piattelli A, Carinci F. Immediate loaded dental implants: comparison between fixtures inserted in postextractive and healed bone sites. *J Craniofac Surg* 2007;18(4):965-71. [Abstract](#)
64. Degidi M, Piattelli A, Carinci F. Clinical outcome of narrow diameter implants: a retrospective study of 510 implants. *J Periodontol* 2008;79(1):49-54. [Abstract](#)
65. Degidi M, Piattelli A, Gehrke P, et al. Five-year outcome of 111 immediate nonfunctional single restorations. *J Oral Implantol* 2006;32(6):277-85. [Abstract](#)
66. Degidi M, Piattelli A, Iezzi G, et al. Do longer implants improve clinical outcome in immediate loading? *Int J Oral Maxillofac Surg* 2007;36(12):1172-6. [Abstract](#)
67. Degidi M, Piattelli A, Iezzi G, et al. Wide-diameter implants: analysis of clinical outcome of 304 fixtures. *J Periodontol* 2007;78(1):52-8. [Abstract](#)
68. Degidi M, Piattelli A, Iezzi G, et al. Immediately loaded short implants: analysis of a case series of 133 implants. *Quintessence Int* 2007;38(3):193-201. [Abstract](#)
69. Degidi M, Piattelli A, Scarano A, et al. Peri-implant collagen fibers around human cone Morse connection implants under polarized light: a report of three cases. *Int J Periodontics Restorative Dent* 2012;32(3):323-8. [Abstract](#)
70. Degidi M, Piattelli A, Shibli JA, et al. Bone formation around immediately loaded and submerged dental implants with a modified sandblasted and acid-etched surface after 4 and 8 weeks: a human histologic and histomorphometric analysis. *Int J Oral Maxillofac Implants* 2009;24(5):896-901. [Abstract](#)

71. Degidi M, Piattelli A, Shibli JA, et al. Bone formation around one-stage implants with a modified sandblasted and acid-etched surface: human histologic results at 4 weeks. *Int J Periodontics Restorative Dent* 2009;29(6):607-13. [Abstract](#)
72. Degidi M, Piattelli A, Shibli JA, et al. Early bone formation around immediately restored implants with and without occlusal contact: a human histologic and histomorphometric evaluation. Case report. *Int J Oral Maxillofac Implants* 2009;24(4):734-9. [Abstract](#)
73. Degidi M, Scarano A, Piattelli M, et al. Histologic evaluation of an immediately loaded titanium implant retrieved from a human after 6 months in function. *J Oral Implantol* 2004;30(5):289-96. [Abstract](#)
74. Delben JA, Barao VA, Ferreira MB, et al. Influence of abutment-to-fixture design on reliability and failure mode of all-ceramic crown systems. *Dent Mater* 2014;30(4):408-16. [Abstract](#)
75. Deppe H, Wolff C, Bauer F, et al. Dental implant surfaces after insertion in bone: an in vitro study in four commercial implant systems. *Clin Oral Investig* 2018;22(3):1593-600. [Abstract](#)
76. Dhaliwal JS, Albuquerque RF, Jr., Fakhry A, et al. Customized smartpeg for measurement of resonance frequency of mini dental implants. *Int J Implant Dent* 2017;3(1):4. [Abstract](#)
77. Dhaliwal JS, Albuquerque RF, Jr., Murshed M, et al. Osseointegration of standard and mini dental implants: a histomorphometric comparison. *Int J Implant Dent* 2017;3(1):15. [Abstract](#)
78. Dhaliwal JS, Marulanda J, Li J, et al. In vitro comparison of two titanium dental implant surface treatments: 3MESPE MDIs versus Ankylos(R). *Int J Implant Dent* 2017;3(1):27. [Abstract](#)
79. Dittmer MP, Dittmer S, Borchers L, et al. Influence of the interface design on the yield force of the implant-abutment complex before and after cyclic mechanical loading. *J Prosthodont Res* 2012;56(1):19-24. [Abstract](#)
80. Dittmer S, Dittmer MP, Kohorst P, et al. Effect of implant-abutment connection design on load bearing capacity and failure mode of implants. *J Prosthodont* 2011;20(7):510-6. [Abstract](#)
81. do Nascimento C, Pita MS, Santos Ede S, et al. Microbiome of titanium and zirconia dental implants abutments. *Dent Mater* 2016;32(1):93-101. [Abstract](#)
82. Donovan R, Fetner A, Koutouzis T, et al. Crestal bone changes around implants with reduced abutment diameter placed non-submerged and at subcrestal positions: a 1-year radiographic evaluation. *J Periodontol* 2010;81(3):428-34. [Abstract](#)
83. Doring K, Eisenmann E, Stiller M. Functional and esthetic considerations for single-tooth Ankylos implant-crowns: 8 years of clinical performance. *J Oral Implantol* 2004;30(3):198-209. [Abstract](#)
84. Eccellente T, Piombino M, Piattelli A, et al. Immediate loading of dental implants in the edentulous maxilla. *Quintessence Int* 2011;42(4):281-9. [Abstract](#)
85. Eccellente T, Piombino M, Piattelli A, et al. A new treatment concept for immediate loading of implants inserted in the edentulous mandible. *Quintessence Int* 2010;41(6):489-95. [Abstract](#)

86. Eerdekkens L, Schols M, Coelst L, et al. A 5-year prospective study on cone-anchored implants in the edentulous maxilla. *Clin Implant Dent Relat Res* 2015;17 Suppl 2:e621-32. [Abstract](#)
87. Ehrenfest DM, Vazquez L, Park YJ, et al. Identification card and codification of the chemical and morphological characteristics of 14 dental implant surfaces. *J Oral Implantol* 2011;37(5):525-42. [Abstract](#)
88. Eitner S, Schlegel A, Emeka N, et al. Comparing bar and double-crown attachments in implant-retained prosthetic reconstruction: a follow-up investigation. *Clin Oral Implants Res* 2008;19(5):530-7. [Abstract](#)
89. Elemek E, Urgancioglu A, Dincer J, et al. Does implant-abutment interface affect marginal bone levels around implants? *Eur J Dent* 2019;E-pub Jun 2019, doi: 10.1055/s-0039-1688538. [Abstract](#)
90. Ellakwa A, Raj T, Deeb S, et al. Influence of implant abutment angulations on the fracture resistance of overlaying CAM-milled zirconia single crowns. *Aust Dent J* 2011;56(2):132-40. [Abstract](#)
91. Elshiyab SH, Nawafleh N, Ochsner A, et al. Fracture resistance of implant-supported monolithic crowns cemented to zirconia hybrid-abutments: zirconia-based crowns vs. lithium disilicate crowns. *J Adv Prosthodont* 2018;10(1):65-72. [Abstract](#)
92. Englezos E, Cosyn J, Koole S, et al. Resective treatment of peri-implantitis: clinical and radiographic outcomes after 2 years. *Int J Periodontics Restorative Dent* 2018;38(5):729-35. [Abstract](#)
93. Esposito M, Bressan E, Grusovin MG, et al. Do repeated changes of abutments have any influence on the stability of peri-implant tissues? One-year post-loading results from a multicentre randomised controlled trial. *Eur J Oral Implantol* 2017;10(1):57-72. [Abstract](#)
94. Fauroux MA, Levallois B, Yachouh J, et al. Assessment of leakage at the implant-abutment connection using a new gas flow method. *Int J Oral Maxillofac Implants* 2012;27(6):1409-12. [Abstract](#)
95. Felice P, Marchetti C, Iezzi G, et al. Vertical ridge augmentation of the atrophic posterior mandible with interpositional bloc grafts: bone from the iliac crest vs. bovine anorganic bone. Clinical and histological results up to one year after loading from a randomized-controlled clinical trial. *Clin Oral Implants Res* 2009;20(12):1386-93. [Abstract](#)
96. Felice P, Marchetti C, Piattelli A, et al. Vertical ridge augmentation of the atrophic posterior mandible with interpositional block grafts: bone from the iliac crest versus bovine anorganic bone. *Eur J Oral Implantol* 2008;1(3):183-98. [Abstract](#)
97. Fetner M, Fetner A, Koutouzis T, et al. The effects of subcrestal implant placement on crestal bone levels and bone-to-abutment contact: a microcomputed tomographic and histologic study in dogs. *Int J Oral Maxillofac Implants* 2015;30(5):1068-75. [Abstract](#)
98. Finelle G, Papadimitriou DE, Souza AB, et al. Peri-implant soft tissue and marginal bone adaptation on implant with non-matching healing abutments: micro-CT analysis. *Clin Oral Implants Res* 2015;26(4):e42-6. [Abstract](#)

99. Frisch E, Ratka-Kruger P, Wenz HJ. Unsplinted implants and teeth supporting maxillary removable partial dentures retained by telescopic crowns: a retrospective study with >6 years of follow-up. *Clin Oral Implants Res* 2015;26(9):1091-7. [Abstract](#)
100. Frisch E, Ratka-Kruger P, Ziebolz D. Increasing the width of keratinized mucosa in maxillary implant areas using a split palatal bridge flap: surgical technique and 1-year follow-up. *J Oral Implantol* 2015;41(5):e195-201. [Abstract](#)
101. Frisch E, Ziebolz D, Ratka-Kruger P, et al. A new technique for retaining double crowns on implants via custom-positioned vertical screws. *Int J Prosthodont* 2014;27(6):577-8. [Abstract](#)
102. Frisch E, Ziebolz D, Ratka-Kruger P, et al. Double crown-retained maxillary overdentures: 5-year follow-up. *Clin Implant Dent Relat Res* 2015;17(1):22-31. [Abstract](#)
103. Frisch E, Ziebolz D, Rinke S. Long-term results of implant-supported over-dentures retained by double crowns: a practice-based retrospective study after minimally 10 years follow-up. *Clin Oral Implants Res* 2013;24(12):1281-7. [Abstract](#)
104. Frisch E, Ziebolz D, Vach K, et al. Supportive post-implant therapy: patient compliance rates and impacting factors: 3-year follow-up. *J Clin Periodontol* 2014;41(10):1007-14. [Abstract](#)
105. Frisch E, Ziebolz D, Vach K, et al. The effect of keratinized mucosa width on peri-implant outcome under supportive postimplant therapy. *Clin Implant Dent Relat Res* 2015;17 Suppl 1:e236-44. [Abstract](#)
106. Froum SJ, Cho SC, Suzuki T, et al. Epicrestal and subcrestal placement of platform-switched implants: 18 month-result of a randomized, controlled, split-mouth, prospective clinical trial. *Clin Oral Implants Res* 2018;29(4):353-66. [Abstract](#)
107. Furuya Y, Yamamoto M, Ito T, et al. Implant treatment after sagittal splitting ramus osteotomy and alveolar ridge augmentation in patient with mandibular prognathism and multiple missing maxillary teeth. *Bull Tokyo Dent Coll* 2018;59(4):285-90. [Abstract](#)
108. Galli S, Jimbo R, Andersson M, et al. Surface characterization and clinical review of two commercially available implants. *Implant Dent* 2013;22(5):507-18. [Abstract](#)
109. Gandolfi MG, Zamparini F, Iezzi G, et al. Microchemical and micromorphologic ESEM-EDX analysis of bone mineralization at the thread interface in human dental implants retrieved for mechanical complications after 2 months to 17 years. *Int J Periodontics Restorative Dent* 2018;38(3):431-41. [Abstract](#)
110. Garrana R, Mohangi G, Malo P, et al. Leakage of microbial endotoxin through the implant-abutment interface in oral implants: An in vitro study. *Biomed Res Int* 2016;2016:9219071. [Abstract](#)
111. Giesenhausen B. Vertical augmentation with bone rings, maxilla, BioOss, . EDI 2006;2(3).
112. Gluckman H, Salama M, Du Toit J. A retrospective evaluation of 128 socket-shield cases in the esthetic zone and posterior sites: Partial extraction therapy with up to 4 years follow-up. *Clin Implant Dent Relat Res* 2017;20(2):122-29. [Abstract](#)

113. Grisar K, Sinha D, Schoenaers J, et al. Retrospective analysis of dental implants placed between 2012 and 2014: Indications, risk factors, and early survival. *Int J Oral Maxillofac Implants* 2017;32(3):649-54. [Abstract](#)
114. Grizas E, Kourtis S, Andrikopoulou E, et al. A detailed decision tree to create, preserve, transfer, and support the emergence profile in anterior maxillary implants using custom abutments. *Quintessence Int* 2018;49(5):349-64. [Abstract](#)
115. Grognard N, Verleye G, Mavreas D, et al. Updated secondary implant stability data of two dental implant systems. A retrospective cohort study. *J Clin Exp Dent* 2017;9(9):e1121-e28. [Abstract](#)
116. Guler B, Uraz A, Cetiner D. The chemical surface evaluation of black and white porous titanium granules and different commercial dental implants with energy-dispersive x-ray spectroscopy analysis. *Clin Implant Dent Relat Res* 2019;21(2):352-59. [Abstract](#)
117. Guler B, Uraz A, Yalim M, et al. The comparison of porous titanium granule and xenograft in the surgical treatment of peri-implantitis: A prospective clinical study. *Clin Implant Dent Relat Res* 2017;19(2):316-27. [Abstract](#)
118. Gunst V, Mavridou A, Huybrechts B, et al. External cervical resorption: an analysis using cone beam and microfocus computed tomography and scanning electron microscopy. *Int Endod J* 2013;46(9):877-87. [Abstract](#)
119. Gurzawska K, Dirscherl K, Jorgensen B, et al. Pectin nanocoating of titanium implant surfaces - an experimental study in rabbits. *Clin Oral Implants Res* 2017;28(3):298-307. [Abstract](#)
120. Hadrowicz P, Hadrowicz J, Kozakiewicz M, et al. Assessment of parathyroid hormone serum level as a predictor for bone condition around dental implants. *Int J Oral Maxillofac Implants* 2017;32(4):e207-e12. [Abstract](#)
121. Haga-Tsujimura M, Nakahara K, Kobayashi E, et al. Single-staged implant placement using bone ring technique with and without membrane placement: An experimental study in the Beagle dog. *Clin Oral Implants Res* 2017;29(3):263-76. [Abstract](#)
122. Halldin A, Frotscher M, Tebbel F. Conometric retention and dynamic loading over time(P12152). *Clin Oral Implants Res* 2018;29(S17).
123. Hanser T, Khoury F. Extraction site management in the esthetic zone using autogenous hard and soft tissue grafts: a 5-year consecutive clinical study. *Int J Periodontics Restorative Dent* 2014;34(3):305-12. [Abstract](#)
124. Hanser T, Khoury F. Alveolar ridge contouring with free connective tissue graft at implant placement: A 5-year consecutive clinical study. *Int J Periodontics Restorative Dent* 2016;36(4):465-73. [Abstract](#)
125. Harder S, Dimaczek B, Acil Y, et al. Molecular leakage at implant-abutment connection--in vitro investigation of tightness of internal conical implant-abutment connections against endotoxin penetration. *Clin Oral Investig* 2010;14(4):427-32. [Abstract](#)
126. Hasan I, Keilig L, Reimann S, et al. Material parameters of the reindeer antler for use in dental implant biomechanics. *Ann Anat* 2012;194(6):518-23. [Abstract](#)

127. Hasegawa M, Hotta Y, Hoshino T, et al. Long-term radiographic evaluation of risk factors related to implant treatment: suggestion for alternative statistical analysis of marginal bone loss. *Clin Oral Implants Res* 2016;27(10):1283-89. [Abstract](#)
128. Hegde R, Krishna Prasad D, Shetty DV, et al. Immediate placement and restoration of implant in periapical infected site in the maxillary esthetic zone: A case report. *J Indian Prosthodont Soc* 2014;14(Suppl 1):299-302. [Abstract](#)
129. Hermes M, Lommen J, Kübler N, et al. Influence of schneiderian membrane perforations on the prognosis and outcomes of lateral window sinus lift operations: A retrospective case series study. *J Dent Oral Disord Ther* 2018;6(2):1-9.
130. Horrocks GB. The controlled assisted ridge expansion technique for implant placement in the anterior maxilla: a technical note. *Int J Periodontics Restorative Dent* 2010;30(5):495-501. [Abstract](#)
131. Hotta Y. Use of cephalometric analysis for implant placement in a patient with an edentulous maxilla with a severe Class III intermaxillary relationship. *J Oral Implantol* 2004;30(1):7-13. [Abstract](#)
132. Hsu PF, Yao KT, Kao HC, et al. Effects of axial loading on the pull-out force of conical connection abutments in Ankylos Implant. *Int J Oral Maxillofac Implants* 2018;33(4):788-94. [Abstract](#)
133. Iezzi G, Degidi M, Shibli JA, et al. Bone response to dental implants after a 3- to 10-year loading period: a histologic and histomorphometric report of four cases. *Int J Periodontics Restorative Dent* 2013;33(6):755-61. [Abstract](#)
134. Jansen VK, Conrads G, Richter EJ. Microbial leakage and marginal fit of the implant-abutment interface. *Int J Oral Maxillofac Implants* 1997;12(4):527-40. [Abstract](#)
135. Jesch P, Jesch W, Bruckmoser E, et al. An up to 17-year follow-up retrospective analysis of a minimally invasive, flapless approach: 18 945 implants in 7783 patients. *Clin Implant Dent Relat Res* 2018;20(3):393-402. [Abstract](#)
136. Jiang X, Zhang Y, Di P, et al. Hard tissue volume stability of guided bone regeneration during the healing stage in the anterior maxilla: A clinical and radiographic study. *Clin Implant Dent Relat Res* 2018;20(1):68-75. [Abstract](#)
137. Jiansheng H, Dongying X, Xianfeng W, et al. Clinical evaluation of short and wide-diameter implants immediately placed into extraction sockets of posterior areas: a 2-year retrospective study. *J Oral Implantol* 2012;38(6):729-37. [Abstract](#)
138. Joda T. Combined tooth-implant-supported telescopic prostheses in a midterm follow-up of > 2 years. *Int J Prosthodont* 2013;26(6):536-40. [Abstract](#)
139. Joda T, Michelaki I, Heydecke G. Peri-implant bone loss of dental implants with platform-switching design after 5 years of loading: a cross-sectional study. *Quintessence Int* 2015;46(1):59-66. [Abstract](#)
140. Jones G. Treatment of the edentulous patient using angled implants: Diagnosis to delivery. *Australasian Dental Practice* 2016;27(4):p170-71.
141. Kashani H, Hilon J, Rasoul MH, et al. Influence of a single preoperative dose of antibiotics on the early implant failure rate. A randomized clinical trial. *Clin Implant Dent Relat Res* 2019;21(2):278-83. [Abstract](#)

142. Katic Z, Jukic T, Stuljar D. Effects of osteotomy lengths on the temperature rise of the crestal bone during implant site preparation. *Implant Dent* 2018;E-pub Feb 13, doi: 10.1097/ID.0000000000000732. [Abstract](#)
143. Kelly A, Flanagan D. Ridge expansion and immediate placement with piezosurgery and screw expanders in atrophic maxillary sites: two case reports. *J Oral Implantol* 2013;39(1):85-90. [Abstract](#)
144. Khalid T, Yunus N, Ibrahim N, et al. Patient-reported outcome and its association with attachment type and bone volume in mandibular implant overdenture. *Clin Oral Implants Res* 2017;28(5):535-42. [Abstract](#)
145. Khojasteh A, Hassani A, Motamedian SR, et al. Cortical bone augmentation versus nerve lateralization for treatment of atrophic posterior mandible: a retrospective study and review of literature. *Clin Implant Dent Relat Res* 2016;18(2):342-59. [Abstract](#)
146. Khojasteh A, Motamedian SR, Sharifzadeh N, et al. The influence of initial alveolar ridge defect morphology on the outcome of implants in augmented atrophic posterior mandible: an exploratory retrospective study. *Clin Oral Implants Res* 2017;28(10):e208-e17. [Abstract](#)
147. Khouri F, D oliveux R. The bone core technique for the augmentation of limited bony defects: Five-year prospective study with a new minimally invasive technique. *Int J Periodontics Restorative Dent* 2018;38(2):199-207. [Abstract](#)
148. Khuder T, Yunus N, Sulaiman E, et al. Finite element analysis and clinical complications in mandibular implant-overdentures opposing maxillary dentures. *J Mech Behav Biomed Mater* 2017;75:97-104. [Abstract](#)
149. Kitagawa T, Tanimoto Y, Odaki M, et al. Influence of implant/abutment joint designs on abutment screw loosening in a dental implant system. *J Biomed Mater Res B* 2005;75(2):457-63. [Abstract](#)
150. Klaus RE, Romanos G, Egerer C, et al. Treating free-end cases with Ankylos System restorations. *Z Zahnärztl Impl* 1997;4.
151. Klongnoi B, Rupprecht S, Kessler P, et al. Influence of platelet-rich plasma on a bioglass and autogenous bone in sinus augmentation. An explorative study. *Clin Oral Implants Res* 2006;17(3):312-20. [Abstract](#)
152. Klongnoi B, Rupprecht S, Kessler P, et al. Lack of beneficial effects of platelet-rich plasma on sinus augmentation using a fluorohydroxyapatite or autogenous bone: an explorative study. *J Clin Periodontol* 2006;33(7):500-9. [Abstract](#)
153. Knabe C, Mele A, Kann PH, et al. Effect of sex-hormone levels, sex, body mass index and other host factors on human craniofacial bone regeneration with bioactive tricalcium phosphate grafts. *Biomaterials* 2017;123:48-62. [Abstract](#)
154. Kocar M, Seme K, Hren NI. Characterization of the normal bacterial flora in peri-implant sulci of partially and completely edentulous patients. *Int J Oral Maxillofac Implants* 2010;25(4):690-8. [Abstract](#)
155. Kohal RJ, Straub LM, Wolkewitz M, et al. Evaluation of guided bone regeneration around oral implants over different healing times using two different bovine bone materials: a randomized, controlled clinical and histological investigation. *Clin Implant Dent Relat Res* 2015;17(5):957-71. [Abstract](#)

156. Kosyfaki P, Woerner W, Att W. Prosthodontic treatment in a partially edentulous patient with a complex medical history of epilepsy and deep vein thrombosis: a case report. *Quintessence Int* 2011;42(5):365-73. [Abstract](#)
157. Kourtis S, Madianos P, Patras M, et al. Rehabilitation of the edentulous mandible with implant-supported overdentures on telescopic abutments and immediate loading. A controlled prospective clinical study. *J Esthet Restor Dent* 2018;30(4):369-77. [Abstract](#)
158. Koutouzis T, Adeinat B, Ali A. The influence of abutment macro-design on clinical and radiographic peri-implant tissue changes for guided placed and restored implants: a 1-year randomized controlled trial. *Clin Oral Implants Res* 2019;E-pub Jun 2019, doi: 10.1111/cir.13493. [Abstract](#)
159. Koutouzis T, Fetner M, Fetner A, et al. Retrospective evaluation of crestal bone changes around implants with reduced abutment diameter placed non-submerged and at subcrestal positions: the effect of bone grafting at implant placement. *J Periodontol* 2011;82(2):234-42. [Abstract](#)
160. Koutouzis T, Gadalla H, Kettler Z, et al. The role of chlorhexidine on endotoxin penetration to the implant-abutment interface (IAI). *Clin Implant Dent Relat Res* 2015;17(3):476-82. [Abstract](#)
161. Koutouzis T, Neiva R, Nair M, et al. Cone beam computed tomographic evaluation of implants with platform-switched morse taper connection with the implant-abutment interface at different levels in relation to the alveolar crest. *Int J Oral Maxillofac Implants* 2014;29(5):1157-63. [Abstract](#)
162. Koutouzis T, Neiva R, Nonhoff J, et al. Placement of implants with platform-switched morse taper connections with the implant-abutment interface at different levels in relation to the alveolar crest: a short-term (1-year) randomized prospective controlled clinical trial. *Int J Oral Maxillofac Implants* 2013;28(6):1553-63. [Abstract](#)
163. Koutouzis T, Podaru A, Neiva R. Facial peri-implant soft tissue topography of posterior single implant-supported restorations and relationship to adjacent teeth: A retrospective analysis. *Int J Oral Maxillofac Implants* 2015;30(3):681-7. [Abstract](#)
164. Koutouzis T, Wallet S, Calderon N, et al. Bacterial colonization of the implant-abutment interface using an in vitro dynamic loading model. *J Periodontol* 2011;82(4):613-8. [Abstract](#)
165. Krebs M, Schmenger K, Neumann K, et al. Long-term evaluation of ANKYLOS(R) dental implants, part i: 20-year life table analysis of a longitudinal study of more than 12,500 implants. *Clin Implant Dent Relat Res* 2015;17 Suppl 1:e275-86. [Abstract](#)
166. Kumar L, Sehgal K. Removable partial denture supported by implants with prefabricated telescopic abutments - a case report. *J Clin Diagn Res* 2014;8(6):ZD04-6. [Abstract](#)
167. Kunkel M, Wahlmann U, Reichert TE, et al. Reconstruction of mandibular defects following tumor ablation by vertical distraction osteogenesis using intraosseous distraction devices. *Clin Oral Implants Res* 2005;16(1):89-97. [Abstract](#)

168. Leja C, Geminiani A, Caton J, et al. Thermodynamic effects of laser irradiation of implants placed in bone: an in vitro study. *Lasers Med Sci* 2013;28(6):1435-40. [Abstract](#)
169. Li CH, Chou CT. Bone sparing implant removal without trephine via internal separation of the titanium body with a carbide bur. *Int J Oral Maxillofac Surg* 2014;43(2):248-50. [Abstract](#)
170. Lin G, Ye S, Liu F, et al. A retrospective study of 30,959 implants: Risk factors associated with early and late implant loss. *J Clin Periodontol* 2018;45(6):733-43. [Abstract](#)
171. Lin MI, Shen YW, Huang HL, et al. A retrospective study of implant-abutment connections on crestal bone level. *J Dent Res* 2013;92(12 Suppl):202S-7S. [Abstract](#)
172. Liskmann S, Vihalemm T, Salum O, et al. Characterization of the antioxidant profile of human saliva in peri-implant health and disease. *Clin Oral Implants Res* 2007;18(1):27-33. [Abstract](#)
173. Liskmann S, Zilmer M, Vihalemm T, et al. Correlation of peri-implant health and myeloperoxidase levels: a cross-sectional clinical study. *Clin Oral Implants Res* 2004;15(5):546-52. [Abstract](#)
174. Liu S, Tang C, Yu J, et al. The effect of platform switching on stress distribution in implants and periimplant bone studied by nonlinear finite element analysis. *J Prosthet Dent* 2014;112(5):1111-8. [Abstract](#)
175. Lopes de Chaves EMDEC, Sperandio M, Napimoga MH. Association between implant-abutment microgap and implant circularity to bacterial leakage: An in vitro study using tapered connection implants. *Int J Oral Maxillofac Implants* 2018;33(3):505-11. [Abstract](#)
176. Luo ZB, Zhang QB, Zhang ZQ, et al. Performance of coralline hydroxyapatite in sinus floor augmentation: a retrospective study. *Clin Oral Investig* 2013;17(9):2003-10. [Abstract](#)
177. Luongo G, Bressan E, Grusovin MG, et al. Do repeated changes of abutments have any influence on the stability of peri-implant tissues? Four-month post-loading preliminary results from a multicentre randomised controlled trial. *Eur J Oral Implantol* 2015;8(2):129-40. [Abstract](#)
178. Lutz R, Park J, Felszeghy E, et al. Bone regeneration after topical BMP-2-gene delivery in circumferential peri-implant bone defects. *Clin Oral Implants Res* 2008;19(6):590-99. [Abstract](#)
179. Lutz R, Precht C, Nonhoff J, et al. Biofunctionalization of the implant surface with different concentrations of a synthetic peptide (P-15). *Clin Oral Implants Res* 2013;24(7):781-6. [Abstract](#)
180. Lutz R, Srour S, Nonhoff J, et al. Biofunctionalization of titanium implants with a biomimetic active peptide (P-15) promotes early osseointegration. *Clin Oral Implants Res* 2010;21(7):726-34. [Abstract](#)
181. Maier F. Reconstruction of a severely atrophic maxilla by extensive augmentation and guided surgery. *Z Zahnärztl Impl* 2013;29:230-42.

182. Maier FM. Initial crestal bone loss after implant placement with flapped or flapless surgery-a prospective cohort study. *Int J Oral Maxillofac Implants* 2016;31(4):876-83. [Abstract](#)
183. Man Y, Wang Y, Qu Y, et al. A palatal roll envelope technique for peri-implant mucosa reconstruction: a prospective case series study. *Int J Oral Maxillofac Surg* 2013;42(5):660-5. [Abstract](#)
184. Mandelli F, Ghensi P, Traini T. Biomimetic implant restoration made of human enamel and CAD/CAM block: a short report. *Quintessence Int* 2019;50(4):330-33. [Abstract](#)
185. Manjunath N, Roy JS, Mohammed B. Placement of an implant in a diabetic patient and a one year follow up-a case report. *Indian Journal of Dental Sciences* 2016;8(1).
186. Mankoo T. Maintenance of interdental papillae in the esthetic zone using multiple immediate adjacent implants to restore failing teeth--a report of ten cases at 2 to 7 years follow-up. *Eur J Esthet Dent* 2008;3(4):304-22. [Abstract](#)
187. Manoj S, Punit J, Chethan H, et al. A study to assess the bone formed around immediate postextraction implants grafted with Concentrated Growth Factor in the mandibular posterior region. *J Osseointegration* 2018;10(4):121-29.
188. Marcian P, Borak L, Valasek J, et al. Finite element analysis of dental implant loading on atrophic and non-atrophic cancellous and cortical mandibular bone - a feasibility study. *J Biomech* 2014;47(16):3830-6. [Abstract](#)
189. Marrone A, Lasserre J, Bercy P, et al. Prevalence and risk factors for peri-implant disease in Belgian adults. *Clin Oral Implants Res* 2013;24(8):934-40. [Abstract](#)
190. May D, Romanos GE. Immediate implant-supported mandibular overdentures retained by conical crowns: A new treatment concept. *Quintessence Int* 2002;33(1):5-12. [Abstract](#)
191. McArdle BF. Predictably solving a prosthetic dilemma: a partially edentulous mandible opposed by a worn maxillary denture. *Dent Today* 2013;32(12):62, 64. [Abstract](#)
192. Meleo D, Baggi L, Di Girolamo M, et al. Fixture-abutment connection surface and micro-gap measurements by 3D micro-tomographic technique analysis. *Ann Ist Super Sanita* 2012;48(1):53-8. [Abstract](#)
193. Metzler P, von Wilmowsky C, Stadlinger B, et al. Nano-crystalline diamond-coated titanium dental implants - a histomorphometric study in adult domestic pigs. *J Craniomaxillofac Surg* 2013;41(6):532-8. [Abstract](#)
194. Mitsias ME, Thompson VP, Pines M, et al. Reliability and failure modes of two Y-TZP abutment designs. *Int J Prosthodont* 2015;28(1):75-8. [Abstract](#)
195. Morandi R, Cabral LM, de Moraes M. Implant-supported maxillary denture retained by a telescopic abutment system: A clinical report. *J Prosthet Dent* 2017;117(3):331-34. [Abstract](#)
196. Mori G, Oda Y, Sakamoto K, et al. Clinical evaluation of full-arch screw-retained implant-supported fixed prostheses and full-arch telescopic-retained implant-supported fixed prostheses: A 5-12 year follow-up retrospective study. *Clin Oral Implants Res* 2019;30(3):197-205. [Abstract](#)

197. Moris ICM, Faria ACL, Ribeiro RF, et al. Custom Morse taper zirconia abutments: Influence on marginal fit and torque loss before and after thermomechanical cycling. *J Mech Behav Biomed Mater* 2018;78:241-45. [Abstract](#)
198. Morris HF, Ochi S, Crum P, et al. AICRG, Part I: A 6-year multicentered, multidisciplinary clinical study of a new and innovative implant design. *J Oral Implantol* 2004;30(3):125-33. [Abstract](#)
199. Morris HF, Ochi S, Orenstein IH, et al. AICRG, Part V: Factors influencing implant stability at placement and their influence on survival of Ankylos implants. *J Oral Implantol* 2004;30(3):162-70. [Abstract](#)
200. Morris HF, Ochi S, Plezia R, et al. AICRG, Part III: The influence of antibiotic use on the survival of a new implant design. *J Oral Implantol* 2004;30(3):144-51. [Abstract](#)
201. Morris HF, Ochi S, Rodriguez A, et al. AICRG, Part IV: Patient satisfaction reported for Ankylos implant prostheses. *J Oral Implantol* 2004;30(3):152-61. [Abstract](#)
202. Morris HF, Ochi S, Winkler S. Introduction: a new and innovative implant design. *J Oral Implantol* 2004;30(3):121-4. [Abstract](#)
203. Morris HF, Winkler S, Ochi S. The ankylos endosseous dental implant: assessment of stability up to 18 months with the Periotest. *J Oral Implantol* 2000;26(4):291-9. [Abstract](#)
204. Morris HF, Winkler S, Ochi S, et al. A new implant designed to maximize contact with trabecular bone: survival to 18 months. *J Oral Implantol* 2001;27(4):164-73. [Abstract](#)
205. Nardi D, Degidi M, Sighinolfi G, et al. Retention strength of conical welding caps for fixed implant-supported prostheses. *Int J Prosthodont* 2017;30(6):553-55. [Abstract](#)
206. Nentwig GH. Ankylos implant system: concept and clinical application. *J Oral Implantol* 2004;30(3):171-7. [Abstract](#)
207. Nogueira-Filho G, Pesun I, Isaak-Ploegman C, et al. Longitudinal comparison of cytokines in peri-implant fluid and gingival crevicular fluid in healthy mouths. *J Periodontol* 2014;85(11):1582-8. [Abstract](#)
208. Nolan R, Kemmoona M, Polyzois I, et al. The influence of prophylactic antibiotic administration on post-operative morbidity in dental implant surgery. A prospective double blind randomized controlled clinical trial. *Clin Oral Implants Res* 2014;25(2):252-9. [Abstract](#)
209. Nonhoff J, Moest T, Schmitt CM, et al. Establishment of a new pull-out strength testing method to quantify early osseointegration-an experimental pilot study. *J Craniomaxillofac Surg* 2015;43(10):1966-73. [Abstract](#)
210. Nothdurft FP, Neumann K, Knauber AW. Fracture behavior of zirconia implant abutments is influenced by superstructure-geometry. *Clin Oral Investig* 2014;18(5):1467-72. [Abstract](#)
211. Novaes AB, Jr., de Oliveira RR, Muglia VA, et al. The effects of interimplant distances on papilla formation and crestal resorption in implants with a morse cone connection and a platform switch: a histomorphometric study in dogs. *J Periodontol* 2006;77(11):1839-49. [Abstract](#)

212. Novaes AB, Jr., Papalexiou V, Muglia V, et al. Influence of interimplant distance on gingival papilla formation and bone resorption: clinical-radiographic study in dogs. *Int J Oral Maxillofac Implants* 2006;21(1):45-51. [Abstract](#)
213. Öncü E, Alaaddinoglu EE. The effect of platelet-rich fibrin on implant stability. *Int J Oral Maxillofac Implants* 2015;30(3):578-82. [Abstract](#)
214. Oskarsson M, Otsuki M, Welander M, et al. Peri-implant tissue healing at implants with different designs and placement protocols: An experimental study in dogs. *Clin Oral Implants Res* 2018;29(8):873-80. [Abstract](#)
215. Ozdiler A, Bakir-Topcuoglu N, Kulekci G, et al. Effects of taper angle and sealant agents on bacterial leakage along the implant-abutment interface: An in vitro study under loaded conditions. *Int J Oral Maxillofac Implants* 2018;33(5):1071-77. [Abstract](#)
216. Park J, Lutz R, Felszeghy E, et al. The effect on bone regeneration of a liposomal vector to deliver BMP-2 gene to bone grafts in peri-implant bone defects. *Biomaterials* 2007;28(17):2772-82. [Abstract](#)
217. Park SJ, Lee SW, Leesungbok R, et al. Influence of the connection design and titanium grades of the implant complex on resistance under static loading. *J Adv Prosthodont* 2016;8(5):388-95. [Abstract](#)
218. Patras M, Kourtis S, Sykaras N. Creating natural-looking removable prostheses: combining art and science to imitate nature. *J Esthet Restor Dent* 2012;24(3):160-8. [Abstract](#)
219. Payer M, Kirmeier R, Jakse N, et al. Surgical factors influencing mesiodistal implant angulation. *Clin Oral Implants Res* 2008;19(3):265-70. [Abstract](#)
220. Petrovic L, Schlegel KA, Wiltfang J, et al. Preclinical animal study and clinical trial of modified extraoral craniofacial implants. *J Plast Reconstr Aesthet Surg* 2007;60(6):615-21. [Abstract](#)
221. Petsos H, Trimpou G, Eickholz P, et al. The influence of professional competence on the inter- and intra-individual esthetic evaluation of implant-supported crowns in the anterior maxilla. *Clin Oral Implants Res* 2017;28(4):453-60. [Abstract](#)
222. Rabel A, Kohler SG, Schmidt-Westhausen AM. Clinical study on the primary stability of two dental implant systems with resonance frequency analysis. *Clin Oral Investig* 2007;11(3):257-65. [Abstract](#)
223. Rack T, Zabler S, Rack A, et al. An in vitro pilot study of abutment stability during loading in new and fatigue-loaded conical dental implants using synchrotron-based radiography. *Int J Oral Maxillofac Implants* 2013;28(1):44-50. [Abstract](#)
224. Rana V, Dhakne VM, Jadhawar S, et al. Bone level measurements around platform switched and platform matched implants: A comparative study. *Niger J Surg* 2019;25(1):9-13. [Abstract](#)
225. Ranieri R, Ferreira A, Souza E, et al. The bacterial sealing capacity of morse taper implant-abutment systems in vitro. *J Periodontol* 2015;86(5):696-702. [Abstract](#)

226. Reda KM, El-Torky IR, El-Gendy MN. In vitro retention force measurement for three different attachment systems for implant-retained overdenture. *J Indian Prosthodont Soc* 2016;16(4):380-85. [Abstract](#)
227. Ren S, Lin Y, Hu X, et al. Changes in proximal contact tightness between fixed implant prostheses and adjacent teeth: A 1-year prospective study. *J Prosthet Dent* 2016;115(4):437-40. [Abstract](#)
228. Rinke S, Lattke A, Eickholz P, et al. Practice-based clinical evaluation of zirconia abutments for anterior single-tooth restorations. *Quintessence Int* 2015;46(1):19-29. [Abstract](#)
229. Rinke S, Ohl S, Ziebolz D, et al. Prevalence of periimplant disease in partially edentulous patients: a practice-based cross-sectional study. *Clin Oral Implants Res* 2011;22(8):826-33. [Abstract](#)
230. Rinke S, Roediger M, Eickholz P, et al. Technical and biological complications of single-molar implant restorations. *Clin Oral Implants Res* 2015;26(9):1024-30. [Abstract](#)
231. Rinke S, Ziebolz D, Ratka-Kruger P, et al. Clinical outcome of double crown-retained mandibular removable dentures supported by a combination of residual teeth and strategic implants. *J Prosthodont* 2015;24(5):358-65. [Abstract](#)
232. Rismanchian M, Askari N, Shafiei S. The effect of placement depth of platform-switched implants on periimplant cortical bone stress: a 3-dimensional finite element analysis. *Implant Dent* 2013;22(2):165-9. [Abstract](#)
233. Rödiger M, Kloß J, Gersdorff N, et al. Removal forces of adhesively and self-adhesively luted implant-supported zirconia copings depend on abutment geometry. *J Mech Behav Biomed* 2018;87:119-23. [Abstract](#)
234. Rödiger M, Rinke S, Ehret-Kleinau F, et al. Evaluation of removal forces of implant-supported zirconia copings depending on abutment geometry, luting agent and cleaning method during re-cementation. *J Adv Prosthodont* 2014;6(3):233-40. [Abstract](#)
235. Romanos G, Grizas E, Laukart E, et al. Effects of early moderate loading on implant stability: A retrospective investigation of 634 implants with platform switching and morse-tapered connections. *Clin Implant Dent Relat Res* 2016;18(2):301-9. [Abstract](#)
236. Romanos G, Kuyunov O, Sacks D, et al. Apical stability of implants with progressive thread design in vitro, based on clinicians with different levels of experience. *J Periodontol* 2019;E-pub Jun 2019, doi: 10.1002/JPER.18-0680. [Abstract](#)
237. Romanos G, Toh CG, Siar CH, et al. Peri-implant bone reactions to immediately loaded implants. An experimental study in monkeys. *J Periodontol* 2001;72(4):506-11. [Abstract](#)
238. Romanos GE. Nonsurgical prosthetic management of mandibular fracture associated with dental implant therapy: a case report. *Int J Oral Maxillofac Implants* 2009;24(1):143-6. [Abstract](#)
239. Romanos GE. Advanced immediate functional loading: requirements for long-term success in modern implant dentistry. *Compend Contin Educ Dent* 2014;35(7):474-83. [Abstract](#)

240. Romanos GE, Aydin E, Gaertner K, et al. Long-term results after subcrestal or crestal placement of delayed loaded implants. *Clin Implant Dent Relat Res* 2015;17(1):133-41. [Abstract](#)
241. Romanos GE, Aydin E, Locher K, et al. Immediate vs. delayed loading in the posterior mandible: a split-mouth study with up to 15 years of follow-up. *Clin Oral Implants Res* 2016;27(2):e74-9. [Abstract](#)
242. Romanos GE, Biltucci MT, Kokaras A, et al. Bacterial composition at the implant-abutment connection under loading in vivo. *Clin Implant Dent Relat Res* 2016;18(1):138-45. [Abstract](#)
243. Romanos GE, Gaertner K, Aydin E, et al. Long-term results after immediate loading of platform-switched implants in smokers versus nonsmokers with full-arch restorations. *Int J Oral Maxillofac Implants* 2013;28(3):841-5. [Abstract](#)
244. Romanos GE, Gaertner K, Nentwig GH. Long-term evaluation of immediately loaded implants in the edentulous mandible using fixed bridges and platform shifting. *Clin Implant Dent Relat Res* 2014;16(4):601-8. [Abstract](#)
245. Romanos GE, Goldin E, Marotta L, et al. Immediate loading with fixed implant-supported restorations in an edentulous patient With an HIV infection: A case report. *Implant Dent* 2014;23(1):8-12. [Abstract](#)
246. Romanos GE, Gupta B, Gaertner K, et al. Distal cantilever in full-arch prostheses and immediate loading: a retrospective clinical study. *Int J Oral Maxillofac Implants* 2014;29(2):427-31. [Abstract](#)
247. Romanos GE, Johansson CB. Immediate loading with complete implant-supported restorations in an edentulous heavy smoker: histologic and histomorphometric analyses. *Int J Oral Maxillofac Implants* 2005;20(2):282-90. [Abstract](#)
248. Romanos GE, Malmstrom H, Feng C, et al. Immediately loaded platform-switched implants in the anterior mandible with fixed prostheses: a randomized, split-mouth, masked prospective trial. *Clin Implant Dent Relat Res* 2014;16(6):884-92. [Abstract](#)
249. Romanos GE, May S, May D. Treatment concept of the edentulous mandible with prefabricated telescopic abutments and immediate functional loading. *Int J Oral Maxillofac Implants* 2011;26(3):593-7. [Abstract](#)
250. Romanos GE, May S, May D. Immediate loading of tooth-implant-supported telescopic mandibular prostheses. *Int J Oral Maxillofac Implants* 2012;27(6):1534-40. [Abstract](#)
251. Romanos GE, May S, May D. Implant-supporting telescopic maxillary prostheses and immediate loading. *Clin Implant Dent Relat Res* 2014;16(3):412-8. [Abstract](#)
252. Romanos GE, Montanaro NJ, Sacks D, et al. Various tip applications and temperature changes of Er,Cr:YSGG-Laser irradiated implants in vitro. *Int J Periodontics Restorative Dent* 2017;37(3):387-92. [Abstract](#)
253. Romanos GE, Motwani SV, Montanaro NJ, et al. Photothermal effects of defocused initiated versus noninitiated diode implant irradiation. *Photobiomodul Photomed Laser Surg* 2019;37(6):356-61. [Abstract](#)

254. Romanos GE, Nentwig GH. Single molar replacement with a progressive thread design implant system: a retrospective clinical report. *Int J Oral Maxillofac Implants* 2000;15(6):831-6. [Abstract](#)
255. Romanos GE, Nentwig GH. Immediate versus delayed functional loading of implants in the posterior mandible: a 2-year prospective clinical study of 12 consecutive cases. *Int J Periodontics Restorative Dent* 2006;26(5):459-69. [Abstract](#)
256. Romanos GE, Nentwig GH. Immediate loading using cross-arch fixed restorations in heavy smokers: nine consecutive case reports for edentulous arches. *Int J Oral Maxillofac Implants* 2008;23(3):513-9. [Abstract](#)
257. Romanos GE, Nentwig GH. Regenerative therapy of deep peri-implant infrabony defects after CO<sub>2</sub> laser implant surface decontamination. *Int J Periodontics Restorative Dent* 2008;28(3):245-55. [Abstract](#)
258. Romanos GE, Nentwig GH. Immediate functional loading in the maxilla using implants with platform switching: five-year results. *Int J Oral Maxillofac Implants* 2009;24(6):1106-12. [Abstract](#)
259. Romanos GE, Testori T, Degidi M, et al. Histologic and histomorphometric findings from retrieved, immediately occlusally loaded implants in humans. *J Periodontol* 2005;76(11):1823-32. [Abstract](#)
260. Romanos GE, Toh CG, Siar CH, et al. Histologic and histomorphometric evaluation of peri-implant bone subjected to immediate loading: an experimental study with *Macaca fascicularis*. *Int J Oral Maxillofac Implants* 2002;17(1):44-51. [Abstract](#)
261. Romanos GE, Toh CG, Siar CH, et al. Bone-implant interface around titanium implants under different loading conditions: a histomorphometrical analysis in the *Macaca fascicularis* monkey. *J Periodontol* 2003;74(10):1483-90. [Abstract](#)
262. Romanos GE, Traini T, Johansson CB, et al. Biologic width and morphologic characteristics of soft tissues around immediately loaded implants: studies performed on human autopsy specimens. *J Periodontol* 2010;81(1):70-8. [Abstract](#)
263. Roze J, Babu S, Saffarzadeh A, et al. Correlating implant stability to bone structure. *Clin Oral Implants Res* 2009;20(10):1140-5. [Abstract](#)
264. Saaby M, Karring E, Schou S, et al. Factors influencing severity of peri-implantitis. *Clin Oral Implants Res* 2016;27(1):7-12. [Abstract](#)
265. Sakka S, Krenkel C. Simultaneous maxillary sinus lifting and implant placement with autogenous parietal bone graft: outcome of 17 cases. *J Craniomaxillofac Surg* 2011;39(3):187-91. [Abstract](#)
266. Salihoglu U, Boynuegri D, Engin D, et al. Bacterial adhesion and colonization differences between zirconium oxide and titanium alloys: an in vivo human study. *Int J Oral Maxillofac Implants* 2011;26(1):101-7. [Abstract](#)
267. Sarmast ND, Wang HH, Sajadi AS, et al. Nonsurgical endodontic treatment of necrotic teeth resolved apical lesions on adjacent implants with retrograde/apical peri-implantitis: A case series with 2-year follow-up. *J Endod* 2019;45(5):645-50. [Abstract](#)

268. Scarano A, Valbonetti L, Degidi M, et al. Implant-abutment contact surfaces and microgap measurements of different implant connections under 3-dimensional x-ray microtomography. *Implant Dent* 2016;25(5):656-62. [Abstract](#)
269. Schicho K, Kastner J, Klingesberger R, et al. Surface area analysis of dental implants using micro-computed tomography. *Clin Oral Implants Res* 2007;18(4):459-64. [Abstract](#)
270. Schlegel KA, Kloss FR, Kessler P, et al. Bone conditioning to enhance implant osseointegration: an experimental study in pigs. *Int J Oral Maxillofac Implants* 2003;18(4):505-11. [Abstract](#)
271. Schlegel KA, Schultze-Mosgau S, Eitner S, et al. Clinical trial of modified ankylos implants for extraoral use in cranio- and maxillofacial surgery. *Int J Oral Maxillofac Implants* 2004;19(5):716-20. [Abstract](#)
272. Schlegel KA, Thorwarth M, Plesinac A, et al. Expression of bone matrix proteins during the osseous healing of topical conditioned implants: an experimental study. *Clin Oral Implants Res* 2006;17(6):666-72. [Abstract](#)
273. Schlegel KA, Zimmermann R, Thorwarth M, et al. Sinus floor elevation using autogenous bone or bone substitute combined with platelet-rich plasma. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2007;104(3):e15-25. [Abstract](#)
274. Schmage P, Kahili F, Nergiz I, et al. Cleaning effectiveness of implant prophylaxis instruments. *Int J Oral Maxillofac Implants* 2014;29(2):331-7. [Abstract](#)
275. Schmage P, Thielemann J, Nergiz I, et al. Effects of 10 cleaning instruments on four different implant surfaces. *Int J Oral Maxillofac Implants* 2012;27(2):308-17. [Abstract](#)
276. Schmitt C, Karasholi T, Lutz R, et al. Long-term changes in graft height after maxillary sinus augmentation, onlay bone grafting, and combination of both techniques: a long-term retrospective cohort study. *Clin Oral Implants Res* 2014;25(2):e38-46. [Abstract](#)
277. Schmitt CM, Koeppler M, Moest T, et al. In vivo evaluation of biofunctionalized implant surfaces with a synthetic peptide (P-15) and its impact on osseointegration. A preclinical animal study. *Clin Oral Implants Res* 2016;27(11):1339-48. [Abstract](#)
278. Schupbach P, Glauser R, Bauer S. Al<sub>2</sub>O<sub>3</sub> particles on titanium dental implant systems following sandblasting and acid-etching process. *Int J Biomater* 2019;E-pub Jun 2019, doi:10.1155/2019/6318429.
279. Schwarz F, John G, Mainusch S, et al. Combined surgical therapy of peri-implantitis evaluating two methods of surface debridement and decontamination. A two-year clinical follow up report. *J Clin Periodontol* 2012;39(8):789-97. [Abstract](#)
280. Schwarz F, Sahm N, Igihaut G, et al. Impact of the method of surface debridement and decontamination on the clinical outcome following combined surgical therapy of peri-implantitis: a randomized controlled clinical study. *J Clin Periodontol* 2011;38(3):276-84. [Abstract](#)
281. Seetoh YL, Tan KB, Chua EK, et al. Load fatigue performance of conical implant-abutment connections. *Int J Oral Maxillofac Implants* 2011;26(4):797-806. [Abstract](#)

282. Semper-Hogg W, Kraft S, Stiller S, et al. Analytical and experimental position stability of the abutment in different dental implant systems with a conical implant-abutment connection. *Clin Oral Investig* 2013;17(3):1017-23. [Abstract](#)
283. Sethi A, Kaus T. Immediate replacement of single teeth with immediately loaded implants: Retrospective analysis of a clinical case series. *Implant Dent* 2017;26(1):30-36. [Abstract](#)
284. Sethi A, Kaus T, Sochor P, et al. Evolution of the concept of angulated abutments in implant dentistry: 14-year clinical data. *Implant Dent* 2002;11(1):41-51. [Abstract](#)
285. Shaarawy MA, Aboelross EM. The effect of varying implant position in immediately loaded implant-supported mandibular overdentures. *J Oral Implantol* 2013;39(3):345-54. [Abstract](#)
286. Shetty M, Kalra R, Hedge c. Maxillary sinus augmentation with concentrated growth factors: radiographic evaluation. *J Osseointegration* 2018;10(4):109-14.
287. Shim HW, Yang BE. Long-term cumulative survival and mechanical complications of single-tooth Ankylos Implants: focus on the abutment neck fractures. *J Adv Prosthodont* 2015;7(6):423-30. [Abstract](#)
288. Shin YK, Han CH, Heo SJ, et al. Radiographic evaluation of marginal bone level around implants with different neck designs after 1 year. *Int J Oral Maxillofac Implants* 2006;21(5):789-94. [Abstract](#)
289. Siar CH, Toh CG, Ali TB, et al. Dimensional profile of oral mucosa around combined tooth-implant-supported bridgework in macaque mandible. *Clin Oral Implants Res* 2012;23(4):438-46. [Abstract](#)
290. Siar CH, Toh CG, Romanos G, et al. Peri-implant soft tissue integration of immediately loaded implants in the posterior macaque mandible: a histomorphometric study. *J Periodontol* 2003;74(5):571-8. [Abstract](#)
291. Siar CH, Toh CG, Romanos GE, et al. Comparative assessment of the interfacial soft and hard tissues investing implants and natural teeth in the macaque mandible. *Clin Oral Investig* 2015;19(6):1353-62. [Abstract](#)
292. Sohn DS, Shin HI, Ahn MR, et al. Piezoelectric vertical bone augmentation using the sandwich technique in an atrophic mandible and histomorphometric analysis of mineral allografts: a case report series. *Int J Periodontics Restorative Dent* 2010;30(4):383-91. [Abstract](#)
293. Solakoglu O, Filippi A. Regenerative therapy of peri-implantitis: clinical and radiologic documentation of 16 consecutive patients with a mean follow-up of 3 years. *J Oral Implantol* 2019;45(2):145-53. [Abstract](#)
294. Starr CB, Maksoud MA. Implant treatment in an urban general dentistry residency program: a 7-year retrospective study. *J Oral Implantol* 2006;32(3):142-7. [Abstract](#)
295. Stavroullakis A, Brito C, Chen HY, et al. Dental implant surface treatments may modulate cytokine secretion in *Porphyromonas gingivalis*-stimulated human gingival fibroblasts: a comparative study. *J Biomed Mater Res A* 2015;103(3):1131-40. [Abstract](#)
296. Stoichkov B, Kirov D. Analysis of the causes of dental implant fracture: A retrospective clinical study. *Quintessence Int* 2018;49(4):279-86. [Abstract](#)

297. Streckbein P, Streckbein RG, Wilbrand JF, et al. Non-linear 3D evaluation of different oral implant-abutment connections. *J Dent Res* 2012;91(12):1184-9. [Abstract](#)
298. Suba Z, Takács D, Matusovits D, et al. Maxillary sinus floor grafting with  $\beta$ -tricalcium phosphate in humans: density and microarchitecture of the newly formed bone. *Clin Oral Implants Res* 2006;17(1):102-08. [Abstract](#)
299. Svanborg P, Eliasson A, Stenport V. Additively manufactured titanium and cobalt-chromium implant frameworks: Fit and effect of ceramic veneering. *Int J Oral Maxillofac Implants* 2018;33(3):590-96. [Abstract](#)
300. Svanborg P, Stenport V, Eliasson A. Fit of cobalt-chromium implant frameworks before and after ceramic veneering in comparison with CNC-milled titanium frameworks. *Clin and Exp Dent Res* 2015;1(2):49-56. [Abstract](#)
301. Szabo G, Huys L, Coulthard P, et al. A prospective multicenter randomized clinical trial of autogenous bone versus beta-tricalcium phosphate graft alone for bilateral sinus elevation: histologic and histomorphometric evaluation. *Int J Oral Maxillofac Implants* 2005;20(3):371-81. [Abstract](#)
302. Szmukler-Moncler S, Bischof M, Nedir R, et al. Titanium hydride and hydrogen concentration in acid-etched commercially pure titanium and titanium alloy implants: a comparative analysis of five implant systems. *Clin Oral Implants Res* 2010;21(9):944-50. [Abstract](#)
303. Taiyeb-Ali TB, Toh CG, Siar CH, et al. Influence of abutment design on clinical status of peri-implant tissues. *Implant Dent* 2009;18(5):438-46. [Abstract](#)
304. Tarnow D, Elian N, Fletcher P, et al. Vertical distance from the crest of bone to the height of the interproximal papilla between adjacent implants. *J Periodontol* 2003;74(12):1785-8. [Abstract](#)
305. Tebbel F, Johnsson S, Halldin A. Removal force of conometric caps and abutments subjected to dynamic loading (P12154). *Clin Oral Implants Res* 2018;29(S17).
306. Tebbel F, Johnsson S, Halldin A. Removal force of conometric caps and abutments (P12153). *Clin Oral Implants Res* 2018;29(S17).
307. Tenenbaum H, Schaaf JF, Cuisinier FJ. Histological analysis of the Ankylos peri-implant soft tissues in a dog model. *Implant Dent* 2003;12(3):259-65. [Abstract](#)
308. Tesmer M, Wallet S, Koutouzis T, et al. Bacterial colonization of the dental implant fixture-abutment interface: an in vitro study. *J Periodontol* 2009;80(12):1991-7. [Abstract](#)
309. Traini T, Caputi S, Gherlone E, et al. Fibrin clot extension on zirconia surface for dental implants: a quantitative in vitro study. *Clin Implant Dent Relat Res* 2014;16(5):718-27. [Abstract](#)
310. Traini T, Di Iorio D, Caputi S, et al. In vitro evaluation of thermomechanic coupling in conical implant-to-abutment joint. *Implant Dent* 2007;16(4):379-86. [Abstract](#)
311. Trimpou G, Weigl P, Krebs M, et al. Rationale for esthetic tissue preservation of a fresh extraction socket by an implant treatment concept simulating a tooth replantation. *Dental Traumatology* 2010;26(1):105-11. [Abstract](#)

312. Turner A, Vazifdar F, Ghadiali B, et al. Immediate loaded implant supported prosthesis with SynCone. *Int J Oral Implantol Clin Res* 2010;1(3):169-72.
313. Valles C, Rodriguez-Ciurana X, Munoz F, et al. Influence of implant neck surface and placement depth on crestal bone changes and soft tissue dimensions around platform-switched implants: A histologic study in dogs. *J Clin Periodontol* 2018;45(7):869-83. [Abstract](#)
314. Valles C, Rodriguez-Ciurana X, Nart J, et al. Influence of implant neck surface and placement depth on crestal bone changes around platform-switched implants: A clinical and radiographic study in dogs. *J Periodontol* 2017;88(11):1200-10. [Abstract](#)
315. Vercruyssen M, Cox C, Naert I, et al. Accuracy and patient-centered outcome variables in guided implant surgery: a RCT comparing immediate with delayed loading. *Clin Oral Implants Res* 2016;27(4):427-32. [Abstract](#)
316. Vlaminck L, Gorski T, Huys L, et al. Immediate postextraction implant placement in sheep's mandibles: a pilot study. *Implant Dent* 2008;17(4):439-50. [Abstract](#)
317. Wadhwani C, Schonnenbaum TR, Audia F, et al. In vitro study of the contamination remaining on used healing abutments after cleaning and sterilizing in dental practice. *Clin Implant Dent Relat Res* 2015;18(6):1069-74. [Abstract](#)
318. Wang C-H. Fracture resistance of different metal substructure designs for implant-supported porcelain-fused-to-metal (PFM) crowns. *J Dental Science* 2013;8(3):314-20. [Abstract](#)
319. Wang L, Wang T, Lu Y, et al. A digital approach for 1-step formation of the suprapiplant emergence profile at the time of immediate implant placement. *J Prosthet Dent* 2019;E-pub March doi: 10.1016/j.jprosdent.2018.09.012. [Abstract](#)
320. Weigl P. Implant prosthodontics: what next? *Quintessence Int* 2003;34(9):653-69. [Abstract](#)
321. Weigl P, Saarepera K, Hinrikus K, et al. Screw-retained monolithic zirconia vs. cemented porcelain-fused-to-metal implant crowns: a prospective randomized clinical trial in split-mouth design. *Clin Oral Investig* 2019;23(3):1067-75. [Abstract](#)
322. Weigl P, Trimpou G, Grizas E, et al. All-ceramic versus titanium-based implant supported restorations: Preliminary 12-months results from a randomized controlled trial. *J Adv Prosthodont* 2019;11(1):48-54. [Abstract](#)
323. Weigl P, Trimpou G, Lorenz J, et al. Prefabricated taper crowns for the retention of implant superstructures: Three-year results of a prospective clinical trial. *J Prosthet Dent* 2019;121(4):618-22. [Abstract](#)
324. Weng D, Nagata MJ, Bell M, et al. Influence of microgap location and configuration on the periimplant bone morphology in submerged implants. An experimental study in dogs. *Clin Oral Implants Res* 2008;19(11):1141-7. [Abstract](#)
325. Weng D, Nagata MJ, Bell M, et al. Influence of microgap location and configuration on peri-implant bone morphology in nonsubmerged implants: an experimental study in dogs. *Int J Oral Maxillofac Implants* 2010;25(3):540-7. [Abstract](#)
326. Weng D, Nagata MJ, Bosco AF, et al. Influence of microgap location and configuration on radiographic bone loss around submerged implants: an

- experimental study in dogs. *Int J Oral Maxillofac Implants* 2011;26(5):941-6. [Abstract](#)
327. Weng D, Nagata MJ, Leite CM, et al. Influence of microgap location and configuration on radiographic bone loss in nonsubmerged implants: an experimental study in dogs. *Int J Prosthodont* 2011;24(5):445-52. [Abstract](#)
328. Wittwer G, Adeyemo WL, Schicho K, et al. Prospective randomized clinical comparison of 2 dental implant navigation systems. *Int J Oral Maxillofac Implants* 2007;22(5):785-90. [Abstract](#)
329. Wittwer G, Adeyemo WL, Schicho K, et al. Navigated flapless transmucosal implant placement in the mandible: a pilot study in 20 patients. *Int J Oral Maxillofac Implants* 2007;22(5):801-7. [Abstract](#)
330. Wittwer G, Adeyemo WL, Schicho K, et al. Computer-guided flapless transmucosal implant placement in the mandible: a new combination of two innovative techniques. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2006;101(6):718-23. [Abstract](#)
331. Wittwer G, Adeyemo WL, Wagner A, et al. Computer-guided flapless placement and immediate loading of four conical screw-type implants in the edentulous mandible. *Clin Oral Implants Res* 2007;18(4):534-9. [Abstract](#)
332. Woo IH, Kim JW, Kang SY, et al. Narrow-diameter implants with conical connection for restoring the posterior edentulous region. *Maxillofac Plast Reconstr Surg* 2016;38(1):31. [Abstract](#)
333. Yan C, Ye L, Zhen J, et al. Neuroplasticity of edentulous patients with implant-supported full dentures. *Eur J Oral Sci* 2008;116(5):387-93. [Abstract](#)
334. Yao KT, Chen CS, Cheng CK, et al. Optimization of the conical angle design in conical implant-abutment connections: A pilot study based on the finite element method. *J Oral Implantol* 2018;44(1):26-35. [Abstract](#)
335. Young-Kyu S, Chong-Hyun H, Seong-Joo H, et al. Radiographic evaluation of marginal bone level around implants with different neck designs after 1 year. *Int J Oral Maxillofac Implants* 2006;21(5):789-94. [Abstract](#)
336. Yunus N, Saub R, Taiyeb Ali TB, et al. Patient-based and clinical outcomes of implant telescopic attachment-retained mandibular overdentures: a 1-year longitudinal prospective study. *Int J Oral Maxillofac Implants* 2014;29(5):1149-56. [Abstract](#)
337. Zabler S, Rack T, Rack A, et al. Quantitative studies on inner interfaces in conical metal joints using hard x-ray inline phase contrast radiography. *Rev Sci Instrum* 2010;81(10):103703. [Abstract](#)
338. Zabler S, Rack T, Rack A, et al. Fatigue induced deformation of taper connections in dental titanium implants. *International Journal of Materials Research (formerly Zeitschrift fuer Metallkunde)* 2012;103(02):207-16.
339. Zeren KJ. Use of bone morphogenetic protein-2 in molar extraction sockets for immediate implant placement: A prospective case series. *Int J Periodontics Restorative Dent* 2018;38(1):87-93. [Abstract](#)
340. Zhang RG, Hannak WB, Roggensack M, et al. Retentive characteristics of Ankylos SynCone conical crown system over long-term use in vitro. *Eur J Prosth Rest Dent* 2008;16(2):61-6. [Abstract](#)

341. Ziebolz D, Schmalz G, Gollasch D, et al. Microbiological and aMMP-8 findings depending on peri-implant disease in patients undergoing supportive implant therapy. *Diagn Microbiol Infect Dis* 2017;88(1):47-52. [Abstract](#)
342. Zipprich H, Miatke S, Hmaidouch R, et al. A new experimental design for bacterial microléakage investigation at the implant-abutment interface: an in vitro study. *Int J Oral Maxillofac Implants* 2016;31(1):37-44. [Abstract](#)
343. Zipprich H, Weigl P, Lauer H-C, et al. Micro-movements at the implant-abutment interface: measurements, causes and consequences. *Implantologie* 2007;15:31-45.
344. Zipprich H, Weigl P, Ratka C, et al. The micromechanical behavior of implant-abutment connections under a dynamic load protocol. *Clin Implant Dent Relat Res* 2018;20(5):814-23. [Abstract](#)

## Astra Tech Implant System

1. Abdelhamed MI, Galley JD, Bailey MT, et al. A comparison of zirconia and titanium abutments for microléakage. *Clin Implant Dent Relat Res* 2015;17 Suppl 2:e643-51. [Abstract](#)
2. Abduljabbar T, Al-Hamoudi N, Al-Sowygh ZH, et al. Comparison of peri-implant clinical and radiographic status around short (6 mm in length) dental implants placed in cigarette-smokers and never-smokers: Six-year follow-up results. *Clin Implant Dent Relat Res* 2018;20(1):21-25. [Abstract](#)
3. Abrahamsson I, Albouy JP, Berglundh T. Healing at fluoride-modified implants placed in wide marginal defects: An experimental study in dogs. *Clin Oral Implants Res* 2008;19(2):153-59. [Abstract](#)
4. Abrahamsson I, Berglundh T. Tissue characteristics at microthreaded implants: An experimental study in dogs. *Clin Implant Dent Relat Res* 2006;8(3):107-13. [Abstract](#)
5. Abrahamsson I, Berglundh T, Lindhe J. Soft tissue response to plaque formation at different implant systems. A comparative study in the dog. *Clin Oral Implants Res* 1998;9(2):73-9. [Abstract](#)
6. Abrahamsson I, Berglundh T, Moon IS, et al. Peri-implant tissues at submerged and non-submerged titanium implants. *J Clin Periodontol* 1999;26(9):600-7. [Abstract](#)
7. Abrahamsson I, Berglundh T, Sekino S, et al. Tissue reactions to abutment shift: An experimental study in dogs. *Clin Implant Dent Relat Res* 2003;5(2):82-8. [Abstract](#)
8. Abrahamsson I, Berglundh T, Wennström J, et al. The peri-implant hard and soft tissues at different implant systems. A comparative study in the dog. *Clin Oral Implants Res* 1996;7(3):212-19. [Abstract](#)
9. Abrahamsson I, Welander M, Linder E, et al. Healing at implants placed in an alveolar ridge with a sloped configuration: An experimental study in dogs. *Clin Implant Dent Relat Res* 2014;16(1):62-9. [Abstract](#)
10. Abrahamsson P, Walivaara DA, Isaksson S, et al. Periosteal expansion before local bone reconstruction using a new technique for measuring soft tissue

profile stability: A clinical study. *J Oral Maxillofac Surg* 2012;70(10):e521-30.  
[Abstract](#)

11. Abtahi J, Henefalk G, Aspenberg P. Impact of a zoledronate coating on early post-surgical implant stability and marginal bone resorption in the maxilla-A split-mouth randomized clinical trial. *Clin Oral Implants Res* 2019;30(1):49-58.  
[Abstract](#)
12. Acocella A, Bertolai R, Sacco R. Modified insertion technique for immediate implant placement into fresh extraction socket in the first maxillary molar sites: A 3-year prospective study. *Implant Dent* 2010;19(3):220-8. [Abstract](#)
13. Acocella A, Ercoli C, Geminiani A, et al. Clinical evaluation of immediate loading of electroeroded screw-retained titanium fixed prostheses supported by tilted implant: A multicenter retrospective study. *Clin Implant Dent Relat Res* 2012;14 (Suppl. 1 ):e98-108. [Abstract](#)
14. Adatia ND, Bayne SC, Cooper LF, et al. Fracture resistance of yttria-stabilized zirconia dental implant abutments. *J Prosthodont* 2009;18(1):17-22. [Abstract](#)
15. Adler L, Liedholm E, Silvegren M, et al. Patient satisfaction 8-14 years after dental implant therapy - a questionnaire study. *Acta Odontol Scand* 2016;74(5):423-9. [Abstract](#)
16. Afshari FS, Hallas MB, Knoernschild KL. An alternative approach in fabrication of fixed complete dentures using a duplicate denture. *J Prosthodont* 2012;21(7):569-72. [Abstract](#)
17. Aguirrebeitia J, Abasolo M, Vallejo J, et al. Dental implants with conical implant-abutment interface: Influence of the conical angle difference on the mechanical behavior of the implant. *Int J Oral Maxillofac Implants* 2013;28(2):e72-82. [Abstract](#)
18. Aguirre-Zorzano LA, Estefania-Fresco R, Telletxea O, et al. Prevalence of peri-implant inflammatory disease in patients with a history of periodontal disease who receive supportive periodontal therapy. *Clin Oral Implants Res* 2015;26(11):1338-44. [Abstract](#)
19. Aguirre-Zorzano LA, Vallejo-Aisa FJ, Estefania-Fresco R. Supportive periodontal therapy and periodontal biotype as prognostic factors in implants placed in patients with a history of periodontitis. *Med Oral Patol Oral Cir Bucal* 2013;18(5):e786-92. [Abstract](#)
20. Ahn SH, Park EJ, Kim ES. Reamer-mediated transalveolar sinus floor elevation without osteotome and simultaneous implant placement in the maxillary molar area: Clinical outcomes of 391 implants in 380 patients. *Clin Oral Implants Res* 2012;23(7):866-72. [Abstract](#)
21. Akalin ZF, Ozkan YK, Ekerim A. Effects of implant angulation, impression material, and variation in arch curvature width on implant transfer model accuracy. *Int J Oral Maxillofac Implants* 2013;28(1):149-57. [Abstract](#)
22. Akca K, Cehreli MC. A photoelastic and strain-gauge analysis of interface force transmission of internal-cone implants. *Int J Periodontics Restorative Dent* 2008;28(4):391-9. [Abstract](#)
23. Akca K, Chang TL, Tekdemir I, et al. Biomechanical aspects of initial intraosseous stability and implant design: a quantitative micro-morphometric analysis. *Clin Oral Implants Res* 2006;17(4):465-72. [Abstract](#)

24. Akca K, Fanuscu MI, Caputo AA. Effect of compromised cortical bone on implant load distribution. *J Prosthodont* 2008;17(8):616-20. [Abstract](#)
25. Akoglu B, Ucankale M, Ozkan Y, et al. Five-year treatment outcomes with three brands of implants supporting mandibular overdentures. *Int J Oral Maxillofac Implants* 2011;26(1):188-94. [Abstract](#)
26. Al Amri MD, Al-Johany SS, Al-Qarni MN, et al. Influence of space size of abutment screw access channel on the amount of extruded excess cement and marginal accuracy of cement-retained single implant restorations. *J Prosthet Dent* 2018;119(2):263-69. [Abstract](#)
27. Albouy JP, Abrahamsson I, Persson LG, et al. Spontaneous progression of peri-implantitis at different types of implants. An experimental study in dogs. I: clinical and radiographic observations. *Clin Oral Implants Res* 2008;19(10):997-1002. [Abstract](#)
28. Albouy JP, Abrahamsson I, Persson LG, et al. Spontaneous progression of ligatured induced peri-implantitis at implants with different surface characteristics. An experimental study in dogs II: histological observations. *Clin Oral Implants Res* 2009;20(4):366-71. [Abstract](#)
29. Albouy JP, Abrahamsson I, Persson LG, et al. Implant surface characteristics influence the outcome of treatment of peri-implantitis: an experimental study in dogs. *J Clin Periodontol* 2011;38(1):58-64. [Abstract](#)
30. Alharbi HM, Babay N, Alzoman H, et al. Bone morphology changes around two types of bone-level implants installed in fresh extraction sockets--a histomorphometric study in Beagle dogs. *Clin Oral Implants Res* 2015;26(9):1106-12. [Abstract](#)
31. Alissa R, Oliver R. Influence of prognostic risk indicators on osseointegrated dental implant failure: a matched case-control analysis. *J Oral Implantol* 2012;38(1):51-61. [Abstract](#)
32. Alissa R, Sakka S, Oliver R, et al. Influence of ibuprofen on bone healing around dental implants: a randomised double-blind placebo-controlled clinical study. *Eur J Oral Implantol* 2009;2(3):185-99. [Abstract](#)
33. Al-Jadaa A, Attin T, Peltomaki T, et al. Comparison of three in vitro implant leakage testing methods. *Clin Oral Implants Res* 2015;26(4):e1-7. [Abstract](#)
34. Al-Johany SS, Al Amri MD, Al-Bakri AS, et al. Effect of the unfilled space size of the abutment screw access hole on the extruded excess cement and retention of single implant zirconia crowns. *J Prosthodont* 2019;28(2):179-84. [Abstract](#)
35. Almohandes A, Carcuac O, Abrahamsson I, et al. Re-osseointegration following reconstructive surgical therapy of experimental peri-implantitis. A pre-clinical in vivo study. *Clin Oral Implants Res* 2019;30(5):447-56. [Abstract](#)
36. Al-Nawas B, Gotz H. Three-dimensional topographic and metrologic evaluation of dental implants by confocal laser scanning microscopy. *Clin Implant Dent Relat Res* 2003;5(3):176-83. [Abstract](#)
37. Al-Nawas B, Kammerer PW, Morbach T, et al. Ten-year retrospective follow-up study of the TiOblast dental implant. *Clin Implant Dent Relat Res* 2012;14(1):127-34. [Abstract](#)

38. Anadioti E, Gates WD, 3rd, Elpers J, et al. Retrospective cohort analysis of maxillary overdentures retained by unsplinted implants. *J Prosthet Dent* 2019;E-pub Apr 6 doi:10.1016/j.prosdent.2018.10.014. [Abstract](#)
39. Antalainen AK, Helminen M, Forss H, et al. Assessment of removed dental implants in Finland from 1994 to 2012. *Int J Oral Maxillofac Implants* 2013;28(6):1612-8. [Abstract](#)
40. Antunes AA, Oliveira Neto P, de Santis E, et al. Comparisons between Bio-Oss((R)) and Straumann((R)) Bone Ceramic in immediate and staged implant placement in dogs mandible bone defects. *Clin Oral Implants Res* 2013;24(2):135-42. [Abstract](#)
41. Apicella D, Veltri M, Balleri P, et al. Influence of abutment material on the fracture strength and failure modes of abutment-fixture assemblies when loaded in a bio-faithful simulation. *Clin Oral Implants Res* 2011;22(2):182-8. [Abstract](#)
42. Apicella D, Veltri M, Chieffi N, et al. Cement thickness at implant-supported single-tooth Lava assemblies: a scanning electron microscopic investigation. *Clin Oral Implants Res* 2010;21(7):747-50. [Abstract](#)
43. Apicella D, Veltri M, Chieffi N, et al. Implant adaptation of stock abutments versus CAD/CAM abutments: A radiographic and scanning electron microscopy study. *Annali di Stomatologia* 2010;1(3-4):9-13. [Abstract](#)
44. Arora H, Ivanovski S. Correlation between pre-operative buccal bone thickness and soft tissue changes around immediately placed and restored implants in the maxillary anterior region: A 2-year prospective study. *Clin Oral Implants Res* 2017;28(10):1188-94. [Abstract](#)
45. Arora H, Ivanovski S. Clinical and aesthetic outcomes of immediately placed single-tooth implants with immediate vs. delayed restoration in the anterior maxilla: A retrospective cohort study. *Clin Oral Implants Res* 2018;29:346-52. [Abstract](#)
46. Arora H, Khzam N, Roberts D, et al. Immediate implant placement and restoration in the anterior maxilla: Tissue dimensional changes after 2-5 year follow up. *Clin Implant Dent Relat Res* 2017;19(4):694-702. [Abstract](#)
47. Arunyanak SP, Sophon N, Tangsathian T, et al. The effect of factors related to periodontal status toward peri-implantitis. *Clin Oral Implants Res* 2019;E-pub May 20, doi: 10.1111/clr.13461 [Abstract](#)
48. Arvidson K, Bystedt H, Ericsson I. Histometric and ultrastructural studies of tissues surrounding Astra dental implants in dogs. *Int J Oral Maxillofac Implants* 1990;5(2):127-34. [Abstract](#)
49. Arvidson K, Bystedt H, Frykholm A, et al. A 3-year clinical study of Astra dental implants in the treatment of edentulous mandibles. *Int J Oral Maxillofac Implants* 1992;7(3):321-9. [Abstract](#)
50. Arvidson K, Bystedt H, Frykholm A, et al. Five-year prospective follow-up report of the Astra Tech Dental Implant System in the treatment of edentulous mandibles. *Clin Oral Implants Res* 1998;9(4):225-34. [Abstract](#)
51. Arvidsson A, Sarve H, Johansson CB. Comparing and visualizing titanium implant integration in rat bone using 2D and 3D techniques. *J Biomed Mater Res B* 2015;103(1):12-20. [Abstract](#)

52. Arvidsson A, Sater BA, Wennerberg A. The role of functional parameters for topographical characterization of bone-anchored implants. *Clin Implant Dent Relat Res* 2006;8(2):70-6. [Abstract](#)
53. Åstrand P, Engquist B, Dahlgren S, et al. Astra Tech and Bränemark System implants: a prospective 5-year comparative study. Results after one year. *Clin Implant Dent Relat Res* 1999;1(1):17-26. [Abstract](#)
54. Åstrand P, Engquist B, Dahlgren S, et al. Astra Tech and Bränemark System implants: a 5-year prospective study of marginal bone reactions. *Clin Oral Implants Res* 2004;15(4):413-20. [Abstract](#)
55. Atieh MA, Pang JK, Lian K, et al. Predicting peri-implant disease: Chi-square automatic interaction detection (CHAID) decision tree analysis of risk indicators. *J Periodontol* 2019;E-pub Feb, doi: 10.1002/JPER.17-0501. [Abstract](#)
56. Badr M, Coulthard P, Alissa R, et al. The efficacy of platelet-rich plasma in grafted maxillae. A randomised clinical trial. *Eur J Oral Implantol* 2010;3(3):233-44. [Abstract](#)
57. Bae OY, Kim YS, Shin SY, et al. Clinical outcomes of reamer- vs osteotome-mediated sinus floor elevation with simultaneous implant placement: A 2-year retrospective study. *Int J Oral Maxillofac Implants* 2015;30(4):925-30. [Abstract](#)
58. Baelum V, Ellegaard B. Implant survival in periodontally compromised patients. *J Periodontol* 2004;75(10):1404-12. [Abstract](#)
59. Baggi L, Di Girolamo M, Mirisola C, et al. Microbiological evaluation of bacterial and mycotic seal in implant systems with different implant-abutment interfaces and closing torque values. *Implant Dent* 2013;22(4):344-50. [Abstract](#)
60. Baixe S, Fauxpoint G, Arntz Y, et al. Microgap between zirconia abutments and titanium implants. *Int J Oral Maxillofac Implants* 2010;25(3):455-60. [Abstract](#)
61. Bakke M, Holm B, Gotfredsen K. Masticatory function and patient satisfaction with implant-supported mandibular overdentures: a prospective 5-year study. *Int J Prosthodont* 2002;15(6):575-81. [Abstract](#)
62. Balatsouka D, Gotfredsen K, Lindh CH, et al. The impact of nicotine on osseointegration. An experimental study in the femur and tibia of rabbits. *Clin Oral Implants Res* 2005;16(4):389-95. [Abstract](#)
63. Balleri P, Ferrari M, Veltri M. One-year outcome of implants strategically placed in the retrocanine bone triangle. *Clin Implant Dent Relat Res* 2010;12(4):324-30. [Abstract](#)
64. Balshi TJ, Wolfinger GJ, Slauch RW, et al. A retrospective comparison of implants in the pterygomaxillary region: implant placement with two-stage, single-stage, and guided surgery protocols. *Int J Oral Maxillofac Implants* 2013;28(1):184-9. [Abstract](#)
65. Barbato L, Baldi N, Gonnelly A, et al. Association of smoking habits and height of residual bone on implant survival and success rate in lateral sinus lift: A retrospective study. *J Oral Implantol* 2018;44(6):432-38. [Abstract](#)
66. Barbier L, Abeloos J, De Clercq C, et al. Peri-implant bone changes following tooth extraction, immediate placement and loading of implants in the edentulous maxilla. *Clin Oral Investig* 2012;16(4):1061-70. [Abstract](#)

67. Barbier L, Pottel L, De Ceulaer J, et al. Evaluation of quality of life after mandibular reconstruction using a novel fixed implant-supported dental prosthesis concept: A pilot study. *Int J Prosthodont* 2019;32(2):162-73. [Abstract](#)
68. Barewal RM, Stanford C, Weesner TC. A randomized controlled clinical trial comparing the effects of three loading protocols on dental implant stability. *Int J Oral Maxillofac Implants* 2012;27(4):945-56. [Abstract](#)
69. Barias PA, Lee DJ, Yuan JC, et al. Retrospective analysis of dental implants placed and restored by advanced prosthodontic residents. *J Prosthodont* 2013;22(2):157-63. [Abstract](#)
70. Barrero CH, Bencharit S, Petrola F. Case report: Screw-retained zirconia implant restoration. *J Oral Implantol* 2016;42(4):359-62. [Abstract](#)
71. Barwacz C, Hernandez MM. Direct extrinsic characterization maximizing esthetics of fixed interim restorations. *J Cosmetic Dentistry* 2013;29(1):122-31.
72. Barwacz CA, Brogden KA, Stanford CM, et al. Comparison of pro-inflammatory cytokines and bone metabolism mediators around titanium and zirconia dental implant abutments following a minimum of 6 months of clinical function. *Clin Oral Implants Res* 2015;26(4):e35-41. [Abstract](#)
73. Barwacz CA, Stanford CM, Diehl UA, et al. Pink esthetic score outcomes around three implant-abutment configurations: 3-year results. *Int J Oral Maxillofac Implants* 2018;33(5):1126-35. [Abstract](#)
74. Barwacz CA, Stanford CM, Diehl UA, et al. Electronic assessment of peri-implant mucosal esthetics around three implant-abutment configurations: a randomized clinical trial. *Clin Oral Implants Res* 2016;27(6):707-15. [Abstract](#)
75. Bashutski JD, Wang HL, Rudek I, et al. Effect of flapless surgery on single-tooth implants in the esthetic zone: a randomized clinical trial. *J Periodontol* 2013;84(12):1747-54. [Abstract](#)
76. Basler T, Naenni N, Schneider D, et al. Randomized controlled clinical study assessing two membranes for guided bone regeneration of peri-implant bone defects: 3-year results. *Clin Oral Implants Res* 2018;29(5):499-507. [Abstract](#)
77. Bazrafshan N, Darby I. Retrospective success and survival rates of dental implants placed with simultaneous bone augmentation in partially edentulous patients. *Clin Oral Implants Res* 2014;25(7):768-73. [Abstract](#)
78. Becktor JP, Hallström H, Isaksson S, et al. The use of particulate bone grafts from the mandible for maxillary sinus floor augmentation before placement of surface-modified implants: results from bone grafting to delivery of the final fixed prosthesis. *J Oral Maxillofac Surg* 2008;66(4):780-6. [Abstract](#)
79. Bencharit S, Misiek DJ, Simon LA, et al. Full mouth rehabilitation with dental implants for a patient with skeletal class III malocclusion: A case report. *J Oral Implantol* 2012;38(1):63-70. [Abstract](#)
80. Bencharit S, Reside GJ, Howard-Williams EL. Complex prosthodontic treatment with dental implants for a patient with polymyalgia rheumatica: a clinical report. *Int J Oral Maxillofac Implants* 2010;25(6):1241-5. [Abstract](#)
81. Bencharit S, Schardt-Sacco D, Border MB, et al. Full mouth rehabilitation with implant-supported prostheses for severe periodontitis: a case report. *Open Dent J* 2010;4:165-71. [Abstract](#)

82. Benic GI, Thoma DS, Jung RE, et al. Guided bone regeneration with particulate vs. block xenogenic bone substitutes: a pilot cone beam computed tomographic investigation. *Clin Oral Implants Res* 2017;28(11):e262-e70. [Abstract](#)
83. Benic GI, Thoma DS, Munoz F, et al. Guided bone regeneration of peri-implant defects with particulated and block xenogenic bone substitutes. *Clin Oral Implants Res* 2016;27(5):567-76. [Abstract](#)
84. Benic GI, Thoma DS, Sanz-Martin I, et al. Guided bone regeneration at zirconia and titanium dental implants: a pilot histological investigation. *Clin Oral Implants Res* 2017;28(12):1592-99. [Abstract](#)
85. Berberi A, Maroun D, Kanj W, et al. Micromovement evaluation of original and compatible abutments at the implant-abutment interface. *J Contemp Dent Pract* 2016;17(11):907-13. [Abstract](#)
86. Berberi A, Tehini G, Rifai K, et al. Leakage evaluation of original and compatible implant-abutment connections: In vitro study using Rhodamine B. *J Dent Biomech* 2014;5:1-7. [Abstract](#)
87. Berberi A, Tehini G, Rifai K, et al. In vitro evaluation of leakage at implant-abutment connection of three implant systems having the same prosthetic interface using rhodamine B. *Int J Dent* 2014;2014:351263. [Abstract](#)
88. Berberi AN, Noujeim ZN, Kanj WH, et al. Immediate placement and loading of maxillary single-tooth implants: a 3-year prospective study of marginal bone level. *J Contemp Dent Pract* 2014;15(2):202-8. [Abstract](#)
89. Berberi AN, Sabbagh JM, Aboushelib MN, et al. A 5-year comparison of marginal bone level following immediate loading of single-tooth implants placed in healed alveolar ridges and extraction sockets in the maxilla. *Front Physiol* 2014;5:29. [Abstract](#)
90. Berberi AN, Tehini GE, Noujeim ZF, et al. Influence of surgical and prosthetic techniques on marginal bone loss around titanium implants. Part I: immediate loading in fresh extraction sockets. *J Prosthodont* 2014;23(7):521-7. [Abstract](#)
91. Berglundh T, Abrahamsson I, Albouy JP, et al. Bone healing at implants with a fluoride-modified surface: an experimental study in dogs. *Clin Oral Implants Res* 2007;18(2):147-52. [Abstract](#)
92. Berglundh T, Abrahamsson I, Lindhe J. Bone reactions to longstanding functional load at implants: an experimental study in dogs. *J Clin Periodontol* 2005;32(9):925-32. [Abstract](#)
93. Berglundh T, Wennstrom JL, Lindhe J. Long-term outcome of surgical treatment of peri-implantitis. A 2-11-year retrospective study. *Clin Oral Implants Res* 2018;29(4):404-10. [Abstract](#)
94. Bernard L, Vercruyssen M, Duyck J, et al. A randomized controlled clinical trial comparing guided with nonguided implant placement: A 3-year follow-up of implant-centered outcomes. *J Prosthet Dent* 2019;121(6):904-10. [Abstract](#)
95. Bernhart G, Koob A, Schmitter M, et al. Clinical success of implant-supported and tooth-implant-supported double crown-retained dentures. *Clin Oral Investig* 2012;16(4):1031-7. [Abstract](#)

96. Bhatavadekar NB, Hu J, Keys K, et al. Novel application of cytodetachment technology to the analysis of dental implant surfaces. *Int J Oral Maxillofac Implants* 2011;26(5):985-90. [Abstract](#)
97. Bidra AS. Surgical and prosthodontic consequences of inadequate treatment planning for fixed implant-supported prosthesis in the edentulous mandible. *J Oral Maxillofac Surg* 2010;68(10):2528-36. [Abstract](#)
98. Bidra AS, Hofstede TM, Skoracki RJ, et al. Maxillofacial rehabilitation of a 7-year-old boy with osteosarcoma of the mandible using a free fibula flap and implant-supported prosthesis: a clinical report. *J Prosthet Dent* 2009;102(6):348-53. [Abstract](#)
99. Bidra AS, Montgomery PC, Jacob RF. Maxillofacial rehabilitation of a microstomia patient after resection of nose, lip, and maxilla. *J Oral Maxillofac Surg* 2010;68(10):2513-9. [Abstract](#)
100. Bidra AS, Shaqman M. Treatment planning and sequence for implant therapy in a young adult with generalized aggressive periodontitis. *J Oral Implantol* 2012;38(4):405-15. [Abstract](#)
101. Bidra AS, Uribe F. Preprosthetic orthodontic intervention for management of a partially edentulous patient with generalized wear and malocclusion. *J Esthet Restor Dent* 2012;24(2):88-100. [Abstract](#)
102. Bilhan H, Geckili O, Mumcu E. The use of definitive implant abutments for the fabrication of provisional crowns: a case series. *J Periodontal Implant Sci* 2011;41(5):248-52. [Abstract](#)
103. Bilhan H, Geckili O, Mumcu E, et al. Influence of surgical technique, implant shape and diameter on the primary stability in cancellous bone. *J Oral Rehabil* 2010;37(12):900-7. [Abstract](#)
104. Bilhan H, Geckili O, Sulun T, et al. A quality-of-life comparison between self-aligning and ball attachment systems for 2-implant-retained mandibular overdentures. *J Oral Implantol* 2011;37 Spec No(sp1):167-73. [Abstract](#)
105. Bilhan H, Kutay O, Arat S, et al. Astra Tech, Bränemark, and ITI Implants in the rehabilitation of partial edentulism: Two-year results. *Implant Dent* 2010;19(5):437-46. [Abstract](#)
106. Bilhan H, Mumcu E, Erol S, et al. Influence of platform-switching on marginal bone levels for implants with mandibular overdentures: a retrospective clinical study. *Implant Dent* 2010;19(3):250-8. [Abstract](#)
107. Bilhan H, Mumcu E, Geckili O, et al. The evaluation of the success of immediately placed single implants: a retrospective clinical study. *Implant Dent* 2011;20(3):215-25. [Abstract](#)
108. Bilhan H, Sonmez E, Mumcu E, et al. Immediate loading: three cases with up to 38 months of clinical follow-up. *J Oral Implantol* 2009;35(2):75-81. [Abstract](#)
109. Biyani R, Ali M, Belles D, et al. Effect of metal extension of crown in the screw access channel of a posterior implant abutment on the retention of cement retained prosthesis. *J Oral Implantol* 2015;41(5):537-41. [Abstract](#)
110. Blum K, Wiest W, Fella C, et al. Fatigue induced changes in conical implant-abutment connections. *Dent Mater* 2015;31(11):1415-26. [Abstract](#)

111. Borges T, Leitao B, Pereira M, et al. Influence of the abutment height and connection timing in early peri-implant marginal bone changes: A prospective randomized clinical trial. *Clin Oral Implants Res* 2018;29(9):907-14. [Abstract](#)
112. Borges T, Lima T, Carvalho A, et al. The influence of customized abutments and custom metal abutments on the presence of the interproximal papilla at implants inserted in single-unit gaps: a 1-year prospective clinical study. *Clin Oral Implants Res* 2014;25(11):1222-7. [Abstract](#)
113. Borges T, Lima T, Carvalho AC, et al. Clinical outcome of inter-proximal papilla between a tooth and a single implant treated with CAD/CAM abutments: a cross-sectional study. *J Oral Maxillofac Res* 2012;3(3). [Abstract](#)
114. Bormann KH, Suarez-Cunqueiro MM, von See C, et al. Sandwich osteotomy for vertical and transversal augmentation of the posterior mandible. *Int J Oral Maxillofac Surg* 2010;39(6):554-60. [Abstract](#)
115. Bormann KH, Suarez-Cunqueiro MM, von See C, et al. Forty sandwich osteotomies in atrophic mandibles: a retrospective study. *J Oral Maxillofac Surg* 2011;69(6):1562-70. [Abstract](#)
116. Botticelli D, Perrotti V, Piattelli A, et al. Four stable and functioning dental implants retrieved for fracture after 14 and 17 years from the same Patient: A histologic and histomorphometric report. *Int J Periodontics Restorative Dent* 2019;39(1):83-88. [Abstract](#)
117. Botticelli D, Persson LG, Lindhe J, et al. Bone tissue formation adjacent to implants placed in fresh extraction sockets: an experimental study in dogs. *Clin Oral Implants Res* 2006;17(4):351-58. [Abstract](#)
118. Bousdras VA, Sindet-Pedersen S, Cunningham JL, et al. Immediate functional loading of single-tooth TiO grit-blasted implant restorations: a controlled prospective study in a porcine model. Part I: Clinical outcome. *Clin Implant Dent Relat Res* 2007;9(4):197-206. [Abstract](#)
119. Bousdras VA, Walboomers F, Jansen JA, et al. Immediate functional loading of single-tooth TiO<sub>2</sub> grit-blasted implant restoration. A controlled prospective study in a porcine model. Part II: Histology and histomorphometry. *Clin Implant Dent Relat Res* 2007;9(4):207-16. [Abstract](#)
120. Boven GC, Meijer HJ, Slot W, et al. Does a large dehiscent implant surface at placement affect the 5-year treatment outcome? An assessment of implants placed to support a maxillary overdenture. *J Craniomaxillofac Surg* 2015;43(9):1758-62. [Abstract](#)
121. Boven GC, Slot JWA, Raghoebar GM, et al. Maxillary implant-supported overdentures opposed by (partial) natural dentitions: a 5-year prospective case series study. *J Oral Rehabil* 2017;44(12):988-95. [Abstract](#)
122. Bozkaya D, Muftu S, Muftu A. Evaluation of load transfer characteristics of five different implants in compact bone at different load levels by finite elements analysis. *J Prosthet Dent* 2004;92(6):523-30. [Abstract](#)
123. Brandenberg FD, Sailer I, Fehmer V, et al. Randomized controlled clinical pilot study of all-ceramic single-tooth implant reconstructions: clinical and microbiological outcomes at one year of loading. *Clin Oral Implants Res* 2017;28(4):406-13. [Abstract](#)

124. Brandtner C, Borumandi F, Krenkel C, et al. A new technique for sandwich osteoplasty with interpositional bone grafts for fixation. *Int J Oral Maxillofac Implants* 2014;29(5):1164-9. [Abstract](#)
125. Bressan E, Paniz G, Lops D, et al. Influence of abutment material on the gingival color of implant-supported all-ceramic restorations: a prospective multicenter study. *Clin Oral Implants Res* 2010;22(6):631-7. [Abstract](#)
126. Bressan E, Sivolella S, Stellini E, et al. Healing of buccal dehiscence defects at implants installed immediately into extraction sockets - an experimental study in dogs. *Clin Oral Implants Res* 2013;24(3):270-7. [Abstract](#)
127. Bressan E, Sivolella S, Urrutia ZA, et al. Short implants (6 mm) installed immediately into extraction sockets: An experimental study in dogs. *Clin Oral Implants Res* 2012;23(5):536-41. [Abstract](#)
128. Bressan E, Tessarolo F, Sbricoli L, et al. Effect of chlorhexidine in preventing plaque biofilm on healing abutment: a crossover controlled study. *Implant Dent* 2014;23(1):64-8. [Abstract](#)
129. Bressan E, Tomasi C, Stellini E, et al. Implant-supported mandibular overdentures: a cross-sectional study. *Clin Oral Implants Res* 2012;23(7):814-9. [Abstract](#)
130. Brozovic J, Demoli N, Farkas N, et al. Properties of axially loaded implant-abutment assemblies using digital holographic interferometry analysis. *Dent Mater* 2014;30(3):e17-27. [Abstract](#)
131. Bryington M, Mendonca G, Nares S, et al. Osteoblastic and cytokine gene expression of implant-adherent cells in humans. *Clin Oral Implants Res* 2014;25(1):52-8. [Abstract](#)
132. Büchi DL, Sailer I, Fehmer V, et al. All-ceramic single-tooth implant reconstructions using modified zirconia abutments: a prospective randomized controlled clinical trial of the effect of pink veneering ceramic on the esthetic outcomes. *Int J Periodontics Restorative Dent* 2014;34(1):29-37. [Abstract](#)
133. Buhara O, Uyanik LO, Ayali A, et al. Active implant periapical lesions leading to implant failure: two case reports. *J Oral Implantol* 2014;40(3):325-9. [Abstract](#)
134. Butkevica A, Nathanson D, Pober R, et al. Measurements of repeated tightening and loosening torque of seven different implant/abutment connection designs and their modifications: An in vitro study. *J Prosthodont* 2018;27(2):153-61. [Abstract](#)
135. Bystedt H, Rasmusson L. Porous titanium granules used as osteoconductive material for sinus floor augmentation: a clinical pilot study. *Clin Implant Dent Relat Res* 2009;11(2):101-5. [Abstract](#)
136. Caban J, Fermergard R, Abtahi J. Long-term evaluation of osteotome sinus floor elevation and simultaneous placement of implants without bone grafts: 10-Year radiographic and clinical follow-up. *Clin Implant Dent Relat Res* 2017;19(6):1023-33. [Abstract](#)
137. Caglar A, Bal BT, Karakoca S, et al. Three-dimensional finite element analysis of titanium and yttrium-stabilized zirconium dioxide abutments and implants. *Int J Oral Maxillofac Implants* 2011;26(5):961-9. [Abstract](#)

138. Cairo F, Barbato L, Tonelli P, et al. Xenogeneic collagen matrix versus connective tissue graft for buccal soft tissue augmentation at implant site. A randomized, controlled clinical trial. *J Clin Periodontol* 2017;44(7):769-76. [Abstract](#)
139. Cakarer S, Selvi F, Can T, et al. Investigation of the risk factors associated with the survival rate of dental implants. *Implant Dent* 2014;23(3):328-33. [Abstract](#)
140. Cakir O, Kazancioglu HO, Celik G, et al. Evaluation of the efficacy of mandibular conventional and implant prostheses in a group of Turkish patients: a quality of life study. *J Prosthodont* 2014;23(5):390-6. [Abstract](#)
141. Calderini A, Maiorana C, Garlini G, et al. A simplified method to assess precision of fit between framework and supporting implants: a preliminary study. *Int J Oral Maxillofac Implants* 2007;22(5):831-8. [Abstract](#)
142. Camps-Font O, Martin-Fatas P, Cle-Ovejero A, et al. Postoperative infections after dental implant placement: Variables associated with increased risk of failure. *J Periodontol* 2018;89(10):1165-73. [Abstract](#)
143. Canullo L, Penarrocha-Oltra D, Covani U, et al. Clinical and microbiological findings in patients with peri-implantitis: a cross-sectional study. *Clin Oral Implants Res* 2016;27(3):376-82. [Abstract](#)
144. Canullo L, Penarrocha-Oltra D, Soldini C, et al. Microbiological assessment of the implant-abutment interface in different connections: cross-sectional study after 5 years of functional loading. *Clin Oral Implants Res* 2015;26(4):426-34. [Abstract](#)
145. Capecchi M, Buongiorno V, Romagnoli A, et al. Severe descending mediastinitis after routine dental implant surgery: a case report. *Eur J Oral Implantol* 2012;5(4):389-96. [Abstract](#)
146. Carbiner R, Jerjes W, Shakib K, et al. Analysis of the compatibility of dental implant systems in fibula free flap reconstruction. *Head Neck Oncol* 2012;4:37. [Abstract](#)
147. Carcuac O, Abrahamsson I, Charalampakis G, et al. The effect of the local use of chlorhexidine in surgical treatment of experimental peri-implantitis in dogs. *J Clin Periodontol* 2015;42(2):196-203. [Abstract](#)
148. Carcuac O, Derkx J, Abrahamsson I, et al. Surgical treatment of peri-implantitis: 3-year results from a randomized controlled clinical trial. *J Clin Periodontol* 2017;44(12):1294-303. [Abstract](#)
149. Carcuac O, Derkx J, Charalampakis G, et al. Adjunctive systemic and local antimicrobial therapy in the surgical treatment of peri-implantitis: a randomized controlled clinical trial. *J Dent Res* 2016;95(1):50-7. [Abstract](#)
150. Carmagnola D, Araujo M, Berglundh T, et al. Bone tissue reaction around implants placed in a compromised jaw. *J Clin Periodontol* 1999;26(10):629-35. [Abstract](#)
151. Carmagnola D, Berglundh T, Araujo M, et al. Bone healing around implants placed in a jaw defect augmented with Bio-Oss. An experimental study in dogs. *J Clin Periodontol* 2000;27(11):799-805. [Abstract](#)
152. Carnaggio TV, Conrad R, Engelmeier RL, et al. Retention of CAD/CAM all-ceramic crowns on prefabricated implant abutments: an in vitro comparative

- study of luting agents and abutment surface area. *J Prosthodont* 2012;21(7):523-8. [Abstract](#)
153. Castro GL, Gallas M, Nunez IR, et al. Scanning electron microscopic analysis of diode laser-treated titanium implant surfaces. *Photomed Laser Surg* 2007;25(2):124-8. [Abstract](#)
154. Caudry S, Landzberg M. Clinical considerations for the use of a two-piece 3.0 mm implant for replacing a missing mandibular incisor. *Journal of Clinical & Practical Oral Implantology* 2010;1(2):25-29.
155. Cavalcanti R, Oreglia F, Manfredonia MF, et al. The influence of smoking on the survival of dental implants: a 5-year pragmatic multicentre retrospective cohort study of 1727 patients. *Eur J Oral Implantol* 2011;4(1):39-45. [Abstract](#)
156. Cecchinato D, Bengazi F, Blasi G, et al. Bone level alterations at implants placed in the posterior segments of the dentition: outcome of submerged/non-submerged healing. A 5-year multicenter, randomized, controlled clinical trial. *Clin Oral Implants Res* 2008;19(4):429-31. [Abstract](#)
157. Cecchinato D, Bressan EA, Toia M, et al. Osseointegration in periodontitis susceptible individuals. *Clin Oral Implants Res* 2012;23(1):1-4. [Abstract](#)
158. Cecchinato D, Lops D, Salvi GE, et al. A prospective, randomized, controlled study using OsseoSpeed implants placed in maxillary fresh extraction socket: soft tissues response. *Clin Oral Implants Res* 2015;26(1):20-7. [Abstract](#)
159. Cecchinato D, Marino M, Lindhe J. Bone loss at implants and teeth in the same segment of the dentition in partially dentate subjects. *Clin Oral Implants Res* 2017;28(5):626-30. [Abstract](#)
160. Cecchinato D, Marino M, Toia M, et al. Bone loss at implants and teeth in the same inter-proximal unit: A radiographic study. *Clin Oral Implants Res* 2018;29(4):375-80. [Abstract](#)
161. Cecchinato D, Olsson C, Lindhe J. Submerged or non-submerged healing of endosseous implants to be used in the rehabilitation of partially dentate patients. *J Clin Periodontol* 2004;31(4):299-308. [Abstract](#)
162. Cecchinato D, Parpaila A, Lindhe J. A cross-sectional study on the prevalence of marginal bone loss among implant patients. *Clin Oral Implants Res* 2013;24(1):87-90. [Abstract](#)
163. Cecchinato D, Parpaila A, Lindhe J. Mucosal inflammation and incidence of crestal bone loss among implant patients: a 10-year study. *Clin Oral Implants Res* 2014;25(7):791-6. [Abstract](#)
164. Cehreli M, Duyck J, De Cooman M, et al. Implant design and interface force transfer. A photoelastic and strain-gauge analysis. *Clin Oral Implants Res* 2004;15(2):249-57. [Abstract](#)
165. Cha HS, Kim YS, Jeon JH, et al. Cumulative survival rate and complication rates of single-tooth implant; focused on the coronal fracture of fixture in the internal connection implant. *J Oral Rehabil* 2013;40(8):595-602. [Abstract](#)
166. Cha JK, Kim C, Pae HC, et al. Maxillary sinus augmentation using biphasic calcium phosphate: dimensional stability results after 3-6 years. *J Periodontal Implant Sci* 2019;49(1):47-57. [Abstract](#)

167. Cha JK, Lee JS, Kim CS. Surgical therapy of peri-implantitis with local minocycline: A 6-month randomized controlled clinical trial. *J Dent Res* 2019;98(3):288-95. [Abstract](#)
168. Chaffee NR, Felton DA, Cooper LF, et al. Prosthetic complications in an implant-retained mandibular overdenture population: initial analysis of a prospective study. *J Prosthet Dent* 2002;87(1):40-4. [Abstract](#)
169. Chang M, Wennstrom JL. Bone alterations at implant-supported FDPs in relation to inter-unit distances: a 5-year radiographic study. *Clin Oral Implants Res* 2010;21(7):735-40. [Abstract](#)
170. Chang M, Wennstrom JL. Soft tissue topography and dimensions lateral to single implant-supported restorations. a cross-sectional study. *Clin Oral Implants Res* 2013;24(5):556-62. [Abstract](#)
171. Chang M, Wennström JL. Longitudinal changes in tooth/single-implant relationship and bone topography: an 8-year retrospective analysis. *Clin Implant Dent Relat Res* 2012;14(3):388-94. [Abstract](#)
172. Charalampakis G, Leonhardt A, Rabe P, et al. Clinical and microbiological characteristics of peri-implantitis cases: a retrospective multicentre study. *Clin Oral Implants Res* 2012;23(9):1045-54. [Abstract](#)
173. Charalampakis G, Ramberg P, Dahlen G, et al. Effect of cleansing of biofilm formed on titanium discs. *Clin Oral Implants Res* 2015;26(8):931-6. [Abstract](#)
174. Chiapasco M, Colletti G, Coggiola A, et al. Clinical outcome of the use of fresh frozen allogeneic bone grafts for the reconstruction of severely resorbed alveolar ridges: preliminary results of a prospective study. *Int J Oral Maxillofac Implants* 2015;30(2):450-60. [Abstract](#)
175. Chiapasco M, Di Martino G, Anello T, et al. Fresh frozen versus autogenous iliac bone for the rehabilitation of the extremely atrophic maxilla with onlay grafts and endosseous implants: preliminary results of a prospective comparative study. *Clin Implant Dent Relat Res* 2015;17 Suppl 1:e251-66. [Abstract](#)
176. Chiapasco M, Palombo D. Sinus grafting and simultaneous removal of large antral pseudocysts of the maxillary sinus with a micro-invasive intraoral access. *Int J Oral Maxillofac Surg* 2015;44(12):1499-505. [Abstract](#)
177. Ch'ng S, Skoracki RJ, Selber JC, et al. Osseointegrated implant-based dental rehabilitation in head and neck reconstruction patients. *Head Neck* 2016;38 Suppl 1:E321-7. [Abstract](#)
178. Choi JH. The effect of different screw-tightening techniques on the strain generated on an internal-connection implant superstructure. Part 2: models created with a splinted impression technique. *Int J Oral Maxillofac Implants* 2011;26(5):1016-23. [Abstract](#)
179. Choi JH, Lim YJ, Kim CW, et al. The effect of different screw-tightening techniques on the stress generated on an internal-connection implant superstructure. *Int J Oral Maxillofac Implants* 2009;24(6):1045-53. [Abstract](#)
180. Choi JH, Lim YJ, Yim SH, et al. Evaluation of the accuracy of implant-level impression techniques for internal-connection implant prostheses in parallel and divergent models. *Int J Oral Maxillofac Implants* 2007;22(5):761-8. [Abstract](#)

181. Choi JY, Kang SH, Kim HY, et al. Control variable implants improve interpretation of surface modification and implant design effects on early bone responses: An in vivo study. *Int J Oral Maxillofac Implants* 2018;33(5):1033-40. [Abstract](#)
182. Choi JY, Lee HJ, Jang JU, et al. Comparison between bioactive fluoride modified and bioinert anodically oxidized implant surfaces in early bone response using rabbit tibia model. *Implant Dent* 2012;21(2). [Abstract](#)
183. Chrcanovic BR, Kisch J, Albrektsson T, et al. Factors influencing early dental implant failures. *J Dent Res* 2016;95(9):995-1002. [Abstract](#)
184. Chrcanovic BR, Kisch J, Albrektsson T, et al. Analysis of risk factors for cluster behavior of dental implant failures. *Clin Implant Dent Relat Res* 2017;19(4):632-42. [Abstract](#)
185. Chrcanovic BR, Kisch J, Albrektsson T, et al. Intake of proton pump inhibitors is associated with an increased risk of dental implant failure. *Int J Oral Maxillofac Implants* 2017;32(5):1097-102. [Abstract](#)
186. Chrcanovic BR, Kisch J, Albrektsson T, et al. Impact of different surgeons on dental implant failure. *Int J Prosthodont* 2017;30(5):445-54. [Abstract](#)
187. Chrcanovic BR, Kisch J, Albrektsson T, et al. Is the intake of selective serotonin reuptake inhibitors associated with an increased risk of dental implant failure? *Int J Oral Maxillofac Surg* 2017;46(6):782-88. [Abstract](#)
188. Chrcanovic BR, Kisch J, Albrektsson T, et al. Factors influencing the fracture of dental implants. *Clin Implant Dent Relat Res* 2018;20(1):58-67. [Abstract](#)
189. Chrcanovic BR, Kisch J, Larsson C. Retrospective clinical evaluation of implant-supported single crowns: Mean follow-up of 15 years. *Clin Oral Implants Res* 2019;E-pub May 9 doi:10.1111/cir.13454. [Abstract](#)
190. Chutinet A, Pimkhaokham A, Serichetaphongse P. Immediate implant placement combined with guided bone regeneration in the restoration of a maxillary central incisor: a case report. *CU Dent J* 2013;36:107-16.
191. Clelland N, Chaudhry J, Rashid RG, et al. Split-mouth comparison of splinted and nonsplinted prostheses on short implants: 3-year results. *Int J Oral Maxillofac Implants* 2016;31(5):1135-41. [Abstract](#)
192. Clelland NL, Seidt JD, Daroz LG, et al. Comparison of strains for splinted and nonsplinted implant prostheses using three-dimensional image correlation. *Int J Oral Maxillofac Implants* 2010;25(5):953-9. [Abstract](#)
193. Clelland NL, Yilmaz B, Seidt JD. Three-dimensional image correlation analyses for strains generated by cement and screw-retained implant prostheses. *Clin Implant Dent Relat Res* 2013;15(2):271-82. [Abstract](#)
194. Cody RP. Esthetics in implant dentistry - a case report using the Astra Tech Zir Abutment in a maxillary anterior single tooth reconstruction. *US Dentistry* 2006;27-28.
195. Coelho PG, Granato R, Marin C, et al. Biomechanical evaluation of endosseous implants at early implantation times: a study in dogs. *J Oral Maxillofac Surg* 2010;68(7):1667-75. [Abstract](#)

196. Collaert B, De Bruyn H. Early loading of four or five Astra Tech fixtures with a fixed cross-arch restoration in the mandible. *Clin Implant Dent Relat Res* 2002;4(3):133-5. [Abstract](#)
197. Collaert B, De Bruyn H. Immediate functional loading of TiOblast dental implants in full-arch edentulous maxillae: a 3-year prospective study. *Clin Oral Implants Res* 2008;19(12):1254-60. [Abstract](#)
198. Collaert B, Wijnen L, De Bruyn H. A 2-year prospective study on immediate loading with fluoride-modified implants in the edentulous mandible. *Clin Oral Implants Res* 2011;22(10):1111-6. [Abstract](#)
199. Colomina LE. Immediate loading of implant-fixed mandibular prostheses: a prospective 18-month follow-up clinical study-preliminary report. *Implant Dent* 2001;10(1):23-9. [Abstract](#)
200. Cooper L, Felton DA, Kugelberg CF, et al. A multicenter 12-month evaluation of single-tooth implants restored 3 weeks after 1-stage surgery. *Int J Oral Maxillofac Implants* 2001;16(2):182-92. [Abstract](#)
201. Cooper LF, Ellner S, Moriarty J, et al. Three-year evaluation of single-tooth implants restored 3 weeks after 1-stage surgery. *Int J Oral Maxillofac Implants* 2007;22(5):791-800. [Abstract](#)
202. Cooper LF, Masuda T, Whitson SW, et al. Formation of mineralizing osteoblast cultures on machined, titanium oxide grit-blasted, and plasma-sprayed titanium surfaces. *Int J Oral Maxillofac Implants* 1999;14(1):37-47. [Abstract](#)
203. Cooper LF, Moriarty JD, Guckes AD, et al. Five-year prospective evaluation of mandibular overdentures retained by two microthreaded, TiOblast nonsplinted implants and retentive ball anchors. *Int J Oral Maxillofac Implants* 2008;23(4):696-704. [Abstract](#)
204. Cooper LF, Raes F, Reside GJ, et al. Comparison of radiographic and clinical outcomes following immediate provisionalization of single-tooth dental implants placed in healed alveolar ridges and extraction sockets. *Int J Oral Maxillofac Implants* 2010;25(6):1222-32. [Abstract](#)
205. Cooper LF, Rahman A, Moriarty J, et al. Immediate mandibular rehabilitation with endosseous implants: simultaneous extraction, implant placement, and loading. *Int J Oral Maxillofac Implants* 2002;17(4):517-25. [Abstract](#)
206. Cooper LF, Reside G, Raes F, et al. Immediate provisionalization of dental implants in grafted alveolar ridges in the esthetic zone: a 5-year evaluation. *Int J Periodontics Restorative Dent* 2014;34(4):477-86. [Abstract](#)
207. Cooper LF, Reside G, Stanford C, et al. A multicenter randomized comparative trial of implants with different abutment interfaces to replace anterior maxillary single teeth. *Int J Oral Maxillofac Implants* 2015;30(3):622-32. [Abstract](#)
208. Cooper LF, Reside G, Stanford C, et al. Three-year prospective randomized comparative assessment of anterior maxillary single implants with different abutment interfaces. *Int J Oral Maxillofac Implants* 2019;34(1):150-58. [Abstract](#)
209. Cooper LF, Reside GJ, Raes F, et al. Immediate provisionalization of dental implants placed in healed alveolar ridges and extraction sockets: A 5-year prospective evaluation. *Int J Oral Maxillofac Implants* 2014;29(3):709-17. [Abstract](#)

210. Cooper LF, Scurria MS, Lang LA, et al. Treatment of edentulism using Astra Tech implants and ball abutments to retain mandibular overdentures. *Int J Oral Maxillofac Implants* 1999;14(5):646-53. [Abstract](#)
211. Cooper LF, Stanford C, Feine J, et al. Prospective assessment of CAD/CAM zirconia abutment and lithium disilicate crown restorations: 2.4 year results. *J Prosthet Dent* 2016;116(1):33-9. [Abstract](#)
212. Cooper LF, Tarnow D, Froum S, et al. Comparison of marginal bone changes with internal conus and external hexagon design implant systems: A prospective, randomized study. *Int J Periodontics Restorative Dent* 2016;36(5):631-42. [Abstract](#)
213. Cooper LF, Zhou Y, Takebe J, et al. Fluoride modification effects on osteoblast behavior and bone formation at TiO<sub>2</sub> grit-blasted c.p. titanium endosseous implants. *Biomaterials* 2006;27(6):926-36. [Abstract](#)
214. Cortellini S, Castro AB, Temmerman A, et al. Leucocyte- and platelet-rich fibrin block for bone augmentation procedure: A proof-of-concept study. *J Clin Periodontol* 2018;45(5):624-34. [Abstract](#)
215. Costa C, Peixinho N, Silva JP, et al. Study and characterization of the crest module design: A 3D finite element analysis. *J Prosthet Dent* 2015;113(6):541-7. [Abstract](#)
216. Cosyn J, Vandenbulcke E, Browaeys H, et al. Factors associated with failure of surface-modified implants up to four years of function. *Clin Implant Dent Relat Res* 2012;14(3):347-58. [Abstract](#)
217. Créton M, Cune M, Verhoeven W, et al. Implant treatment in patients with severe hypodontia: A retrospective evaluation. *J Oral Maxillofac Surg* 2010;68(3):530-38. [Abstract](#)
218. Dahlström M, Hellqvist J. Feasibility testing of a new abutment design (P323). *Clin Oral Implants Res* 2013;24((Supplement 9)):158.
219. Dailey B, Jordan L, Blind O, et al. Axial displacement of abutments into implants and implant replicas, with the tapered cone-screw internal connection, as a function of tightening torque. *Int J Oral Maxillofac Implants* 2009;24(2):251-6. [Abstract](#)
220. Dasmah A, Kashani H, Thor A, et al. Integration of fluoridated implants in onlay autogenous bone grafts - an experimental study in the rabbit tibia. *J Craniomaxillofac Surg* 2014;42(6):796-800. [Abstract](#)
221. Dasmah A, Rasmusson C, Thor A, et al. Simultaneous or delayed placement of surface modified and fluoridated dental implants into autogenous block bone grafts: a histologic and biomechanical study in the rabbit. *Clin Implant Dent Relat Res* 2015;17(2):395-401. [Abstract](#)
222. Dasmah A, Thor A, Ekestubbe A, et al. Particulate vs. block bone grafts: Three-dimensional changes in graft volume after reconstruction of the atrophic maxilla, a 2-year radiographic follow-up. *J Craniomaxillofac Surg* 2012;40(8):654-9. [Abstract](#)
223. Dasmah A, Thor A, Ekestubbe A, et al. Marginal bone-level alterations at implants installed in block versus particulate onlay bone grafts mixed with platelet-rich plasma in atrophic maxilla. a prospective 5-year follow-up study of 15 patients. *Clin Implant Dent Relat Res* 2013;15(1):7-14. [Abstract](#)

224. Daubert DM, Weinstein BF, Bordin S, et al. Prevalence and predictive factors for peri-implant disease and implant failure: a cross-sectional analysis. *J Periodontol* 2015;86(3):337-47. [Abstract](#)
225. Dave M, Davies J, Wilson R, et al. A comparison of cone beam computed tomography and conventional periapical radiography at detecting peri-implant bone defects. *Clin Oral Implants Res* 2013;24(6):671-8. [Abstract](#)
226. Davis DM. Implant supported overdentures-the King's experience. *J Dent* 1997;25 Suppl 1:S33-7. [Abstract](#)
227. Davis DM, Packer ME. Mandibular overdentures stabilized by Astra Tech implants with either ball attachments or magnets: 5-year results. *Int J Prosthodont* 1999;12(3):222-9. [Abstract](#)
228. Davis DM, Packer ME. The maintenance requirements of mandibular overdentures stabilized by Astra Tech implants using three different attachment mechanisms-balls, magnets, and bars; 3-year results. *Eur J Prosth Rest Dent* 2000;8(4):131-4. [Abstract](#)
229. Davis DM, Rogers JO, Packer ME. The extent of maintenance required by implant-retained mandibular overdentures: a 3-year report. *Int J Oral Maxillofac Implants* 1996;11(6):767-74. [Abstract](#)
230. Davis DM, Watson RM. The use of two implant systems for providing implant supported overdentures in the mandible--a clinical appraisal. *Eur J Prosth Rest Dent* 1993;2(2):67-71. [Abstract](#)
231. De Bruyn H, Besseler J, Raes F, et al. Clinical outcome of overdenture treatment on two nonsubmerged and nonsplinted Astra Tech Microthread implants. *Clin Implant Dent Relat Res* 2009;11(2):81-9. [Abstract](#)
232. De Bruyn H, Raes F, Cooper LF, et al. Three-years clinical outcome of immediate provisionalization of single Osseospeed() implants in extraction sockets and healed ridges. *Clin Oral Implants Res* 2013;24(2):217-23. [Abstract](#)
233. De Bruyn H, Van de Velde T, Collaert B. Immediate functional loading of TiOblast dental implants in full-arch edentulous mandibles: a 3-year prospective study. *Clin Oral Implants Res* 2008;19(7):717-23. [Abstract](#)
234. De Coster P, Browaeys H, De Bruyn H. Healing of extraction sockets filled with BoneCeramic(R) prior to implant placement: preliminary histological findings. *Clin Implant Dent Relat Res* 2011;13(1):34-45. [Abstract](#)
235. De Kok I, Chang K-H, Li T-S, et al. Comparison of three-implant-supported fixed dentures and two-implant-retained overdentures in the edentulous mandible: A pilot study of treatment efficacy and patient satisfaction. *Int J Oral Maxillofac Implants* 2011;26(2):415-26. [Abstract](#)
236. De Kok IJ, Barwacz C, Kumar L, et al. A retrospective multicenter study evaluating Atlantis® Abutments on implants from four manufacturers. *Clin Oral Implants Res* 2018;29(Suppl.17, E-POSTER 12106): E-pub Oct 11, doi/epdf/10.1111/clr.227\_13358. [Abstract](#)
237. De Kok IJ, Chang SS, Moriarty JD, et al. A retrospective analysis of peri-implant tissue responses at immediate load/provisionalized microthreaded implants. *Int J Oral Maxillofac Implants* 2006;21(3):405-12. [Abstract](#)

238. de Sanctis M, Vignoletti F, Discepoli N, et al. Immediate implants at fresh extraction sockets: an experimental study in the beagle dog comparing four different implant systems. Soft tissue findings. *J Clin Periodontol* 2010;37(8):769-76. [Abstract](#)
239. de Sanctis M, Vignoletti F, Discepoli N, et al. Immediate implants at fresh extraction sockets: bone healing in four different implant systems. *J Clin Periodontol* 2009;36(8):705-11. [Abstract](#)
240. De Smet E, Jaecques SV, Wevers M, et al. Constant strain rate and peri-implant bone modeling: an in vivo longitudinal micro-CT analysis. *Clin Implant Dent Relat Res* 2013;15(3):358-66. [Abstract](#)
241. de Vicente JC, Hernandez-Vallejo G, Brana-Abascal P, et al. Maxillary sinus augmentation with autologous bone harvested from the lateral maxillary wall combined with bovine-derived hydroxyapatite: clinical and histologic observations. *Clin Oral Implants Res* 2010;21(4):430-8. [Abstract](#)
242. de Waal YC, Raghoebar GM, Huddleston Slater JJ, et al. Implant decontamination during surgical peri-implantitis treatment: a randomized, double-blind, placebo-controlled trial. *J Clin Periodontol* 2013;40(2):186-95. [Abstract](#)
243. DeAngelo SJ, Kumar PS, Beck FM, et al. Early soft tissue healing around one-stage dental implants: clinical and microbiologic parameters. *J Periodontol* 2007;78(10):1878-86. [Abstract](#)
244. Degidi M, Daprile G, Piattelli A. Influence of stepped osteotomy on primary stability of implants inserted in low-density bone sites: An in vitro study. *Int J Oral Maxillofac Implants* 2017;32(1):37-41. [Abstract](#)
245. Del Castillo R, Ercoli C, Delgado JC, et al. An alternative multiple pontic design for a fixed implant-supported prosthesis. *J Prosthet Dent* 2011;106(3):198-203. [Abstract](#)
246. Dellavia C, Speroni S, Pellegrini G, et al. A new method to evaluate volumetric changes in sinus augmentation procedure. *Clin Implant Dent Relat Res* 2014;16(5):684-90. [Abstract](#)
247. D'Haese J, De Bruyn H. Effect of smoking habits on accuracy of implant placement using mucosally supported stereolithographic surgical guides. *Clin Implant Dent Relat Res* 2013;15(3):402-11. [Abstract](#)
248. D'haese J, Van De Velde T, Elaut L, et al. A prospective study on the accuracy of mucosally supported stereolithographic surgical guides in fully edentulous maxillae. *Clin Implant Dent Relat Res* 2012;14(2):293-303. [Abstract](#)
249. D'haese J, Vervaeke S, Verbanck N, et al. Clinical and radiographic outcome of implants placed using stereolithographic guided surgery: a prospective monocenter study. *Int J Oral Maxillofac Implants* 2013;28(1):205-15. [Abstract](#)
250. Dierens M, Collaert B, Deschepper E, et al. Patient-centered outcome of immediately loaded implants in the rehabilitation of fully edentulous jaws. *Clin Oral Implants Res* 2009;20(10):1070-77. [Abstract](#)
251. Discepoli N, Ferrari Cagidiaco E, Landini G, et al. Sealing effectiveness against *Staphylococcus aureus* of five different implant-abutment connections. *Am J Dent* 2018;31(3):141-43. [Abstract](#)

252. Diss A, Dohan DM, Mouhyi J, et al. Osteotome sinus floor elevation using Choukroun's platelet-rich fibrin as grafting material: a 1-year prospective pilot study with microthreaded implants. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2008;105(5):572-9. [Abstract](#)
253. Dittmer MP, Dittmer S, Borchers L, et al. Influence of the interface design on the yield force of the implant-abutment complex before and after cyclic mechanical loading. *J Prosthodont Res* 2012;56(1):19-24. [Abstract](#)
254. Dittmer S, Dittmer MP, Kohorst P, et al. Effect of implant-abutment connection design on load bearing capacity and failure mode of implants. *J Prosthodont* 2011;20(7):510-6. [Abstract](#)
255. Donati M, Botticelli D, La Scala V, et al. Effect of immediate functional loading on osseointegration of implants used for single tooth replacement. A human histological study. *Clin Oral Implants Res* 2013;24(7):738-45. [Abstract](#)
256. Donati M, Ekestubbe A, Lindhe J, et al. Implant-supported single-tooth restorations. A 12-year prospective study. *Clin Oral Implants Res* 2016;27(10):1207-11. [Abstract](#)
257. Donati M, Ekestubbe A, Lindhe J, et al. Marginal bone loss at implants with different surface characteristics - A 20-year follow-up of a randomized controlled clinical trial. *Clin Oral Implants Res* 2018;29(5):480-87. [Abstract](#)
258. Donati M, La Scala V, Billi M, et al. Immediate functional loading of implants in single tooth replacement: a prospective clinical multicenter study. *Clin Oral Implants Res* 2008;19(8):740-48. [Abstract](#)
259. Donati M, La Scala V, Di Raimondo R, et al. Marginal bone preservation in single-tooth replacement: a 5-year prospective clinical multicenter study. *Clin Implant Dent Relat Res* 2015;17(3):425-34. [Abstract](#)
260. Doukas D, Michelinakis G, Smith PW, et al. The influence of interimplant distance and attachment type on the retention characteristics of mandibular overdentures on 2 implants: 6-month fatigue retention values. *Int J Prosthodont* 2008;21(2):152-4. [Abstract](#)
261. Draenert FG, Sagheb K, Baumgardt K, et al. Retrospective analysis of survival rates and marginal bone loss on short implants in the mandible. *Clin Oral Implants Res* 2012;23(9):1063-9. [Abstract](#)
262. Dragonas P, Palin C, Khan S, et al. Complications associated with the use of recombinant human bone morphogenic protein-2 in ridge augmentation: A case report. *J Oral Implantol* 2017;43(5):351-59. [Abstract](#)
263. Duddeck DU, Neugebauer J, Scheer M, et al. Surprises in the land of microns. *EDI* 2010;6(2):50-54.
264. Duyck J, Corpas L, Vermeiren S, et al. Histological, histomorphometrical, and radiological evaluation of an experimental implant design with a high insertion torque. *Clin Oral Implants Res* 2010;21(8):877-84. [Abstract](#)
265. Ebler S, Ioannidis A, Jung RE, et al. Prospective randomized controlled clinical study comparing two types of two-piece dental implants supporting fixed reconstructions - results at 1 year of loading. *Clin Oral Implants Res* 2016;27(9):1169-77. [Abstract](#)

266. Ehrenfest DM, Vazquez L, Park YJ, et al. Identification card and codification of the chemical and morphological characteristics of 14 dental implant surfaces. *J Oral Implantol* 2011;37(5):525-42. [Abstract](#)
267. Eickholz P, Grotkamp FL, Steveling H, et al. Reproducibility of peri-implant probing using a force-controlled probe. *Clin Oral Implants Res* 2001;12(2):153-8. [Abstract](#)
268. Eisner B, Naenni N, Husler J, et al. Three-year results of a randomized controlled clinical trial using submucosally veneered and unveneered zirconia abutments supporting all-ceramic single-implant crowns. *Int J Periodontics Restorative Dent* 2018;38(5):645-52. [Abstract](#)
269. Eliasson A, Blomqvist F, Wennerberg A, et al. A retrospective analysis of early and delayed loading of full-arch mandibular prostheses using three different implant systems: clinical results with up to 5 years of loading. *Clin Implant Dent Relat Res* 2009;11(2):134-48. [Abstract](#)
270. Ellegaard B, Baelum V, Karring T. Implant therapy in periodontally compromised patients. *Clin Oral Implants Res* 1997;8(3):180-8. [Abstract](#)
271. Ellegaard B, Baelum V, Kolsen-Petersen J. Non-grafted sinus implants in periodontally compromised patients: a time-to-event analysis. *Clin Oral Implants Res* 2006;17(2):156-64. [Abstract](#)
272. Ellegaard B, Kolsen-Petersen J, Baelum V. Implant therapy involving maxillary sinus lift in periodontally compromised patients. *Clin Oral Implants Res* 1997;8(4):305-15. [Abstract](#)
273. Ellingsen JE. Pre-treatment of titanium implants with fluoride improves their retention in bone. *J Mater Sci Mater Med* 1995;6:749-53. [Abstract](#)
274. Ellingsen JE. On the properties of surface-modified titanium. In: Davies JE, editor. *Bone Engineering*. Toronto: em squared inc. Toronto, Canada; 2000. p. 183-88.
275. Ellingsen JE, Johansson CB, Wennerberg A, et al. Improved retention and bone-to-implant contact with fluoride-modified titanium implants. *Int J Oral Maxillofac Implants* 2004;19(5):659-66. [Abstract](#)
276. Ellingsen JE, Lyngstadaas SP. Increasing biocompatibility by chemical modification of titanium surfaces. In: Ellingsen JE, Lyngstadaas PS, editors. *Bio-Implant Interface; Improving Biomaterials and Tissue Reactions*. Boca Raton, Florida: CRC Press LLC; 2003. p. 323-40.
277. Elter C, Heuer W, Demling A, et al. Comparative analysis of biofilm formation on dental implant abutments with respect to supra- and subgingival areas: polytetrafluoroethylene versus titanium. *Int J Prosthodont* 2011;24(4):373-5. [Abstract](#)
278. Emami E, Alesawy A, de Grandmont P, et al. A within-subject clinical trial on the conversion of mandibular two-implant to three-implant overdenture: Patient-centered outcomes and willingness to pay. *Clin Oral Implants Res* 2019;30(3):218-28. [Abstract](#)
279. Emami E, Cerutti-Kopplin D, Menassa M, et al. Does immediate loading affect clinical and patient-centered outcomes of mandibular 2-unsplinted-implant overdenture? A 2-year within-case analysis. *J Dent* 2016;50:30-6. [Abstract](#)

280. Emami E, de Souza RF, Bernier J, et al. Patient perceptions of the mandibular three-implant overdenture: a practice-based study. *Clin Oral Implants Res* 2015;26(6):639-43. [Abstract](#)
281. Englezos E, Cosyn J, Koole S, et al. Resective treatment of peri-implantitis: clinical and radiographic outcomes after 2 years. *Int J Periodontics Restorative Dent* 2018;38(5):729-35. [Abstract](#)
282. Engquist B, Astrand P, Dahlgren S, et al. Marginal bone reaction to oral implants: a prospective comparative study of Astra Tech and Branemark System implants. *Clin Oral Implants Res* 2002;13(1):30-7. [Abstract](#)
283. Ericsson I, Johansson CB, Bystedt H, et al. A histomorphometric evaluation of bone-to-implant contact on machine-prepared and roughened titanium dental implants. A pilot study in the dog. *Clin Oral Implants Res* 1994;5(4):202-6. [Abstract](#)
284. Ericsson I, Lekholm U, Sennerby L, et al. Soft tissue response to clinically contaminated and thereafter cleaned titanium surfaces. An experimental study in the rat. *Clin Oral Implants Res* 2000;11(4):370-3. [Abstract](#)
285. Erkapers M, Ekstrand K, Baer RA, et al. Patient satisfaction following dental implant treatment with immediate loading in the edentulous atrophic maxilla. *Int J Oral Maxillofac Implants* 2011;26(2):356-64. [Abstract](#)
286. Erkmen E, Meric G, Kurt A, et al. Biomechanical comparison of implant retained fixed partial dentures with fiber reinforced composite versus conventional metal frameworks: a 3D FEA study. *J Mech Behav Biomed Mater* 2011;4(1):107-16. [Abstract](#)
287. Erkut S, Uckan S. Alveolar distraction osteogenesis and implant placement in a severely resorbed maxilla: a clinical report. *J Prosthet Dent* 2006;95(5):340-3. [Abstract](#)
288. Erneklint C, Odman P, Ortengren U, et al. An in vitro load evaluation of a conical implant system with 2 abutment designs and 3 different retaining-screw alloys. *Int J Oral Maxillofac Implants* 2006;21(5):733-7. [Abstract](#)
289. Erneklint C, Odman P, Ortengren U, et al. Tolerance test of five different types of crowns on single-tooth implants. *Int J Prosthodont* 1998;11(3):233-9. [Abstract](#)
290. Esquivel-Upshaw J, Mehler A, Clark A, et al. Peri-implant complications for posterior endosteal implants. *Clin Oral Implants Res* 2015;26(12):1390-6. [Abstract](#)
291. Esquivel-Upshaw JF, Clark AE, Shuster JJ, et al. Randomized clinical trial of implant-supported ceramic-ceramic and metal-ceramic fixed dental prostheses: preliminary results. *J Prosthodont* 2014;23(2):73-82. [Abstract](#)
292. Esquivel-Upshaw JF, Mehler A, Clark AE, et al. Fracture analysis of randomized implant-supported fixed dental prostheses. *J Dent* 2014;42(10):1335-42. [Abstract](#)
293. Estefania-Fresco R, Garcia-de-la-Fuente AM, Egana-Fernandez-Valderrama A, et al. One-year results of a nonsurgical treatment protocol for peri-implantitis. A retrospective case series. *Clin Oral Implants Res* 2019;E-pub May 16, doi:10.1111/clr.13456 [Abstract](#)
294. Ettl T, Gerlach T, Schusselbauer T, et al. Bone resorption and complications in alveolar distraction osteogenesis. *Clin Oral Investig* 2010;14(5):481-9. [Abstract](#)

295. Ettl T, Weindler J, Gosau M, et al. Impact of radiotherapy on implant-based prosthetic rehabilitation in patients with head and neck cancer: A prospective observational study on implant survival and quality of life-preliminary results. *J Craniomaxillofac Surg* 2016;44(9):1453-62. [Abstract](#)
296. Fandridis J, Papadopoulos T. Surface characterization of three titanium dental implants. *Implant Dent* 2008;17(1):91-9. [Abstract](#)
297. Fanuscu MI, Chang TL, Akca K. Effect of surgical techniques on primary implant stability and peri-implant bone. *J Oral Maxillofac Surg* 2007;65(12):2487-91. [Abstract](#)
298. Farahani A, Zadeh HH. Adjunctive orthodontic applications in dental implantology. *J Oral Implantol* 2015;41(4):501-8. [Abstract](#)
299. Faria PE, Carvalho AL, de Torres EM, et al. Effects of early functional loading on maintenance of free autogenous bone graft and implant osseointegration: an experimental study in dogs. *J Oral Maxillofac Surg* 2010;68(4):825-32. [Abstract](#)
300. Faria PE, Masalskas B, Heyden A, et al. Immediate loading of implants in the edentulous mandible: A multicentre study. *Oral Maxillofac Surg* 2016;20(4):385-90. [Abstract](#)
301. Fenlon MR, Lyons A, Farrell S, et al. Factors affecting survival and usefulness of implants placed in vascularized free composite grafts used in post-head and neck cancer reconstruction. *Clin Implant Dent Relat Res* 2009;14(2):266-72. [Abstract](#)
302. Fermergård R, Astrand P. Osteotome sinus floor elevation without bone grafts - a 3-year retrospective study with Astra Tech implants. *Clin Implant Dent Relat Res* 2012;14(2):198-205. [Abstract](#)
303. Fermergård R, Åstrand P. Osteotome sinus floor elevation and simultaneous placement of implants - A 1-year retrospective study with Astra Tech implants. *Clin Implant Dent Relat Res* 2008;10(1):62-9. [Abstract](#)
304. Ferrari M, Cagidiaco MC, Garcia-Godoy F, et al. Effect of different prosthetic abutments on peri-implant soft tissue. A randomized controlled clinical trial. *Am J Dent* 2015;28(2):85-9. [Abstract](#)
305. Ferrari M, Carrabba M, Vichi A, et al. Influence of abutment color and mucosal thickness on soft tissue color. *Int J Oral Maxillofac Implants* 2017;32(2):393-99. [Abstract](#)
306. Ferrari M, Tricarico MG, Cagidiaco MC, et al. 3-year randomized controlled prospective clinical trial on different CAD-CAM implant abutments. *Clin Implant Dent Relat Res* 2016;18(6):1134-41. [Abstract](#)
307. Ferrus J, Cecchinato D, Pjetursson EB, et al. Factors influencing ridge alterations following immediate implant placement into extraction sockets. *Clin Oral Implants Res* 2010;21(1):22-9. [Abstract](#)
308. Foong JK, Judge RB, Palamara JE, et al. Fracture resistance of titanium and zirconia abutments: An in vitro study. *J Prosthet Dent* 2013;109(5):304-12. [Abstract](#)
309. Franceschetti G, Farina R, Stacchi C, et al. Radiographic outcomes of transcrestal sinus floor elevation performed with a minimally invasive technique

in smoker and non-smoker patients. *Clin Oral Implants Res* 2014;25(4):493-9.  
**Abstract**

310. Freitas-Junior AC, Almeida EO, Bonfante EA, et al. Reliability and failure modes of internal conical dental implant connections. *Clin Oral Implants Res* 2013;24(2):197-202. [Abstract](#)
311. Frisch E, Ziebolz D, Vach K, et al. Supportive post-implant therapy: patient compliance rates and impacting factors: 3-year follow-up. *J Clin Periodontol* 2014;41(10):1007-14. [Abstract](#)
312. Froum SJ, Froum SH, Rosen PS. Successful management of peri-implantitis with a regenerative approach: a consecutive series of 51 treated implants with 3- to 7.5-year follow-up. *Int J Periodontics Restorative Dent* 2012;32(1):11-20. [Abstract](#)
313. Fujioka M, Kanno T, Mitsugi M, et al. Oral rehabilitation of a maxillectomy defect using bone transport distraction and dental implants. *J Oral Maxillofac Surg* 2010;68(9):2278-82. [Abstract](#)
314. Fukuda M, Iino M, Ohnuki T, et al. Vertical alveolar distraction osteogenesis with complications in a reconstructed mandible. *J Oral Implantol* 2003;29(4):185-8. [Abstract](#)
315. Fukuda M, Iino M, Yamaoka K, et al. Two-stage distraction osteogenesis for mandibular segmental defect. *J Oral Maxillofac Surg* 2004;62(9):1164-8. [Abstract](#)
316. Fukuda M, Takahashi T, Iino M. Dentoalveolar reconstruction of a missing premaxilla using bone graft and endosteal implants. *J Oral Rehabil* 2003;30(1):87-90. [Abstract](#)
317. Fukuda M, Takahashi T, Nagai H, et al. Implant-supported edentulous maxillary obturators with milled bar attachments after maxillectomy. *J Oral Maxillofac Surg* 2004;62(7):799-805. [Abstract](#)
318. Funaki K, Takahashi T, Yamuchi K. Horizontal alveolar ridge augmentation using distraction osteogenesis: comparison with a bone-splitting method in a dog model. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2009;107(3):350-8. [Abstract](#)
319. Fürhauser R, Mailath-Pokorny G, Haas R, et al. Immediate restoration of immediate implants in the esthetic zone of the maxilla via the copy-abutment technique: 5-year follow-up of pink esthetic scores. *Clin Implant Dent Relat Res* 2017;19(1):28-37. [Abstract](#)
320. Gaintatzopoulou M, Zinelis S, Silikas N, et al. Micro-Raman spectroscopic analysis of TiO<sub>2</sub> phases on the root surfaces of commercial dental implants. *Dent Mater* 2014;30(8):861-7. [Abstract](#)
321. Galindo-Moreno P, Avila G, Fernandez-Barbero JE, et al. Evaluation of sinus floor elevation using a composite bone graft mixture. *Clin Oral Implants Res* 2007;18(3):376-82. [Abstract](#)
322. Galindo-Moreno P, Avila G, Fernandez-Barbero JE, et al. Clinical and histologic comparison of two different composite grafts for sinus augmentation: a pilot clinical trial. *Clin Oral Implants Res* 2008;19(8):755-59. [Abstract](#)
323. Galindo-Moreno P, de Buitrago JG, Padial-Molina M, et al. Histopathological comparison of healing after maxillary sinus augmentation using xenograft mixed

- with autogenous bone versus allograft mixed with autogenous bone. Clin Oral Implants Res 2018;29(2):192-201. [Abstract](#)
324. Galindo-Moreno P, Fernandez-Jimenez A, Avila-Ortiz G, et al. Marginal bone loss around implants placed in maxillary native bone or grafted sinuses: a retrospective cohort study. Clin Oral Implants Res 2014;25(3):378-84. [Abstract](#)
325. Galindo-Moreno P, Fernandez-Jimenez A, O'Valle F, et al. Marginal bone loss in implants placed in grafted maxillary sinus. Clin Implant Dent Relat Res 2015;17(2):373-83. [Abstract](#)
326. Galindo-Moreno P, Hernandez-Cortes P, Aneiros-Fernandez J, et al. Morphological evidences of Bio-Oss((R)) colonization by CD44-positive cells. Clin Oral Implants Res 2014;25(3):366-71. [Abstract](#)
327. Galindo-Moreno P, Leon-Cano A, Monje A, et al. Abutment height influences the effect of platform switching on peri-implant marginal bone loss. Clin Oral Implants Res 2016;27(2):167-73. [Abstract](#)
328. Galindo-Moreno P, Leon-Cano A, Ortega-Oller I, et al. Marginal bone loss as success criterion in implant dentistry: beyond 2 mm. Clin Oral Implants Res 2015;26(4):e28-34. [Abstract](#)
329. Galindo-Moreno P, Moreno-Riestra I, Avila G, et al. Histomorphometric comparison of maxillary pristine bone and composite bone graft biopsies obtained after sinus augmentation. Clin Oral Implants Res 2010;21(1):122-8. [Abstract](#)
330. Galindo-Moreno P, Moreno-Riestra I, Avila G, et al. Effect of anorganic bovine bone to autogenous cortical bone ratio upon bone remodeling patterns following maxillary sinus augmentation. Clin Oral Implants Res 2011;22(8):857-64. [Abstract](#)
331. Galindo-Moreno P, Nilsson P, King P, et al. Clinical and radiographic evaluation of early loaded narrow diameter implants - 1-year follow-up. Clin Oral Implants Res 2012;23(5):609-16. [Abstract](#)
332. Galindo-Moreno P, Nilsson P, King P, et al. Clinical and radiographic evaluation of early loaded narrow-diameter implants: 5-year follow-up of a multicenter prospective clinical study. Clin Oral Implants Res 2017;28(12):1584-91. [Abstract](#)
333. Galindo-Moreno P, Padial-Molina M, Avila G, et al. Complications associated with implant migration into the maxillary sinus cavity. Clin Oral Implants Res 2012;23(10):1152-60. [Abstract](#)
334. Galindo-Moreno P, Padial-Molina M, Fernandez-Barbero JE, et al. Optimal microvessel density from composite graft of autogenous maxillary cortical bone and anorganic bovine bone in sinus augmentation: influence of clinical variables. Clin Oral Implants Res 2010;21(2):221-7. [Abstract](#)
335. Galindo-Moreno P, Padial-Molina M, Nilsson P, et al. The influence of the distance between narrow implants and the adjacent teeth on marginal bone levels. Clin Oral Implants Res 2017;28(6):704-12. [Abstract](#)
336. Gander T, Studer S, Studer G, et al. Medium-term outcome of Astra Tech implants in head and neck oncology patients. Int J Oral Maxillofac Surg 2014;43(11):1381-5. [Abstract](#)

337. Gandolfi MG, Zamparini F, Iezzi G, et al. Microchemical and micromorphologic ESEM-EDX analysis of bone mineralization at the thread interface in human dental implants retrieved for mechanical complications after 2 months to 17 years. *Int J Periodontics Restorative Dent* 2018;38(3):431-41. [Abstract](#)
338. Garcia-Bellota S, Bravo M, Subira C, et al. Retrospective study of the long-term survival of 980 implants placed in a periodontal practice. *Int J Oral Maxillofac Implants* 2010;25(3):613-9. [Abstract](#)
339. Gates WD, 3rd, Cooper LF, Sanders AE, et al. The effect of implant-supported removable partial dentures on oral health quality of life. *Clin Oral Implants Res* 2014;25(2):207-13. [Abstract](#)
340. Geckili O, Bilhan H, Bilgin T. A 24-week prospective study comparing the stability of titanium dioxide grit-blasted dental implants with and without fluoride treatment. *Int J Oral Maxillofac Implants* 2009;24(4):684-88. [Abstract](#)
341. Geckili O, Bilhan H, Bilgin T. Impact of mandibular two-implant retained overdentures on life quality in a group of elderly Turkish edentulous patients. *Arch Gerontol Geriatr* 2011;53(2):233-6. [Abstract](#)
342. Geckili O, Bilhan H, Cilingir A, et al. A comparative in vitro evaluation of two different magnetic devices detecting the stability of osseo-integrated implants. *J Periodontal Res* 2012;47(4):508-13. [Abstract](#)
343. Geckili O, Bilhan H, Geckili E, et al. Evaluation of possible prognostic factors for the success, survival, and failure of dental implants. *Implant Dent* 2014;23(1):44-50. [Abstract](#)
344. Geckili O, Bilhan H, Mumcu E. Clinical and radiographic evaluation of three-implant-retained mandibular overdentures: a 3-year retrospective study. *Quintessence Int* 2011;42(9):721-8. [Abstract](#)
345. Geckili O, Bilhan H, Mumcu E, et al. Three-year radiologic follow-up of marginal bone loss around titanium dioxide grit-blasted dental implants with and without fluoride treatment. *Int J Oral Maxillofac Implants* 2011;26(2):319-24. [Abstract](#)
346. Geckili O, Bilhan H, Mumcu E, et al. Comparison of patient satisfaction, quality of life, and bite force between elderly edentulous patients wearing mandibular two implant-supported overdentures and conventional complete dentures after 4 years. *Spec Care Dentist* 2012;32(4):136-41. [Abstract](#)
347. Geckili O, Mumcu E, Bilhan H. Radiographic evaluation of narrow diameter implants after 5 years of clinical function: a retrospective study. *J Oral Implantol* 2011;39(S1):273-79. [Abstract](#)
348. Geckili O, Mumcu E, Bilhan H. The effect of maximum bite force, implant number, and attachment type on marginal bone loss around implants supporting mandibular overdentures: a retrospective study. *Clin Implant Dent Relat Res* 2012;14 Suppl 1(Supplement 1):e91-7. [Abstract](#)
349. Gellrich NC, Bormann KH, Tehranchian S, et al. Containment and contouring (CoCoon) technique: a biologically adequate approach to less invasive autogenous preimplant augmentation of bone. *Br J Oral Maxillofac Surg* 2013;51(8):880-6. [Abstract](#)
350. Gheisari R, Eatemadi H, Alavian A. Comparison of the marginal bone loss in one-stage versus two-stage implant surgery. *J Dent (Shiraz)* 2017;18(4):272-76. [Abstract](#)

351. Ghoveizi R, Alikhasi M, Siadat M-R, et al. A radiographic comparison of progressive and conventional loading on crestal bone loss and dentistry in single dental implants: A randomized controlled trial study. *J Dent (Tehran)* 2013;10(2):155-63. [Abstract](#)
352. Gigandet M, Bigolin G, Faoro F, et al. Implants with original and non-original abutment connections. *Clin Implant Dent Relat Res* 2014;16(2):303-11. [Abstract](#)
353. Gjengedal H, Dahl L, Lavik A, et al. Randomized clinical trial comparing dietary intake in patients with implant-retained overdentures and conventionally relined denture. *Int J Prosthodont* 2012;25(4):340-7. [Abstract](#)
354. Goellner M, Schmitt J, Karl M, et al. The effect of axial and oblique loading on the micromovement of dental implants. *Int J Oral Maxillofac Implants* 2011;26(2):257-64. [Abstract](#)
355. Gökcen-Röhlig B, Meric U, Keskin H. Clinical and radiographic outcomes of implants immediately placed in fresh extraction sockets. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2010;109(4):1-7. [Abstract](#)
356. Gonzalez D, Cabello G, Olmos G, et al. The three-layer technique for immediate implants on teeth without a buccal bone wall: a case report. *Int J Esthet Dent* 2018;13(3):358-76. [Abstract](#)
357. Gonzalez-Martin O, Lee EA, Veltri M. CBCT fractal dimension changes at the apex of immediate implants placed using undersized drilling. *Clin Oral Implants Res* 2012;23(8):954-7. [Abstract](#)
358. Goshima K, Lexner MO, Thomsen CE, et al. Functional aspects of treatment with implant-supported single crowns: a quality control study in subjects with tooth agenesis. *Clin Oral Implants Res* 2010;21(1):108-14. [Abstract](#)
359. Gotfredsen K. Implant supported overdentures-the Copenhagen experience. *J Dent* 1997;25 Suppl 1:S39-42. [Abstract](#)
360. Gotfredsen K. A 5-year prospective study of single-tooth replacements supported by the Astra Tech implant: a pilot study. *Clin Implant Dent Relat Res* 2004;6(1):1-8. [Abstract](#)
361. Gotfredsen K. A 10-year prospective study of single tooth implants placed in the anterior maxilla. *Clin Implant Dent Relat Res* 2009;14(1):80-7. [Abstract](#)
362. Gotfredsen K, Holm B. Implant-supported mandibular overdentures retained with ball or bar attachments: a randomized prospective 5-year study. *Int J Prosthodont* 2000;13(2):125-30. [Abstract](#)
363. Gotfredsen K, Holm B, Sewerin I, et al. Marginal tissue response adjacent to Astra Dental Implants supporting overdentures in the mandible. *Clin Oral Implants Res* 1993;4(2):83-9. [Abstract](#)
364. Gotfredsen K, Karlsson U. A prospective 5-year study of fixed partial prostheses supported by implants with machined and TiO<sub>2</sub>-blasted surface. *J Prosthodont* 2001;10(1):2-7. [Abstract](#)
365. Gotfredsen K, Lindh CH, Berglundh T. Does longstanding nicotine exposure impair bone healing and osseointegration? An experimental study in rabbits. *J Biomed Mater Res B* 2009;91(2):918-23. [Abstract](#)

366. Gotfredsen K, Nimb L, Hjorting-Hansen E. Immediate implant placement using a biodegradable barrier, polyhydroxybutyrate-hydroxyvalerate reinforced with polyglactin 910. An experimental study in dogs. *Clin Oral Implants Res* 1994;5(2):83-91. [Abstract](#)
367. Gotfredsen K, Nimb L, Hjorting-Hansen E, et al. Histomorphometric and removal torque analysis for TiO<sub>2</sub>-blasted titanium implants. An experimental study on dogs. *Clin Oral Implants Res* 1992;3(2):77-84. [Abstract](#)
368. Gotfredsen K, Warrer K, Hjorting H, et al. Effect of membranes and porous hydroxyapatite on healing in bone defects around titanium dental implants. An experimental study in monkeys. *Clin Oral Implants Res* 1991;2(4):172-8. [Abstract](#)
369. Gotfredsen K, Wennerberg A, Johansson C, et al. Anchorage of TiO<sub>2</sub>-blasted, HA-coated, and machined implants: an experimental study with rabbits. *J Biomed Mater Res* 1995;29(10):1223-31. [Abstract](#)
370. Grigoriadis A, Johansson RS, Trulsson M. Adaptability of mastication in people with implant-supported bridges. *J Clin Periodontol* 2011;38(4):395-404. [Abstract](#)
371. Grisar K, Sinha D, Schoenaers J, et al. Retrospective analysis of dental implants placed between 2012 and 2014: Indications, risk factors, and early survival. *Int J Oral Maxillofac Implants* 2017;32(3):649-54. [Abstract](#)
372. Guida L, Annunziata M, Rocci A, et al. Biological response of human bone marrow mesenchymal stem cells to fluoride-modified titanium surfaces. *Clin Oral Implants Res* 2010;21(11):1234-41. [Abstract](#)
373. Guler B, Uraz A, Cetiner D. The chemical surface evaluation of black and white porous titanium granules and different commercial dental implants with energy-dispersive x-ray spectroscopy analysis. *Clin Implant Dent Relat Res* 2019;21(2):352-59. [Abstract](#)
374. Guljé F, Abrahamsson I, Chen S, et al. Implants of 6 mm vs. 11 mm lengths in the posterior maxilla and mandible: a 1-year multicenter randomized controlled trial. *Clin Oral Implants Res* 2013;24(12):1325-31. [Abstract](#)
375. Guljé F, Raghoebar GM, Ter Meulen JW, et al. Mandibular overdentures supported by 6-mm dental implants: A 1-year prospective cohort study. *Clin Implant Dent Relat Res* 2011;14(Supplement 1):e59-e66. [Abstract](#)
376. Guljé FL, Raghoebar GM, Erkens WA, et al. Impact of crown-implant ratio of single restorations supported by 6-mm implants: A short-term case series study. *Int J Oral Maxillofac Implants* 2016;31(3):672-5. [Abstract](#)
377. Guljé FL, Raghoebar GM, Vissink A, et al. Single crowns in the resorbed posterior maxilla supported by either 6-mm implants or by 11-mm implants combined with sinus floor elevation surgery: A 1-year randomised controlled trial. *Eur J Oral Implantol* 2014;7(3):247-55. [Abstract](#)
378. Guljé FL, Raghoebar GM, Vissink A, et al. Single restorations in the resorbed posterior mandible supported by 6-mm implants: a 1-year prospective case series study. *Clin Implant Dent Relat Res* 2015;17 Suppl 2:e465-71. [Abstract](#)
379. Guncu MB, Cakan U, Aktas G, et al. Comparison of implant versus tooth-supported zirconia-based single crowns in a split-mouth design: a 4-year clinical follow-up study. *Clin Oral Investig* 2016;20(9):2467-73. [Abstract](#)

380. Gungormus M, Hasanoglu Erbasar GN. Transient heat transfer in dental implants for thermal necrosis-aided implant removal: A 3D finite element analysis. *J Oral Implantol* 2019;E-pub Feb 19 doi:10.1563/aaid-joi-D-18-00210. [Abstract](#)
381. Guo J, Padilla RJ, Ambrose W, et al. The effect of hydrofluoric acid treatment of TiO<sub>2</sub> grit blasted titanium implants on adherent osteoblast gene expression in vitro and in vivo. *Biomaterials* 2007;28(36):5418-25. [Abstract](#)
382. Guzaitis KL, Knoernschild KL, Viana MA. Effect of repeated screw joint closing and opening cycles on implant prosthetic screw reverse torque and implant and screw thread morphology. *J Prosthet Dent* 2011;106(3):159-69. [Abstract](#)
383. Hadzik J, Botzenhart U, Krawiec M, et al. Comparative evaluation of the effectiveness of the implantation in the lateral part of the mandible between short tissue level (TE) and bone level (BL) Implant Systems. *Ann Anat* 2017;213:78-82. [Abstract](#)
384. Hadzik J, Krawiec M, Kubasiewicz-Ross P, et al. Short implants and conventional implants in the residual maxillary alveolar ridge: A 36-month follow-up observation. *Med Sci Monit* 2018;24:5645-52. [Abstract](#)
385. Hadzik J, Krawiec M, Slawecki K, et al. The influence of the crown-implant ratio on the crestal bone level and implant secondary stability: 36-month clinical study. *Biomed Res Int* 2018;2018:4246874. [Abstract](#)
386. Halldin A, Dahlström M. Optimization of preload and torsion by using a unique abutment screw design for each implant platform size (P332). *Clin Oral Implants Res* 2013;24((Supplement 9)):162-63.
387. Halldin A, Jimbo R, Johansson CB, et al. The effect of static bone strain on implant stability and bone remodeling. *Bone* 2011;49(4):783-9. [Abstract](#)
388. Halldin A, Jimbo R, Johansson CB, et al. Implant stability and bone remodeling after 3 and 13 days of implantation with an initial static strain. *Clin Implant Dent Relat Res* 2014;16(3):383-93. [Abstract](#)
389. Halldin A, Jinno Y, Galli S, et al. Implant stability and bone remodeling up to 84 days of implantation with an initial static strain. An in vivo and theoretical investigation. *Clin Oral Implants Res* 2016;27(10):1310-16. [Abstract](#)
390. Hallman M, Mordenfeld A, Strandkvist T. A retrospective 5-year follow-up study of two different titanium implant surfaces used after interpositional bone grafting for reconstruction of the atrophic edentulous maxilla. *Clin Implant Dent Relat Res* 2005;7(3):121-6. [Abstract](#)
391. Hallstrom H, Persson GR, Lindgren S, et al. Systemic antibiotics and debridement of peri-implant mucositis. A randomized clinical trial. *J Clin Periodontol* 2012;39(6):574-81. [Abstract](#)
392. Hamilton A, Judge RB, Palamara JE, et al. Evaluation of the fit of CAD/CAM abutments. *Int J Prosthodont* 2013;26(4):370-80. [Abstract](#)
393. Han J, Tang Z, Zhang X, et al. A prospective, multi-center study assessing early loading with short implants in posterior regions. A 3-year post-loading follow-up study. *Clin Implant Dent Relat Res* 2018;20(1):34-42. [Abstract](#)
394. Han J, Zhang X, Tang Z, et al. A prospective, multicenter study assessing the DENTSPLY Implants, OsseoSpeed TX, length 6 mm in the posterior maxilla and

- mandible: a 1-year follow-up study. *Clin Oral Implants Res* 2016;27(4):452-7. [Abstract](#)
395. Han JY, Shin SI, Herr Y, et al. The effects of bone grafting material and a collagen membrane in the ridge splitting technique: an experimental study in dogs. *Clin Oral Implants Res* 2011;22(12):1391-8. [Abstract](#)
396. Hansson S. The implant neck: smooth or provided with retention elements. A biomechanical approach. *Clin Oral Implants Res* 1999;10(5):394-405. [Abstract](#)
397. Hansson S. Implant-abutment interface: biomechanical study of flat top versus conical. *Clin Implant Dent Relat Res* 2000;2(1):33-41. [Abstract](#)
398. Hansson S. Surface roughness parameters as predictors of anchorage strength in bone: a critical analysis. *J Biomech* 2000;33(10):1297-303. [Abstract](#)
399. Hansson S. A conical implant-abutment interface at the level of the marginal bone improves the distribution of stresses in the supporting bone. An axisymmetric finite element analysis. *Clin Oral Implants Res* 2003;14(3):286-93. [Abstract](#)
400. Hansson S, Halldin A. Letter to the editor: re: effect of microthreads and platform switching on crestal bone stress levels: a finite element analysis. *J Periodontol* 2009;80(7):1033-5. [Abstract](#)
401. Hansson S, Löberg J, Mattisson I, et al. Characterisation of titanium dental implants. II. Local biomechanical model. *The Open Biomaterials J* 2010;2:36-52.
402. Hansson S, Norton M. The relation between surface roughness and interfacial shear strength for bone-anchored implants. A mathematical model. *J Biomech* 1999;32(8):829-36. [Abstract](#)
403. Hansson S, Werke M. The implant thread as a retention element in cortical bone: the effect of thread size and thread profile: a finite element study. *J Biomech* 2003;36(9):1247-58. [Abstract](#)
404. Harder S, Dimaczek B, Acil Y, et al. Molecular leakage at implant-abutment connection--in vitro investigation of tightness of internal conical implant-abutment connections against endotoxin penetration. *Clin Oral Investig* 2010;14(4):427-32. [Abstract](#)
405. Hartlev J, Sandberg M, Jensen AD, et al. Multidisciplinary treatment intervention in 24 patients with oligodontia: A case-cohort study. *Int J Prosthodont* 2019;32(1):20-26. [Abstract](#)
406. Harvey BV. Optimizing the esthetic potential of implant restorations through the use of immediate implants with immediate provisionals. *J Periodontol* 2007;78(4):770-6. [Abstract](#)
407. Hasanoglu Erbasar GN, Hocaoglu TP, Erbasar RC. Risk factors associated with short dental implant success: a long-term retrospective evaluation of patients followed up for up to 9 years. *Braz Oral Res* 2019;33:e030. [Abstract](#)
408. Hasturk H, Nguyen DH, Sherzai H, et al. Comparison of the impact of scalar material composition on polished titanium implant abutment surfaces. *J Dent Hyg* 2013;87(4):200-11. [Abstract](#)
409. Haupt R, Wynne J. Use of precision milling to achieve a passive fit on a lost-wax framework. *Pract Proced Aesthet Dent* 2009;21(4):233-37.

410. He X, Reichl FX, Wang Y, et al. Analysis of titanium and other metals in human jawbones with dental implants - a case series study. *Dent Mater* 2016;32(8):1042-51. [Abstract](#)
411. Heitz-Mayfield LJ, Darby I, Heitz F, et al. Preservation of crestal bone by implant design. A comparative study in minipigs. *Clin Oral Implants Res* 2013;24(3):243-9. [Abstract](#)
412. Hermes M, Lommen J, Kübler N, et al. Influence of schneiderian membrane perforations on the prognosis and outcomes of lateral window sinus lift operations: A retrospective case series study. *J Dent Oral Disord Ther* 2018;6(2):1-9.
413. Hertel M, Roh YC, Neumann K, et al. Premature exposure of dental implant cover screws. A retrospective evaluation of risk factors and influence on marginal peri-implant bone level changes. *Clin Oral Investig* 2017;21(6):2109-22. [Abstract](#)
414. Hibi H, Ueda M. Supraperiosteal transport distraction osteogenesis for reconstructing a segmental defect of the mandible. *J Oral Maxillofac Surg* 2011;69(3):742-6. [Abstract](#)
415. Hirata R, Bonfante EA, Anchieto RB, et al. Reliability and failure modes of narrow implant systems. *Clin Oral Investig* 2016;20(7):1505-13. [Abstract](#)
416. Hirata R, Bonfante EA, Machado LS, et al. Mechanical evaluation of four narrow-diameter implant systems. *Int J Prosthodont* 2014;27(4):359-62. [Abstract](#)
417. Hjalmarsson L, Smedberg JI. A 3-year retrospective study of Cresco frameworks: preload and complications. *Clin Implant Dent Relat Res* 2005;7(4):189-99. [Abstract](#)
418. Hjalmarsson L, Smedberg JI, Pettersson M, et al. Implant-level prostheses in the edentulous maxilla: a comparison with conventional abutment-level prostheses after 5 years of use. *Int J Prosthodont* 2011;24(2):158-67. [Abstract](#)
419. Hjerppe J, Lassila LV, Rakkolainen T, et al. Load-bearing capacity of custom-made versus prefabricated commercially available zirconia abutments. *Int J Oral Maxillofac Implants* 2011;26(1):132-8. [Abstract](#)
420. Hofstede TM, Jacob RF. Diagnostic considerations and prosthetic rehabilitation of a cocaine-induced midline destructive lesion: A clinical report. *J Prosthet Dent* 2010;103(1):1-5. [Abstract](#)
421. Hong YS, Kim MJ, Han JS, et al. Effects of hydrophilicity and fluoride surface modifications to titanium dental implants on early osseointegration: an in vivo study. *Implant Dent* 2014;23(5):529-33. [Abstract](#)
422. Hosoki M, Nishigawa K, Miyamoto Y, et al. Allergic contact dermatitis caused by titanium screws and dental implants. *J Prosthodont Res* 2016;60(3):213-9. [Abstract](#)
423. Hosseini M, Gotfredsen K. A feasible, aesthetic quality evaluation of implant-supported single crowns: an analysis of validity and reliability. *Clin Oral Implants Res* 2012;23(4):453-8. [Abstract](#)
424. Hosseini M, Kleven E, Gotfredsen K. Fracture mode during cyclic loading of implant-supported single-tooth restorations. *J Prosthet Dent* 2012;108(2):74-83. [Abstract](#)

425. Hosseini M, Worsaae N, Schiodt M, et al. A 1-year randomised controlled trial comparing zirconia versus metal-ceramic implant supported single-tooth restorations. *Eur J Oral Implantol* 2011;4(4):347-61. [Abstract](#)
426. Hosseini M, Worsaae N, Schiodt M, et al. A 3-year prospective study of implant-supported, single-tooth restorations of all-ceramic and metal-ceramic materials in patients with tooth agenesis. *Clin Oral Implants Res* 2013;24(10):1078-87. [Abstract](#)
427. Hotchkiss KM, Sowers KT, Olivares-Navarrete R. Novel in vitro comparative model of osteogenic and inflammatory cell response to dental implants. *Dent Mater* 2019;35(1):176-84. [Abstract](#)
428. Hsu A, Seong WJ, Wolff R, et al. Comparison of initial implant stability of implants placed using bicortical fixation, indirect sinus elevation, and unicortical fixation. *Int J Oral Maxillofac Implants* 2016;31(2):459-68. [Abstract](#)
429. Huang B, Meng H, Piao M, et al. Influence of placement depth on bone remodeling around tapered internal connection implant: a clinical and radiographic study in dogs. *J Periodontol* 2012;83(9):1164-71. [Abstract](#)
430. Huang B, Meng H, Zhu W, et al. Influence of placement depth on bone remodeling around tapered internal connection implants: a histologic study in dogs. *Clin Oral Implants Res* 2015;26(8):942-9. [Abstract](#)
431. Huang B, Zhang L, Xu L, et al. Effect of implant placement depth on the peri-implant bone defect configurations in ligature-induced peri-implantitis: An experimental study in dogs. *Med Oral Patol Oral Cir Bucal* 2018;23(1):e30-e37. [Abstract](#)
432. Hudieb MI, Wakabayashi N, Kasugai S. Magnitude and direction of mechanical stress at the osseointegrated interface of the microthread implant. *J Periodontol* 2011;82(7):1061-70. [Abstract](#)
433. Huynh-Ba G, Pjetursson BE, Sanz M, et al. Analysis of the socket bone wall dimensions in the upper maxilla in relation to immediate implant placement. *Clin Oral Implants Res* 2010;21(1):37-42. [Abstract](#)
434. Imam AY, Moshaverinia A, Chee WW, et al. A technique for retrieving fractured implant screws. *J Prosthet Dent* 2014;111(1):81-3. [Abstract](#)
435. Imam AY, Moshaverinia A, McGlumphy EA. Implant-abutment interface: a comparison of the ultimate force to failure among narrow-diameter implant systems. *J Prosthet Dent* 2014;112(2):136-42. [Abstract](#)
436. Isa ZM, Schneider GB, Zaharias R, et al. Effects of fluoride-modified titanium surfaces on osteoblast proliferation and gene expression. *Int J Oral Maxillofac Implants* 2006;21(2):203-11. [Abstract](#)
437. Isehed C, Svenson B, Lundberg P, et al. Surgical treatment of peri-implantitis using enamel matrix derivative, an RCT: 3- and 5-year follow-up. *J Clin Periodontol* 2018;45(6):744-53. [Abstract](#)
438. Isidor F. Loss of osseointegration caused by occlusal load of oral implants. A clinical and radiographic study in monkeys. *Clin Oral Implants Res* 1996;7(2):143-52. [Abstract](#)

439. Isidor F. Clinical probing and radiographic assessment in relation to the histologic bone level at oral implants in monkeys. *Clin Oral Implants Res* 1997;8(4):255-64. [Abstract](#)
440. Isidor F. Histological evaluation of peri-implant bone at implants subjected to occlusal overload or plaque accumulation. *Clin Oral Implants Res* 1997;8(1):1-9. [Abstract](#)
441. Isler SC, Soysal F, Ceyhanli T, et al. Regenerative surgical treatment of peri-implantitis using either a collagen membrane or concentrated growth factor: A 12-month randomized clinical trial. *Clin Implant Dent Relat Res* 2018;20(5):703-12. [Abstract](#)
442. Isler SC, Uraz A, Kaymaz O, et al. An evaluation of the relationship between peri-implant soft tissue biotype and the severity of peri-implantitis: A cross-sectional study. *Int J Oral Maxillofac Implants* 2019;34(1):187-96. [Abstract](#)
443. Isoda Y, Imamura E, Ueno D, et al. Use of a trephine bur and curette for minimally invasive harvesting of particulate cancellous bone and marrow from the iliac crest: a case of alveolar ridge reconstruction. *Int J Implant Dent* 2016;2(1):1-6. [Abstract](#)
444. Iturriaga MT, Ruiz CC. Maxillary sinus reconstruction with calvarium bone grafts and endosseous implants. *J Oral Maxillofac Surg* 2004;62(3):344-7. [Abstract](#)
445. Ivanoff CJ, Hallgren C, Widmark G, et al. Histologic evaluation of the bone integration of TiO<sub>2</sub> blasted and turned titanium microimplants in humans. *Clin Oral Implants Res* 2001;12(2):128-34. [Abstract](#)
446. Jacobi-Gresser E, Huesker K, Schutt S. Genetic and immunological markers predict titanium implant failure: a retrospective study. *Int J Oral Maxillofac Surg* 2013;42(4):537-43. [Abstract](#)
447. Jacobs R, Pittayapat P, van Steenberghe D, et al. A split-mouth comparative study up to 16 years of two screw-shaped titanium implant systems. *J Clin Periodontol* 2010;37(12):119-127. [Abstract](#)
448. James M, Roudsari RV. Prosthetic rehabilitation of a patient with X-linked hypophosphatemia using dental implants: a case report and review of the literature. *Int J Implant Dent* 2019;5(1):15. [Abstract](#)
449. Jansen VK, Conrads G, Richter EJ. Microbial leakage and marginal fit of the implant-abutment interface. *Int J Oral Maxillofac Implants* 1997;12(4):527-40. [Abstract](#)
450. Janyaphadungpong R, Serichetaphongse P, Pimkhaokham A. A clinical resonance frequency analysis of implants placed at dehiscence-type defects with simultaneous guided bone regeneration during early healing. *Int J Oral Maxillofac Implants* 2019;34(3):772-77. [Abstract](#)
451. Jarmar T, Palmquist A, Branemark R, et al. Characterization of the surface properties of commercially available dental implants using scanning electron microscopy, focused ion beam, and high-resolution transmission electron microscopy. *Clin Implant Dent Relat Res* 2008;10(1):11-22. [Abstract](#)
452. Jeffrey S, Brock G, Harrison J, et al. Multidisciplinary management of maxillary regional odontodysplasia. *Orthodontics* 2019;12:8-12.

453. Jelusic D, Zirk ML, Fienitz T, et al. Monophasic ss-TCP vs. biphasic HA/ss-TCP in two-stage sinus floor augmentation procedures - a prospective randomized clinical trial. *Clin Oral Implants Res* 2017;28(10):e175-e83. [Abstract](#)
454. Jemt T. Implant survival in the edentulous jaw-30 years of experience. Part I: A retrospective multivariate regression analysis of overall implant failure in 4,585 consecutively treated arches. *Int J Prosthodont* 2018;31(5):425-35. [Abstract](#)
455. Jemt T, Gyzander V, Britse AO. Incidence of surgery related to problems with peri-implantitis: a retrospective study on patients followed up between 2003 and 2010 at one specialist clinic. *Clin Implant Dent Relat Res* 2015;17(2):209-20. [Abstract](#)
456. Jensen AT, Jensen SS, Worsaae N. Complications related to bone augmentation procedures of localized defects in the alveolar ridge. A retrospective clinical study. *Oral Maxillofac Surg* 2016;20(2):115-22. [Abstract](#)
457. Jensen J, Brox H, Storhaug K, et al. Dental implants in patients with osteogenesis imperfecta: a retrospective and prospective study with review of the literature. *Oral Surgery* 2011;4(3):105-14. [Abstract](#)
458. Jensen JL, Storhaug K. Dental implants in patients with Ehlers-Danlos syndrome: a case series study. *Int J Prosthodont* 2012;25(1):60-2. [Abstract](#)
459. Jeong KI, Lee J, Um IW, et al. Alveolar cleft restoration using autogenous tooth bone graft material for implant placement: a case report. *J Oral Implantol* 2015;41(4):487-90. [Abstract](#)
460. Jeong SM, Choi BH, Li J, et al. Bone healing around implants following flap and mini-flap surgeries: a radiographic evaluation between stage I and stage II surgery. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2008;105(3):293-6. [Abstract](#)
461. Jeong SM, Choi BH, Li J, et al. A retrospective study of the effects of sinus membrane elevation on bone formation around implants placed in the maxillary sinus cavity. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2009;107(3):364-8. [Abstract](#)
462. Jimbo R, Ancheta R, Baldassarri M, et al. Histomorphometry and bone mechanical property evolution around different implant systems at early healing stages: an experimental study in dogs. *Implant Dent* 2013;22(6):596-603. [Abstract](#)
463. Jo DW, Yi YJ, Kwon MJ, et al. Correlation between interimplant distance and crestal bone loss in internal connection implants with platform switching. *Int J Oral Maxillofac Implants* 2014;29(2):296-302. [Abstract](#)
464. Joda T, Burki A, Bethge S, et al. Stiffness, strength, and failure modes of implant-supported monolithic lithium disilicate crowns: influence of titanium and zirconia abutments. *Int J Oral Maxillofac Implants* 2015;30(6):1272-9. [Abstract](#)
465. Johansson CB, Gretzer C, Jimbo R, et al. Enhanced implant integration with hierarchically structured implants: a pilot study in rabbits. *Clin Oral Implants Res* 2012;23(8):943-53. [Abstract](#)
466. Johansson H, Hellqvist J. Functionality of a further developed implant system: Mechanical integrity (P339). *Clin Oral Implants Res* 2013;24((Supplement 9)):166.

467. Johansson H, Hellqvist J, Johansson S. Credibility of an up-dated implant system: implant abutment leakage testing (P340). *Clin Oral Implants Res* 2013;24((Supplement 9)):166-67.
468. Jörn D, Kohorst P, Besdo S, et al. Influence of lubricant on screw preload and stresses in a finite element model for a dental implant. *J Prosthet Dent* 2014;112(2):340-8. [Abstract](#)
469. Jung JH, Choi BH, Jeong SM, et al. A retrospective study of the effects on sinus complications of exposing dental implants to the maxillary sinus cavity. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2007;103(5):623-5. [Abstract](#)
470. Kahnberg KE. Immediate implant placement in fresh extraction sockets: a clinical report. *Int J Oral Maxillofac Implants* 2009;24(2):282-8. [Abstract](#)
471. Kahnberg KE, Vannas-Lofqvist L. Sinus lift procedure using a 2-stage surgical technique: I. Clinical and radiographic report up to 5 years. *Int J Oral Maxillofac Implants* 2008;23(5):876-84. [Abstract](#)
472. Kahnberg KE, Vannas-Löfqvist L. Maxillary osteotomy with an interpositional bone graft and implants for reconstruction of the severely resorbed maxilla: a clinical report. *Int J Oral Maxillofac Implants* 2005;20(6):938-45. [Abstract](#)
473. Kahnberg KE, Vannas-Löfqvist L, Hakeberg M. Early loading of Astra Tech implants in the lower jaw. I. A comparison between immediate placement of implants in fresh extraction sockets and conventional implant surgery. *Oral Surgery* 2012;5(2):51-58. [Abstract](#)
474. Kahnberg KE, Wallstrom M, Rasmusson L. Local sinus lift for single-tooth implant. I. Clinical and radiographic follow-up. *Clin Implant Dent Relat Res* 2009;13(3):231-7. [Abstract](#)
475. Kahramanoglu E, Kulak-Ozkan Y. The effect of different restorative and abutment materials on marginal and internal adaptation of three-unit cantilever implant-supported fixed partial dentures: an in vitro study. *J Prosthodont* 2013;22(8):608-17. [Abstract](#)
476. Kahramanoglu E, Kulak-Ozkan Y. Marginal and internal adaptation of different superstructure and abutment materials using two different implant systems for five-unit implant-supported fixed partial dentures: an in vitro study. *Int J Oral Maxillofac Implants* 2013;28(5):1207-16. [Abstract](#)
477. Kamposiora P, Papavasiliou G, Madianos P. Presentation of two cases of immediate restoration of implants in the esthetic region, using facilitate software and guides with stereolithographic model surgery prior to patient surgery. *J Prosthodont* 2012;21(2):130-7. [Abstract](#)
478. Kan JY, Roe P, Rungcharassaeng K. Effects of implant morphology on rotational stability during immediate implant placement in the esthetic zone. *Int J Oral Maxillofac Implants* 2015;30(3):667-70. [Abstract](#)
479. Kang BS, Sul YT, Oh SJ, et al. XPS, AES and SEM analysis of recent dental implants. *Acta Biomater* 2009;5(6):2222-9. [Abstract](#)
480. Kang IH, Kim CW, Lim YJ, et al. A comparative study on the initial stability of different implants placed above the bone level using resonance frequency analysis. *J Adv Prosthodont* 2011;3(4):190-5. [Abstract](#)

481. Kanno T, Milleding P, Wennerberg A. Topography, microhardness, and precision of fit on ready-made zirconia abutment before/after sintering process. *Clin Implant Dent Relat Res* 2007;9(3):156-65. [Abstract](#)
482. Karasan D, Guncu MB, Ersu B, et al. Biomechanical behavior of implants with a sloped marginal configuration. *Int J Prosthodont* 2018;31(6):587-90. [Abstract](#)
483. Karl M, Irastorza-Landa A. Does implant design affect primary stability in extraction sites? *Quintessence Int* 2017;48(3):219-24. [Abstract](#)
484. Karl M, Taylor TD. Parameters determining micromotion at the implant-abutment interface. *Int J Oral Maxillofac Implants* 2014;29(6):1338-47. [Abstract](#)
485. Karlsson K, Derks J, Hakansson J, et al. Technical complications following implant-supported restorative therapy performed in Sweden. *Clin Oral Implants Res* 2018;29(6):603-11. [Abstract](#)
486. Karlsson U, Gotfredsen K, Olsson C. Single-tooth replacement by osseointegrated Astra Tech dental implants: a 2-year report. *Int J Prosthodont* 1997;10(4):318-24. [Abstract](#)
487. Karlsson U, Gotfredsen K, Olsson C. A 2-year report on maxillary and mandibular fixed partial dentures supported by Astra Tech dental implants. A comparison of 2 implants with different surface textures. *Clin Oral Implants Res* 1998;9(4):235-42. [Abstract](#)
488. Karring ES, Stavropoulos A, Ellegaard B, et al. Treatment of peri-implantitis by the Vector system. *Clin Oral Implants Res* 2005;16(3):288-93. [Abstract](#)
489. Kartal Y, Ucok C, Ozgul O, et al. Effect of locally applied bFGF on implant stability: Biomechanical evaluation of 2 different implant surfaces in rabbits. *Implant Dent* 2014;23(4):463-70. [Abstract](#)
490. Kashani H, Hilon J, Rasoul MH, et al. Influence of a single preoperative dose of antibiotics on the early implant failure rate. A randomized clinical trial. *Clin Implant Dent Relat Res* 2019;21(2):278-83. [Abstract](#)
491. Katic Z, Jukic T, Stubljar D. Effects of osteotomy lengths on the temperature rise of the crestal bone during implant site preparation. *Implant Dent* 2018;E-pub Feb 13, doi: 10.1097/ID.0000000000000732. [Abstract](#)
492. Kaufmann R, Friedli M, Hug S, et al. Removable dentures with implant support in strategic positions followed for up to 8 years. *Int J Prosthodont* 2009;22(3):233-41; discussion 42. [Abstract](#)
493. Kavcic J, Cbozic M. Immediate implant placement and immediate loading after dental trauma. *J Case Rep Images Dent* 2018;4:100026Z07JK2018.
494. Kawai t, Takahashi t, Matsui K. Application of octacalcium phosphate and collagen composite for bone augmentation with sinus floor elevation in humans. *Clinics in Surgery* 2019;3(Article 2112).
495. Kazemi M, Rohanian A, Monzavi A, et al. Evaluation of the accuracy and related factors of the mechanical torque-limiting device for dental implants. *J Dent (Tehran)* 2013;10(2):112-8. [Abstract](#)
496. Kemppainen P, Eskola S, Ylipaavalniemi P. A comparative prospective clinical study of two single-tooth implants: a preliminary report of 102 implants. *J Prosthet Dent* 1997;77(4):382-7. [Abstract](#)

497. Kennedy KS, Jones EM, Kim DG, et al. A prospective clinical study to evaluate early success of short implants. *Int J Oral Maxillofac Implants* 2013;28(1):170-7. [Abstract](#)
498. Kerstein RB, Radke J. A comparison of fabrication precision and mechanical reliability of 2 zirconia implant abutments. *Int J Oral Maxillofac Implants* 2008;23(6):1029-36. [Abstract](#)
499. Khademi A, Shadmehr E, Ajami M, et al. Histologic and histomorphometric assessment of implants and periapical tissues when placed in the sockets of extracted teeth, teeth with periapical lesions, and healed lesions: a canine study. *J Oral Implantol* 2013;39(6):709-13. [Abstract](#)
500. Khan O, Archibald A, Thomson E, et al. The role of quantitative single photon emission computerized tomography (SPECT) in the osseous integration process of dental implants. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2000;90(2):228-32. [Abstract](#)
501. Khatami AH, Toljanic JA, Kleinman A. Mandibular reconstruction with vascularized fibula flap and osseointegrated implants: a clinical report. *J Oral Implantol* 2010;36(5):385-90. [Abstract](#)
502. Khojasteh A, Eslaminejad MB, Nazarian H, et al. Vertical bone augmentation with simultaneous implant placement using particulate mineralized bone and mesenchymal stem cells: a preliminary study in rabbit. *J Oral Implantol* 2013;39(1):3-13. [Abstract](#)
503. Khojasteh A, Hassani A, Motamedian SR, et al. Cortical bone augmentation versus nerve lateralization for treatment of atrophic posterior mandible: a retrospective study and review of literature. *Clin Implant Dent Relat Res* 2016;18(2):342-59. [Abstract](#)
504. Khouri SB, Thomas L, Walters JD, et al. Early wound healing following one-stage dental implant placement with and without antibiotic prophylaxis: A pilot study. *J Periodontol* 2008;79(10):1904-12. [Abstract](#)
505. Khzam N, Mattheos N, Roberts D, et al. Immediate placement and restoration of dental implants in the esthetic region: clinical case series. *J Esthet Restor Dent* 2014;26(5):332-44. [Abstract](#)
506. Kim A, Campbell SD, Viana MA, et al. Abutment material effect on peri-implant soft tissue color and perceived esthetics. *J Prosthodont* 2016;25(8):634-40. [Abstract](#)
507. Kim JJ, Lee DW, Kim CK, et al. Effect of conical configuration of fixture on the maintenance of marginal bone level: preliminary results at 1 year of function. *Clin Oral Implants Res* 2010;21(4):439-44. [Abstract](#)
508. Kim JS, Sohn JY, Park JC, et al. Cumulative survival rate of Astra Tech implants: a retrospective analysis. *J Periodontal Implant Sci* 2011;41(2):86-91. [Abstract](#)
509. Kim JW, Lee H, Lim HK, et al. Orthognathic surgery deteriorates the osseointegration of dental implants: A propensity-matched multicentre cohort study. *J Oral Rehabil* 2018;45(12):967-73. [Abstract](#)
510. Kim S, Choi H, Woo D, et al. A three-dimensional finite element analysis of short dental implants in the posterior maxilla. *Int J Oral Maxillofac Implants* 2014;29(2):e155-64. [Abstract](#)

511. Kim TH, Lee DW, Kim CK, et al. Influence of early cover screw exposure on crestal bone loss around implants: intraindividual comparison of bone level at exposed and non-exposed implants. *J Periodontol* 2009;80(6):933-9. [Abstract](#)
512. King P, Maiorana C, Luthardt RG, et al. Clinical and radiographic evaluation of a small-diameter dental implant used for the restoration of patients with permanent tooth agenesis (hypodontia) in the maxillary lateral incisor and mandibular incisor regions: a 36-month follow-up. *Int J Prosthodont* 2016;29(2):147-53. [Abstract](#)
513. Klotz MW, Taylor TD, Goldberg AJ. Wear at the titanium-zirconia implant-abutment interface: a pilot study. *Int J Oral Maxillofac Implants* 2011;26(5):970-5. [Abstract](#)
514. Koch FP, Gotze E, Kumar VV, et al. A bar-retained overdenture as an external fixator device in a three-dimensional CAD/CAM-based surgical reconstruction of the mandible. *J Craniomaxillofac Surg* 2015;43(8):1447-51. [Abstract](#)
515. Kofron MD, Carstens M, Fu C, et al. In vitro assessment of connection strength and stability of internal implant-abutment connections. *Clin Biomech (Bristol, Avon)* 2019;65:92-99. [Abstract](#)
516. Kolafova M, Stovicek J, Strnad J, et al. In vitro bioactivity test of real dental implants according to ISO 23317. *Int J Oral Maxillofac Implants* 2017;32(6):1221-30. [Abstract](#)
517. Koldsland OC, Scheie AA, Aass AM. Prevalence of implant loss and the influence of associated factors. *J Periodontol* 2009;80(7):1069-75. [Abstract](#)
518. Koldsland OC, Scheie AA, Aass AM. Prevalence of peri-implantitis related to severity of the disease with different degrees of bone loss. *J Periodontol* 2010;81(2):231-8. [Abstract](#)
519. Koldsland OC, Wohlfahrt JC, Aass AM. Surgical treatment of peri-implantitis: prognostic indicators of short-term results. *J Clin Periodontol* 2017;45(1):100-13. [Abstract](#)
520. Koldsland OC, Wohlfahrt JC, Aass AM. Surgical treatment of peri-implantitis: Prognostic indicators of short-term results. *J Clin Periodontol* 2018;45(1):100-13. [Abstract](#)
521. Koo KT, Kim MH, Kim HY, et al. Effects of implant drill wear, irrigation, and drill materials on heat generation in osteotomy sites. *J Oral Implantol* 2015;41(2):e19-23. [Abstract](#)
522. Kordbacheh Changi K, Finkelstein J, Papapanou PN. Peri-implantitis prevalence, incidence rate, and risk factors: A study of electronic health records at a U.S. dental school. *Clin Oral Implants Res* 2019;30(4):306-14. [Abstract](#)
523. Korsch M, Obst U, Walther W. Cement-associated peri-implantitis: a retrospective clinical observational study of fixed implant-supported restorations using a methacrylate cement. *Clin Oral Implants Res* 2014;25(7):797-802. [Abstract](#)
524. Korsch M, Robra BP, Walther W. Predictors of excess cement and tissue response to fixed implant-supported dentures after cementation. *Clin Implant Dent Relat Res* 2015;17 Suppl 1:e45-53. [Abstract](#)

525. Korsch M, Walther W. Peri-implantitis associated with type of cement: A retrospective analysis of different types of cement and their clinical correlation to the peri-implant tissue. *Clin Implant Dent Relat Res* 2015;17 Suppl 2:e434-43. [Abstract](#)
526. Korsch M, Walther W. Retrospective analysis of loosening of cement-retained vs screw-retained fixed implant-supported reconstructions. *Quintessence Int* 2015;46(7):583-9. [Abstract](#)
527. Koutayas SO, Mitsias M, Wolfart S, et al. Influence of preparation mode and depth on the fracture strength of zirconia ceramic abutments restored with lithium disilicate crowns. *Int J Oral Maxillofac Implants* 2012;27(4):839-48. [Abstract](#)
528. Koutouzis T, Gadalla H, Lundgren T. Bacterial colonization of the implant-abutment interface (IAI) of dental implants with a sloped marginal design: An in-vitro study. *Clin Implant Dent Relat Res* 2016;18(1):161-7. [Abstract](#)
529. Koutouzis T, Koutouzis G, Tomasi C, et al. Immediate loading of implants placed with the osteotome technique: One-year prospective case series. *J Periodontol* 2011;82(11):1556-62. [Abstract](#)
530. Koutouzis T, Lundgren T. Crestal bone-level changes around implants placed in post-extraction sockets augmented with demineralized freeze-dried bone allograft: a retrospective radiographic study. *J Periodontol* 2010;81(10):1441-8. [Abstract](#)
531. Koutouzis T, Neiva R, Lipton D, et al. The effect of interimplant distance on peri-implant bone and soft tissue dimensional changes: a nonrandomized, prospective, 2-year follow-up study. *Int J Oral Maxillofac Implants* 2015;30(4):900-8. [Abstract](#)
532. Koutouzis T, Wennstrom JL. Bone level changes at axial- and non-axial-positioned implants supporting fixed partial dentures. A 5-year retrospective longitudinal study. *Clin Oral Implants Res* 2007;18(5):585-90. [Abstract](#)
533. Koyama K, Hasegawa T, Uchida I, et al. Simple and less invasive technique for fixation of iliac inlay bone block using dental implants in the atrophied posterior maxilla. *J Oral Maxillofac Surg Med Path* 2014;26(4):497-500. [Abstract](#)
534. Kraus RD, Epprecht A, Hammerle CHF, et al. Cemented vs screw-retained zirconia-based single implant reconstructions: A 3-year prospective randomized controlled clinical trial. *Clin Implant Dent Relat Res* 2019;E-pub Mar 13, doi:10.1111/cid.12735. [Abstract](#)
535. Kriz P, Seydlova M, Dostalova T, et al. Oral health-related quality of life and dental implants - preliminary study. *Cent Eur J Med* 2012;7(2):209-15. [Abstract](#)
536. Kriz P, Seydlova M, Dostalova T, et al. Dental implants and improvement of oral health-related quality of life. *Community Dent Oral Epidemiol* 2012;40(Suppl 1):65-70. [Abstract](#)
537. Kudoh K, Fukuda N, Kasugai S, et al. Maxillary sinus floor augmentation using low-crystalline carbonate apatite granules with simultaneous implant installation: first-in-human clinical trial. *J Oral Maxillofac Surg* 2019;77(5):985 e1-85 e11. [Abstract](#)

538. Kumar VV, Sagheb K, Klein MO, et al. Relation between bone quality values from ultrasound transmission velocity and implant stability parameters--an ex vivo study. *Clin Oral Implants Res* 2012;23(8):975-80. [Abstract](#)
539. Kunkel M, Wahlmann U, Reichert TE, et al. Reconstruction of mandibular defects following tumor ablation by vertical distraction osteogenesis using intraosseous distraction devices. *Clin Oral Implants Res* 2005;16(1):89-97. [Abstract](#)
540. Kuoppala R, Napankangas R, Raustia A. Outcome of implant-supported overdenture treatment--a survey of 58 patients. *Gerodontology* 2012;29(2):e577-84. [Abstract](#)
541. Kurita H, Sakai H, Uehara S, et al. Dental rehabilitation using an implant-carrying plate system in a severely resorbed edentulous maxilla: a case report. *Int J Oral Maxillofac Implants* 2008;23(1):117-20. [Abstract](#)
542. Kutan E, Bolukbasi N, Yildirim-Ondur E, et al. Clinical and radiographic evaluation of marginal bone changes around platform-switching implants placed in crestal or subcrestal positions: A randomized controlled clinical trial. *Clin Implant Dent Relat Res* 2015;17 Suppl 2:e364-75. [Abstract](#)
543. Kwon HJ, Lee DW, Park KH, et al. Influence of the tooth- and implant-side marginal bone level on the interproximal papilla dimension in a single implant with a microthread, conical seal, and platform-switched design. *J Periodontol* 2009;80(9):1541-7. [Abstract](#)
544. Kwon IJ, Lee BH, Eo MY, et al. Pathologic mandibular fracture after biting crab shells following ramal bone graft. *Dent Traumatol* 2016;32(5):421-4. [Abstract](#)
545. Kwon TK, Lee HJ, Min SK, et al. Evaluation of early bone response to fluoride-modified and anodically oxidized titanium implants through continuous removal torque analysis. *Implant Dent* 2012;21(5):427-32. [Abstract](#)
546. Kwon YS, Namgoong H, Kim JH, et al. Effect of microthreads on removal torque and bone-to-implant contact: an experimental study in miniature pigs. *J Periodontal Implant Sci* 2013;43(1):41-6. [Abstract](#)
547. Laass A, Sailer I, Husler J, et al. Randomized controlled clinical trial of all-ceramic single-tooth implant reconstructions using modified zirconia abutments: Results at 5 years after loading. *Int J Periodontics Restorative Dent* 2019;39(1):17-27. [Abstract](#)
548. Lamolle SF, Monjo M, Rubert M, et al. The effect of hydrofluoric acid treatment of titanium surface on nanostructural and chemical changes and the growth of MC3T3-E1 cells. *Biomaterials* 2009;30(5):736-42. [Abstract](#)
549. Larsson C, Vult von Steyern P. Five-year follow-up of implant-supported Y-TZP and ZTA fixed dental prostheses. A randomized, prospective clinical trial comparing two different material systems. *Int J Prosthodont* 2010;23(6):555-61. [Abstract](#)
550. Larsson C, Vult Von Steyern P. Implant-supported full-arch zirconia-based mandibular fixed dental prostheses. Eight-year results from a clinical pilot study. *Acta Odontol Scand* 2013;71(5):1118-22. [Abstract](#)
551. Larsson C, Vult von Steyern P, Nilner K. A prospective study of implant-supported full-arch yttria-stabilized tetragonal zirconia polycrystal mandibular fixed dental prostheses: three-year results. *Int J Prosthodont* 2010;23(4):364-9. [Abstract](#)

552. Larsson C, Vult von Steyern P, Sunzel B, et al. All-ceramic two- to five-unit implant-supported reconstructions. A randomized, prospective clinical trial. *Swed Dent J* 2006;30(2):45-53. [Abstract](#)
553. Laverty DP, Addison O, Wubie BA, et al. Outcomes of implant-based oral rehabilitation in head and neck oncology patients-a retrospective evaluation of a large, single regional service cohort. *Int J Implant Dent* 2019;5(1):8. [Abstract](#)
554. Lavrentiadis G, Yousef H, Luke A, et al. Changes in abutment screw dimensions after off-axis loading of implant-supported crowns: a pilot study. *Implant Dent* 2009;18(5):447-53. [Abstract](#)
555. Le BT, Borzabadi-Farahani A, Pluemsakunthai W. Is buccolingual angulation of maxillary anterior implants associated with the crestal labial soft tissue thickness? *Int J Oral Maxillofac Surg* 2014;43(7):874-8. [Abstract](#)
556. Le BT, Follmar T, Borzabadi-Farahani A. Assessment of short dental implants restored with single-unit nonsplinted restorations. *Implant Dent* 2013;22(5):499-502. [Abstract](#)
557. Lee DJ, Harlow RE, Yuan JC, et al. Three-year clinical outcomes of implant treatments provided at a predoctoral implant program. *Int J Prosthodont* 2011;24(1):71-6. [Abstract](#)
558. Lee DW, Choi YS, Park KH, et al. Effect of microthread on the maintenance of marginal bone level: a 3-year prospective study. *Clin Oral Implants Res* 2007;18(4):465-70. [Abstract](#)
559. Lee DW, Huh JK, Park KH, et al. Comparison of interproximal soft tissue height for single implants and contra-lateral natural teeth. *Clin Oral Implants Res* 2009;20(12):1320-25. [Abstract](#)
560. Lee DW, Kim NH, Lee Y, et al. Implant fracture failure rate and potential associated risk indicators: An up to 12-year retrospective study of implants in 5,124 patients. *Clin Oral Implants Res* 2019;30(3):206-17. [Abstract](#)
561. Lee DW, Lee DW, Park KH, et al. The effects of off-axial loading on periimplant marginal bone loss in a single implant. *J Prosthet Dent* 2014;112(3):501-7. [Abstract](#)
562. Lee DW, Park KH, Moon IS. Dimension of interproximal soft tissue between adjacent implants in two distinctive implant systems. *J Periodontol* 2006;77(6):1080-4. [Abstract](#)
563. Lee JH, Kim YT, Jeong SN, et al. Incidence and pattern of implant fractures: A long-term follow-up multicenter study. *Clin Implant Dent Relat Res* 2018;20(4):463-69. [Abstract](#)
564. Lee JI, Lee Y, Kim YL, et al. Effect of implant number and distribution on load transfer in implant-supported partial fixed dental prostheses for the anterior maxilla: A photoelastic stress analysis study. *J Prosthet Dent* 2016;115(2):161-9. [Abstract](#)
565. Lee KJ, Cha JK, Sanz-Martin I, et al. A retrospective case series evaluating the outcome of implants with low primary stability. *Clin Oral Implants Res* 2019;E-pub Jun 2019, doi: 10.1111/cld.13491. [Abstract](#)

566. Lee PK, Siu AS. A two-year evaluation of a sloped marginal contour implant system placed in healed sites. *Int J Oral Maxillofac Implants* 2016;31(6):1423-28. [Abstract](#)
567. Lefever D, Van Assche N, Temmerman A, et al. Aetiology, microbiology and therapy of periapical lesions around oral implants: a retrospective analysis. *J Clin Periodontol* 2013;40(3):296-302. [Abstract](#)
568. Lehmann KM, Kammerer PW, Karbach J, et al. Long-term effect of overdenture bar design on peri-implant tissues. *Int J Oral Maxillofac Implants* 2013;28(4):1126-31. [Abstract](#)
569. Lenssen O, Barbier L, De Clercq C. Immediate functional loading of provisional implants in the reconstructed atrophic maxilla: preliminary results of a prospective study after 6 months of loading with a provisional bridge. *Int J Oral Maxillofac Surg* 2011;40(9):907-15. [Abstract](#)
570. Leutert CR, Stawarczyk B, Truninger TC, et al. Bending moments and types of failure of zirconia and titanium abutments with internal implant-abutment connections: a laboratory study. *Int J Oral Maxillofac Implants* 2012;27(3):505-12. [Abstract](#)
571. Levin BP. A team approach to cost-effective, full-arch immediate loading. *Compend Contin Educ Dent* 2013;34(7):530-2. [Abstract](#)
572. Levin BP. The dual function of a dermal allograft in immediate implant therapy. *Int J Periodontics Restorative Dent* 2015;35(4):507-13. [Abstract](#)
573. Levin BP. The dermal apron technique for immediate implant socket management: A novel technique. *J Esthet Restor Dent* 2016;28(1):18-28. [Abstract](#)
574. Levin BP. The correlation between immediate implant insertion torque and implant stability quotient. *Int J Periodontics Restorative Dent* 2016;36(6):833-40. [Abstract](#)
575. Levin BP, Chu SJ. Changes in peri-implant soft tissue thickness with bone grafting and Dermis Allograft: A case series of 15 consecutive patients. *Int J Periodontics Restorative Dent* 2018;38(5):719-27. [Abstract](#)
576. Levin BP, Wilk BL. Immediate provisionalization of immediate implants in the esthetic zone: a prospective case series evaluating implant survival, esthetics, and bone maintenance. *Compend Contin Educ Dent* 2013;34(5):352-61. [Abstract](#)
577. Levin BP, Wilk BL. The teamwork approach to esthetic tooth replacement with immediate implant placement and immediate temporization. *Compend Contin Educ Dent* 2015;36(9):682-8. [Abstract](#)
578. L'Homme-Langlois E, Yilmaz B, Chien HH, et al. Accuracy of mechanical torque-limiting devices for dental implants. *J Prosthet Dent* 2015;114(4):524-8. [Abstract](#)
579. Li X, Wu B, Cheng X, et al. Esthetic evaluation of implant-Supported single crowns: The implant restoration esthetic index and patient perception. *J Prosthodont* 2019;28(1):e51-e58. [Abstract](#)
580. Lajae A, Ozkan YK, Ozkan Y, et al. Stability and marginal bone loss with three types of early loaded implants during the first year after loading. *Int J Oral Maxillofac Implants* 2012;27(1):162-72. [Abstract](#)

581. Lim HC, Wiedemeier DB, Hammerle CHF, et al. The amount of keratinized mucosa may not influence peri-implant health in compliant patients: A retrospective 5-year analysis. *J Clin Periodontol* 2019;46(3):354-62. [Abstract](#)
582. Limbert G, van Lierde C, Muraru OL, et al. Trabecular bone strains around a dental implant and associated micromotions--a micro-CT-based three-dimensional finite element study. *J Biomech* 2010;43(7):1251-61. [Abstract](#)
583. Limmer B, Sanders AE, Reside G, et al. Complications and patient-centered outcomes with an implant-supported monolithic zirconia fixed dental prosthesis: 1 year results. *J Prosthodont* 2014;23(4):267-75. [Abstract](#)
584. Lindhe J, Bressan E, Cecchinato D, et al. Bone tissue in different parts of the edentulous maxilla and mandible. *Clin Oral Implants Res* 2013;24(4):372-7. [Abstract](#)
585. Lindhe J, Cecchinato D, Donati M, et al. Ridge preservation with the use of deproteinized bovine bone mineral. *Clin Oral Implants Res* 2014;25(7):786-90. [Abstract](#)
586. Liu R, Lei T, Dusevich V, et al. Surface characteristics and cell adhesion: a comparative study of four commercial dental implants. *J Prosthodont* 2013;22(8):641-51. [Abstract](#)
587. Löberg J, Mattisson I, Ahlberg E. Integrated biomechanical and topographical surface characterization. *Applied Surface Science* 2014;290:215-22.
588. Löberg J, Mattisson I, Hansson S, et al. Characterisation of titanium dental implants I: Critical assessment of surface roughness parameters. *The Open Biomaterials J* 2010;2:18-35.
589. Lops D, Bressan E, Chiapasco M, et al. Zirconia and titanium implant abutments for single-tooth implant prostheses after 5 years of function in posterior regions. *Int J Oral Maxillofac Implants* 2013;28(1):281-7. [Abstract](#)
590. Lops D, Bressan E, Parpaila A, et al. Soft tissues stability of cad-cam and stock abutments in anterior regions: 2-year prospective multicentric cohort study. *Clin Oral Implants Res* 2015;26(12):1436-42. [Abstract](#)
591. Lops D, Chiapasco M, Rossi A, et al. Incidence of inter-proximal papilla between a tooth and an adjacent immediate implant placed into a fresh extraction socket: 1-year prospective study. *Clin Oral Implants Res* 2008;19(11):1135-40. [Abstract](#)
592. Lops D, Mosca D, Muller A, et al. Management of peri-implant soft tissues between tooth and adjacent immediate implant placed into fresh extraction single socket: a one-year prospective study on two different types of implant-abutment connection design. *Minerva Stomatol* 2011;60(9):403-15. [Abstract](#)
593. Lops D, Parpaila A, Paniz G, et al. Interproximal papilla stability around CAD/CAM and stock abutments in anterior regions: A 2-year prospective multicenter cohort study. *Int J Periodontics Restorative Dent* 2017;37(5):657-65. [Abstract](#)
594. Lozano-Carrascal N, Salomo-Coll O, Gilabert-Cerdà M, et al. Effect of implant macro-design on primary stability: A prospective clinical study. *Med Oral Patol Oral Cir Bucal* 2016;21(2):e214-21. [Abstract](#)

595. Lutz R, Berger-Fink S, Stockmann P, et al. Sinus floor augmentation with autogenous bone vs. a bovine-derived xenograft - a 5-year retrospective study. *Clin Oral Implants Res* 2015;26(6):644-8. [Abstract](#)
596. Lyngstadaas SP, Verket A, Pinholt EM, et al. Titanium granules for augmentation of the maxillary sinus - a multicenter study. *Clin Implant Dent Relat Res* 2015;17 Suppl 2:e594-600. [Abstract](#)
597. Mailoa J, Fu JH, Chan HL, et al. The effect of vertical implant position in relation to adjacent teeth on marginal bone loss in posterior arches: a retrospective study. *Int J Oral Maxillofac Implants* 2015;30(4):931-6. [Abstract](#)
598. Maiorana C, King P, Quaas S, et al. Clinical and radiographic evaluation of early loaded narrow-diameter implants: 3 years follow-up. *Clin Oral Implants Res* 2015;26(1):77-82. [Abstract](#)
599. Makkonen TA, Holmberg S, Niemi L, et al. A 5-year prospective clinical study of Astra Tech dental implants supporting fixed bridges or overdentures in the edentulous mandible. *Clin Oral Implants Res* 1997;8(6):469-75. [Abstract](#)
600. Malmstrom H, Gupta B, Ghanem A, et al. Success rate of short dental implants supporting single crowns and fixed bridges. *Clin Oral Implants Res* 2016;27(9):1093-8. [Abstract](#)
601. Mandelaris GA, Stefanelli LV, DeGroot BS. Dynamic navigation for surgical implant placement: Overview of technology, key concepts, and a case report. *Compend Contin Educ Dent* 2018;39(9):614-21; quiz 22. [Abstract](#)
602. Manzoor B, Suleiman M, Palmer RM. The effects of simulated bone loss on the implant-abutment assembly and likelihood of fracture: an in vitro study. *Int J Oral Maxillofac Implants* 2013;28(3):729-38. [Abstract](#)
603. Marcelis K, Vercruyssen M, Naert I, et al. Model-based guided implant insertion for solitary tooth replacement: a pilot study. *Clin Oral Implants Res* 2012;23(8):999-1003. [Abstract](#)
604. Marinis A, Afshari FS, Yuan JC, et al. Retrospective analysis of implant overdenture treatment in the advanced prosthodontic clinic at the University of Illinois at Chicago. *J Oral Implantol* 2016;42(1):46-53. [Abstract](#)
605. Martin R. Astra Tech OsseoSpeed™ 3.0S implant. *Inside Dentistry* 2010;6(4):2-4.
606. Martin-Ares M, Barona-Dorado C, Guisado-Moya B, et al. Prosthetic hygiene and functional efficacy in completely edentulous patients: satisfaction and quality of life during a 5-year follow-up. *Clin Oral Implants Res* 2016;27(12):1500-05. [Abstract](#)
607. Masaki C, Schneider GB, Zaharias R, et al. Effects of implant surface microtopography on osteoblast gene expression. *Clin Oral Implants Res* 2005;16(6):650-6. [Abstract](#)
608. Masuda T, Salvi GE, Offenbacher S, et al. Cell and matrix reactions at titanium implants in surgically prepared rat tibiae. *Int J Oral Maxillofac Implants* 1997;12(4):472-85. [Abstract](#)
609. Matsuo A, Chiba H, Takahashi H, et al. Clinical application of a custom-made bioresorbable raw particulate hydroxyapatite/poly-L-lactide mesh tray for mandibular reconstruction. *Odontology* 2010;98(1):85-8. [Abstract](#)

610. Matsuo A, Hamada H, Oba H, et al. Virtual reality head-mounted display for endoscopically-assisted implant surgery. *Br J Oral Maxillofac Surg* 2018;56(7):636-37. [Abstract](#)
611. Matsuo A, Hamada H, Takahashi H, et al. Long-term structural changes and outcomes of implants in particulate cellular bone and marrow reconstructed jawbone. *Clin Implant Dent Relat Res* 2019;21(2):360-68. [Abstract](#)
612. Mattisson I, Gretzer C, Ahlberg E. Surface characterization, electrochemical properties and in vitro testing of hierarchically structured titanium surfaces. *Mater Res Bulletin* 2013;48(2):389-98. [Abstract](#)
613. McGuire MK, Scheyer T, Ho DK, et al. Esthetic outcomes in relation to implant-abutment interface design following a standardized treatment protocol in a multicenter randomized controlled trial- A cohort of 12 cases at 1-year follow-up. *Int J Periodontics Restorative Dent* 2015;35(2):149-59. [Abstract](#)
614. Meirelles L, Currie F, Jacobsson M, et al. The effect of chemical and nanotopographical modifications on the early stages of osseointegration. *Int J Oral Maxillofac Implants* 2008;23(4):641-7. [Abstract](#)
615. Memon S, Weltman RL, Katancik JA. Oral bisphosphonates: early endosseous dental implant success and crestal bone changes. A retrospective study. *Int J Oral Maxillofac Implants* 2012;27(5):1216-22. [Abstract](#)
616. Menassa M, de Grandmont P, Audy N, et al. Patients' expectations, satisfaction, and quality of life with immediate loading protocol. *Clin Oral Implants Res* 2016;27(1):83-9. [Abstract](#)
617. Mendes R. Computer assisted implant planning - A case report involving severely atrophic edentulous maxillary regions. *J Chin Clin Med* 2010;5(11):665-7.
618. Mengel R, Peleska B. A double-crown concept for restorations in patients with generalized aggressive periodontitis: Two case reports with 22- and 25-year follow-ups. *Int J Periodontics Restorative Dent* 2019;39(2):203-11. [Abstract](#)
619. Merheb J, Temmerman A, Rasmussen L, et al. Influence of skeletal and local bone density on dental implant stability in patients with osteoporosis. *Clin Implant Dent Relat Res* 2016;18(2):253-60. [Abstract](#)
620. Merheb J, Vercruyssen M, Coucke W, et al. The fate of buccal bone around dental implants. A 12-month postloading follow-up study. *Clin Oral Implants Res* 2017;28(1):103-08. [Abstract](#)
621. Merheb J, Vercruyssen M, Coucke W, et al. Relationship of implant stability and bone density derived from computerized tomography images. *Clin Implant Dent Relat Res* 2018;20(1):50-57. [Abstract](#)
622. Meric G, Erkmen E, Kurt A, et al. Biomechanical effects of two different collar implant structures on stress distribution under cantilever fixed partial dentures. *Acta Odontol Scand* 2011;69(6):374-84. [Abstract](#)
623. Meric G, Erkmen E, Kurt A, et al. Biomechanical comparison of two different collar structured implants supporting 3-unit fixed partial denture: a 3-D FEM study. *Acta Odontol Scand* 2012;70(1):61-71. [Abstract](#)
624. Mertens C, de San Jose Gonzalez J, Freudlsperger C, et al. Implant-prosthetic rehabilitation of hemimaxillectomy defects with CAD/CAM suprastructures. *J Craniomaxillofac Surg* 2016;44(11):1812-18. [Abstract](#)

625. Mertens C, Decker C, Engel M, et al. Early bone resorption of free microvascular reanastomized bone grafts for mandibular reconstruction - A comparison of iliac crest and fibula grafts. *J Craniomaxillofac Surg* 2014;42(5):e217-23. [Abstract](#)
626. Mertens C, Decker C, Seeberger R, et al. Early bone resorption after vertical bone augmentation - a comparison of calvarial and iliac grafts. *Clin Oral Implants Res* 2013;24(7):820-5. [Abstract](#)
627. Mertens C, Freier K, Engel M, et al. Reconstruction of the severely atrophic edentulous maxillae with calvarial bone grafts. *Clin Oral Implants Res* 2017;28(6):749-56. [Abstract](#)
628. Mertens C, Freudlsperger C, Bodem J, et al. Reconstruction of the maxilla following hemimaxillectomy defects with scapular tip grafts and dental implants. *J Craniomaxillofac Surg* 2016;44(11):1806-11. [Abstract](#)
629. Mertens C, Lowenheim H, Hoffmann J. Image data based reconstruction of the midface using a patient-specific implant in combination with a vascularized osteomyocutaneous scapular flap. *J Craniomaxillofac Surg* 2013;41(3):219-25. [Abstract](#)
630. Mertens C, Meyer-Baumer A, Kappel H, et al. Use of 8-mm and 9-mm implants in atrophic alveolar ridges: 10-year results. *Int J Oral Maxillofac Implants* 2012;27(6):1501-8. [Abstract](#)
631. Mertens C, Steveling HG. Implant-supported fixed prostheses in the edentulous maxilla: 8-year prospective results. *Clin Oral Implants Res* 2010;22(5):464-72. [Abstract](#)
632. Mertens C, Steveling HG. Early and immediate loading of titanium implants with fluoride-modified surfaces: results of 5-year prospective study. *Clin Oral Implants Res* 2011;22(12):1354-60. [Abstract](#)
633. Mertens C, Steveling HG, Seeberger R, et al. Reconstruction of severely atrophied alveolar ridges with calvarial onlay bone grafts and dental implants. *Clin Implant Dent Relat Res* 2013;15(5):673-83. [Abstract](#)
634. Mertens C, Steveling HG, Stucke K, et al. Fixed implant-retained rehabilitation of the edentulous maxilla: 11-year results of a prospective study. *Clin Implant Dent Relat Res* 2012;14(6):816-27. [Abstract](#)
635. Mertens C, Thiele O, Engel M, et al. The use of self-inflating soft tissue expanders prior to bone augmentation of atrophied alveolar ridges. *Clin Implant Dent Relat Res* 2015;17(1):44-51. [Abstract](#)
636. Mertens C, Wiens D, Steveling HG, et al. Maxillary sinus-floor elevation with nanoporous biphasic bone graft material for early implant placement. *Clin Implant Dent Relat Res* 2014;16(3):365-73. [Abstract](#)
637. Mesimaki K, Lindroos B, Tornwall J, et al. Novel maxillary reconstruction with ectopic bone formation by GMP adipose stem cells. *Int J Oral Maxillofac Surg* 2009;38(3):201-9. [Abstract](#)
638. Michaud PL, Patel A. Hereditary gingival fibromatosis with extreme ridge thickness and insufficient interarch distance: A clinical report of surgical and prosthetic management. *J Prosthet Dent* 2016;116(1):15-20. [Abstract](#)
639. Michelinakis G, Barclay CW, Smith PW. The influence of interimplant distance and attachment type on the retention characteristics of mandibular

- overdentures on 2 implants: initial retention values. *Int J Prosthodont* 2006;19(5):507-12. [Abstract](#)
640. Milleding P, Carlen A, Wennerberg A, et al. Protein characterisation of salivary and plasma biofilms formed in vitro on non-corroded and corroded dental ceramic materials. *Biomaterials* 2001;22(18):2545-55. [Abstract](#)
641. Millen CS, Reuben RL, Ibbetson RJ. The effect of coping/veneer thickness on the fracture toughness and residual stress of implant supported, cement retained zirconia and metal-ceramic crowns. *Dent Mater* 2012;28(10):e250-8. [Abstract](#)
642. Min G-S, Chung C-H, Kim H-J. Fit analysis of CAD-CAM custom abutment using micro-CT. *J Korean Acad Prosthodont* 2016;54(4):370-78.
643. Mir-Mari J, Benic GI, Valmaseda-Castellon E, et al. Influence of wound closure on the volume stability of particulate and non-particulate GBR materials: an in vitro cone-beam computed tomographic examination. Part II. *Clin Oral Implants Res* 2017;28(6):631-39. [Abstract](#)
644. Mir-Mari J, Wui H, Jung RE, et al. Influence of blinded wound closure on the volume stability of different GBR materials: an in vitro cone-beam computed tomographic examination. *Clin Oral Implants Res* 2016;27(2):258-65. [Abstract](#)
645. Misch C, Wang HL. Clinical application of recombinant human bone morphogenetic protein-2 for bone augmentation before dental implant placement. *Clin Adv Periodontics* 2011;1(2):118-30.
646. Misch CM. The use of recombinant human bone morphogenetic protein-2 for the repair of extraction socket defects: a technical modification and case series report. *Int J Oral Maxillofac Implants* 2010;25(6):1246-52. [Abstract](#)
647. Misch CM. Bone augmentation of the atrophic posterior mandible for dental implants using rhBMP-2 and titanium mesh: clinical technique and early results. *Int J Periodontics Restorative Dent* 2011;31(6):581-9. [Abstract](#)
648. Mitsias M, Koutayas SO, Wolfart S, et al. Influence of zirconia abutment preparation on the fracture strength of single implant lithium disilicate crowns after chewing simulation. *Clin Oral Implants Res* 2014;25(6):675-82. [Abstract](#)
649. Mitsias ME, Silva NR, Pines M, et al. Reliability and fatigue damage modes of zirconia and titanium abutments. *Int J Prosthodont* 2010;23(1):56-9. [Abstract](#)
650. Mitsias ME, Thompson VP, Pines M, et al. Reliability and failure modes of two Y-TZP abutment designs. *Int J Prosthodont* 2015;28(1):75-8. [Abstract](#)
651. Miyamoto I, Tsuboi Y, Wada E, et al. Influence of cortical bone thickness and implant length on implant stability at the time of surgery--clinical, prospective, biomechanical, and imaging study. *Bone* 2005;37(6):776-80. [Abstract](#)
652. Mizumoto RM, Malamis D, Mascarenhas F, et al. Titanium implant wear from a zirconia custom abutment: A clinical report. *J Prosthet Dent* 2019;E-pub Jun 2019, doi:10.1016/j.jprosdent.2018.11.008. [Abstract](#)
653. Mo A, Hjortsjo C, Olsen-Bergem H, et al. Maxillary 3-implant removable prostheses without palatal coverage on Locator abutments - a case series. *Clin Oral Implants Res* 2016;27(10):1193-99. [Abstract](#)

654. Mohajerani H, Roozbayani R, Taherian S, et al. The risk factors in early failure of dental implants: A retrospective study. *J Dent (Shiraz)* 2017;18(4):298-303. [Abstract](#)
655. Monje A, O'Valle F, Monje-Gil F, et al. Cellular, vascular, and histomorphometric outcomes of solvent-dehydrated vs freeze-dried allogeneic graft for maxillary sinus augmentation: A randomized case series. *Int J Oral Maxillofac Implants* 2017;32(1):121-27. [Abstract](#)
656. Monje A, Pons R, Insua A, et al. Morphology and severity of peri-implantitis bone defects. *Clin Implant Dent Relat Res* 2019;E-pub May 16 doi:10.1111/cid.12791. [Abstract](#)
657. Monjo M, Lamolle SF, Lyngstadaas SP, et al. In vivo expression of osteogenic markers and bone mineral density at the surface of fluoride-modified titanium implants. *Biomaterials* 2008;29(28):3771-80. [Abstract](#)
658. Monjo M, Petzold C, Ramis JM, et al. In vitro osteogenic properties of two dental implant surfaces. *Int J Biomater* 2012;2012:181024. [Abstract](#)
659. Moon IS, Berglundh T, Abrahamsson I, et al. The barrier between the keratinized mucosa and the dental implant. An experimental study in the dog. *J Clin Periodontol* 1999;26(10):658-63. [Abstract](#)
660. Mordenfeld A, Aludden H, Starch-Jensen T. Lateral ridge augmentation with two different ratios of deproteinized bovine bone and autogenous bone: A 2-year follow-up of a randomized and controlled trial. *Clin Implant Dent Relat Res* 2017;19(5):884-94. [Abstract](#)
661. Mordenfeld A, Johansson CB, Albrektsson T, et al. A randomized and controlled clinical trial of two different compositions of deproteinized bovine bone and autogenous bone used for lateral ridge augmentation. *Clin Oral Implants Res* 2014;25(3):310-20. [Abstract](#)
662. Moscovitch M. Molar restorations supported by 2 implants: an alternative to wide implants. *J Can Dent Assoc* 2001;67(9):535-9. [Abstract](#)
663. Moshaverinia A, Kar K, Alam AA, et al. A multidisciplinary approach for the rehabilitation of a patient with an excessively worn dentition: a clinical report. *J Prosthet Dent* 2014;111(4):259-63. [Abstract](#)
664. Mouchref Hamasni F, El Hajj F, Abdallah R. Single sitting surgical treatment of generalized aggressive periodontitis using GTR technique and immediate implant placement with 10-year follow-up. *Case Rep Dent* 2018;2018:6194042. [Abstract](#)
665. Mu TJ, Lee DW, Park KH, et al. Changes in the fractal dimension of peri-implant trabecular bone after loading: a retrospective study. *J Periodontal Implant Sci* 2013;43(5):209-14. [Abstract](#)
666. Muhlemann S, Truninger TC, Stawarczyk B, et al. Bending moments of zirconia and titanium implant abutments supporting all-ceramic crowns after aging. *Clin Oral Implants Res* 2014;25(1):74-81. [Abstract](#)
667. Mumcu E, Bilhan H, Cekici A. Marginal bone loss around implants supporting fixed restorations. *J Oral Implantol* 2011;37(5):549-58. [Abstract](#)

668. Mumcu E, Bilhan H, Geckili O. The effect of attachment type and implant number on satisfaction and quality of life of mandibular implant-retained overdenture wearers. *Gerodontology* 2012;29(2):e618-23. [Abstract](#)
669. Mumcu E, Bilhan H, Geckili O. The influence of healing type on marginal bone levels of implants supporting mandibular overdentures: A randomized clinical study. *Indian J Dent Res* 2012;23(4):514-8. [Abstract](#)
670. Mumcu E, Dereci O. Assessment of the effect of clinical risk factors on marginal bone loss in 2 implant-supported locator retained mandibular overdentures. *J Oral Implantol* 2019;E-pub Mar doi:10.1563/aaid-joi-D-18-00193. [Abstract](#)
671. Murphy WM, Absi EG, Gregory MC, et al. A prospective 5-year study of two cast framework alloys for fixed implant-supported mandibular prostheses. *Int J Prosthodont* 2002;15(2):133-8. [Abstract](#)
672. Murphy WM, Barker GR, Gregory MC, et al. Experience with the Astra dental implant system. *Dental Update* 1992;19(4):143-6. [Abstract](#)
673. Mustafa K, Silva Lopez B, Hultenby K, et al. Attachment and proliferation of human oral fibroblasts to titanium surfaces blasted with TiO<sub>2</sub> particles. A scanning electron microscopic and histomorphometric analysis. *Clin Oral Implants Res* 1998;9(3):195-207. [Abstract](#)
674. Naenni N, Berner T, Waller T, et al. Influence of wound closure on volume stability with the application of different GBR materials: an in vitro cone-beam computed tomographic study. *J Periodontal Implant Sci* 2019;49(1):14-24. [Abstract](#)
675. Naenni N, Schneider D, Jung RE, et al. Randomized clinical study assessing two membranes for guided bone regeneration of peri-implant bone defects: clinical and histological outcomes at 6 months. *Clin Oral Implants Res* 2017;28(10):1309-17. [Abstract](#)
676. Nakata H, Kuroda S, Tachikawa N, et al. Histological and micro-computed tomographic observations after maxillary sinus augmentation with porous hydroxyapatite alloplasts: a clinical case series. *Springerplus* 2016;5(1):260. [Abstract](#)
677. Nappo A, Rengo C, Pantaleo G, et al. Influence of implant dimensions and position on implant stability: A prospective clinical study in maxilla using resonance frequency analysis. *Applied Sciences* 2019;9(5).
678. Nejatidane F, Shakibamehr AH, Savabi O. Comparison of marginal and internal adaptation of cad/cam and conventional cement retained implant-supported single crowns. *Implant Dent* 2016;25(1):103-8. [Abstract](#)
679. Neldam CA, Lauridsen T, Rack A, et al. Application of high resolution synchrotron micro-CT radiation in dental implant osseointegration. *J Craniomaxillofac Surg* 2015;43(5):682-7. [Abstract](#)
680. Neldam CA, Sporring J, Rack A, et al. Synchrotron radiation muCT and histology evaluation of bone-to-implant contact. *J Craniomaxillofac Surg* 2017;45(9):1448-57. [Abstract](#)
681. Nelson K, Schmelzeisen R, Taylor TD, et al. The impact of force transmission on narrow-body dental implants made of commercially pure titanium and titanium zirconia alloy with a conical implant-abutment connection: An experimental pilot study. *Int J Oral Maxillofac Implants* 2016;31(5):1066-71. [Abstract](#)

682. Nguyen CT, Hofstede TM. Prosthodontic treatment and medical considerations for a patient with Turner syndrome: a clinical report. *J Prosthodont* 2012;21(7):552-5. [Abstract](#)
683. Nguyen R, Soldatos N, Tran D, et al. Survival of dental implants replacing previously failed implants: A retrospective study in a university setting. *Int J Oral Maxillofac Implants* 2018;33(6):1312-19. [Abstract](#)
684. Nikzad S, Azari A. Custom-made radiographic template, computed tomography, and computer-assisted flapless surgery for treatment planning in partial edentulous patients: a prospective 12-month study. *J Oral Maxillofac Surg* 2010;68(6):1353-9. [Abstract](#)
685. Nisapakultorn K, Suphanantachat S, Silkosessak O, et al. Factors affecting soft tissue level around anterior maxillary single-tooth implants. *Clin Oral Implants Res* 2010;21(6):662-70. [Abstract](#)
686. Noelken R. Immediate implant placement in the aesthetic zone using the OsseoSpeed® Profile EV implant. *Australasian Dental Practice* 2017;28(4):170-74. [Abstract](#)
687. Noelken R, Donati M, Fiorellini J, et al. Soft and hard tissue alterations around implants placed in an alveolar ridge with a sloped configuration. *Clin Oral Implants Res* 2014;25(1):3-9. [Abstract](#)
688. Noelken R, Geier J, Kunkel M, et al. Influence of soft tissue grafting, orofacial implant position, and angulation on facial hard and soft tissue thickness at immediately inserted and provisionalized implants in the anterior maxilla. *Clin Implant Dent Relat Res* 2018;20(5):674-82. [Abstract](#)
689. Noelken R, Moergel M, Kunkel M, et al. Immediate and flapless implant insertion and provisionalization using autogenous bone grafts in the esthetic zone: 5-year results. *Clin Oral Implants Res* 2018;29(3):320-27. [Abstract](#)
690. Noelken R, Moergel M, Pausch T, et al. Clinical and esthetic outcome with immediate insertion and provisionalization with or without connective tissue grafting in presence of mucogingival recessions: A retrospective analysis with follow-up between 1 and 8 years. *Clin Implant Dent Relat Res* 2018;20(3):285-93. [Abstract](#)
691. Noelken R, Neffe BA, Kunkel M, et al. Maintenance of marginal bone support and soft tissue esthetics at immediately provisionalized OsseoSpeed implants placed into extraction sites: 2-year results. *Clin Oral Implants Res* 2014;25(2):214-20. [Abstract](#)
692. Noelken R, Oberhansl F, Kunkel M, et al. Immediately provisionalized OsseoSpeed() Profile implants inserted into extraction sockets: 3-year results. *Clin Oral Implants Res* 2016;27(6):744-9. [Abstract](#)
693. Nordin T, Jonsson G, Nelvig P, et al. The use of a conical fixture design for fixed partial prostheses. A preliminary report. *Clin Oral Implants Res* 1998;9(5):343-7. [Abstract](#)
694. Norton MR. An in vitro evaluation of the strength of an internal conical interface compared to a butt joint interface in implant design. *Clin Oral Implants Res* 1997;8(4):290-8. [Abstract](#)

695. Norton MR. The Astra Tech single-tooth implant system: a report on 27 consecutively placed and restored implants. *Int J Periodontics Restorative Dent* 1997;17(6):574-83. [Abstract](#)
696. Norton MR. Marginal bone levels at single tooth implants with a conical fixture design. The influence of surface macro- and microstructure. *Clin Oral Implants Res* 1998;9(2):91-9. [Abstract](#)
697. Norton MR. Assessment of cold welding properties of the internal conical interface of two commercially available implant systems. *J Prosthet Dent* 1999;81(2):159-66. [Abstract](#)
698. Norton MR. An in vitro evaluation of the strength of a 1-piece and 2-piece conical abutment joint in implant design. *Clin Oral Implants Res* 2000;11(5):458-64. [Abstract](#)
699. Norton MR. In vitro evaluation of the strength of the conical implant-to-abutment joint in two commercially available implant systems. *J Prosthet Dent* 2000;83(5):567-71. [Abstract](#)
700. Norton MR. Biologic and mechanical stability of single-tooth implants: 4- to 7-year follow-up. *Clin Implant Dent Relat Res* 2001;3(4):214-20. [Abstract](#)
701. Norton MR. A short-term clinical evaluation of immediately restored maxillary TiOblast single-tooth implants. *Int J Oral Maxillofac Implants* 2004;19(2):274-81. [Abstract](#)
702. Norton MR. Multiple single-tooth implant restorations in the posterior jaws: maintenance of marginal bone levels with reference to the implant-abutment microgap. *Int J Oral Maxillofac Implants* 2006;21(5):777-84. [Abstract](#)
703. Norton MR. The influence of insertion torque on the survival of immediately placed and restored single-tooth implants. *Int J Oral Maxillofac Implants* 2011;26(6):1333-43. [Abstract](#)
704. Norton MR. The Influence of Low Insertion Torque on Primary Stability, Implant Survival, and Maintenance of Marginal Bone Levels: A Closed-Cohort Prospective Study. *Int J Oral Maxillofac Implants* 2017;32(4):849-57. [Abstract](#)
705. Norton MR. Resonance frequency analysis: Agreement and correlation of implant stability quotients between three commercially available instruments. *Int J Oral Maxillofac Implants* 2018;E-pub Oct 4 doi:[Abstract](#). [Abstract](#)
706. Norton MR, Ferber C. The nonresilient hybrid removable prosthesis: treatment of choice for the atrophic maxilla. *Int J Periodontics Restorative Dent* 1999;19(2):189-97. [Abstract](#)
707. Norton MR, Wilson J. Dental implants placed in extraction sites implanted with bioactive glass: human histology and clinical outcome. *Int J Oral Maxillofac Implants* 2002;17(2):249-57. [Abstract](#)
708. Nothdurft FP, Doppler KE, Erdelt KJ, et al. Influence of artificial aging on the load-bearing capability of straight or angulated zirconia abutments in implant/tooth-supported fixed partial dentures. *Int J Oral Maxillofac Implants* 2010;25(5):991-8. [Abstract](#)
709. Nothdurft FP, Doppler KE, Erdelt KJ, et al. Fracture behavior of straight or angulated zirconia implant abutments supporting anterior single crowns. *Clin Oral Investig* 2011;15(2):157-63. [Abstract](#)

710. Nyberg J, Hertzman S, Svensson B, et al. Osseointegration of implants in irradiated bone with and without hyperbaric oxygen treatment: an experimental study in rat Tibiae. *Int J Oral Maxillofac Implants* 2013;28(3):739-46. [Abstract](#)
711. Ocelik V, Schepke U, Rasoul HH, et al. On the bulk degradation of yttria-stabilized nanocrystalline zirconia dental implant abutments: an electron backscatter diffraction study. *J Mater Sci Mater Med* 2017;28(8):121. [Abstract](#)
712. Offermanns V. Comparing SLActive™, Osseospeed™ and a novel strontium releasing surface (Ti-Sr-O) in early osseointegration stages in a rabbit femur model. *Int J Oral Maxillofac Implants* 2015;44(Supplement):e118.
713. Oguz Y, Cinar D, Bayram B. Removal of fractured implants and replacement with new ones. *J Oral Implantol* 2015;41(1):85-7. [Abstract](#)
714. Olefjord I, Hansson S. Surface analysis of four dental implant systems. *Int J Oral Maxillofac Implants* 1993;8(1):32-40. [Abstract](#)
715. Ongun S, Kurtulmus-Yilmaz S, Meric G, et al. A comparative study on the mechanical properties of a polymer-infiltrated ceramic-network material used for the fabrication of hybrid abutment. *Materials* 2018;11(9):1681. [Abstract](#)
716. Onur MA, Cehreli MC, Tas Z, et al. Effects of machined/turned, TiO<sub>2</sub>-blasted and sandblasted/acid-etched titanium oral implant surfaces on nerve conduction: a study on isolated rat sciatic nerves. *J Biomed Mater Res B* 2003;67(2):772-8. [Abstract](#)
717. Orentlicher G, Horowitz A, Goldsmith D, et al. Cumulative survival rate of implants placed "fully guided" using CT-guided surgery: A 7-year retrospective study. *Compend Contin Educ Dent* 2014;35(8):590-7. [Abstract](#)
718. Orsini G, Stacchi C, Visintini E, et al. Clinical and histologic evaluation of fresh frozen human bone grafts for horizontal reconstruction of maxillary alveolar ridges. *Int J Periodontics Restorative Dent* 2011;31(5):535-44. [Abstract](#)
719. Ortegon SM, Thompson GA, Agar JR, et al. Retention forces of spherical attachments as a function of implant and matrix angulation in mandibular overdentures: an in vitro study. *J Prosthet Dent* 2009;101(4):231-8. [Abstract](#)
720. Örtorp A. Three tumor patients with total maxillectomy rehabilitated with implant-supported frameworks and maxillary obturators: a follow-up report. *Clin Implant Dent Relat Res* 2009;12(4):315-23. [Abstract](#)
721. O'Sullivan D, Sennerby L, Meredith N. Measurements comparing the initial stability of five designs of dental implants: a human cadaver study. *Clin Implant Dent Relat Res* 2000;2(2):85-92. [Abstract](#)
722. Oxby G, Oxby F, Oxby J, et al. Early loading of fluoridated implants placed in fresh extraction sockets and healed bone: A 3- to 5-year clinical and radiographic follow-up study of 39 consecutive patients. *Clin Implant Dent Relat Res* 2015;17(5):898-907. [Abstract](#)
723. Ozan O, Ramoglu S. Effect of implant height differences on different attachment types and peri-implant bone in mandibular two-implant overdentures: 3D finite element study. *J Oral Implantol* 2015;41(3):e50-9. [Abstract](#)
724. Ozdemir E, Lin WS, Erkut S. Management of interproximal soft tissue with a resin-bonded prosthesis after immediate implant placement: a clinical report. *J Prosthet Dent* 2012;107(1):7-10. [Abstract](#)

725. Ozkir SE, Terzioglu H. Macro design effects on stress distribution around implants: A photoelastic stress analysis. Indian J Dent Res 2012;23(5):603-7. [Abstract](#)
726. Özkurt Z, Duygu G, Canpolat C, et al. Reconstruction of edentulous maxillary and mandibular arches with implant-supported fixed restorations using a digital treatment planning technique: a clinical report. J Oral Implantol 2008;34(3):161-8. [Abstract](#)
727. Pabst AM, Walter C, Ehbauer S, et al. Analysis of implant-failure predictors in the posterior maxilla: A retrospective study of 1395 implants. J Craniomaxillofac Surg 2015;43(3):414-20. [Abstract](#)
728. Packer M, Nikitin V, Coward T, et al. The potential benefits of dental implants on the oral health quality of life of people with Parkinson's disease. Gerodontology 2009;26(1):11-8. [Abstract](#)
729. Palaska I, Tsiaousoglou P, Vouros I, et al. Influence of placement depth and abutment connection pattern on bone remodeling around 1-stage implants: a prospective randomized controlled clinical trial. Clin Oral Implants Res 2016;27(2):e47-56. [Abstract](#)
730. Palmer RM, Farkondeh N, Palmer PJ, et al. Astra Tech single-tooth implants: an audit of patient satisfaction and soft tissue form. J Clin Periodontol 2007;34(7):633-8. [Abstract](#)
731. Palmer RM, Howe LC, Palmer PJ. A prospective 3-year study of fixed bridges linking Astra Tech ST implants to natural teeth. Clin Oral Implants Res 2005;16(3):302-7. [Abstract](#)
732. Palmer RM, Howe LC, Palmer PJ, et al. A prospective clinical trial of single Astra Tech 4.0 or 5.0 diameter implants used to support two-unit cantilever bridges: results after 3 years. Clin Oral Implants Res 2012;23(1):35-40. [Abstract](#)
733. Palmer RM, Palmer PJ, Smith BJ. A 5-year prospective study of Astra single tooth implants. Clin Oral Implants Res 2000;11(2):179-82. [Abstract](#)
734. Palmer RM, Smith BJ, Palmer PJ, et al. A prospective study of Astra single tooth implants. Clin Oral Implants Res 1997;8(3):173-9. [Abstract](#)
735. Pan MC, Zhuang HB, Chen CS, et al. A noncontact resonance frequency detection technique for the assessment of the interfacial bone defect around a dental implant. Med Eng Phys 2013;35(12):1825-30. [Abstract](#)
736. Paniz G, Bressan E, Stellini E, et al. Correlation between subjective and objective evaluation of peri-implant soft tissue color. Clin Oral Implants Res 2014;25(8):992-6. [Abstract](#)
737. Paraque AR, Steve M, Vazquez L, et al. Esthetic and functional reconstruction of the post-tumoral interrupted mandible with double-barrel fibular free flap graft: rationale for a prosthodontic approach. J Oral Implantol 2011;37(5):571-77. [Abstract](#)
738. Parbo N, Murra NT, Andersen K, et al. Outcome of partial mandibular reconstruction with fibula grafts and implant-supported prostheses. Int J Oral Maxillofac Surg 2013;42(11):1403-8. [Abstract](#)

739. Park C, Raigrodski AJ, Rosen J, et al. Accuracy of implant placement using precision surgical guides with varying occlusogingival heights: an in vitro study. *J Prosthet Dent* 2009;101(6):372-81. [Abstract](#)
740. Park JC, Kim JC, Kim YT, et al. Acquisition of human alveolar bone-derived stromal cells using minimally irrigated implant osteotomy: in vitro and in vivo evaluations. *J Clin Periodontol* 2012;39(5):495-505. [Abstract](#)
741. Parpaila A, Cecchinato D, Toia M, et al. Dimensions of the healthy gingiva and peri-implant mucosa. *Clin Oral Implants Res* 2015;26(6):657-62. [Abstract](#)
742. Parpaila A, Norton MR, Cecchinato D, et al. Virtual abutment design: a concept for delivery of CAD/CAM customized abutments-- report of a retrospective cohort. *Int J Periodontics Restorative Dent* 2013;33(1):51-8. [Abstract](#)
743. Passos SP, Linke B, Larjava H, et al. Performance of zirconia abutments for implant-supported single-tooth crowns in esthetic areas: a retrospective study up to 12-year follow-up. *Clin Oral Implants Res* 2016;27(1):47-54. [Abstract](#)
744. Patel D, Patel N, Brennan PA, et al. Multidisciplinary team approach in the oral rehabilitation of patients with cleidocranial dysplasia to achieve a functional aesthetic outcome. *Br J Oral Maxillofac Surg* 2017;55(9):932-36. [Abstract](#)
745. Patel J, Nixon P. Chronic idiopathic pain following implant placement in the anterior maxilla: a Case Series. *Dental Update* 2019;45:1043-47.
746. Patel RD, Kan JY, Jonsson LB, et al. The use of a dental surgical microscope to aid retrieval of a fractured implant abutment screw: a clinical report. *J Prosthodont* 2010;19(8):630-3. [Abstract](#)
747. Patel S, Lee D, Shiffler K, et al. Resonance frequency analysis of sinus augmentation by osteotome sinus floor elevation and lateral window technique. *J Oral Maxillofac Surg* 2015;73(10):1920-5. [Abstract](#)
748. Peng M, Fei W, Hosseini M, et al. Influence of implant position on clinical crown length and peri-implant soft tissue dimensions at implant-supported single crowns replacing maxillary central incisors. *Int J Periodontics Restorative Dent* 2013;33(6):785-93. [Abstract](#)
749. Petersson IU, Löberg JE, Fredriksson AS, et al. Semi-conducting properties of titanium dioxide surfaces on titanium implants. *Biomaterials* 2009;30(27):4471-79. [Abstract](#)
750. Pieri F, Aldini NN, Fini M, et al. Immediate fixed implant rehabilitation of the atrophic edentulous maxilla after bilateral sinus floor augmentation: a 12-month pilot study. *Clin Implant Dent Relat Res* 2012;14 (Suppl 1):e67-82. [Abstract](#)
751. Pieri F, Aldini NN, Fini M, et al. Preliminary 2-year report on treatment outcomes for 6-mm-long implants in posterior atrophic mandibles. *Int J Prosthodont* 2012;25(3):279-89. [Abstract](#)
752. Pieri F, Aldini NN, Marchetti C, et al. Esthetic outcome and tissue stability of maxillary anterior single-tooth implants following reconstruction with mandibular block grafts: a 5-year prospective study. *Int J Oral Maxillofac Implants* 2013;28(1):270-80. [Abstract](#)
753. Pieri F, Caselli E, Forlivesi C, et al. Rehabilitation of the atrophic posterior maxilla using splinted short implants or sinus augmentation with standard-length

- implants: A retrospective cohort study. *Int J Oral Maxillofac Implants* 2016;31(5):1179-88. [Abstract](#)
754. Pieri F, Forlivesi C, Caselli E, et al. Short implants (6mm) vs. vertical bone augmentation and standard-length implants (>/=9mm) in atrophic posterior mandibles: a 5-year retrospective study. *Int J Oral Maxillofac Surg* 2017;46(12):1607-14. [Abstract](#)
755. Pieri F, Siroli L, Forlivesi C, et al. Clinical, esthetic, and radiographic evaluation of small-diameter (3.0-mm) implants supporting single crowns in the anterior region: a 3-year prospective study. *Int J Periodontics Restorative Dent* 2014;34(6):825-32. [Abstract](#)
756. Piermatti J, Yousef H, Luke A, et al. An in vitro analysis of implant screw torque loss with external hex and internal connection implant systems. *Implant Dent* 2006;15(4):427-35. [Abstract](#)
757. Piero B, Mario V, Niccolo N, et al. Implant placement in combination with sinus membrane elevation without biomaterials: A 1-year study on 15 patients. *Clin Implant Dent Relat Res* 2012;14(5):682-9. [Abstract](#)
758. Pohl V, Pohl S, Sulzbacher I, et al. Alveolar Ridge Augmentation Using Dystopic Autogenous Tooth: 2-Year Results of an Open Prospective Study. *Int J Oral Maxillofac Implants* 2017;32(4):870-79. [Abstract](#)
759. Pohl V, Thoma DS, Sporniak-Tutak K, et al. Short dental implants (6 mm) versus long dental implants (11-15 mm) in combination with sinus floor elevation procedures: 3-year results from a multicentre, randomized, controlled clinical trial. *J Clin Periodontol* 2017;44(4):438-45. [Abstract](#)
760. Ponsi J, Lahti S, Rissanen H, et al. Change in subjective oral health after single dental implant treatment. *Int J Oral Maxillofac Implants* 2011;26(3):571-7. [Abstract](#)
761. Pourhashemi SJ, Ghoncheh Z. Diagnostic accuracy of inverted and unprocessed digitized periapical radiographs for detection of peri-implant defects. *J Dent (Tehran)* 2015;12(8):571-76. [Abstract](#)
762. Prasad R, Al-Kheraif AA. Three-dimensional accuracy of CAD/CAM titanium and ceramic superstructures for implant abutments using spiral scan microtomography. *Int J Prosthodont* 2013;26(5):451-7. [Abstract](#)
763. Prasad S, Hambrook C, Reigle E, et al. Implant treatment in the predoctoral clinic: A retrospective database study of 1091 patients. *J Prosthodont* 2016;26(6):559-67. [Abstract](#)
764. Puchades-Roman L, Palmer RM, Palmer PJ, et al. A clinical, radiographic, and microbiologic comparison of Astra Tech and Bränemark single tooth implants. *Clin Implant Dent Relat Res* 2000;2(2):78-84. [Abstract](#)
765. Quirynen M, Bollen CM, Willems G, et al. Comparison of surface characteristics of six commercially pure titanium abutments. *Int J Oral Maxillofac Implants* 1994;9(1):71-6. [Abstract](#)
766. Rabbani S, Juszczysz AS, Clark RK, et al. Investigation of retentive force reduction and wear of the locator attachment system with different implant angulations. *Int J Oral Maxillofac Implants* 2015;30(3):556-63. [Abstract](#)

767. Raes F, Cooper LF, Tarrida LG, et al. A case-control study assessing oral-health-related quality of life after immediately loaded single implants in healed alveolar ridges or extraction sockets. *Clin Oral Implants Res* 2012;23(5):602-8. [Abstract](#)
768. Raes F, Cosyn J, Crommelinck E, et al. Immediate and conventional single implant treatment in the anterior maxilla: 1-year results of a case series on hard and soft tissue response and aesthetics. *J Clin Periodontol* 2011;38(4):385-94. [Abstract](#)
769. Raes F, Cosyn J, De Bruyn H. Clinical, aesthetic, and patient-related outcome of immediately loaded single implants in the anterior maxilla: A prospective study in extraction sockets, healed ridges, and grafted sites. *Clin Implant Dent Relat Res* 2013;15(6):819-35. [Abstract](#)
770. Raes F, Renckens L, Aps J, et al. Reliability of circumferential bone level assessment around single implants in healed ridges and extraction sockets using cone beam CT. *Clin Implant Dent Relat Res* 2013;15(5):661-72. [Abstract](#)
771. Raes S, Cosyn J, Noyelle A, et al. Clinical outcome after 8 to 10 years of immediately restored single implants placed in extraction sockets and healed ridges. *Int J Periodontics Restorative Dent* 2018;38(3):337-45. [Abstract](#)
772. Raes S, Eghbali A, Chappuis V, et al. A long-term prospective cohort study on immediately restored single tooth implants inserted in extraction sockets and healed ridges: CBCT analyses, soft tissue alterations, aesthetic ratings, and patient-reported outcomes. *Clin Implant Dent Relat Res* 2018;20(4):522-30. [Abstract](#)
773. Raes S, Raes F, Cooper L, et al. Oral health-related quality of life changes after placement of immediately loaded single implants in healed alveolar ridges or extraction sockets: a 5-year prospective follow-up study. *Clin Oral Implants Res* 2017;28(6):662-67. [Abstract](#)
774. Raes S, Rocci A, Raes F, et al. A prospective cohort study on the impact of smoking on soft tissue alterations around single implants. *Clin Oral Implants Res* 2015;26(9):1086-90. [Abstract](#)
775. Ramirez A. Smile without fear: SmartFix® concept for oral rehabilitation. *Compend Contin Educ Dent* 2018;39(3):8-10. [Abstract](#)
776. Rashedi B, Cooper L. Immediate loading of implants in edentulous mandible maintaining vertical dimension: A clinical report. *J Prosthet Dent* 2004;91(2):114-8. [Abstract](#)
777. Rasmusson L, Kahnberg KE, Tan A. Effects of implant design and surface on bone regeneration and implant stability: an experimental study in the dog mandible. *Clin Implant Dent Relat Res* 2001;3(1):2-8. [Abstract](#)
778. Rasmusson L, Roos J, Bystedt H. A 10-year follow-up study of titanium dioxide-blasted implants. *Clin Implant Dent Relat Res* 2005;7(1):36-42. [Abstract](#)
779. Rasmusson L, Thor A, Sennerby L. Stability evaluation of implants integrated in grafted and nongrafted maxillary bone: a clinical study from implant placement to abutment connection. *Clin Implant Dent Relat Res* 2012;14(1):61-6. [Abstract](#)
780. Raval N, Dahlgren S, Teiwik A, et al. Long-term evaluation of Astra Tech and Branemark implants in patients treated with full-arch bridges. Results after 12-15 years. *Clin Oral Implants Res* 2013;24(10):1144-51. [Abstract](#)

781. Razavi T, Palmer RM, Davies J, et al. Accuracy of measuring the cortical bone thickness adjacent to dental implants using cone beam computed tomography. *Clin Oral Implants Res* 2010;21(7):718-25. [Abstract](#)
782. Real-Osuna J, Almendros-Marques N, Gay-Escoda C. Prevalence of complications after the oral rehabilitation with implant-supported hybrid prostheses. *Med Oral Patol Oral Cir Bucal* 2012;17(1):e116-21. [Abstract](#)
783. Rebeeah HA, Yilmaz B, Seidt JD, et al. Comparison of 3D displacements of screw-retained zirconia implant crowns into implants with different internal connections with respect to screw tightening. *J Prosthet Dent* 2018;119(1):132-37. [Abstract](#)
784. Renvert S, Aghazadeh A, Hallstrom H, et al. Factors related to peri-implantitis - a retrospective study. *Clin Oral Implants Res* 2014;25(4):522-9. [Abstract](#)
785. Renvert S, Lindahl C, Persson RG. The incidence of peri-implantitis for two different implant systems over a period of thirteen years. *J Clin Periodontol* 2012;39(12):1191-7. [Abstract](#)
786. Renvert S, Lindahl C, Renvert H, et al. Clinical and microbiological analysis of subjects treated with Bränemark or AstraTech implants: a 7-year follow-up study. *Clin Oral Implants Res* 2008;19(4):342-7. [Abstract](#)
787. Renvert S, Roos-Jansaker AM, Persson GR. Surgical treatment of peri-implantitis lesions with or without the use of a bone substitute-a randomized clinical trial. *J Clin Periodontol* 2018;45(10):1266-74. [Abstract](#)
788. Repesa M, Sofic A, Jakupovic S, et al. Comparison of results of measurement of dimensions of the placed dental implants on cone beam computed tomography with dimensions of the producers of the implants. *Acta Inform Med* 2017;25(2):116-20. [Abstract](#)
789. Riben C, Thor A. Follow-up of the sinus membrane elevation technique for maxillary sinus implants without the use of graft material. *Clin Implant Dent Relat Res* 2016;18(5):895-905. [Abstract](#)
790. Ricciardi MT, Pizzi P. High-risk esthetically driven restoration: begin with the end in mind. *Compend Contin Educ Dent* 2013;34(3):206-10. [Abstract](#)
791. Ringeling J, Parvini P, Weinbach C, et al. Discomfort/pain due to pocket probing at teeth and endosseous implants: a cross-sectional study. *Clin Oral Implants Res* 2016;27(8):1005-9. [Abstract](#)
792. Rismanchian M, Fazel A, Rakhshan V, et al. One-year clinical and radiographic assessment of fluoride-enhanced implants on immediate non-functional loading in posterior maxilla and mandible: a pilot prospective clinical series study. *Clin Oral Implants Res* 2011;22(12):1440-5. [Abstract](#)
793. Rocci A, Calcaterra R, M DIG, et al. The influence of micro and macro-geometry in term of bone-implant interface in two implant systems: An histomorphometrical study. *Oral Implantol (Rome)* 2015;8(4):87-95. [Abstract](#)
794. Rocci A, Calcaterra R, Rocci M, et al. Different performance of platform switching in equicrestal position implant: An histological study. *Oral Implantol (Rome)* 2016;9(1):11-16. [Abstract](#)

795. Rocci M, Rocci A, Martignoni M, et al. Comparing the TiOblast and Osseospeed surfaces. Histomorphometric and histological analysis in humans. *Oral Implantol (Rome)* 2008;1(1):34-42. [Abstract](#)
796. Rodriguez-Argueta OF, Figueiredo R, Valmaseda-Castellon E, et al. Postoperative complications in smoking patients treated with implants: A retrospective study. *J Oral Maxillofac Surg* 2011;69(8):2152-7. [Abstract](#)
797. Roe P, Kan JY, Rungcharassaeng K, et al. Horizontal and vertical dimensional changes of peri-implant facial bone following immediate placement and provisionalization of maxillary anterior single implants: A 1-Year cone beam computed tomography study. *Int J Oral Maxillofac Implants* 2012;27(2):393-400. [Abstract](#)
798. Roe P, Kan JY, Rungcharassaeng K, et al. Immediate loading of unsplinted implants in the anterior mandible for overdentures: 3-year results. *Int J Oral Maxillofac Implants* 2011;26(6):1296-302. [Abstract](#)
799. Roe P, Kan JY, Rungcharassaeng K, et al. Immediate loading of unsplinted implants in the anterior mandible for overdentures: a case series. *Int J Oral Maxillofac Implants* 2010;25(5):1028-35. [Abstract](#)
800. Rojas-Vizcaya F. Full zirconia fixed detachable implant-retained restorations manufactured from monolithic zirconia: clinical report after two years in service. *J Prosthodont* 2011;20(7):570-6. [Abstract](#)
801. Rojas-Vizcaya F. Rehabilitation of the maxillary arch with implant-supported fixed restorations guided by the most apical buccal bone level in the esthetic zone: a clinical report. *J Prosthet Dent* 2012;107(4):213-20. [Abstract](#)
802. Rojas-Vizcaya F. Biological aspects as a rule for single implant placement. The 3A-2B rule: a clinical report. *J Prosthodont* 2013;22(7):575-80. [Abstract](#)
803. Rojas-Vizcaya F, Zadeh HH. Minimizing the discrepancy between implant platform and alveolar bone for tilted implants with a sloped implant platform: A clinical report. *J Prosthet Dent* 2018;119(3):319-24. [Abstract](#)
804. Rokn A, Aslroosta H, Akbari S, et al. Prevalence of peri-implantitis in patients not participating in well-designed supportive periodontal treatments: A cross-sectional study. *Clin Oral Implants Res* 2017;28(3):314-19. [Abstract](#)
805. Romanos GE, Bastardi DJ, Moore R, et al. In vitro effect of drilling speed on the primary stability of narrow diameter implants with varying thread designs placed in different qualities of simulated bone. *Materials (Basel)* 2019;12(8). [Abstract](#)
806. Rönöld HJ, Ellingsen JE. Effect of micro-roughness produced by TiO<sub>2</sub> blasting--tensile testing of bone attachment by using coin-shaped implants. *Biomaterials* 2002;23(21):4211-9. [Abstract](#)
807. Rönöld HJ, Ellingsen JE. The use of a coin shaped implant for direct in situ measurement of attachment strength for osseointegrating biomaterial surfaces. *Biomaterials* 2002;23(10):2201-9. [Abstract](#)
808. Roos-Jansaker AM, Almhojd US, Jansson H. Treatment of peri-implantitis: clinical outcome of chloramine as an adjunctive to non-surgical therapy, a randomized clinical trial. *Clin Oral Implants Res* 2017;28(1):43-48. [Abstract](#)

809. Roos-Jansåker AM, Persson GR, Lindahl C, et al. Surgical treatment of peri-implantitis using a bone substitute with or without a resorbable membrane: a 5-year follow-up. *J Clin Periodontol* 2014;41(11):1108-14. [Abstract](#)
810. Roos-Jansåker AM, Renvert H, Lindahl C, et al. Surgical treatment of peri-implantitis using a bone substitute with or without a resorbable membrane: a prospective cohort study. *J Clin Periodontol* 2007;34(7):625-32. [Abstract](#)
811. Rosen A. Implant success: planning and impression material selection are key. *Compend Contin Educ Dent* 2018;39(3):12-14. [Abstract](#)
812. Rotenberg SA, Tatakis DN. Recombinant human bone morphogenetic protein-2 for peri-implant bone regeneration: a case report. *J Periodontol* 2011;82(8):1212-8. [Abstract](#)
813. Rupp F, Scheideler L, Eichler M, et al. Wetting behavior of dental implants. *Int J Oral Maxillofac Implants* 2011;26(6):1256-66. [Abstract](#)
814. Saab XE, Griggs JA, Powers JM, et al. Effect of abutment angulation on the strain on the bone around an implant in the anterior maxilla: a finite element study. *J Prosthet Dent* 2007;97(2):85-92. [Abstract](#)
815. Saaby M, Karring E, Schou S, et al. Factors influencing severity of peri-implantitis. *Clin Oral Implants Res* 2016;27(1):7-12. [Abstract](#)
816. Sabbah A, Hicks J, MacNeill B, et al. A retrospective analysis of dental implant survival in HIV patients. *J Clin Periodontol* 2019;46(3):363-72. [Abstract](#)
817. Saboury A, Sadr SJ, Fayaz A, et al. The effect of aging on the accuracy of new friction-style mechanical torque limiting devices for dental implants. *J Dent (Tehran)* 2013;10(1):41-50. [Abstract](#)
818. Sagheb K, Kumar VV, Azaripour A, et al. Comparison of conventional twist drill protocol and piezosurgery for implant insertion: an ex vivo study on different bone types. *Clin Oral Implants Res* 2017;28(2):207-13. [Abstract](#)
819. Saghiri MA, Ghasemi M, Moayer AR, et al. A novel method to evaluate the neurocompatibility of dental implants. *Int J Oral Maxillofac Implants* 2014;29(1):41-50. [Abstract](#)
820. Sakka S, Al-ani Z, Kasioumis T, et al. Inter-examiner and intra-examiner reliability of the measurement of marginal bone loss around oral implants. *Implant Dent* 2005;14(4):386-8. [Abstract](#)
821. Sakkas A, Schramm A, Karsten W, et al. A clinical study of the outcomes and complications associated with zygomatic buttress block bone graft for limited preimplant augmentation procedures. *J Craniomaxillofac Surg* 2016;44(3):249-56. [Abstract](#)
822. Salman A, Thacker S, Rubin S, et al. Immediate vs. delayed loading of mandibular implant-retained overdentures: A 60-month follow-up of a randomized clinical trial. *J Clin Periodontol* 2019;E-pub Jun 2019, doi: 10.1111/jcpe.13153. [Abstract](#)
823. Salomo-Coll O, Lozano-Carrascal N, Lazaro-Abdulkarim A, et al. Do penicillin-allergic patients present a higher rate of implant failure? *Int J Oral Maxillofac Implants* 2018;33(6):1390-95. [Abstract](#)

824. Sambrook RJ, Judge RB. The cross-pin retained implant supported restoration: a study of gasket placement and leakage. *Aust Dent J* 2012;57(4):415-20. [Abstract](#)
825. Sampatanukul T, Serichetaphongse P, Pimkhaokham A. Histological evaluations and inflammatory responses of different dental implant abutment materials: A human histology pilot study. *Clin Implant Dent Relat Res* 2017;20(2):160-69. [Abstract](#)
826. Sancho-Puchades M, Crameri D, Ozcan M, et al. The influence of the emergence profile on the amount of undetected cement excess after delivery of cement-retained implant reconstructions. *Clin Oral Implants Res* 2017;28(12):1515-22. [Abstract](#)
827. Sani E, Veltri M, Cagidiaco MC, et al. Sinus membrane elevation in combination with placement of blasted implants: A 3-year case report of sinus augmentation without grafting material. *Int J Oral Maxillofac Surg* 2008;37(10):966-69. [Abstract](#)
828. Sanz M, Cecchinato D, Ferrus J, et al. A prospective, randomized-controlled clinical trial to evaluate bone preservation using implants with different geometry placed into extraction sockets in the maxilla. *Clin Oral Implants Res* 2010;21(1):13-21. [Abstract](#)
829. Sanz M, Cecchinato D, Ferrus J, et al. Implants placed in fresh extraction sockets in the maxilla: clinical and radiographic outcomes from a 3-year follow-up examination. *Clin Oral Implants Res* 2014;25(3):321-7. [Abstract](#)
830. Sanz M, Lindhe J, Alcaraz J, et al. The effect of placing a bone replacement graft in the gap at immediately placed implants: a randomized clinical trial. *Clin Oral Implants Res* 2016;28(8):902-10. [Abstract](#)
831. Sawase T, Wennerberg A, Hallgren C, et al. Chemical and topographical surface analysis of five different implant abutments. *Clin Oral Implants Res* 2000;11(1):44-50. [Abstract](#)
832. Sawase T, Wennerberg A, Hallgren C, et al. Atomic force microscopic study of commercially available implant abutments. *Clin Implant Dent Relat Res* 1999;1(2):92-7. [Abstract](#)
833. Schepke U, Gresnigt MMM, Browne WR, et al. Phase transformation and fracture load of stock and CAD/CAM-customized zirconia abutments after 1 year of clinical function. *Clin Oral Implants Res* 2019;30(6):559-69. [Abstract](#)
834. Schepke U, Lohbauer U, Meijer HJ, et al. Adhesive failure of Lava Ultimate and lithium disilicate crowns bonded to zirconia abutments: A prospective within-patient comparison. *Int J Prosthodont* 2018;31(3):208-10. [Abstract](#)
835. Schepke U, Meijer HJ, Kerdijk W, et al. Digital versus analog complete-arch impressions for single-unit premolar implant crowns: Operating time and patient preference. *J Prosthet Dent* 2015;114(3):403-6 e1. [Abstract](#)
836. Schepke U, Meijer HJ, Kerdijk W, et al. Stock versus CAD/CAM customized zirconia implant abutments - clinical and patient-based outcomes in a randomized controlled clinical trial. *Clin Implant Dent Relat Res* 2017;19(1):74-84. [Abstract](#)

837. Schepke U, Meijer HJ, Vermeulen KM, et al. Clinical bonding of resin nano ceramic restorations to zirconia abutments: A case series within a randomized clinical trial. *Clin Implant Dent Relat Res* 2016;18(5):984-92. [Abstract](#)
838. Schiegnitz E, Noelken R, Moergel M, et al. Survival and tissue maintenance of an implant with a sloped configurated shoulder in the posterior mandible-a prospective multicenter study. *Clin Oral Implants Res* 2017;28(6):721-26. [Abstract](#)
839. Schincaglia GP, Rubin S, Thacker S, et al. Marginal bone response around immediate- and delayed-loading implants supporting a locator-retained mandibular overdenture: a randomized controlled study. *Int J Oral Maxillofac Implants* 2016;31(2):448-58. [Abstract](#)
840. Schincaglia GP, Thoma DS, Haas R, et al. Randomized controlled multicenter study comparing short dental implants (6 mm) versus longer dental implants (11-15 mm) in combination with sinus floor elevation procedures. Part 2: clinical and radiographic outcomes at 1 year of loading. *J Clin Periodontol* 2015;42(11):1042-51. [Abstract](#)
841. Schliephake H, Rodiger M, Phillips K, et al. Early loading of surface modified implants in the posterior mandible - 5 year results of an open prospective non-controlled study. *J Clin Periodontol* 2012;39 (2):188-95. [Abstract](#)
842. Schneider D, Sancho-Puchades M, Benic GI, et al. A randomized controlled clinical trial comparing conventional and computer-assisted implant planning and placement in partially edentulous patients. Part 1: clinician-related outcome measures. *Int J Periodontics Restorative Dent* 2018;38(Suppl):s49-s57. [Abstract](#)
843. Schou S, Holmstrup P, Stoltze K, et al. Probing around implants and teeth with healthy or inflamed peri-implant mucosa/gingiva. A histologic comparison in cynomolgus monkeys (*Macaca fascicularis*). *Clin Oral Implants Res* 2002;13(2):113-26. [Abstract](#)
844. Schrottenboer J, Tsao YP, Kinariwala V, et al. Effect of microthreads and platform switching on crestal bone stress levels: a finite element analysis. *J Periodontol* 2008;79(11):2166-72. [Abstract](#)
845. Schultze-Mosgau S, Keweloh M, Wiltfang J, et al. Histomorphometric and densitometric changes in bone volume and structure after avascular bone grafting in the extremely atrophic maxilla. *Br J Oral Maxillofac Surg* 2001;39(6):439-47. [Abstract](#)
846. Schwarz F, Hegewald A, John G, et al. Four-year follow-up of combined surgical therapy of advanced peri-implantitis evaluating two methods of surface decontamination. *J Clin Periodontol* 2013;40(10):962-7. [Abstract](#)
847. Schwarz F, John G, Mainusch S, et al. Combined surgical therapy of peri-implantitis evaluating two methods of surface debridement and decontamination. A two-year clinical follow up report. *J Clin Periodontol* 2012;39(8):789-97. [Abstract](#)
848. Schwarz F, John G, Schmucker A, et al. Combined surgical therapy of advanced peri-implantitis evaluating two methods of surface decontamination: A 7-year follow-up observation. *J Clin Periodontol* 2017;44(3):337-42. [Abstract](#)
849. Schwarz F, Sahm N, Iglhaut G, et al. Impact of the method of surface debridement and decontamination on the clinical outcome following combined

- surgical therapy of peri-implantitis: a randomized controlled clinical study. *J Clin Periodontol* 2011;38(3):276-84. [Abstract](#)
850. Semper W, Heberer S, Mehrhof J, et al. Effects of repeated manual disassembly and reassembly on the positional stability of various implant-abutment complexes: an experimental study. *Int J Oral Maxillofac Implants* 2010;25(1):86-94. [Abstract](#)
851. Semper W, Kraft S, Kruger T, et al. Theoretical optimum of implant positional index design. *J Dent Res* 2009;88(8):731-5. [Abstract](#)
852. Semper W, Kraft S, Kruger T, et al. Theoretical considerations: implant positional index design. *J Dent Res* 2009;88(8):725-30. [Abstract](#)
853. Semper W, Kraft S, Mehrhof J, et al. Impact of abutment rotation and angulation on marginal fit: theoretical considerations. *Int J Oral Maxillofac Implants* 2010;25(4):752-8. [Abstract](#)
854. Senna P, Antoninha Del Bel Cury A, Kates S, et al. Surface damage on dental implants with release of loose particles after insertion into bone. *Clin Implant Dent Relat Res* 2015;17(4):681-92. [Abstract](#)
855. Serino G, Turri A. Outcome of surgical treatment of peri-implantitis: results from a 2-year prospective clinical study in humans. *Clin Oral Implants Res* 2011;22(11):1214-20. [Abstract](#)
856. Serino G, Turri A, Lang NP. Probing at implants with peri-implantitis and its relation to clinical peri-implant bone loss. *Clin Oral Implants Res* 2013;24(1):91-5. [Abstract](#)
857. Serino G, Wada M. Non-surgical mechanical treatment of peri-implant mucositis: the effect of sub-mucosal mechanical instrumentation following supra-mucosal plaque removal. A 7-month prospective single cohort study. *Eur J Oral Implantol* 2018;11(4):455-66. [Abstract](#)
858. Sewerin IP, Gotfredsen K, Stoltze K. Accuracy of radiographic diagnosis of peri-implant radiolucencies--an in vitro experiment. *Clin Oral Implants Res* 1997;8(4):299-304. [Abstract](#)
859. Shin SI, Lee EK, Kim JH, et al. The effect of Er:YAG laser irradiation on hydroxyapatite-coated implants and fluoride-modified TiO<sub>2</sub>-blasted implant surfaces: a microstructural analysis. *Lasers Med Sci* 2013;28(3):823-31. [Abstract](#)
860. Shiva R, Sterwin C, Abtahi J. Oral rehabilitation of patients with ameloblastoma of the mandible. Clinical results in three patients with different bone reconstruction techniques. *Open Dent J* 2018;12:1107-12.
861. Simmons DE, Maney P, Teitelbaum AG, et al. Comparative evaluation of the stability of two different dental implant designs and surgical protocols-a pilot study. *Int J Implant Dent* 2017;3(1):16. [Abstract](#)
862. Simonpieri A, Choukroun J, Del Corso M, et al. Simultaneous sinus-lift and implantation using microthreaded implants and leukocyte- and platelet-rich fibrin as sole grafting material: a six-year experience. *Implant Dent* 2011;20(1):2-12. [Abstract](#)
863. Simonpieri A, Del Corso M, Sammartino G, et al. The relevance of Choukroun's platelet-rich fibrin and metronidazole during complex maxillary rehabilitations

- using bone allograft. Part II: implant surgery, prosthodontics, and survival. *Implant Dent* 2009;18(3):220-9. [Abstract](#)
864. Simonpieri A, Del Corso M, Vervelle A, et al. Current knowledge and perspectives for the use of platelet-rich plasma (PRP) and platelet-rich fibrin (PRF) in oral and maxillofacial surgery part 2: Bone graft, implant and reconstructive surgery. *Curr Pharm Biotechnol* 2012;13(7):1231-56. [Abstract](#)
865. Singer LD. The importance of immediate bone block autograft to successfully restore function and aesthetics of the anterior alveolar process and teeth. *J Oral Implantol* 2015;41(6):684-91. [Abstract](#)
866. Sirin Y, Horasan S, Yaman D, et al. Detection of crestal radiolucencies around dental implants: an in vitro experimental study. *J Oral Maxillofac Surg* 2012;70(7):1540-50. [Abstract](#)
867. Sivolella S, Bressan E, Gnocco E, et al. Maxillary sinus augmentation with bovine bone and simultaneous dental implant placement in conditions of severe alveolar atrophy: a retrospective analysis of a consecutively treated case series. *Quintessence Int* 2011;42(10):851-62. [Abstract](#)
868. Skjerven H, Riis UH, Herlofsson BB, et al. In vivo accuracy of implant placement using a full digital planning modality and stereolithographic guides. *Int J Oral Maxillofac Implants* 2019;34(1):124-32. [Abstract](#)
869. Slot W, Raghoebar GM, Cune MS, et al. Maxillary overdentures supported by four or six implants in the anterior region: 5-year results from a randomized controlled trial. *J Clin Periodontol* 2016;43(12):1180-87. [Abstract](#)
870. Slot W, Raghoebar GM, Vissink A, et al. Maxillary overdentures supported by four or six implants in the anterior region; 1-year results from a randomized controlled trial. *J Clin Periodontol* 2013;40(3):303-10. [Abstract](#)
871. Slot W, Raghoebar GM, Vissink A, et al. Maxillary overdentures supported by anteriorly or posteriorly placed implants opposed by a natural dentition in the mandible: a 1-year prospective case series study. *Clin Implant Dent Relat Res* 2014;16(1):51-61. [Abstract](#)
872. Smielak B, Andruch I. Multistage implantology-orthodontic-prosthetic treatment: A case report. *J Am Dent Assoc* 2018;149(9):787-93 e3. [Abstract](#)
873. Smolka W, Smolka K. Tertiary bone grafting using calvarial bone transplants in patients with cleft lip and alveolus. *Oral Surgery* 2011;4 (3):135-9. [Abstract](#)
874. Snyder MB. Treatment of a large postextraction buccal wall defect with mineralized allograft, beta-TCP, and rhPDGF-BB: a growth factor-mediated bone regenerative approach. *Int J Periodontics Restorative Dent* 2012;32(6):705-11. [Abstract](#)
875. Solow RA. Channel retention for fixed implant superstructures: A clinical report. *J Prosthet Dent* 2015;114(3):323-7. [Abstract](#)
876. Soncini M, Rodriguez y Baena R, Pietrabissa R, et al. Experimental procedure for the evaluation of the mechanical properties of the bone surrounding dental implants. *Biomaterials* 2002;23(1):9-17. [Abstract](#)
877. Spyrou P, Papaioannou S, Hampson G, et al. Cytokine release by osteoblast-like cells cultured on implant discs of varying alloy compositions. *Clin Oral Implants Res* 2002;13(6):623-30. [Abstract](#)

878. Staedt H, Palarie V, Staedt A, et al. Primary stability of cylindrical and conical dental implants in relation to insertion torque-a comparative ex vivo evaluation. *Implant Dent* 2017;26(2):250-55. [Abstract](#)
879. Stanford CM, Barwacz C, Raes S, et al. Multicenter clinical randomized controlled trial evaluation of an implant system designed for enhanced primary stability. *Int J Oral Maxillofac Implants* 2016;31(4):906-15. [Abstract](#)
880. Stanford CM, Wagner W, Rodriguez YBR, et al. Evaluation of the effectiveness of dental implant therapy in a practice-based network (FOCUS). *Int J Oral Maxillofac Implants* 2010;25(2):367-73. [Abstract](#)
881. Stavroullakis A, Brito C, Chen HY, et al. Dental implant surface treatments may modulate cytokine secretion in *Porphyromonas gingivalis*-stimulated human gingival fibroblasts: a comparative study. *J Biomed Mater Res A* 2015;103(3):1131-40. [Abstract](#)
882. Steveling H, Roos J, Rasmusson L. Maxillary implants loaded at 3 months after insertion: results with Astra Tech implants after up to 5 years. *Clin Implant Dent Relat Res* 2001;3(3):120-4. [Abstract](#)
883. Stocchero M, Toia M, Jinno Y, et al. Influence of different drilling preparation on cortical bone: A biomechanical, histological, and micro-CT study on sheep. *Clin Oral Implants Res* 2018;29(7):707-15. [Abstract](#)
884. Støre G, Heyden A, Walaas L. Osseointegration surgery and implant stability in irradiated mandibles. *Oral Surgery* 2011;4:no-no. [Abstract](#)
885. Streckbein P, Streckbein RG, Wilbrand JF, et al. Non-linear 3D evaluation of different oral implant-abutment connections. *J Dent Res* 2012;91(12):1184-9. [Abstract](#)
886. Stubinger S, Buitrago-Tellez C, Cantelmi G. Deviations between placed and planned implant positions: an accuracy pilot study of skeletally supported stereolithographic surgical templates. *Clin Implant Dent Relat Res* 2014;16(4):540-51. [Abstract](#)
887. Suarez-Lopez Del Amo F, Rudek I, Wagner VP, et al. Titanium activates the DNA damage response pathway in oral epithelial cells: A pilot study. *Int J Oral Maxillofac Implants* 2017;32(6):1413-20. [Abstract](#)
888. Sul YT, Jonsson J, Yoon GS, et al. Resonance frequency measurements in vivo and related surface properties of magnesium-incorporated, micropatterned and magnesium-incorporated TiUnite, Osseotite, SLA and TiOblast implants. *Clin Oral Implants Res* 2009;20(10):1146-55. [Abstract](#)
889. Sultana N, Bartlett DW, Suleiman M. Retention of implant-supported overdentures at different implant angulations: comparing Locator and ball attachments. *Clin Oral Implants Res* 2017;28(11):1406-10. [Abstract](#)
890. Sumi T, Braian M, Shimada N, et al. Characteristics of implant-CAD/CAM abutment connections of two different internal connection systems. *J Oral Rehabil* 2012;39(5):391-8. [Abstract](#)
891. Sun SP, Moon IS, Park KH, et al. Effect of crown to implant ratio and anatomical crown length on clinical conditions in a single implant: A retrospective cohort study. *Clin Implant Dent Relat Res* 2015;17(4):724-31. [Abstract](#)

892. Svanborg LM, Andersson M, Wennerberg A. Surface characterization of commercial oral implants on the nanometer level. *J Biomed Mater Res B* 2010;92(2):462-9. [Abstract](#)
893. Tabrizi R, Arabion H, Aliabadi E, et al. Does increasing the number of short implants reduce marginal bone loss in the posterior mandible? A prospective study. *Br J Oral Maxillofac Surg* 2016;54(7):731-5. [Abstract](#)
894. Tabrizi R, Pourdanesh F, Zare S, et al. Do angulated implants increase the amount of bone loss around implants in the anterior maxilla? *J Oral Maxillofac Surg* 2013;71(2):272-7. [Abstract](#)
895. Takahashi T, Fukuda M, Aiba T, et al. Distraction osteogenesis for reconstruction after mandibular segmental resection. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2002;93(1):21-6. [Abstract](#)
896. Takahashi T, Funaki K, Shintani H, et al. Use of horizontal alveolar distraction osteogenesis for implant placement in a narrow alveolar ridge: a case report. *Int J Oral Maxillofac Implants* 2004;19(2):291-4. [Abstract](#)
897. Tanaka K, Sailer I, Iwama R, et al. Relationship between cortical bone thickness and implant stability at the time of surgery and secondary stability after osseointegration measured using resonance frequency analysis. *J Periodontal Implant Sci.* 2018;48(360-372). [Abstract](#)
898. Tanimura R. Widened implant indications. *EDI* 2010;1:90-2.
899. Tarica DY, Alvarado VM, Truong ST. Survey of United States dental schools on cementation protocols for implant crown restorations. *J Prosthet Dent* 2010;103(2):68-79. [Abstract](#)
900. Tarnow DP, Emtiaz S, Classen A. Immediate loading of threaded implants at stage 1 surgery in edentulous arches: ten consecutive case reports with 1- to 5-year data. *Int J Oral Maxillofac Implants* 1997;12(3):319-24. [Abstract](#)
901. Taylor TD, Klotz MW, Lawton RA. Titanium tattooing associated with zirconia implant abutments: a clinical report of two cases. *Int J Oral Maxillofac Implants* 2014;29(4):958-60. [Abstract](#)
902. Teigen K, Jokstad A. Dental implant suprastructures using cobalt-chromium alloy compared with gold alloy framework veneered with ceramic or acrylic resin: a retrospective cohort study up to 18 years. *Clin Oral Implants Res* 2012;23(7):853-60. [Abstract](#)
903. Temmerman A, Keestra JA, Coucke W, et al. The outcome of oral implants placed in bone with limited bucco-oral dimensions: a 3-year follow-up study. *J Clin Periodontol* 2015;42(3):311-8. [Abstract](#)
904. Temmerman A, Rasmussen L, Kubler A, et al. A prospective, controlled, multicenter study to evaluate the clinical outcome of implant treatment in women with osteoporosis/osteopenia: 5-year results. *J Dent Res* 2019;98(1):84-90. [Abstract](#)
905. Temmerman A, Rasmussen L, Kubler A, et al. An open, prospective, non-randomized, controlled, multicentre study to evaluate the clinical outcome of implant treatment in women over 60 years of age with osteoporosis/osteopenia: 1-year results. *Clin Oral Implants Res* 2017;28(1):95-102. [Abstract](#)

906. Temmerman A, Van Dessel J, Cortellini S, et al. Volumetric changes of grafted volumes and the Schneiderian membrane after transcrestal and lateral sinus floor elevation procedures: A clinical, pilot study. *J Clin Periodontol* 2017;44(6):660-71. [Abstract](#)
907. Thalji G, Cooper LF, Nares S. Gene expression profiles of early implant adherent cells in smokers and non-smokers. *J Oral Implantol* 2015;41(6):640-5. [Abstract](#)
908. Thalji G, Gretzer C, Cooper LF. Comparative molecular assessment of early osseointegration in implant-adherent cells. *Bone* 2013;52(1):444-53. [Abstract](#)
909. Thalji GN, Nares S, Cooper LF. Early molecular assessment of osseointegration in humans. *Clin Oral Implants Res* 2014;25(11):1273-85. [Abstract](#)
910. Thoma DS, Bienz SP, Payer M, et al. Randomized clinical study using xenograft blocks loaded with bone morphogenetic protein-2 or autogenous bone blocks for ridge augmentation - a three-dimensional analysis. *Clin Oral Implants Res* 2019;E-pub Jun 19, doi: 10.1111/cir.13492. [Abstract](#)
911. Thoma DS, Brandenberg F, Fehmer V, et al. Randomized controlled clinical trial of all-ceramic single tooth implant reconstructions using modified zirconia abutments: Radiographic and prosthetic results at 1 year of loading. *Clin Implant Dent Relat Res* 2016;18(3):462-72. [Abstract](#)
912. Thoma DS, Brandenberg F, Fehmer V, et al. The esthetic effect of veneered zirconia abutments for single-tooth implant reconstructions: A randomized controlled clinical trial. *Clin Implant Dent Relat Res* 2016;18(6):1210-17. [Abstract](#)
913. Thoma DS, Cha JK, Sapata VM, et al. Localized bone regeneration around dental implants using recombinant bone morphogenetic protein-2 and platelet-derived growth factor-BB in the canine. *Clin Oral Implants Res* 2017;28(11):1334-41. [Abstract](#)
914. Thoma DS, Haas R, Sporniak-Tutak K, et al. Randomized controlled multicentre study comparing short dental implants (6 mm) versus longer dental implants (11-15 mm) in combination with sinus floor elevation procedures: 5-Year data. *J Clin Periodontol* 2018;45(12):1465-74. [Abstract](#)
915. Thoma DS, Haas R, Tutak M, et al. Randomized controlled multicentre study comparing short dental implants (6 mm) versus longer dental implants (11-15 mm) in combination with sinus floor elevation procedures. Part 1: demographics and patient-reported outcomes at 1 year of loading. *J Clin Periodontol* 2015;42(1):72-80. [Abstract](#)
916. Thoma DS, Payer M, Jakse N, et al. Randomized, controlled clinical two-centre study using xenogeneic block grafts loaded with recombinant human bone morphogenetic protein-2 or autogenous bone blocks for lateral ridge augmentation. *J Clin Periodontol* 2018;45(2):265-76. [Abstract](#)
917. Thoma DS, Sailer I, Muhlemann S, et al. Randomized controlled clinical study of veneered zirconia abutments for single implant crowns: Clinical, histological, and microbiological outcomes. *Clin Implant Dent Relat Res* 2018;20(6):988-96. [Abstract](#)
918. Thor A. Reconstruction of the anterior maxilla with platelet gel, autogenous bone, and titanium mesh: a case report. *Clin Implant Dent Relat Res* 2002;4(3):150-5. [Abstract](#)

919. Thor A, Ekstrand K, Baer RA, et al. Three-year follow-up of immediately loaded implants in the edentulous atrophic maxilla: A study in patients with poor bone quantity and quality. *Int J Oral Maxillofac Implants* 2014;29(3):642-9. [Abstract](#)
920. Thor A, Franke-Stenport V, Johansson CB, et al. Early bone formation in human bone grafts treated with platelet-rich plasma: preliminary histomorphometric results. *Int J Oral Maxillofac Surg* 2007;36(12):1164-71. [Abstract](#)
921. Thor A, Rasmusson L, Wennerberg A, et al. The role of whole blood in thrombin generation in contact with various titanium surfaces. *Biomaterials* 2007;28(6):966-74. [Abstract](#)
922. Thor A, Sennerby L, Hirsch JM, et al. Bone formation at the maxillary sinus floor following simultaneous elevation of the mucosal lining and implant installation without graft material: an evaluation of 20 patients treated with 44 Astra Tech implants. *J Oral Maxillofac Surg* 2007;65(7 Suppl 1):64-72. [Abstract](#)
923. Thor A, Wannfors K, Sennerby L, et al. Reconstruction of the severely resorbed maxilla with autogenous bone, platelet-rich plasma, and implants: 1-year results of a controlled prospective 5-year study. *Clin Implant Dent Relat Res* 2005;7(4):209-20. [Abstract](#)
924. Thor A, Warfvinge G, Fernandes R. The course of a long-standing glandular odontogenic cyst: marginal resection and reconstruction with particulated bone graft, platelet-rich plasma, and additional vertical alveolar distraction. *J Oral Maxillofac Surg* 2006;64(7):1121-8. [Abstract](#)
925. Thor AL, Hong J, Kjeller G, et al. Correlation of platelet growth factor release in jawbone defect repair--a study in the dog mandible. *Clin Implant Dent Relat Res* 2013;15(5):759-68. [Abstract](#)
926. Toffler M, Toscano N, Holtzclaw D. Osteotome-mediated sinus floor elevation using only platelet-rich fibrin: an early report on 110 patients. *Implant Dent* 2010;19(5):447-56. [Abstract](#)
927. Toia M, Galli S, Cecchinato D, et al. Clinical evidence of OsseoSpeed EV implants: A retrospective study and characterization of the newly introduced system. *Int J Periodontics Restorative Dent* 2017;E-pub Aug 23, doi: 10.11607/prd.2549. [Abstract](#)
928. Toia M, Stocchero M, Becktor JP, et al. Implant vs abutment level connection in implant supported screw-retained fixed partial dentures with cobalt-chrome framework: 1-year interim results of a randomized clinical study. *Clin Implant Dent Relat Res* 2019;21(2):238-46. [Abstract](#)
929. Toia M, Stocchero M, Cecchinato F, et al. Clinical considerations of adapted drilling protocol by bone quality perception. *Int J Oral Maxillofac Implants* 2017;32(6):1288-95. [Abstract](#)
930. Toia M, Wennerberg A, Torrisi P, et al. Patient satisfaction and clinical outcomes in implant-supported overdentures retained by milled bars: Two-year follow-up. *J Oral Rehabil* 2019;46(7):624-33. [Abstract](#)
931. Toljanic JA, Baer RA, Ekstrand K, et al. Implant rehabilitation of the atrophic edentulous maxilla including immediate fixed provisional restoration without the use of bone grafting: a review of 1-year outcome data from a long-term prospective clinical trial. *Int J Oral Maxillofac Implants* 2009;24(3):518-26. [Abstract](#)

932. Toljanic JA, Ekstrand K, Baer RA, et al. Immediate loading of implants in the edentulous maxilla with a fixed provisional restoration without bone augmentation: A report on 5-year outcomes data obtained from a prospective clinical trial. *Int J Oral Maxillofac Implants* 2016;31(5):1164-70. [Abstract](#)
933. Toljanic JA, Ekstrand K, Baer RA, et al. Immediate loading of tilted and axial posterior implants in the edentulous maxillary arch: A retrospective comparison of 5-year outcomes. *Int J Oral Maxillofac Implants* 2018;33(2):433-38. [Abstract](#)
934. Toljanic JA, Thor A, Baer R, et al. Immediate fixed restoration of implants in the atrophic edentulous maxilla. *Dent Today* 2008;27(6):56, 58, 60 *passim*; quiz 63. [Abstract](#)
935. Tomasi C, Sanz M, Cecchinato D, et al. Bone dimensional variations at implants placed in fresh extraction sockets: a multilevel multivariate analysis. *Clin Oral Implants Res* 2010;21(1):30-6. [Abstract](#)
936. Tomasi C, Tessarolo F, Caola I, et al. Early healing of peri-implant mucosa in man. *J Clin Periodontol* 2016;43(10):816-24. [Abstract](#)
937. Tomasi C, Tessarolo F, Caola I, et al. Morphogenesis of peri-implant mucosa revisited: an experimental study in humans. *Clin Oral Implants Res* 2014;25(9):997-1003. [Abstract](#)
938. Tomson PL, Butterworth CJ, Walmsley AD. Management of peri-implant bone loss using guided bone regeneration: a clinical report. *J Prosthet Dent* 2004;92(1):12-6. [Abstract](#)
939. Torrecillas-Martinez L, Galindo-Moreno P, Avila-Ortiz G, et al. Significance of the immunohistochemical expression of bone morphogenetic protein-4 in bone maturation after maxillary sinus grafting in humans. *Clin Implant Dent Relat Res* 2016;18(4):717-24. [Abstract](#)
940. Trbakovic A, Bongenhielm U, Thor A. A clinical and radiological long-term follow-up study of narrow diameter implants in the aesthetic area. *Clin Implant Dent Relat Res* 2018;20(4):598-605. [Abstract](#)
941. Troeltzsch M, Troeltzsch V, Brodine AH, et al. Clinical performance and peri-implant parameters of 132 implants supporting Locator-retained overdentures: A case series of 33 patients. *Int J Oral Maxillofac Implants* 2013;28(4):1132-9. [Abstract](#)
942. Trombelli L, Minenna P, Franceschetti G, et al. Transcrestal sinus floor elevation with a minimally invasive technique. *J Periodontol* 2010;81(1):158-66. [Abstract](#)
943. Tsoukaki M, Kalpidis CD, Sakellari D, et al. Clinical, radiographic, microbiological, and immunological outcomes of flapped vs. flapless dental implants: a prospective randomized controlled clinical trial. *Clin Oral Implants Res* 2013;24(9):969-76. [Abstract](#)
944. Tsuda H, Rungcharassaeng K, Kan JY, et al. Peri-implant tissue response following connective tissue and bone grafting in conjunction with immediate single-tooth replacement in the esthetic zone: A case series. *Int J Oral Maxillofac Implants* 2011;26(2):427-36. [Abstract](#)
945. Turker N, Buyukkaplan US, Sadowsky SJ, et al. Finite element stress analysis of applied forces to implants and supporting tissues using the "All-on-Four" concept with different occlusal schemes. *J Prosthodont* 2019;28(2):185-94. [Abstract](#)

946. Turkyilmaz I. One-year clinical outcome of dental implants placed in patients with type 2 diabetes mellitus: a case series. *Implant Dent* 2010;19(4):323-9. [Abstract](#)
947. Turkyilmaz I, Patel NS, McGlumphy EA. Oral rehabilitation of a severely resorbed edentulous maxilla with screwed-retained hybrid denture using Cresco system: a case report. *Eur J Dent* 2008;2(3):220-3. [Abstract](#)
948. Turkyilmaz I, Suarez JC. An alternative method for flapless implant placement and an immediate provisional crown: a case report. *J Contemp Dent Pract* 2009;10(3):89-95. [Abstract](#)
949. Turunen T, Peltola J, Makkonen T, et al. Bioactive glass granules and polytetrafluoroethylene membrane in the repair of bone defects adjacent to titanium and bioactive glass implants. *J Mater Sci Mater Med* 1998;9(7):403-7. [Abstract](#)
950. Ueda M, Yamada Y, Ozawa R, et al. Clinical case reports of injectable tissue-engineered bone for alveolar augmentation with simultaneous implant placement. *Int J Periodontics Restorative Dent* 2005;25(2):129-37. [Abstract](#)
951. Umanjec-Korac S, Wu G, Hassan B, et al. A retrospective analysis of the resorption rate of deproteinized bovine bone as maxillary sinus graft material on cone beam computed tomography. *Clin Oral Implants Res* 2014;25(7):781-5. [Abstract](#)
952. Urban T, Wenzel A. Discomfort experienced after immediate implant placement associated with three different regenerative techniques. *Clin Oral Implants Res* 2010;21(11):1271-7. [Abstract](#)
953. Uriarri A, Bilbao E, Marichalar-Mendia X, et al. Bone Remodeling around Implants Placed in Augmented Sinuses in Patients with and without History of Periodontitis. *Clin Implant Dent Relat Res* 2017;19(2):268-79. [Abstract](#)
954. Ustun O, Akar T, Kirmali O. A comparative study of laser irradiation versus sandblasting in improving the bond strength of titanium abutments. *Photobiomodul Photomed Laser Surg* 2019;E-pub apr doi: 10.1089/photob.2018.4601.
955. Valencia S, Gretzer C, Cooper LF. Surface nanofeature effects on titanium-adherent human mesenchymal stem cells. *Int J Oral Maxillofac Implants* 2009;24(1):38-46. [Abstract](#)
956. Valentini P, Abensur D, Albertini JF, et al. Immediate provisionalization of single extraction-site implants in the esthetic zone: a clinical evaluation. *Int J Periodontics Restorative Dent* 2010;30(1):41-51. [Abstract](#)
957. Vallee MC, Conrad HJ, Basu S, et al. Accuracy of friction-style and spring-style mechanical torque limiting devices for dental implants. *J Prosthet Dent* 2008;100(2):86-92. [Abstract](#)
958. Van Assche N, Collaert B, Coucke W, et al. Correlation between early perforation of cover screws and marginal bone loss: a retrospective study. *J Clin Periodontol* 2008;35(1):76-9. [Abstract](#)
959. Van Assche N, Pittayapat P, Jacobs R, et al. Microbiological outcome of two screw-shaped titanium implant systems placed following a split-mouth randomised protocol, at the 12th year of follow-up after loading. *Eur J Oral Implantol* 2011;4(2):103-16. [Abstract](#)

960. van Brakel R, Cune MS, Van Winkelhoff AJ, et al. Early bacterial colonization and soft tissue health around zirconia and titanium abutments: an in vivo study in man. *Clin Oral Implants Res* 2011;22(6):571-7. [Abstract](#)
961. van Brakel R, Meijer GJ, Verhoeven JW, et al. Soft tissue response to zirconia and titanium implant abutments: an in vivo within-subject comparison. *J Clin Periodontol* 2012;39(10):995-1001. [Abstract](#)
962. van Brakel R, Noordmans HJ, Frenken J, et al. The effect of zirconia and titanium implant abutments on light reflection of the supporting soft tissues. *Clin Oral Implants Res* 2011;22(10):1172-8. [Abstract](#)
963. Van de Velde T, Collaert B, Sennerby L, et al. Effect of implant design on preservation of marginal bone in the mandible. *Clin Implant Dent Relat Res* 2010;12(2):134-41. [Abstract](#)
964. Van de Wiele G, Teughels W, Vercruyssen M, et al. The accuracy of guided surgery via mucosa-supported stereolithographic surgical templates in the hands of surgeons with little experience. *Clin Oral Implants Res* 2015;26(12):1489-94. [Abstract](#)
965. van der Mark EL, Bierenbroodspot F, Baas EM, et al. Reconstruction of an atrophic maxilla: comparison of two methods. *Br J Oral Maxillofac Surg* 2011;49(3):198-202. [Abstract](#)
966. Van Lierde K, Browaeys H, Corthals P, et al. Comparison of speech intelligibility, articulation and oromyofunctional behaviour in subjects with single-tooth implants, fixed implant prosthetics or conventional removable prostheses. *J Oral Rehabil* 2012;39(4):285-93. [Abstract](#)
967. Van Lierde KM, Corthals P, Browaeys H, et al. Impact of anterior single-tooth implants on quality of life, articulation and oromyofunctional behaviour: a pilot study. *J Oral Rehabil* 2011;38(3):170-5. [Abstract](#)
968. van Steenberghe D, De Mars G, Quirynen M, et al. A prospective split-mouth comparative study of two screw-shaped self-tapping pure titanium implant systems. *Clin Oral Implants Res* 2000;11(3):202-9. [Abstract](#)
969. Vanlioglu BA, Ozkan Y, Evren B, et al. Experimental custom-made zirconia abutments for narrow implants in esthetically demanding regions: A 5-year follow-up. *Int J Oral Maxillofac Implants* 2012;27(5):1239-42. [Abstract](#)
970. Vazquez Alvarez R, Perez Sayans M, Gayoso Diz P, et al. Factors affecting peri-implant bone loss: a post-five-year retrospective study. *Clin Oral Implants Res* 2015;26(9):1006-14. [Abstract](#)
971. Vazquez-Delgado E, Viaplana-Gutierrez M, Figueiredo R, et al. Prevalence of neuropathic pain and sensory alterations after dental implant placement in a university-based oral surgery department: A retrospective cohort study. *Gerodontology* 2018;35(2):117-22. [Abstract](#)
972. Veltri M, Ekestubbe A, Abrahamsson I, et al. Three-Dimensional buccal bone anatomy and aesthetic outcome of single dental implants replacing maxillary incisors. *Clin Oral Implants Res* 2016;27(8):956-63. [Abstract](#)
973. Veltri M, Ferrari M, Balleri P. One-year outcome of narrow diameter blasted implants for rehabilitation of maxillas with knife-edge resorption. *Clin Oral Implants Res* 2008;19(10):1069-73. [Abstract](#)

974. Veltri M, Ferrari M, Balleri P. Stability values of titanium dioxide-gritblasted dental implants in edentulous maxillas: a 3-year pilot study. *J Oral Rehabil* 2010;37(1):63-8. [Abstract](#)
975. Vera C, De Kok IJ, Chen W, et al. Evaluation of post-implant buccal bone resorption using cone beam computed tomography: a clinical pilot study. *Int J Oral Maxillofac Implants* 2012;27(5):1249-57. [Abstract](#)
976. Vercaigne S, Wolke JG, Naert I, et al. A histological evaluation of TiO<sub>2</sub>-gritblasted and Ca-P magnetron sputter coated implants placed into the trabecular bone of the goat: Part 2. *Clin Oral Implants Res* 2000;11(4):314-24. [Abstract](#)
977. Vercaigne S, Wolke JG, Naert I, et al. A mechanical evaluation of TiO<sub>2</sub>-gritblasted and Ca-P magnetron sputter coated implants placed into the trabecular bone of the goat: Part 1. *Clin Oral Implants Res* 2000;11(4):305-13. [Abstract](#)
978. Vercellotti T, Stacchi C, Russo C, et al. Ultrasonic implant site preparation using piezosurgery: a multicenter case series study analyzing 3,579 implants with a 1- to 3-year follow-up. *Int J Periodontics Restorative Dent* 2014;34(1):11-8. [Abstract](#)
979. Vercruyssen M, Coucke W, Naert I, et al. Depth and lateral deviations in guided implant surgery: an RCT comparing guided surgery with mental navigation or the use of a pilot-drill template. *Clin Oral Implants Res* 2015;26(11):1315-20. [Abstract](#)
980. Vercruyssen M, Cox C, Coucke W, et al. A randomized clinical trial comparing guided implant surgery (bone- or mucosa-supported) with mental navigation or the use of a pilot-drill template. *J Clin Periodontol* 2014;41(7):717-23. [Abstract](#)
981. Vercruyssen M, van de Wiele G, Teughels W, et al. Implant- and patient-centred outcomes of guided surgery, a 1-year follow-up: An RCT comparing guided surgery with conventional implant placement. *J Clin Periodontol* 2014;41(12):1154-60. [Abstract](#)
982. Verket A, Lyngstadaas SP, Rasmusson L, et al. Maxillary sinus augmentation with porous titanium granules: a microcomputed tomography and histologic evaluation of human biopsy specimens. *Int J Oral Maxillofac Implants* 2013;28(3):721-8. [Abstract](#)
983. Vervaeke S, Collaert B, Cosyn J, et al. A 9-year prospective case series using multivariate analyses to identify predictors of early and late peri-implant bone loss. *Clin Implant Dent Relat Res* 2016;18(1):30-9. [Abstract](#)
984. Vervaeke S, Collaert B, Cosyn J, et al. A multifactorial analysis to identify predictors of implant failure and peri-implant bone loss. *Clin Implant Dent Relat Res* 2015;17 Suppl 1:e298-307. [Abstract](#)
985. Vervaeke S, Collaert B, De Bruyn H. Immediate loading of implants in the maxilla: survival and bone loss after at least 2 years in function. *Int J Oral Maxillofac Implants* 2013;28(1):216-21. [Abstract](#)
986. Vervaeke S, Collaert B, De Bruyn H. The effect of implant surface modifications on survival and bone loss of immediately loaded implants in the edentulous mandible. *Int J Oral Maxillofac Implants* 2013;28(5):1352-7. [Abstract](#)
987. Vervaeke S, Collaert B, Vandeweghe S, et al. The effect of smoking on survival and bone loss of implants with a fluoride-modified surface: a 2-year

- retrospective analysis of 1106 implants placed in daily practice. Clin Oral Implants Res 2012;23(6):758-66. [Abstract](#)
988. Vervaeke S, Dierens M, Besseler J, et al. The influence of initial soft tissue thickness on peri-implant bone remodeling. Clin Implant Dent Relat Res 2014;16(2):238-47. [Abstract](#)
989. Vervaeke S, Matthys C, Nassar R, et al. Adapting the vertical position of implants with a conical connection in relation to soft tissue thickness prevents early implant surface exposure: A 2-year prospective intra-subject comparison. J Clin Periodontol 2018;45(5):605-12. [Abstract](#)
990. Vignoletti F, Discepoli N, Muller A, et al. Bone modelling at fresh extraction sockets: immediate implant placement versus spontaneous healing. An experimental study in the beagle dog. J Clin Periodontol 2012;39(1):91-7. [Abstract](#)
991. Vigolo P, Gracis S, Carboncini F, et al. Internal- vs external-connection single implants: A retrospective study in an Italian population treated by certified prosthodontists. Int J Oral Maxillofac Implants 2016;31(6):1385-96. [Abstract](#)
992. Vilhjalmsson VH, Klock KS, Storksen K, et al. Aesthetics of implant-supported single anterior maxillary crowns evaluated by objective indices and participants' perceptions. Clin Oral Implants Res 2011;22(12):1399-403. [Abstract](#)
993. Vilhjálmsdóttir VH, Klock KS, Storksen K, et al. Radiological evaluation of single implants in maxillary anterior sites with special emphasis on their relation to adjacent teeth - a 3-year follow-up study. Dent Traumatol 2013;29(1):66-72. [Abstract](#)
994. Viscioni A, Franco M, Rigo L, et al. Implants inserted into homografts bearing fixed restorations. Int J Prosthodont 2009;22(2):148-54. [Abstract](#)
995. Vivan Cardoso M, Vandamme K, Chaudhari A, et al. Dental implant macro-design features can impact the dynamics of osseointegration. Clin Implant Dent Relat Res 2015;17(4):639-45. [Abstract](#)
996. von Wowern N, Gotfredsen K. Implant-supported overdentures, a prevention of bone loss in edentulous mandibles? A 5-year follow-up study. Clin Oral Implants Res 2001;12(1):19-25. [Abstract](#)
997. Vroom MG, Sipos P, de Lange GL, et al. Effect of surface topography of screw-shaped titanium implants in humans on clinical and radiographic parameters: a 12-year prospective study. Clin Oral Implants Res 2009;20(11):1231-39. [Abstract](#)
998. Wahlstrom M, Sagulin GB, Jansson LE. Clinical follow-up of unilateral, fixed dental prostheses on maxillary implants. Clin Oral Implants Res 2010;21(11):1294-300. [Abstract](#)
999. Walmsley AD, Brady CL, Smith PL, et al. Magnet retained overdentures using the Astra dental implant system. Br Dent J 1993;174(11):399-404. [Abstract](#)
1000. Walmsley AD, Frame JW. Implant supported overdentures - the Birmingham experience. J Dent 1997;25 Suppl 1:43-7. [Abstract](#)
1001. Wannfors K, Johansson C, Donath K. Augmentation of the mandible via a "tent-pole" procedure and implant treatment in a patient with type III osteogenesis imperfecta: clinical and histologic considerations. Int J Oral Maxillofac Implants 2009;24(6):1144-8. [Abstract](#)

1002. Warren P, Chaffee N, Felton DA, et al. A retrospective radiographic analysis of bone loss following placement of TiO<sub>2</sub> grit-blasted implants in the posterior maxilla and mandible. *Int J Oral Maxillofac Implants* 2002;17(3):399-404.  
[Abstract](#)
1003. Warrer L, Gotfredsen K, Hjorting-Hansen E, et al. Guided tissue regeneration ensures osseointegration of dental implants placed into extraction sockets. An experimental study in monkeys. *Clin Oral Implants Res* 1991;2(4):166-71. [Abstract](#)
1004. Wasiluk G, Chomik E, Gehrke P, et al. Incidence of undetected cement on CAD/CAM monolithic zirconia crowns and customized CAD/CAM implant abutments. A prospective case series. *Clin Oral Implants Res* 2017;28(7):774-78. [Abstract](#)
1005. Weibrich G, Buch RS, Wegener J, et al. Five-year prospective follow-up report of the Astra Tech standard dental implant in clinical treatment. *Int J Oral Maxillofac Implants* 2001;16(4):557-62. [Abstract](#)
1006. Welander M, Abrahamsson I, Berglundh T. The mucosal barrier at implant abutments of different materials. *Clin Oral Implants Res* 2008;19(7):635-41. [Abstract](#)
1007. Welander M, Abrahamsson I, Berglundh T. Placement of two-part implants in sites with different buccal and lingual bone heights. *J Periodontol* 2009;80(2):324-9. [Abstract](#)
1008. Welander M, Abrahamsson I, Berglundh T. Subcrestal placement of two-part implants. *Clin Oral Implants Res* 2009;20(3):226-31. [Abstract](#)
1009. Wennström J, Zurdo J, Karlsson S, et al. Bone level change at implant-supported fixed partial dentures with and without cantilever extension after 5 years in function. *J Clin Periodontol* 2004;31(12):1077-83. [Abstract](#)
1010. Wennström JL, Ekestubbe A, Gröndahl K, et al. Oral rehabilitation with implant-supported fixed partial dentures in periodontitis-susceptible subjects. A 5-year prospective study. *J Clin Periodontol* 2004;31(9):713-24. [Abstract](#)
1011. Wennström JL, Ekestubbe A, Gröndahl K, et al. Implant-supported single-tooth restorations: a 5-year prospective study. *J Clin Periodontol* 2005;32(6):567-74. [Abstract](#)
1012. Wetzel JG, Meijer GJ, Koole R, et al. Costs and clinical outcomes of implant placement during ablative surgery and postponed implant placement in curative oral oncology: A five-year retrospective cohort study. *Clin Oral Implants Res* 2017;28(11):1433-42. [Abstract](#)
1013. Wetzel JW, Koole R, Meijer GJ, et al. Functional benefits of implants placed during ablative surgery: A 5-year prospective study on the prosthodontic rehabilitation of 56 edentulous oral cancer patients. *Head Neck* 2016;38 Suppl 1:E2103-11. [Abstract](#)
1014. Wiest W, Zabler S, Rack A, et al. In situ microradioscopy and microtomography of fatigue-loaded dental two-piece implants. *J Synchrotron Rad* 2015;22(6):1492-97. [Abstract](#)
1015. Wilhelm R, Hasan I, Keilig L, et al. Biomechanical investigations of the secondary stability of commercial short dental implants in porcine ribs. *Biomed Tech (Berl)* 2014;59(6):507-13. [Abstract](#)

1016. Wilk BL. Intraoral digital impressioning for dental implant restorations versus traditional implant impression techniques. *Compend Contin Educ Dent* 2015;36(7):529-33. [Abstract](#)
1017. Wiltfang J, Jatschmann N, Hedderich J, et al. Effect of deproteinized bovine bone matrix coverage on the resorption of iliac cortico-spongyous bone grafts - a prospective study of two cohorts. *Clin Oral Implants Res* 2014;25(2):e127-32. [Abstract](#)
1018. Windael S, Vervaeke S, Wijnen L, et al. Ten-year follow-up of dental implants used for immediate loading in the edentulous mandible: A prospective clinical study. *Clin Implant Dent Relat Res* 2018;20(4):515-21. [Abstract](#)
1019. Wohlfahrt JC, Aass AM, Koldslund OC. Treatment of peri-implant mucositis with a chitosan brush-A pilot randomized clinical trial. *Int J Dent Hyg* 2019;17(2):170-76. [Abstract](#)
1020. Wolff J, Narra, Antalainen AK, et al. Finite element analysis of bone loss around failing implants *Materials & Design* 2014;61:177-84. [Abstract](#)
1021. Wong HH, Pow EH, Choi WW. Management of mandibular rotation after a mandibulectomy: a clinical report. *J Prosthet Dent* 2013;110(6):532-7. [Abstract](#)
1022. Worsaae N, Jensen BN, Holm B, et al. Treatment of severe hypodontia-oligodontia--an interdisciplinary concept. *Int J Oral Maxillofac Surg* 2007;36(6):473-80. [Abstract](#)
1023. Yalcin S, Aktas I, Emes Y, et al. A technique for atraumatic extraction of teeth before immediate implant placement using implant drills. *Implant Dent* 2009;18(6):464-72. [Abstract](#)
1024. Yamada Y, Nakamura S, Ueda M, et al. Osteotome technique with injectable tissue-engineered bone and simultaneous implant placement by cell therapy. *Clin Oral Implants Res* 2013;24(4):468-74. [Abstract](#)
1025. Yamauchi K, Takahashi T, Funaki K, et al. Implant placement for periosteal expansion osteogenesis using beta-tricalcium phosphate block: an experimental study in dogs. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2009;108(6):861-6. [Abstract](#)
1026. Yamauchi K, Takahashi T, Nogami S, et al. Horizontal alveolar distraction osteogenesis for dental implant: long-term results. *Clin Oral Implants Res* 2013;24(5):563-8. [Abstract](#)
1027. Yamazaki M, Kanzaki S, Tominaga K, et al. Evaluation of secondary bone grafting of the alveolar cleft in adult cleft lip and palate patients. *J Oral Maxillofac Surg Med Path* 2012;24:86-89. [Abstract](#)
1028. Yen C-Y, Kuo P-J, Lin C-Y, et al. Accuracy of cone beam computed tomography in measuring thicknesses of hard-tissue-mimicking material adjacent to different implant thread surfaces. *Journal of Dental Sciences* 2019;14(2):119-25.
1029. Yi SW, Ericsson I, Kim CK, et al. Implant-supported fixed prostheses for the rehabilitation of periodontally compromised dentitions: a 3-year prospective clinical study. *Clin Implant Dent Relat Res* 2001;3(3):125-34. [Abstract](#)
1030. Yilmaz B, Hashemzadeh S, Seidt JD, et al. Displacement comparison of CAD-CAM titanium and zirconia abutments to implants with different conical connections. *J Prosthodont Res* 2018;62(2):200-03. [Abstract](#)

1031. Yilmaz B, L'Homme-Langlois E, Beck FM, et al. Accuracy of mechanical torque-limiting devices for dental implants after clinical service. *J Prosthet Dent* 2015;114(3):378-82. [Abstract](#)
1032. Yilmaz B, L'Homme-Langlois E, Beck FM, et al. Effect of long-term steam autoclaving on changes in torque delivery of spring- and friction-type torque wrenches. *J Prosthet Dent* 2016;115(6):718-21. [Abstract](#)
1033. Yilmaz B, McGlumphy E, Purcell B. An alternative direct technique for the fabrication of an implant-supported, screw-retained fixed interim restoration. *J Prosthet Dent* 2012;107(2):137-9. [Abstract](#)
1034. Yilmaz B, McGlumphy E, Turkyilmaz I. A technique to modify the length of an implant healing abutment. *J Oral Implantol* 2009;35(4):201-3. [Abstract](#)
1035. Yilmaz B, Mess J, Seidt J, et al. Strain comparisons for splinted and nonsplinted cement-retained implant crowns. *Int J Prosthodont* 2013;26(3):235-8. [Abstract](#)
1036. Yilmaz B, Seidt JD, Clelland NL. Displacement of screw-retained splinted and nonsplinted restorations into implants with conical internal connections. *Int J Oral Maxillofac Implants* 2014;29(6):1289-92. [Abstract](#)
1037. Yilmaz B, Seidt JD, McGlumphy EA, et al. Comparison of strains for splinted and nonsplinted screw-retained prostheses on short implants. *Int J Oral Maxillofac Implants* 2011;26(6):1176-82. [Abstract](#)
1038. Yilmaz B, Seidt JD, McGlumphy EA, et al. Displacement of screw-retained single crowns into implants with conical internal connections. *Int J Oral Maxillofac Implants* 2013;28(3):803-6. [Abstract](#)
1039. Yoda N, Zheng K, Chen J, et al. Bone morphological effects on post-implantation remodeling of maxillary anterior buccal bone: A clinical and biomechanical study. *J Prosthodont Res* 2017;61(4):393-402. [Abstract](#)
1040. Yoon WJ, Jeong KI, You JS, et al. Survival rate of Astra Tech implants with maxillary sinus lift. *J Korean Assoc Oral Maxillofac Surg* 2014;40(1):17-20. [Abstract](#)
1041. Younes F, Cosyn J, De Bruyckere T, et al. A randomized controlled study on the accuracy of free-handed, pilot-drill guided and fully guided implant surgery in partially edentulous patients. *J Clin Periodontol* 2018;45(6):721-32. [Abstract](#)
1042. Younes F, Cosyn J, De Bruyckere T, et al. A 2-year prospective case series on volumetric changes, PROMs, and clinical outcomes following sinus floor elevation using deproteinized bovine bone mineral as filling material. *Clin Implant Dent Relat Res* 2019;21(2):301-09. [Abstract](#)
1043. Younes F, Eghbali A, De Bruyckere T, et al. A randomized controlled trial on the efficiency of free-handed, pilot-drill guided and fully guided implant surgery in partially edentulous patients. *Clin Oral Implants Res* 2019;30(2):131-38. [Abstract](#)
1044. Yusuf H, Ratra N. Observations on 25 patients treated with ball-retained overdentures using the Astra Tech implant system. *Eur J Prosth Rest Dent* 1996;4(4):181-3. [Abstract](#)
1045. Zabler S, Rack T, Rack A, et al. Fatigue induced deformation of taper connections in dental titanium implants. *International Journal of Materials Research (formerly Zeitschrift fuer Metallkunde)* 2012;103(02):207-16.

1046. Zadeh HH, Gulje F, Palmer PJ, et al. Marginal bone level and survival of short and standard-length implants after 3 years: An Open Multi-Center Randomized Controlled Clinical Trial. *Clin Oral Implants Res* 2018;29(8):894-906. [Abstract](#)
1047. Zaffe D, Rodriguez Y, Baena R, et al. Behavior of the bone-titanium interface after push-in testing: a morphological study. *J Biomed Mater Res A* 2003;64(2):365-71. [Abstract](#)
1048. Zeller S, Guichet D, Kontogiorgos E, et al. Accuracy of three digital workflows for implant abutment and crown fabrication using a digital measuring technique. *J Prosthet Dent* 2019;121(2):276-84. [Abstract](#)
1049. Zeza B, Farina R, Pilloni A, et al. Clinical outcomes of experimental gingivitis and peri-implant mucositis treatment with professionally administered plaque removal and photodynamic therapy. *Int J Dent Hyg* 2017;16(2):e58-e64. [Abstract](#)
1050. Zhou J, Huang Q, Wang X, et al. Early loading of splinted implants in the posterior mandible: a prospective multicentre case series. *J Clin Periodontol* 2016;43(3):298-304. [Abstract](#)
1051. Zhuang H-B, Tu W-S, Pan M-C, et al. Non-contact vibro-acoustic detection technique for dental osseointegration examination. *J Med Biol Eng* 2013;33(1):35-44.
1052. Zipprich H, Miatke S, Hmaidouch R, et al. A new experimental design for bacterial microleakage investigation at the implant-abutment interface: an in vitro study. *Int J Oral Maxillofac Implants* 2016;31(1):37-44. [Abstract](#)
1053. Zipprich H, Weigl P, Lauer H-C, et al. Micro-movements at the implant-abutment interface: measurements, causes and consequences. *Implantologie* 2007;15:31-45.
1054. Zipprich H, Weigl P, Ratka C, et al. The micromechanical behavior of implant-abutment connections under a dynamic load protocol. *Clin Implant Dent Relat Res* 2018;20(5):814-23. [Abstract](#)
1055. Zuffetti F, Capelli M, Galli F, et al. Post-extraction implant placement into infected versus non-infected sites: A multicenter retrospective clinical study. *Clin Implant Dent Relat Res* 2017;19(5):833-40. [Abstract](#)
1056. Zweifel D, Bredell MG, Essig H, et al. Total virtual workflow in CAD-CAM bony reconstruction with a single step free fibular graft and immediate dental implants. *Br J Oral Maxillofac Surg* 2018;56(9):859-63. [Abstract](#)
1057. Zweifel D, Bredell MG, Lanzer M, et al. Precision of simultaneous guided dental implantation in microvascular fibular flap reconstructions with and without additional guiding splints. *J Oral Maxillofac Surg* 2019;77(5):971-76. [Abstract](#)

## Xive

1. Abdulghani AS, Elhag SB. Shortened dental arch as a solution for maxillary sinus proximity in dental implant restoration. *Clin Case Rep* 2017;5(6):782-86. [Abstract](#)

2. Acil Y, Sievers J, Gulses A, et al. Correlation between resonance frequency, insertion torque and bone-implant contact in self-cutting threaded implants. *Odontology* 2017;105(3):347-53. [Abstract](#)
3. Ahuja V, Shrivastava S, Shukla A. Immediate dental implant in hypertensive patient. *Guident* 2018;11(7):10-12. [Abstract](#)
4. Amet EM. Management of unscheduled anterior tooth or prosthesis loss with extraction and immediate implant placement: a clinical report. *J Oral Implantol* 2010;36(3):209-17. [Abstract](#)
5. Antalainen AK, Helminen M, Forss H, et al. Assessment of removed dental implants in Finland from 1994 to 2012. *Int J Oral Maxillofac Implants* 2013;28(6):1612-8. [Abstract](#)
6. Arisan V, Bolukbasi N, Ersanli S, et al. Evaluation of 316 narrow diameter implants followed for 5-10 years: a clinical and radiographic retrospective study. *Clin Oral Implants Res* 2010;21(3):296-307. [Abstract](#)
7. Arisan V, Bolukbasi N, Oksuz L. Computer-assisted flapless implant placement reduces the incidence of surgery-related bacteremia. *Clin Oral Investig* 2013;17(9):1985-93. [Abstract](#)
8. Arisan V, Karabuda CZ, Mumcu E, et al. Implant positioning errors in freehand and computer-aided placement methods: a single-blind clinical comparative study. *Int J Oral Maxillofac Implants* 2013;28(1):190-204. [Abstract](#)
9. Arisan V, Karabuda CZ, Ozdemir T. Implant surgery using bone- and mucosa-supported stereolithographic guides in totally edentulous jaws: surgical and post-operative outcomes of computer-aided vs. standard techniques. *Clin Oral Implants Res* 2010;21(9):980-8. [Abstract](#)
10. Arisan V, Karabuda ZC, Ozdemir T. Accuracy of two stereolithographic guide systems for computer-aided implant placement: a computed tomography-based clinical comparative study. *J Periodontol* 2010;81(1):43-51. [Abstract](#)
11. Arnetzl GV, Payer M, Falkensammer F, et al. Effect of double conical abutment screw on implant preload. *Clin Oral Implants Res* 2016;27(5):553-7. [Abstract](#)
12. Arshad M, Shirani G, Mahgoli HA, et al. Rehabilitation of a patient with amelogenesis imperfecta and severe open bite: A multidisciplinary approach. *Clin Case Rep* 2019;7(2):275-83. [Abstract](#)
13. Arvidsson A, Sater BA, Wennerberg A. The role of functional parameters for topographical characterization of bone-anchored implants. *Clin Implant Dent Relat Res* 2006;8(2):70-6. [Abstract](#)
14. Attia S, Wiltfang J, Streckbein P, et al. Functional and aesthetic treatment outcomes after immediate jaw reconstruction using a fibula flap and dental implants. *J Craniomaxillofac Surg* 2019;47(5):786-91. [Abstract](#)
15. Baggi L, Di Girolamo M, Mirisola C, et al. Microbiological evaluation of bacterial and mycotic seal in implant systems with different implant-abutment interfaces and closing torque values. *Implant Dent* 2013;22(4):344-50. [Abstract](#)
16. Baqain ZH, Moqbel WY, Sawair FA. Early dental implant failure: risk factors. *Br J Oral Maxillofac Surg* 2012;50(3):239-43. [Abstract](#)

17. Bataineh AB, Al-Dakes AM. The influence of length of implant on primary stability: An in vitro study using resonance frequency analysis. *J Clin Exp Dent* 2017;9(1):e1-e6. [Abstract](#)
18. Bateli M, Woerner W, Att W. Tilted implants to support a maxillary removable dental prosthesis: a case report. *Quintessence Int* 2012;43(3):191-5. [Abstract](#)
19. Baumgarten S. Sinus grafting with mineralized allograft and staged implant placement. *Quintessence Int* 2010;41(3):197-202. [Abstract](#)
20. Bhandari S, Aggarwal N, Bakshi S. Ultrasonic oscillations for conservative retrieval of a rare fracture of implant healing abutment. *J Oral Implantol* 2013;39(4):475-8. [Abstract](#)
21. Bilhan H, Mumcu E, Geckili O, et al. The evaluation of the success of immediately placed single implants: a retrospective clinical study. *Implant Dent* 2011;20(3):215-25. [Abstract](#)
22. Bountaniotis F, Tzerbos F, Tosios K, et al. Reactive fibrous hyperplasia of peri-implant mucosa. *J Oral Implantol* 2017;43(5):378-79. [Abstract](#)
23. Brandtner C, Borumandi F, Krenkel C, et al. A new technique for sandwich osteoplasty with interpositional bone grafts for fixation. *Int J Oral Maxillofac Implants* 2014;29(5):1164-9. [Abstract](#)
24. Burtscher D, Norer B, Dalla Torre D, et al. A 7-year prospective radiographic evaluation of marginal bone level around two different implant systems: a randomized clinical trial. *Clin Oral Implants Res* 2015;26(11):1244-9. [Abstract](#)
25. Cano J, Campo J, Ewers R. Expansion of the alveolar bone crest in two stages: two clinical cases. *Oral Surgery* 2011;4(1):30-34. [Abstract](#)
26. Canullo L, Penarrocha-Oltra D, Covani U, et al. Clinical and microbiological findings in patients with peri-implantitis: a cross-sectional study. *Clin Oral Implants Res* 2016;27(3):376-82. [Abstract](#)
27. Cha JK, Kim C, Pae HC, et al. Maxillary sinus augmentation using biphasic calcium phosphate: dimensional stability results after 3-6 years. *J Periodontal Implant Sci* 2019;49(1):47-57. [Abstract](#)
28. Chang H-S, Hsieh Y-D, M-L H. Long-term survival rate of implant-supported overdentures with various attachment systems: A 20-year retrospective study. *J Dental Science* 2015;10(1):55-60.
29. Chen L, Cha J. An 8-year retrospective study: 1,100 patients receiving 1,557 implants using the minimally invasive hydraulic sinus condensing technique. *J Periodontol* 2005;76(3):482-91. [Abstract](#)
30. Chiapasco M, Colletti G, Coggiola A, et al. Clinical outcome of the use of fresh frozen allogeneic bone grafts for the reconstruction of severely resorbed alveolar ridges: preliminary results of a prospective study. *Int J Oral Maxillofac Implants* 2015;30(2):450-60. [Abstract](#)
31. Chrcanovic BR, Kisch J, Albrektsson T, et al. Factors influencing early dental implant failures. *J Dent Res* 2016;95(9):995-1002. [Abstract](#)
32. Chrcanovic BR, Kisch J, Albrektsson T, et al. Impact of different surgeons on dental implant failure. *Int J Prosthodont* 2017;30(5):445-54. [Abstract](#)

33. Chrcanovic BR, Kisch J, Albrektsson T, et al. Is the intake of selective serotonin reuptake inhibitors associated with an increased risk of dental implant failure? *Int J Oral Maxillofac Surg* 2017;46(6):782-88. [Abstract](#)
34. Chrcanovic BR, Kisch J, Albrektsson T, et al. Factors influencing the fracture of dental implants. *Clin Implant Dent Relat Res* 2018;20(1):58-67. [Abstract](#)
35. Chrcanovic BR, Kisch J, Larsson C. Retrospective clinical evaluation of implant-supported single crowns: Mean follow-up of 15 years. *Clin Oral Implants Res* 2019;E-pub May 9 doi:10.1111/cir.13454. [Abstract](#)
36. Cicciu M, Beretta M, Risitano G, et al. Cemented-retained vs screw-retained implant restorations: an investigation on 1939 dental implants. *Minerva Stomatol* 2008;57(4):167-79. [Abstract](#)
37. Conserva E, Lanuti A, Menini M. Cell behavior related to implant surfaces with different microstructure and chemical composition: an in vitro analysis. *Int J Oral Maxillofac Implants* 2010;25(6):1099-107. [Abstract](#)
38. Corsalini M, Di Venere D, Stefanachi G, et al. Maxillary overdenture retained with an implant support CAD-CAM bar: A 4 years follow up case. *Open Dent J* 2017;11:247-56. [Abstract](#)
39. Cortes AR, Cortes DN. Nontraumatic bone expansion for immediate dental implant placement: an analysis of 21 cases. *Implant Dent* 2010;19(2):92-7. [Abstract](#)
40. Cortes AR, Cortes DN, Arita ES. Correction of buccal dehiscence at the time of implant placement without barrier membranes: a retrospective cone beam computed tomographic study. *Int J Oral Maxillofac Implants* 2013;28(6):1564-9. [Abstract](#)
41. Cortes AR, Cortes DN, No-Cortes J, et al. Transition from failing dentition to full-arch fixed implant-supported prosthesis with a staged approach using removable partial dentures: A case series. *J Prosthodont* 2014;23(4):328-32. [Abstract](#)
42. Cortes AR, Pinheiro LR, Cavalcanti MG, et al. Sinus floor bone failures in maxillary sinus floor augmentation: a case-control study. *Clin Implant Dent Relat Res* 2015;17(2):335-42. [Abstract](#)
43. Cortes AR, Pinheiro LR, Umetsubo OS, et al. Assessment of implant-related treatment with edited three-dimensional reconstructed images from cone-beam computerized tomography: a technical note. *J Oral Implantol* 2014;40(6):729-32. [Abstract](#)
44. Cosyn J, Vandenbulcke E, Browaeys H, et al. Factors associated with failure of surface-modified implants up to four years of function. *Clin Implant Dent Relat Res* 2012;14(3):347-58. [Abstract](#)
45. Créton M, Cune M, Verhoeven W, et al. Implant treatment in patients with severe hypodontia: A retrospective evaluation. *J Oral Maxillofac Surg* 2010;68(3):530-38. [Abstract](#)
46. de Barros RR, Novaes AB, Jr., Korn P, et al. Bone formation in a local defect around dental implants coated with extracellular matrix components. *Clin Implant Dent Relat Res* 2015;17(4):742-57. [Abstract](#)

47. de Oliveira RR, Novaes AB, Jr., Taba M, Jr., et al. The effect of bone condensation and crestal preparation on the bone response to implants designed for immediate loading: a histomorphometric study in dogs. *Int J Oral Maxillofac Implants* 2007;22(1):63-71. [Abstract](#)
48. De Stavola L, Fincato A, Albiero AM. A computer-guided bone block harvesting procedure: a proof-of-principle case report and technical notes. *Int J Oral Maxillofac Implants* 2015;30(6):1409-13. [Abstract](#)
49. De Stavola L, Tunkel J. Results of vertical bone augmentation with autogenous bone block grafts and the tunnel technique: a clinical prospective study of 10 consecutively treated patients. *Int J Periodontics Restorative Dent* 2013;33(5):651-9. [Abstract](#)
50. De Stavola L, Tunkel J. A new approach to maintenance of regenerated autogenous bone volume: delayed relining with xenograft and resorbable membrane. *Int J Oral Maxillofac Implants* 2013;28(4):1062-7. [Abstract](#)
51. Degidi M, Artese L, Franceschini N, et al. Matrix metalloproteinases 2, 3, 8, 9, and 13 in the peri-implant soft tissues around titanium and zirconium oxide healing caps. *Int J Oral Maxillofac Implants* 2013;28(6):1546-51. [Abstract](#)
52. Degidi M, Artese L, Piattelli A, et al. Histological and immunohistochemical evaluation of the peri-implant soft tissues around machined and acid-etched titanium healing abutments: a prospective randomised study. *Clin Oral Investig* 2012;16(3):857-66. [Abstract](#)
53. Degidi M, Artese L, Rubini C, et al. Microvessel density in sinus augmentation procedures using anorganic bovine bone and autologous bone: 3 months results. *Implant Dent* 2007;16(3):317-25. [Abstract](#)
54. Degidi M, Artese L, Scarano A, et al. Inflammatory infiltrate, microvessel density, nitric oxide synthase expression, vascular endothelial growth factor expression, and proliferative activity in peri-implant soft tissues around titanium and zirconium oxide healing caps. *J Periodontol* 2006;77(1):73-80. [Abstract](#)
55. Degidi M, Daprile G, Piattelli A. RFA values of implants placed in sinus grafted and nongrafted sites after 6 and 12 months. *Clin Implant Dent Relat Res* 2009;11(3):178-82. [Abstract](#)
56. Degidi M, Daprile G, Piattelli A. Determination of primary stability: a comparison of the surgeon's perception and objective measurements. *Int J Oral Maxillofac Implants* 2010;25(3):558-61. [Abstract](#)
57. Degidi M, Daprile G, Piattelli A. Primary stability determination by means of insertion torque and RFA in a sample of 4,135 implants. *Clin Implant Dent Relat Res* 2012;14(4):501-07. [Abstract](#)
58. Degidi M, Daprile G, Piattelli A. Implants inserted with low insertion torque values for intraoral welded full-arch prosthesis: 1-year follow-up. *Clin Implant Dent Relat Res* 2012;14(Supplement 1):e39-45. [Abstract](#)
59. Degidi M, Daprile G, Piattelli A. Primary stability determination of implants inserted in sinus augmented sites: 1-step versus 2-step procedure. *Implant Dent* 2013;22(5):530-3. [Abstract](#)
60. Degidi M, Daprile G, Piattelli A. Influence of underpreparation on primary stability of implants inserted in poor quality bone sites: an in vitro study. *J Oral Maxillofac Surg* 2015;73(6):1084-8. [Abstract](#)

61. Degidi M, Daprile G, Piattelli A, et al. Evaluation of factors influencing resonance frequency analysis values, at insertion surgery, of implants placed in sinus-augmented and nongrafted sites. *Clin Implant Dent Relat Res* 2007;9(3):144-9. [Abstract](#)
62. Degidi M, Daprile G, Piattelli A, et al. Development of a new implant primary stability parameter: insertion torque revisited. *Clin Implant Dent Relat Res* 2013;15(5):637-44. [Abstract](#)
63. Degidi M, Gehrke P, Spanel A, et al. Syncrystallization: a technique for temporization of immediately loaded implants with metal-reinforced acrylic resin restorations. *Clin Implant Dent Relat Res* 2006;8(3):123-34. [Abstract](#)
64. Degidi M, Iezzi G, Scarano A, et al. Immediately loaded titanium implant with a tissue-stabilizing/maintaining design ('beyond platform switch') retrieved from man after 4 weeks: a histological and histomorphometrical evaluation. A case report. *Clin Oral Implants Res* 2008;19(3):276-82. [Abstract](#)
65. Degidi M, Nardi D, Piattelli A. Peri-implant tissue and radiographic bone levels in the immediately restored single-tooth implant: a retrospective analysis. *J Periodontol* 2008;79(2):252-9. [Abstract](#)
66. Degidi M, Nardi D, Piattelli A. Immediate loading of the edentulous maxilla with a final restoration supported by an intraoral welded titanium bar: a case series of 20 consecutive cases. *J Periodontol* 2008;79(11):2207-13. [Abstract](#)
67. Degidi M, Nardi D, Piattelli A. Immediate restoration of small-diameter implants in cases of partial posterior edentulism: a 4-year case series. *J Periodontol* 2009;80(6):1006-12. [Abstract](#)
68. Degidi M, Nardi D, Piattelli A. Immediate rehabilitation of the edentulous mandible with a definitive prosthesis supported by an intraorally welded titanium bar. *Int J Oral Maxillofac Implants* 2009;24(2):342-7. [Abstract](#)
69. Degidi M, Nardi D, Piattelli A. Immediate loading of the edentulous maxilla with a definitive restoration supported by an intraorally welded titanium bar and tilted implants. *Int J Oral Maxillofac Implants* 2010;25(6):1175-82. [Abstract](#)
70. Degidi M, Nardi D, Piattelli A. Immediate definitive rehabilitation of the edentulous patient using an intraorally welded titanium framework: a 3-year prospective study. *Quintessence Int* 2010;41(8):651-9. [Abstract](#)
71. Degidi M, Nardi D, Piattelli A. A comparison between immediate loading and immediate restoration in cases of partial posterior mandibular edentulism: a 3-year randomized clinical trial. *Clin Oral Implants Res* 2010;21(7):682-87. [Abstract](#)
72. Degidi M, Nardi D, Piattelli A. Prospective five-year follow-up of immediate definitive rehabilitation of the edentulous patient using an intraoral welded titanium framework. *Z Zahnärztl Impl* 2012;28(4):326-37.
73. Degidi M, Nardi D, Piattelli A. A six-year follow-up of full-arch immediate restorations fabricated with an intraoral welding technique. *Implant Dent* 2013;22(3):224-31. [Abstract](#)
74. Degidi M, Nardi D, Piattelli A. 10-year prospective cohort follow-up of immediately restored XiVE implants. *Clin Oral Implants Res* 2016;27(6):694-700. [Abstract](#)

75. Degidi M, Nardi D, Piattelli A, et al. Immediate loading of zygomatic implants using the intraoral welding technique: a 12-month case series. *Int J Periodontics Restorative Dent* 2012;32(5):e154-61. [Abstract](#)
76. Degidi M, Nardi D, Sighinolfi G, et al. In vitro infrared thermography assessment of temperature peaks during the intra-oral welding of titanium abutments. *Infrared Phys Technol* 2012;55:279-83.
77. Degidi M, Novaes AB, Jr., Nardi D, et al. Outcome analysis of immediately placed, immediately restored implants in the esthetic area: the clinical relevance of different interimplant distances. *J Periodontol* 2008;79(6):1056-61. [Abstract](#)
78. Degidi M, Perrotti V, Piattelli A, et al. Mineralized bone-implant contact and implant stability quotient in 16 human implants retrieved after early healing periods: a histologic and histomorphometric evaluation. *Int J Oral Maxillofac Implants* 2010;25(1):45-8. [Abstract](#)
79. Degidi M, Perrotti V, Strocchi R, et al. Is insertion torque correlated to bone-implant contact percentage in the early healing period? A histological and histomorphometrical evaluation of 17 human-retrieved dental implants. *Clin Oral Implants Res* 2009;20(8):778-81. [Abstract](#)
80. Degidi M, Petrone G, Lezzi G, et al. Histologic evaluation of 2 human immediately loaded and 1 titanium implants inserted in the posterior mandible and submerged retrieved after 6 months. *J Oral Implantol* 2003;29(5):223-9. [Abstract](#)
81. Degidi M, Piattelli A. Comparative analysis study of 702 dental implants subjected to immediate functional loading and immediate nonfunctional loading to traditional healing periods with a follow-up of up to 24 months. *Int J Oral Maxillofac Implants* 2005;20(1):99-107. [Abstract](#)
82. Degidi M, Piattelli A, Carinci F. Parallel screw cylinder implants: comparative analysis between immediate loading and two-stage healing of 1,005 dental implants with a 2-year follow up. *Clin Implant Dent Relat Res* 2006;8(3):151-60. [Abstract](#)
83. Degidi M, Piattelli A, Carinci F. Immediate loaded dental implants: comparison between fixtures inserted in postextractive and healed bone sites. *J Craniofac Surg* 2007;18(4):965-71. [Abstract](#)
84. Degidi M, Piattelli A, Carinci F. Clinical outcome of narrow diameter implants: a retrospective study of 510 implants. *J Periodontol* 2008;79(1):49-54. [Abstract](#)
85. Degidi M, Piattelli A, Felice P, et al. Immediate functional loading of edentulous maxilla: a 5-year retrospective study of 388 titanium implants. *J Periodontol* 2005;76(6):1016-24. [Abstract](#)
86. Degidi M, Piattelli A, Gehrke P, et al. Clinical outcome of 802 immediately loaded 2-stage submerged implants with a new grit-blasted and acid-etched surface: 12-month follow-up. *Int J Oral Maxillofac Implants* 2006;21(5):763-8. [Abstract](#)
87. Degidi M, Piattelli A, Gehrke P, et al. Five-year outcome of 111 immediate nonfunctional single restorations. *J Oral Implantol* 2006;32(6):277-85. [Abstract](#)
88. Degidi M, Piattelli A, Iezzi G, et al. Do longer implants improve clinical outcome in immediate loading? *Int J Oral Maxillofac Surg* 2007;36(12):1172-6. [Abstract](#)

89. Degidi M, Piattelli A, Iezzi G, et al. Wide-diameter implants: analysis of clinical outcome of 304 fixtures. *J Periodontol* 2007;78(1):52-8. [Abstract](#)
90. Degidi M, Piattelli A, Iezzi G, et al. Immediately loaded short implants: analysis of a case series of 133 implants. *Quintessence Int* 2007;38(3):193-201. [Abstract](#)
91. Degidi M, Piattelli A, Iezzi G, et al. Retrospective study of 200 immediately loaded implants retaining 50 mandibular overdentures. *Quintessence Int* 2007;38(4):281-8. [Abstract](#)
92. Degidi M, Piattelli A, Shibli JA, et al. Early bone formation around immediately restored implants with and without occlusal contact: a human histologic and histomorphometric evaluation. Case report. *Int J Oral Maxillofac Implants* 2009;24(4):734-9. [Abstract](#)
93. Degidi M, Piattelli M, Scarano A, et al. Maxillary sinus augmentation with a synthetic cell-binding peptide: histological and histomorphometrical results in humans. *J Oral Implantol* 2004;30(6):376-83. [Abstract](#)
94. Degidi M, Scarano A, Iezzi G, et al. Histologic and histomorphometric analysis of an immediately loaded implant retrieved from man after 14 months of loading. *J Long Term Eff Med Implants* 2005;15(5):489-98. [Abstract](#)
95. Degidi M, Scarano A, Iezzi G, et al. Histologic analysis of an immediately loaded implant retrieved after 2 months. *J Oral Implantol* 2005;31(5):247-54. [Abstract](#)
96. Degidi M, Scarano A, Piattelli M, et al. Bone remodeling in immediately loaded and unloaded titanium dental implants: a histologic and histomorphometric study in humans. *J Oral Implantol* 2005;31(1):18-24. [Abstract](#)
97. Di Stefano DA, Artese L, Iezzi G, et al. Alveolar ridge regeneration with equine spongy bone: a clinical, histological, and immunohistochemical case series. *Clin Implant Dent Relat Res* 2009;11(2):90-100. [Abstract](#)
98. Di Stefano DA, Bassi MA, Ludovichetti M, et al. Maxillary sinus lift with a collagenic equine heterologous bone substitute. Histomorphometric analysis. *Italian Oral Surgery* 2012;11(5):56-62. [Abstract](#)
99. Dimililer G, Kucukkurt S, Cetiner S. Biomechanical effects of implant number and diameter on stress distributions in maxillary implant-supported overdentures. *J Prosthet Dent* 2017;119(2):244-49. [Abstract](#)
100. Dinh A, Sheets CG, Earthman JC. Analysis of percussion response of dental implants: an in vitro study. *Mater Sci Eng C Mater Biol Appl* 2013;33(5):2657-63. [Abstract](#)
101. Elemek E, Urgancioglu A, Dincer J, et al. Does implant-abutment interface affect marginal bone levels around implants? *Eur J Dent* 2019;E-pub Jun 2019, doi: 10.1055/s-0039-1688538. [Abstract](#)
102. Elgezawi M, Hassan K, Alagl A, et al. Complexity of comprehensive care treatments in undergraduate dental programs: The benefits of observing and assisting experienced faculty members. *Saudi Dent J* 2017;29(4):161-66. [Abstract](#)
103. Enislidis G, Wittwer G, Ewers R. Preliminary report on a staged ridge splitting technique for implant placement in the mandible: a technical note. *Int J Oral Maxillofac Implants* 2006;21(3):445-9. [Abstract](#)

104. Evian CI, Al-Momani A, Rosenberg ES, et al. Therapeutic management for immediate implant placement in sites with periapical deficiencies where coronal bone is present: technique and case report. *Int J Oral Maxillofac Implants* 2006;21(3):476-80. [Abstract](#)
105. Ewers R. Maxilla sinus grafting with marine algae derived bone forming material: a clinical report of long-term results. *J Oral Maxillofac Surg* 2005;63(12):1712-23. [Abstract](#)
106. Fazel A, Aalai S, Rismanchian M. Effect of macro-design of immediately loaded implants on micromotion and stress distribution in surrounding bone using finite element analysis. *Implant Dent* 2009;18(4):345-52. [Abstract](#)
107. Fazel A, Aalai S, Rismanchian M, et al. Micromotion and stress distribution of immediate loaded implants: a finite element analysis. *Clin Implant Dent Relat Res* 2009;11(4):267-71. [Abstract](#)
108. Felice P, Corinaldesi G, Lizio G, et al. Implant prosthetic rehabilitation of posterior mandible after tumor ablation with inferior alveolar nerve mobilization and inlay bone grafting: a case report. *J Oral Maxillofac Surg* 2009;67(5):1104-12. [Abstract](#)
109. Felice P, Marchetti C, Iezzi G, et al. Vertical ridge augmentation of the atrophic posterior mandible with interpositional bloc grafts: bone from the iliac crest vs. bovine anorganic bone. Clinical and histological results up to one year after loading from a randomized-controlled clinical trial. *Clin Oral Implants Res* 2009;20(12):1386-93. [Abstract](#)
110. Felice P, Marchetti C, Piattelli A, et al. Vertical ridge augmentation of the atrophic posterior mandible with interpositional block grafts: bone from the iliac crest versus bovine anorganic bone. *Eur J Oral Implantol* 2008;1(3):183-98. [Abstract](#)
111. Feng SW, Chang WJ, Lin CT, et al. Modal damping factor detected with an impulse-forced vibration method provides additional information on osseointegration during dental implant healing. *Int J Oral Maxillofac Implants* 2015;30(6):1333-40. [Abstract](#)
112. Fenner M, Vairaktaris E, Fischer K, et al. Influence of residual alveolar bone height on osseointegration of implants in the maxilla: a pilot study. *Clin Oral Implants Res* 2009;20(6):555-9. [Abstract](#)
113. Fenner M, Vairaktaris E, Stockmann P, et al. Influence of residual alveolar bone height on implant stability in the maxilla: an experimental animal study. *Clin Oral Implants Res* 2009;20(8):751-5. [Abstract](#)
114. Galli S, Jimbo R, Andersson M, et al. Surface characterization and clinical review of two commercially available implants. *Implant Dent* 2013;22(5):507-18. [Abstract](#)
115. Garcia-Morales JM, Tortamano-Neto P, Todescan FF, et al. Stability of dental implants after irradiation with an 830-nm low-level laser: a double-blind randomized clinical study. *Lasers Med Sci* 2012;27(4):703-11. [Abstract](#)
116. Garlini G, Redemagni M, Canciani E, et al. Maxillary sinus floor augmentation with vegetal hydroxyapatite versus demineralized bovine bone: A randomized clinical study with a split-mouth design. *J Dental Implants* 2014;4(2):118-25.

117. Garlini G, Redemagni M, Donini M, et al. Maxillary sinus elevation with an alloplastic material and implants: 11 years of clinical and radiologic follow-up. *J Oral Maxillofac Surg* 2010;68(5):1152-7. [Abstract](#)
118. Garlini GC, V. D'Amato S, Marco Redemagni. A long term follow-up of single-tooth xive implant: 15 year results. *Dent Oral Craniofacial res* 2016;3(1). [Abstract](#)
119. Geckili O, Bilhan H, Geckili E, et al. Evaluation of possible prognostic factors for the success, survival, and failure of dental implants. *Implant Dent* 2014;23(1):44-50. [Abstract](#)
120. Geckili O, Mumcu E, Bilhan H. Radiographic evaluation of narrow diameter implants after 5 years of clinical function: a retrospective study. *J Oral Implantol* 2011;39(S1):273-79. [Abstract](#)
121. Gehrke P, Alius J, Fischer C, et al. Retentive strength of two-piece CAD/CAM zirconia implant abutments. *Clin Implant Dent Relat Res* 2014;16(6):920-5. [Abstract](#)
122. Gehrke P, Degidi M, Lulay-Saad Z, et al. Reproducibility of the implant crown aesthetic index--rating aesthetics of single-implant crowns and adjacent soft tissues with regard to observer dental specialization. *Clin Implant Dent Relat Res* 2009;11(3):201-13. [Abstract](#)
123. Gehrke P, Dhom G, Brunner J, et al. Zirconium implant abutments: fracture strength and influence of cyclic loading on retaining-screw loosening. *Quintessence Int* 2006;37(1):19-26. [Abstract](#)
124. Gehrke P, Jansen R, Euisenmann E, et al. A two-year follow-up. *EDI* 2005;1(4).
125. Gehrke P, Johannson D, Fischer C, et al. In vitro fatigue and fracture resistance of one- and two-piece CAD/CAM zirconia implant abutments. *Int J Oral Maxillofac Implants* 2015;30(3):546-54. [Abstract](#)
126. Gehrke P, Lobert M, Dhom G. Reproducibility of the pink esthetic score--rating soft tissue esthetics around single-implant restorations with regard to dental observer specialization. *J Esthet Restor Dent* 2008;20(6):375-84; discussion 85. [Abstract](#)
127. Gjelvold B, Chrcanovic BR, Bagewitz IC, et al. Esthetic and patient-centered outcomes of single implants: A retrospective study. *Int J Oral Maxillofac Implants* 2017;32(5):1065-73. [Abstract](#)
128. Guler B, Uraz A, Cetiner D. The chemical surface evaluation of black and white porous titanium granules and different commercial dental implants with energy-dispersive x-ray spectroscopy analysis. *Clin Implant Dent Relat Res* 2019;21(2):352-59. [Abstract](#)
129. Guler B, Uraz A, Yalim M, et al. The comparison of porous titanium granule and xenograft in the surgical treatment of peri-implantitis: A prospective clinical study. *Clin Implant Dent Relat Res* 2017;19(2):316-27. [Abstract](#)
130. Hadi A, Saboury A. Full mouth reconstruction of a patient with worn dentition: A clinical report. *J Dent Sch* 2016;34(3):192-201. [Abstract](#)
131. Hanser T, Khouri F. Extraction site management in the esthetic zone using autogenous hard and soft tissue grafts: a 5-year consecutive clinical study. *Int J Periodontics Restorative Dent* 2014;34(3):305-12. [Abstract](#)

132. Hanser T, Khouri F. Alveolar ridge contouring with free connective tissue graft at implant placement: A 5-year consecutive clinical study. *Int J Periodontics Restorative Dent* 2016;36(4):465-73. [Abstract](#)
133. Happe A, Kunz A. Complex fixed implant-supported restoration in a site compromised by periodontitis: A case report. *Int J Esthet Dent* 2016;11(2):186-202. [Abstract](#)
134. Happe A, Schulte-Mattler V, Fickl S, et al. Spectrophotometric assessment of peri-implant mucosa after restoration with zirconia abutments veneered with fluorescent ceramic: a controlled, retrospective clinical study. *Clin Oral Implants Res* 2013;24 Suppl A100:28-33. [Abstract](#)
135. Henningsen A, Smeets R, Koppen K, et al. Immediate loading of subcrestally placed dental implants in anterior and premolar sites. *J Craniomaxillofac Surg* 2017;45(11):1898-905. [Abstract](#)
136. Hermes M, Lommen J, Kübler N, et al. Influence of schneiderian membrane perforations on the prognosis and outcomes of lateral window sinus lift operations: A retrospective case series study. *J Dent Oral Disord Ther* 2018;6(2):1-9.
137. Heschl A, Payer M, Clar V, et al. Overdentures in the edentulous mandible supported by implants and retained by a Dolder bar: a 5-year prospective study. *Clin Implant Dent Relat Res* 2013;15(4):589-99. [Abstract](#)
138. Heschl A, Payer M, Platzer S, et al. Immediate rehabilitation of the edentulous mandible with screw type implants: results after up to 10 years of clinical function. *Clin Oral Implants Res* 2012;23(10):1217-23. [Abstract](#)
139. Hessling SA, Wehrhan F, Schmitt CM, et al. Implant-based rehabilitation in oncology patients can be performed with high long-term success. *J Oral Maxillofac Surg* 2015;73(5):889-96. [Abstract](#)
140. Hjerpe J, Lassila LV, Rakkolainen T, et al. Load-bearing capacity of custom-made versus prefabricated commercially available zirconia abutments. *Int J Oral Maxillofac Implants* 2011;26(1):132-8. [Abstract](#)
141. Ho KN, Salamanca E, Lin HK, et al. Marginal bone level evaluation after functional loading around two different dental implant designs. *Biomed Res Int* 2016;2016:1472090. [Abstract](#)
142. Hsu KW, Shen YF, Wei PC. Compatible cad-cam titanium abutments for posterior single-implant tooth replacement: A retrospective case series. *J Prosthet Dent* 2017;117(3):363-66. [Abstract](#)
143. Hua N, Xu Y, Tang X, et al. Effect of estrogen deficiency on implant osseointegration in dogs. *Int J Oral Maxillofac Implants* 2014;29(5):1204-7. [Abstract](#)
144. Ibrahim TO, Ibrahim RO. Evaluation of two treatment modalities for patients with combination syndrome suffering from narrow anterior maxilla. *Life Science Journal* 2013;10(2):2199-210.
145. Iezzi G, Degidi M, Scarano A, et al. Bone response to submerged, unloaded implants inserted in poor bone sites: a histological and histomorphometrical study of 8 titanium implants retrieved from man. *J Oral Implantol* 2005;31(5):225-33. [Abstract](#)

146. Isler SC, Soysal F, Ceyhanli T, et al. Regenerative surgical treatment of peri-implantitis using either a collagen membrane or concentrated growth factor: A 12-month randomized clinical trial. *Clin Implant Dent Relat Res* 2018;20(5):703-12. [Abstract](#)
147. Isler SC, Uraz A, Kaymaz O, et al. An evaluation of the relationship between peri-implant soft tissue biotype and the severity of peri-implantitis: A cross-sectional study. *Int J Oral Maxillofac Implants* 2019;34(1):187-96. [Abstract](#)
148. Ismaiel MD, Elhadry AA. Influence of platform switching concept on marginal bone alteration around dental implant. *J Am Sci* 2012;8(11):546-52.
149. Jayme SJ, Muglia VA, de Oliveira RR, et al. Optimization in multi-implant placement for immediate loading in edentulous arches using a modified surgical template and prototyping: a case report. *Int J Oral Maxillofac Implants* 2008;23(4):759-62. [Abstract](#)
150. Ji TJ, Kan JY, Rungcharassaeng K, et al. Immediate loading of maxillary and mandibular implant-supported fixed complete dentures: a 1- to 10-year retrospective study. *J Oral Implantol* 2012;38 Spec No:469-76. [Abstract](#)
151. Kalt G, Gehrke P. Transfer precision of three-dimensional implant planning with CT assisted offline navigation. *Int J Comput Dent* 2008;11(3-4):213-25. [Abstract](#)
152. Karabuda C, Arisan V, Ozyuvaci H. Effects of sinus membrane perforations on the success of dental implants placed in the augmented sinus. *J Periodontol* 2006;77(12):1991-7. [Abstract](#)
153. Karaky AE, Sawair FA, Al-Karadsheh OA, et al. Antibiotic prophylaxis and early dental implant failure: a quasi-random controlled clinical trial. *Eur J Oral Implantol* 2011;4(1):31-8. [Abstract](#)
154. Katic Z, Jukic T, Stubljar D. Effects of osteotomy lengths on the temperature rise of the crestal bone during implant site preparation. *Implant Dent* 2018;E-pub Feb 13, doi: 10.1097/ID.0000000000000732. [Abstract](#)
155. Kazemi M, Geramipanah F, Negahdari R, et al. Active tactile sensibility of single-tooth implants versus natural dentition: a split-mouth double-blind randomized clinical trial. *Clin Implant Dent Relat Res* 2014;16(6):947-55. [Abstract](#)
156. Keeve PL, Khoury F. Long-term results of peri-implant conditions in periodontally compromised patients following lateral bone augmentation. *Int J Oral Maxillofac Implants* 2017;32(1):137-46. [Abstract](#)
157. Khojasteh A, Hassani A, Motamedian SR, et al. Cortical bone augmentation versus nerve lateralization for treatment of atrophic posterior mandible: a retrospective study and review of literature. *Clin Implant Dent Relat Res* 2016;18(2):342-59. [Abstract](#)
158. Khojasteh A, Motamedian SR, Sharifzadeh N, et al. The influence of initial alveolar ridge defect morphology on the outcome of implants in augmented atrophic posterior mandible: an exploratory retrospective study. *Clin Oral Implants Res* 2017;28(10):e208-e17. [Abstract](#)
159. Khoury F, Dolveux R. The bone core technique for the augmentation of limited bony defects: Five-year prospective study with a new minimally invasive technique. *Int J Periodontics Restorative Dent* 2018;38(2):199-207. [Abstract](#)

160. Khoury F, Hidajat H. Extensive autogenous bone augmentation and implantation in patients under bisphosphonate treatment: A 15-case series. *Int J Periodontics Restorative Dent* 2016;36(1):9-18. [Abstract](#)
161. Khoury F, Keller P, Keeve PL. Stability of grafted implant placement sites after sinus floor elevation using a layering technique: 10-year clinical and radiographic results. *Int J Oral Maxillofac Implants* 2017;32(5):1086-96. [Abstract](#)
162. Kim BC, Yoon JH, Choi B, et al. Mandibular reconstruction with autologous human bone marrow stem cells and autogenous bone graft in a patient with plexiform ameloblastoma. *J Craniofac Surg* 2013;24(4):e409-11. [Abstract](#)
163. Kim S, Jung UW, Lee YK, et al. Effects of biphasic calcium phosphate bone substitute on circumferential bone defects around dental implants in dogs. *Int J Oral Maxillofac Implants* 2011;26(2):265-73. [Abstract](#)
164. Kim S, Jung U-W, Lee Y-K, et al. The effect of calcium phosphate bone substitute on defect resolution around a rough-surfaced dental implants in dogs. *J Biomed Mater Res B* 2011;99B(1):21-26. [Abstract](#)
165. Kim YK, Yun PY, Kim SG, et al. In vitro scanning electron microscopic comparison of inner surface of exposed and unexposed nonresorbable membranes. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2009;107(6):e5-e11. [Abstract](#)
166. Kirmeier R, Payer M, Wehrscheutz M, et al. Evaluation of three-dimensional changes after sinus floor augmentation with different grafting materials. *Clin Oral Implants Res* 2008;19(4):366-72. [Abstract](#)
167. Koike H, Kawahara D, Kawahara H. Clinical characterization of several bone grafting materials as a dental implant supporting tissue. *Adv Sci Technol* 2006;49:300-05.
168. Kolbeck C, Behr M, Rosentritt M, et al. Fracture force of tooth-tooth- and implant-tooth-supported all-ceramic fixed partial dentures using titanium vs. customised zirconia implant abutments. *Clin Oral Implants Res* 2008;19(10):1049-53. [Abstract](#)
169. Konstantinidis IK, Kotsakis GA, Gerdes S, et al. Cross-sectional study on the prevalence and risk indicators of peri-implant diseases. *Eur J Oral Implantol* 2015;8(1):75-88. [Abstract](#)
170. Konstantinidis IK, Siormpas KD, Kontsiotou-Siormpa E, et al. Long-term esthetic evaluation of the roll flap technique in the implant rehabilitation of patients with agenesis of maxillary lateral incisors: 10-year follow-up. *Int J Oral Maxillofac Implants* 2016;31(4):820-6. [Abstract](#)
171. Kontogiorgos ED, Gharpure P, Iheanacho EO, et al. Preclinical evaluation of a crown-splinted custom root-shaped implant. *Int J Oral Maxillofac Implants* 2017;32(5):1023-32. [Abstract](#)
172. Korpi JT, Kainulainen VT, Sandor GK, et al. Long-term follow-up of severely resorbed mandibles reconstructed using tent pole technique without platelet-rich plasma. *J Oral Maxillofac Surg* 2012;70(11):2543-8. [Abstract](#)
173. Korpi JT, Kainulainen VT, Sandor GK, et al. Tent-pole approach to treat severely atrophic fractured mandibles using immediate or delayed protocols: preliminary case series. *J Oral Maxillofac Surg* 2013;71(1):83-9. [Abstract](#)

174. Kournetas N, Spintzyk S, Schweizer E, et al. Comparative evaluation of topographical data of dental implant surfaces applying optical interferometry and scanning electron microscopy. *Dent Mater* 2017;33(8):e317-e27. [Abstract](#)
175. Kourtis S, Kokkinos K, Roussou V. Predicting the final result in implant-supported fixed restorations for completely edentulous patients. *J Esthet Restor Dent* 2014;26(1):40-7. [Abstract](#)
176. Krennmaier G, Krainhofner M, Waldenberger O, et al. Dental implants as strategic supplementary abutments for implant-tooth-supported telescopic crown-retained maxillary dentures: a retrospective follow-up study for up to 9 years. *Int J Prosthodont* 2007;20(6):617-22. [Abstract](#)
177. Kunkel M, Wahlmann U, Reichert TE, et al. Reconstruction of mandibular defects following tumor ablation by vertical distraction osteogenesis using intraosseous distraction devices. *Clin Oral Implants Res* 2005;16(1):89-97. [Abstract](#)
178. Kuoppala R, Kainulainen VT, Korpi JT, et al. Outcome of treatment of implant-retained overdenture in patients with extreme mandibular bone resorption treated with bone grafts using a modified tent pole technique. *J Oral Maxillofac Surg* 2013;71(11):1843-51. [Abstract](#)
179. Kusek ER. Immediate implant placement into infected sites: bacterial studies of the Hydroacoustic effects of the YSGG laser. *J Oral Implantol* 2011;37 Spec No:205-11. [Abstract](#)
180. Kwon JH, Han CH, Kim SJ, et al. The change of rotational freedom following different insertion torques in three implant systems with implant driver. *J Adv Prosthodont* 2009;1(1):37-40. [Abstract](#)
181. Lee HW, Lin WS, Morton D. A retrospective study of complications associated with 100 consecutive maxillary sinus augmentations via the lateral window approach. *Int J Oral Maxillofac Implants* 2013;28(3):860-8. [Abstract](#)
182. Lee JS, Kim HM, Kim CS, et al. Long-term retrospective study of narrow implants for fixed dental prostheses. *Clin Oral Implants Res* 2013;24(8):847-52. [Abstract](#)
183. Lizio G, Corinaldesi G, Pieri F, et al. Problems with dental implants that were placed on vertically distracted fibular free flaps after resection: a report of six cases. *Br J Oral Maxillofac Surg* 2009;47(6):455-60. [Abstract](#)
184. Lizio G, Mazzone N, Corinaldesi G, et al. Reconstruction of extended and morphologically varied alveolar ridge defects with the titanium mesh technique: Clinical and dental implants outcomes. *Int J Periodontics Restorative Dent* 2016;36(5):689-97. [Abstract](#)
185. Lu SY, Huang CC. Resolution of an active peri-implantitis in a chronic steroid user by bone augmentation with PepGen P-15 and a barrier membrane. *J Oral Implantol* 2007;33(5):280-7. [Abstract](#)
186. Luo Z, Zeng R, Chen Z. Single implants in the esthetic zone: analysis of recent peri-implant soft tissue alterations and patient satisfaction. A photographic study. *Int J Oral Maxillofac Implants* 2011;26(3):578-86. [Abstract](#)
187. Marchetti C, Trasarti S, Corinaldesi G, et al. Interpositional bone grafts in the posterior mandibular region: a report on six patients. *Int J Periodontics Restorative Dent* 2007;27(6):547-55. [Abstract](#)

188. Maridati PC, Cremonesi S, Fontana F, et al. Management of d-PTFE membrane exposure for having final clinical success. *J Oral Implantol* 2016;42(3):289-91. [Abstract](#)
189. Markazi N, Akhondi N, Montazeri M. Long-term results of immediate implantation in the maxillary molar area with simultaneous sinus floor elevation by the crestal approach and early loading protocol: A retrospective case series follow-up study *J Adv Periodontal Implant Dent* 2018;10(2):68-76.
190. Massoumi F, Taheri M, Mohammadi A, et al. Evaluation of the effect of buccolingual and apicocoronal positions of dental implants on stress and strain in alveolar bone by finite element analysis. *J Dent (Tehran)* 2018;15(1):10-19. [Abstract](#)
191. Merli M, Lombardini F, Esposito M. Vertical ridge augmentation with autogenous bone grafts 3 years after loading: resorbable barriers versus titanium-reinforced barriers. A randomized controlled clinical trial. *Int J Oral Maxillofac Implants* 2010;25(4):801-7. [Abstract](#)
192. Merli M, Migani M, Esposito M. Vertical ridge augmentation with autogenous bone grafts: resorbable barriers supported by osteosynthesis plates versus titanium-reinforced barriers. A preliminary report of a blinded, randomized controlled clinical trial. *Int J Oral Maxillofac Implants* 2007;22(3):373-82. [Abstract](#)
193. Merli M, Moscatelli M, Mariotti G, et al. Bone level variation after vertical ridge augmentation: resorbable barriers versus titanium-reinforced barriers. A 6-year double-blind randomized clinical trial. *Int J Oral Maxillofac Implants* 2014;29(4):905-13. [Abstract](#)
194. Moeintaghavi A, Radvar M, Arab H, et al. Evaluation of 3- to 8-year treatment outcomes and success rates with six implant brands in partially edentulous patients. *J Oral Implantol* 2012;38(s1):441-48. [Abstract](#)
195. Naumann M, Hohmann C, Happe A, et al. Are implants more reliable than severely compromised endodontically treated teeth as abutments for zirconia-based FPDs? : In vitro results of long-term preclinical load simulation. *Clin Oral Investig* 2013;17(7):1685-92. [Abstract](#)
196. Neugebauer J. Modified technique for stage 1 indexing using the XiVE system. *Dent Implantol Update* 2003;14(10):73-9. [Abstract](#)
197. Neugebauer J, Iezzi G, Perrotti V, et al. Experimental immediate loading of dental implants in conjunction with grafting procedures. *J Biomed Mater Res B* 2009;91(2):604-12. [Abstract](#)
198. Neugebauer J, Kistler F, Kistler S, et al. CAD/CAM-produced surgical guides: Optimizing the treatment workflow. *Int J Comput Dent* 2011;14(2):93-103. [Abstract](#)
199. Neugebauer J, Traini T, Thams U, et al. Peri-implant bone organization under immediate loading state. Circularly polarized light analyses: a minipig study. *J Periodontol* 2006;77(2):152-60. [Abstract](#)
200. Neugebauer J, Weinlander M, Lekovic V, et al. Mechanical stability of immediately loaded implants with various surfaces and designs: a pilot study in dogs. *Int J Oral Maxillofac Implants* 2009;24(6):1083-92. [Abstract](#)

201. Nkenke E, Fenner M, Vairaktaris EG, et al. Immediate versus delayed loading of dental implants in the maxillae of minipigs. Part II: histomorphometric analysis. *Int J Oral Maxillofac Implants* 2005;20(4):540-6. [Abstract](#)
202. Nkenke E, Lehner B, Fenner M, et al. Immediate versus delayed loading of dental implants in the maxillae of minipigs: follow-up of implant stability and implant failures. *Int J Oral Maxillofac Implants* 2005;20(1):39-47. [Abstract](#)
203. Nkenke E, Lehner B, Weinzierl K, et al. Bone contact, growth, and density around immediately loaded implants in the mandible of mini pigs. *Clin Oral Implants Res* 2003;14(3):312-21. [Abstract](#)
204. Nonhoff J, Moest T, Schmitt CM, et al. Establishment of a new pull-out strength testing method to quantify early osseointegration—an experimental pilot study. *J Craniomaxillofac Surg* 2015;43(10):1966-73. [Abstract](#)
205. Nothdurft F, Pospiech P. Prefabricated zirconium dioxide implant abutments for single-tooth replacement in the posterior region: evaluation of peri-implant tissues and superstructures after 12 months of function. *Clin Oral Implants Res* 2010;21(8):857-65. [Abstract](#)
206. Nothdurft FP. All-ceramic zirconium dioxide implant abutments for single-tooth replacement in the posterior region: A 5-year outcome report. *Int J Prosthodont* 2019;32(2):177-81. [Abstract](#)
207. Nothdurft FP, Merker S, Pospiech PR. Fracture behaviour of implant-implant- and implant-tooth-supported all-ceramic fixed dental prostheses utilising zirconium dioxide implant abutments. *Clin Oral Investig* 2011;15(1):89-97. [Abstract](#)
208. Nothdurft FP, Nonhoff J, Pospiech PR. Pre-fabricated zirconium dioxide implant abutments for single-tooth replacement in the posterior region: success and failure after 3 years of function. *Acta Odontol Scand* 2014;72(5):392-400. [Abstract](#)
209. Nothdurft FP, Pospiech PR. Zirconium dioxide implant abutments for posterior single-tooth replacement: first results. *J Periodontol* 2009;80(12):2065-72. [Abstract](#)
210. Novaes AB, Jr., de Oliveira RR, Taba Junior M, et al. Crestal bone loss minimized when following the crestal preparation protocol: a histomorphometric study in dogs. *J Oral Implantol* 2005;31(6):276-82. [Abstract](#)
211. Oyama K, Kan JY, Rungcharassaeng K, et al. Immediate provisionalization of 3.0-mm-diameter implants replacing single missing maxillary and mandibular incisors: 1-year prospective study. *Int J Oral Maxillofac Implants* 2012;27(1):173-80. [Abstract](#)
212. Papadopoulos I, Pozidi G, Goussias H, et al. Transferring the emergence profile from the provisional to the final restoration. *J Esthet Restor Dent* 2014;26(3):154-61. [Abstract](#)
213. Papavassiliou H, Kourtis S, Katerelou J, et al. Radiographical evaluation of the gap at the implant-abutment interface. *J Esthet Restor Dent* 2010;22(4):235-50. [Abstract](#)
214. Papazoglou E, Wee AG, Carr AB, et al. Accuracy of complete-arch implant impression made with occlusal registration material. *J Prosthet Dent* 2019;E-pub May 14 doi:10.1016/j.jprosdent.2018.12.011. [Abstract](#)

215. Pappalardo M, Tsao CK, Tsang ML, et al. Long-term outcome of patients with or without osseointegrated implants after resection of mandibular ameloblastoma and reconstruction with vascularized bone graft: Functional assessment and quality of life. *J Plast Reconstr Aesthet Surg* 2018;71(7):1076-85. [Abstract](#)
216. Park JW, Kim HK, Kim YJ, et al. Enhanced osteoconductivity of micro-structured titanium implants (XiVE S CELLplus) by addition of surface calcium chemistry: a histomorphometric study in the rabbit femur. *Clin Oral Implants Res* 2009;20(7):684-90. [Abstract](#)
217. Park SJ, Lee SW, Leesungbok R, et al. Influence of the connection design and titanium grades of the implant complex on resistance under static loading. *J Adv Prosthodont* 2016;8(5):388-95. [Abstract](#)
218. Payer M, Heschl A, Wimmer G, et al. Immediate provisional restoration of screw-type implants in the posterior mandible: results after 5 years of clinical function. *Clin Oral Implants Res* 2010;21(8):815-21. [Abstract](#)
219. Payer M, Kirmeier R, Jakse N, et al. Surgical factors influencing mesiodistal implant angulation. *Clin Oral Implants Res* 2008;19(3):265-70. [Abstract](#)
220. Payer M, Kirmeier R, Jakse N, et al. Immediate provisional restoration of XiVE screw-type implants in the posterior mandible. *Clin Oral Implants Res* 2008;19(2):160-5. [Abstract](#)
221. Payer M, Lohberger B, Strunk D, et al. Effects of directly autotransplanted tibial bone marrow aspirates on bone regeneration and osseointegration of dental implants. *Clin Oral Implants Res* 2014;25(4):468-74. [Abstract](#)
222. Philippart P, Daubie V, Pochet R. Sinus grafting using recombinant human tissue factor, platelet-rich plasma gel, autologous bone, and anorganic bovine bone mineral xenograft: histologic analysis and case reports. *Int J Oral Maxillofac Implants* 2005;20(2):274-81. [Abstract](#)
223. Pieralli S, Gintaute A, Beuer F, et al. Digital and orthodontically driven implant planning: A multidisciplinary case history report. *Int J Prosthodont* 2019;32(32):214-16. [Abstract](#)
224. Pieri F, Aldini NN, Marchetti C, et al. Esthetic outcome and tissue stability of maxillary anterior single-tooth implants following reconstruction with mandibular block grafts: a 5-year prospective study. *Int J Oral Maxillofac Implants* 2013;28(1):270-80. [Abstract](#)
225. Pieri F, Lucarelli E, Corinaldesi G, et al. Mesenchymal stem cells and platelet-rich plasma enhance bone formation in sinus grafting: a histomorphometric study in minipigs. *J Clin Periodontol* 2008;35(6):539-46. [Abstract](#)
226. Podhorsky A, Biscoping S, Rehmann P, et al. Transfer of bacteria into the internal cavity of dental implants after application of disinfectant or sealant agents in vitro. *Int J Oral Maxillofac Implants* 2016;31(3):563-70. [Abstract](#)
227. Pro RCTDegidi M, Nardi D, Piattelli A. Immediate versus one-stage restoration of small-diameter implants for a single missing maxillary lateral incisor: a 3-year randomized clinical trial. *J Periodontol* 2009;80(9):1393-8. [Abstract](#)
228. Redemagni M, Cremonesi S, Garlini G, et al. Soft tissue stability with immediate implants and concave abutments. *Eur J Esthet Dent* 2009;4(4):328-37. [Abstract](#)

229. Redemagni M, Garlini G, Mascetti T. Post-extractive immediate implant placement and immediate provisionalization at sites requiring buccal bone regeneration: A clinical case series. *EC Dental Science* 2019;18(6).
230. Restoy-Lozano A, Dominguez-Mompell JL, Infante-Cossio P, et al. Calvarial bone grafting for three-dimensional reconstruction of severe maxillary defects: a case series. *Int J Oral Maxillofac Implants* 2015;30(4):880-90. [Abstract](#)
231. Rinke S, Ziebolz D. Fabrication of an implant-supported overdenture using CAD/CAM technology: A clinical report. *Quintessence Int* 2013;44(2):127-34. [Abstract](#)
232. Rismanchian M, Movahedian B, Khalighinejad N, et al. Comparative evaluation of two types of immediately loaded implants using biomechanical and histomorphometric tests: an animal case study. *ISRN Dent* 2012;2012:328945. [Abstract](#)
233. Rokn A, Aslroosta H, Akbari S, et al. Prevalence of peri-implantitis in patients not participating in well-designed supportive periodontal treatments: A cross-sectional study. *Clin Oral Implants Res* 2017;28(3):314-19. [Abstract](#)
234. Romanos GE, Testori T, Degidi M, et al. Histologic and histomorphometric findings from retrieved, immediately occlusally loaded implants in humans. *J Periodontol* 2005;76(11):1823-32. [Abstract](#)
235. Rugani P, Kirnbauer B, Acham S, et al. Implant placement adjacent to successfully treated bisphosphonate-related osteonecrosis of the jaw (BRONJ). *J Oral Implantol* 2015;41 Suppl 1:377-81. [Abstract](#)
236. Rupp F, Scheideler L, Eichler M, et al. Wetting behavior of dental implants. *Int J Oral Maxillofac Implants* 2011;26(6):1256-66. [Abstract](#)
237. Rupp F, Scheideler L, Rehbein D, et al. Roughness induced dynamic changes of wettability of acid etched titanium implant modifications. *Biomaterials* 2004;25(7-8):1429-38. [Abstract](#)
238. Saboury A, Hadi A. A new, simple implant-level impression technique for dental implants in limited interproximal space. *J Prosthodont* 2012;21(4):328-30. [Abstract](#)
239. Saboury A, Neshandar Asli H, Vaziri S. The effect of repeated torque in small diameter implants with machined and premachined abutments. *Clin Implant Dent Relat Res* 2012;14 Suppl 1:e224-30. [Abstract](#)
240. Sahabi M, Adibrad M, Mirhashemi FS, et al. Biomechanical effects of platform switching in two different implant systems: a three-dimensional finite element analysis. *J Dent (Tehran)* 2013;10(4):338-50. [Abstract](#)
241. Scarano A, Degidi M, Iezzi G, et al. Correlation between implant stability quotient and bone-implant contact: a retrospective histological and histomorphometrical study of seven titanium implants retrieved from humans. *Clin Implant Dent Relat Res* 2006;8(4):218-22. [Abstract](#)
242. Scarano A, Degidi M, Perrotti V, et al. Sinus augmentation with phycogene hydroxyapatite: histological and histomorphometrical results after 6 months in humans. A case series. *Oral Maxillofac Surg* 2012;16(1):41-5. [Abstract](#)

243. Schicho K, Kastner J, Klingesberger R, et al. Surface area analysis of dental implants using micro-computed tomography. *Clin Oral Implants Res* 2007;18(4):459-64. [Abstract](#)
244. Schmage P, Thielemann J, Nergiz I, et al. Effects of 10 cleaning instruments on four different implant surfaces. *Int J Oral Maxillofac Implants* 2012;27(2):308-17. [Abstract](#)
245. Schulz MC, Rittmann L, Range U, et al. The use of orientation templates and free-hand implant insertion in artificial mandibles-An experimental laboratory examination in fifth-year dental students. *Dent J (Basel)* 2018;6(3). [Abstract](#)
246. Schwarz F, Hegewald A, John G, et al. Four-year follow-up of combined surgical therapy of advanced peri-implantitis evaluating two methods of surface decontamination. *J Clin Periodontol* 2013;40(10):962-7. [Abstract](#)
247. Schwarz F, John G, Mainusch S, et al. Combined surgical therapy of peri-implantitis evaluating two methods of surface debridement and decontamination. A two-year clinical follow up report. *J Clin Periodontol* 2012;39(8):789-97. [Abstract](#)
248. Schwarz F, John G, Schmucker A, et al. Combined surgical therapy of advanced peri-implantitis evaluating two methods of surface decontamination: A 7-year follow-up observation. *J Clin Periodontol* 2017;44(3):337-42. [Abstract](#)
249. Schwarz F, Sahm N, Iglhaut G, et al. Impact of the method of surface debridement and decontamination on the clinical outcome following combined surgical therapy of peri-implantitis: a randomized controlled clinical study. *J Clin Periodontol* 2011;38(3):276-84. [Abstract](#)
250. Shabani R, Mousavi N, Ghodsi S, et al. Comparative evaluation of fracture resistance and mode of failure of zirconia and titanium abutments with different diameters. *J Contemp Dent Pract* 2015;16(8):613-8. [Abstract](#)
251. Shahab N, Sar C, Sarac M, et al. Reconstruction of premaxilla with alveolar distraction osteogenesis in a patient with complete cleft lip and palate: A case report. *Cleft Palate Craniofac J* 2019;56(4):534-37. [Abstract](#)
252. Shivaraman, Visalakshi. Flapless implant placement A clinical case report. *Clin Dent* 2018;12(11):33-38.
253. Sivolella S, Brunello G, Berengo M, et al. Rehabilitation with implants after bone lid surgery in the posterior mandible. *J Oral Maxillofac Surg* 2015;73(8):1485-92. [Abstract](#)
254. Stadlinger B, Bierbaum S, Grimmer S, et al. Increased bone formation around coated implants. *J Clin Periodontol* 2009;36(8):698-704. [Abstract](#)
255. Stadlinger B, Hintze V, Bierbaum S, et al. Biological functionalization of dental implants with collagen and glycosaminoglycans—A comparative study. *J Biomed Mater Res B* 2012;100B(2):331-41. [Abstract](#)
256. Stadlinger B, Pilling E, Mai R, et al. Effect of biological implant surface coatings on bone formation, applying collagen, proteoglycans, glycosaminoglycans and growth factors. *J Mater Sci Mater Med* 2008;19(3):1043-9. [Abstract](#)
257. Starr CB, Maksoud MA. Implant treatment in an urban general dentistry residency program: a 7-year retrospective study. *J Oral Implantol* 2006;32(3):142-7. [Abstract](#)

258. Stefos S, Kourtis S, Sarafianou A, et al. The influence of impression material on the accuracy of the master cast in implant restorations. *Open Dent J* 2018;12(1):1123-36.
259. Stern JK, Hansen T, Frankel J, et al. Implant-supported fixed prosthesis in a hypohidrotic ectodermal dysplasia patient: a case report with 3 years follow-up and review of the literature. *Implant Dent* 2014;23(4):394-400. [Abstract](#)
260. Streckbein P, Kleis W, Buch RS, et al. Bone healing with or without platelet-rich plasma around four different dental implant surfaces in beagle dogs. *Clin Implant Dent Relat Res* 2014;16(4):479-86. [Abstract](#)
261. Streckbein P, Streckbein RG, Wilbrand JF, et al. Non-linear 3D evaluation of different oral implant-abutment connections. *J Dent Res* 2012;91(12):1184-9. [Abstract](#)
262. Tabrizi R, Pourdanesh F, Zare S, et al. Do angulated implants increase the amount of bone loss around implants in the anterior maxilla? *J Oral Maxillofac Surg* 2013;71(2):272-7. [Abstract](#)
263. Titiz S, Celikkol O, Ates P, et al. Multidisciplinary treatment of two patients with cleft lip and palate using archwise distraction: A case report. *J Stomatol Oral Maxillofac Surg* 2019;120(1):61-66. [Abstract](#)
264. Traini T, Caputi S, Gherlone E, et al. Fibrin clot extension on zirconia surface for dental implants: a quantitative in vitro study. *Clin Implant Dent Relat Res* 2014;16(5):718-27. [Abstract](#)
265. Traini T, Degidi M, Caputi S, et al. Collagen fiber orientation in human peri-implant bone around immediately loaded and unloaded titanium dental implants. *J Periodontol* 2005;76(1):83-9. [Abstract](#)
266. Traini T, Degidi M, Iezzi G, et al. Comparative evaluation of the peri-implant bone tissue mineral density around unloaded titanium dental implants. *J Dent* 2007;35(1):84-92. [Abstract](#)
267. Traini T, Degidi M, Strocchi R, et al. Collagen fiber orientation near dental implants in human bone: do their organization reflect differences in loading? *J Biomed Mater Res B* 2005;74(1):538-46. [Abstract](#)
268. Traini T, Neugebauer J, Thams U, et al. Peri-implant bone organization under immediate loading conditions: collagen fiber orientation and mineral density analyses in the minipig model. *Clin Implant Dent Relat Res* 2009;11(1):41-51. [Abstract](#)
269. Tunkel J, de Stavola L, Khouri F. Changes in soft tissue dimensions following three different techniques of stage-two surgery: a case series report. *Int J Periodontics Restorative Dent* 2013;33(4):411-8. [Abstract](#)
270. Turk AG, Ulusoy M, Toksavul S, et al. Marginal bone loss of two implant systems with three different superstructure materials: a randomised clinical trial. *J Oral Rehabil* 2013;40(6):457-63. [Abstract](#)
271. Ugurel CS, Steiner M, Isik-Ozkol G, et al. Mechanical resistance of screwless morse taper and screw-retained implant-abutment connections. *Clin Oral Implants Res* 2015;26(2):137-42. [Abstract](#)

272. Viswambaran M, Arora V, Tripathi RC, et al. Clinical evaluation of immediate implants using different types of bone augmentation materials. *Med J Armed Forces India* 2014;70(2):154-62. [Abstract](#)
273. Viswambaran M, Thiruvalluwan N. Prosthodontic rehabilitation protocols for immediate implants. *Med J Armed Forces India* 2015;71(Suppl 2):S440-3. [Abstract](#)
274. Vogl S, Stopper M, Hof M, et al. Immediate occlusal vs nonocclusal loading of implants: A randomized prospective clinical pilot study and patient centered outcome after 36 months. *Clin Implant Dent Relat Res* 2019;E-pub May 8, doi:10.1111/cid.12770. [Abstract](#)
275. Vogl S, Stopper M, Hof M, et al. Immediate occlusal versus non-occlusal loading of implants: A randomized clinical pilot study. *Clin Implant Dent Relat Res* 2015;17(3):589-97. [Abstract](#)
276. Weibrich G, Kleis W, Buch RS, et al. Bone remodeling around dental implant surfaces. *Z Zahnärztl Impl* 2009;25(3):238-49.
277. Wildburger A, Payer M, Jakse N, et al. Impact of autogenous concentrated bone marrow aspirate on bone regeneration after sinus floor augmentation with a bovine bone substitute--a split-mouth pilot study. *Clin Oral Implants Res* 2014;25(10):1175-81. [Abstract](#)
278. Wostmann B, Rehmann P, Balkenhol M. Influence of impression technique and material on the accuracy of multiple implant impressions. *Int J Prosthodont* 2008;21(4):299-301. [Abstract](#)
279. Wu S, Wu X, Shrestha R, et al. Clinical and radiologic outcomes of submerged and nonsubmerged bone-level implants with internal hexagonal connections in immediate implantation: A 5-year retrospective study. *J Prosthodont* 2018;27(2):101-07. [Abstract](#)
280. Yadav DD, et al. Comparative evaluation of hard and soft tissue parameters by using short and standard dental implants for prosthetic rehabilitation of posterior mandible: a split mouth study. *J Osseointegration* 2019;11(1):38-44.
281. Yerit KC, Posch M, Seemann M, et al. Implant survival in mandibles of irradiated oral cancer patients. *Clin Oral Implants Res* 2006;17(3):337-44. [Abstract](#)
282. Yeung R. Surgical management of the partially edentulous atrophic mandibular ridge using a modified sandwich osteotomy: a case report. *Int J Oral Maxillofac Implants* 2005;20(5):799-803. [Abstract](#)
283. Zaghloul HH, Younis JF. Marginal fit of implant-supported all-ceramic zirconia frameworks. *J Oral Implantol* 2013;39(4):417-24. [Abstract](#)
284. Zarandi A, Novin M. Marginal bone loss around platform-switched and non-platform switched implants after two years of placement: A clinical trial. *J Dent Res Dent Clin Dent Prospects* 2017;11(1):26-29. [Abstract](#)
285. Zeytinoglu M, Ilhan B, Dundar N, et al. Fractal analysis for the assessment of trabecular peri-implant alveolar bone using panoramic radiographs. *Clin Oral Investig* 2015;19(2):519-24. [Abstract](#)
286. Zipprich H, Miatke S, Hmaidouch R, et al. A new experimental design for bacterial microleakage investigation at the implant-abutment interface: an in vitro study. *Int J Oral Maxillofac Implants* 2016;31(1):37-44. [Abstract](#)

287. Zipprich H, Weigl P, Lauer H-C, et al. Micro-movements at the implant-abutment interface: measurements, causes and consequences. *Implantologie* 2007;15:31-45.
288. Zipprich H, Weigl P, Ratka C, et al. The micromechanical behavior of implant-abutment connections under a dynamic load protocol. *Clin Implant Dent Relat Res* 2018;20(5):814-23. [Abstract](#)

## Frialit

1. Abels N, Schiel HJ, Hery-Langer G, et al. Bone condensing in the placement of endosteal palatal implants: A case report. *Int J Oral Maxillofac Implants* 1999;14(6):849-52. [Abstract](#)
2. Alcan T, Basa S, KargÜL B. Growth analysis of a patient with ectodermal dysplasia treated with endosseous implants: 6-year follow-up. *J Oral Rehabil* 2006;33(3):175-82. [Abstract](#)
3. Al-Ghafli SA, Michalakis KX, Hirayama H, et al. The in vitro effect of different implant angulations and cyclic dislodgement on the retentive properties of an overdenture attachment system. *J Prosthet Dent* 2009;102(3):140-7. [Abstract](#)
4. Anneroth G, Ericsson AR, Zetterqvist L. Tissue integration of Al<sub>2</sub>O<sub>3</sub>-ceramic dental implants (Frialit)--a case report. *Swed Dent J* 1990;14(2):63-70. [Abstract](#)
5. Antalainen AK, Helminen M, Forss H, et al. Assessment of removed dental implants in Finland from 1994 to 2012. *Int J Oral Maxillofac Implants* 2013;28(6):1612-8. [Abstract](#)
6. Aral A, Yalcin S, Karabuda ZC, et al. Injectable calcium phosphate cement as a graft material for maxillary sinus augmentation: an experimental pilot study. *Clin Oral Implants Res* 2008;19(6):612-7. [Abstract](#)
7. Arisan V, Anil A, Wolke JG, et al. The effect of injectable calcium phosphate cement on bone anchorage of titanium implants: an experimental feasibility study in dogs. *Int J Oral Maxillofac Surg* 2010;39(5):463-8. [Abstract](#)
8. Arisan V, Ozdemir T, Anil A, et al. Injectable calcium phosphate cement as a bone-graft material around peri-implant dehiscence defects: a dog study. *Int J Oral Maxillofac Implants* 2008;23(6):1053-62. [Abstract](#)
9. Blum IR, McCord JF. A clinical investigation of the morphological changes in the posterior mandible when implant-retained overdentures are used. *Clin Oral Implants Res* 2004;15(6):700-08. [Abstract](#)
10. Bruschi GB, Cappare P, Bravi F, et al. Radiographic evaluation of crestal bone level in split-crest and immediate implant placement: Minimum 5-year follow-up. *Int J Oral Maxillofac Implants* 2017;32(1):114-20. [Abstract](#)
11. Bruschi GB, Crespi R, Cappare P, et al. Localized management of sinus floor technique for implant placement in fresh molar sockets. *Clin Implant Dent Relat Res* 2013;15(2):243-50. [Abstract](#)
12. Bruschi GB, Crespi R, Cappare P, et al. Transcrestal sinus floor elevation: a retrospective study of 46 patients up to 16 years. *Clin Implant Dent Relat Res* 2012;14(5):759-67. [Abstract](#)

13. Bruschi GB, Crespi R, Cappare P, et al. Radiographic evaluation of crestal bone levels of delayed implants at medium-term follow-up. *Int J Oral Maxillofac Implants* 2014;29(2):441-7. [Abstract](#)
14. Bruschi GB, Scipioni A, Calesini G, et al. Localized management of sinus floor with simultaneous implant placement: a clinical report. *Int J Oral Maxillofac Implants* 1998;13(2):219-26. [Abstract](#)
15. Buchmann R, Khouri F, Faust C, et al. Peri-implant conditions in periodontally compromised patients following maxillary sinus augmentation. A long-term post-therapy trial. *Clin Oral Implants Res* 1999;10(2):103-10. [Abstract](#)
16. Buchmann R, Khouri F, Pingel D, et al. The microflora recovered from the outer-surfaces of the Frialit-2 implanto-prosthetic connector. *Clin Oral Implants Res* 2003;14(1):28-34. [Abstract](#)
17. Carinci F, Brunelli G, Franco M, et al. A retrospective study on 287 implants installed in resorbed maxillae grafted with fresh frozen allogenous bone. *Clin Implant Dent Relat Res* 2010;12(2):91-98. [Abstract](#)
18. Chiapasco M, Brusati R, Ronchi P. Le Fort I osteotomy with interpositional bone grafts and delayed oral implants for the rehabilitation of extremely atrophied maxillae: a 1-9-year clinical follow-up study on humans. *Clin Oral Implants Res* 2007;18(1):74-85. [Abstract](#)
19. Chrcanovic BR, Kisch J, Albrektsson T, et al. Impact of different surgeons on dental implant failure. *Int J Prosthodont* 2017;30(5):445-54. [Abstract](#)
20. Chrcanovic BR, Kisch J, Albrektsson T, et al. Is the intake of selective serotonin reuptake inhibitors associated with an increased risk of dental implant failure? *Int J Oral Maxillofac Surg* 2017;46(6):782-88. [Abstract](#)
21. Chrcanovic BR, Kisch J, Albrektsson T, et al. Factors influencing the fracture of dental implants. *Clin Implant Dent Relat Res* 2018;20(1):58-67. [Abstract](#)
22. Créton M, Cune M, Verhoeven W, et al. Implant treatment in patients with severe hypodontia: A retrospective evaluation. *J Oral Maxillofac Surg* 2010;68(3):530-38. [Abstract](#)
23. Cune M, Burgers M, van Kampen F, et al. Mandibular overdentures retained by two implants: 10-year results from a crossover clinical trial comparing ball-socket and bar-clip attachments. *Int J Prosthodont* 2010;23(4):310-7. [Abstract](#)
24. Cune MS, Meijer GJ, Koole R. Anterior tooth replacement with implants in grafted alveolar cleft sites: a case series, Zahnersatz im Frontzahnbereich mit Implantaten in regenerierten alveolären Spaltregionen: eine Serie von Fallberichten. *Clin Oral Implants Res* 2004;15(5):616-24. [Abstract](#)
25. de Almeida FD, Carvalho AC, Fontes M, et al. Radiographic evaluation of marginal bone level around internal-hex implants with switched platform: a clinical case report series. *Int J Oral Maxillofac Implants* 2011;26(3):587-92. [Abstract](#)
26. de Wijs FL, Cune MS. Immediate labial contour restoration for improved esthetics: a radiographic study on bone splitting in anterior single-tooth replacement. *Int J Oral Maxillofac Implants* 1997;12(5):686-96. [Abstract](#)

27. De Wijs FL, De Putter C, Cune MS. Front tooth replacement with Tubingen (Frialit) implants: a radiographical evaluation. *J Oral Rehabil* 1996;23(2):97-100. [Abstract](#)
28. De Wijs FL, Van Dongen RC, De Lange GL, et al. Front tooth replacement with Tubingen (Frialit) implants. *J Oral Rehabil* 1994;21(1):11-26. [Abstract](#)
29. Degidi M, Gehrke P, Spanel A, et al. Syncrystallization: a technique for temporization of immediately loaded implants with metal-reinforced acrylic resin restorations. *Clin Implant Dent Relat Res* 2006;8(3):123-34. [Abstract](#)
30. Degidi M, Piattelli A. Immediate functional and non-functional loading of dental implants: a 2- to 60-month follow-up study of 646 titanium implants. *J Periodontol* 2003;74(2):225-41. [Abstract](#)
31. Degidi M, Piattelli A. 7-year follow-up of 93 immediately loaded titanium dental implants. *J Oral Implantol* 2005;31(1):25-31. [Abstract](#)
32. Degidi M, Piattelli A, Carinci F. Immediate loaded dental implants: comparison between fixtures inserted in postextractive and healed bone sites. *J Craniofac Surg* 2007;18(4):965-71. [Abstract](#)
33. Degidi M, Piattelli A, Carinci F. Clinical outcome of narrow diameter implants: a retrospective study of 510 implants. *J Periodontol* 2008;79(1):49-54. [Abstract](#)
34. Degidi M, Piattelli A, Felice P, et al. Immediate functional loading of edentulous maxilla: a 5-year retrospective study of 388 titanium implants. *J Periodontol* 2005;76(6):1016-24. [Abstract](#)
35. Degidi M, Piattelli A, Gehrke P, et al. Clinical outcome of 802 immediately loaded 2-stage submerged implants with a new grit-blasted and acid-etched surface: 12-month follow-up. *Int J Oral Maxillofac Implants* 2006;21(5):763-8. [Abstract](#)
36. Degidi M, Piattelli A, Gehrke P, et al. Five-year outcome of 111 immediate nonfunctional single restorations. *J Oral Implantol* 2006;32(6):277-85. [Abstract](#)
37. Degidi M, Piattelli A, Iezzi G, et al. Do longer implants improve clinical outcome in immediate loading? *Int J Oral Maxillofac Surg* 2007;36(12):1172-6. [Abstract](#)
38. Degidi M, Piattelli A, Iezzi G, et al. Wide-diameter implants: analysis of clinical outcome of 304 fixtures. *J Periodontol* 2007;78(1):52-8. [Abstract](#)
39. Degidi M, Piattelli A, Iezzi G, et al. Immediately loaded short implants: analysis of a case series of 133 implants. *Quintessence Int* 2007;38(3):193-201. [Abstract](#)
40. Degidi M, Piattelli A, Iezzi G, et al. Retrospective study of 200 immediately loaded implants retaining 50 mandibular overdentures. *Quintessence Int* 2007;38(4):281-8. [Abstract](#)
41. Degidi M, Piattelli M, Scarano A, et al. Maxillary sinus augmentation with a synthetic cell-binding peptide: histological and histomorphometrical results in humans. *J Oral Implantol* 2004;30(6):376-83. [Abstract](#)
42. Degidi M, Pieri F, Marchetti C, et al. Immediate loading of dental implants placed in distracted bone: a case report. *Int J Oral Maxillofac Implants* 2004;19(3):448-54. [Abstract](#)
43. Degidi M, Scarano A, Petrone G, et al. Histologic analysis of clinically retrieved immediately loaded titanium implants: a report of 11 cases. *Clin Implant Dent Relat Res* 2003;5(2):89-93. [Abstract](#)

44. Deppe H, Horch HH, Henke J, et al. Per-implant care of ailing implants with the carbon dioxide laser. *Int J Oral Maxillofac Implants* 2001;16(5):659-67. [Abstract](#)
45. Deppe H, Wagenpfeil S, Donath K. Comparative value of attachment measurements in implant dentistry. *Int J Oral Maxillofac Implants* 2004;19(2):208-15. [Abstract](#)
46. Deppe H, Warmuth S, Heinrich A, et al. Laser-assisted three-dimensional surface modifications of titanium implants: preliminary data. *Lasers Med Sci* 2005;19(4):229-33. [Abstract](#)
47. Deppe H, Wolff C, Bauer F, et al. Dental implant surfaces after insertion in bone: an in vitro study in four commercial implant systems. *Clin Oral Investig* 2018;22(3):1593-600. [Abstract](#)
48. d'Hoedt B, Schulte W. A comparative study of results with various endosseous implant systems. *Int J Oral Maxillofac Implants* 1989;4(2):95-105. [Abstract](#)
49. Dinh A, Sheets CG, Earthman JC. Analysis of percussion response of dental implants: an in vitro study. *Mater Sci Eng C Mater Biol Appl* 2013;33(5):2657-63. [Abstract](#)
50. Dortbudak O, Haas R, Mailath-Pokorny G. Effect of low-power laser irradiation on bony implant sites. *Clin Oral Implants Res* 2002;13(3):288-92. [Abstract](#)
51. Eickholz P, Grotkamp FL, Steveling H, et al. Reproducibility of peri-implant probing using a force-controlled probe. *Clin Oral Implants Res* 2001;12(2):153-8. [Abstract](#)
52. Engel E, Gomez-Roman G, Axmann-Krcmar D. Effect of occlusal wear on bone loss and Periotest value of dental implants. *Int J Prosthodont* 2001;14(5):444-50. [Abstract](#)
53. Engelke W, Schwarzwaller W, Behnsen A, et al. Subantraloscopic laterobasal sinus floor augmentation (SALSA): an up-to-5-year clinical study. *Int J Oral Maxillofac Implants* 2003;18(1):135-43. [Abstract](#)
54. Frisch E, Ziebolz D, Rinke S. Long-term results of implant-supported over-dentures retained by double crowns: a practice-based retrospective study after minimally 10 years follow-up. *Clin Oral Implants Res* 2013;24(12):1281-7. [Abstract](#)
55. Froum SJ, Froum SH, Rosen PS. Successful management of peri-implantitis with a regenerative approach: a consecutive series of 51 treated implants with 3- to 7.5-year follow-up. *Int J Periodontics Restorative Dent* 2012;32(1):11-20. [Abstract](#)
56. Fu PS, Wu YM, Wang JC, et al. Surgical management of severe peri-implantitis in the esthetic zone: A case report with a 6-year follow-up. *J Oral Implantol* 2016;42(1):86-92. [Abstract](#)
57. Ganeles J, Rosenberg MM, Holt RL, et al. Immediate loading of implants with fixed restorations in the completely edentulous mandible: report of 27 patients from a private practice. *Int J Oral Maxillofac Implants* 2001;16(3):418-26. [Abstract](#)
58. Garber DA, Salama MA, Salama H. Immediate total tooth replacement. *Compend Contin Educ Dent* 2001;22(3):210-6, 18. [Abstract](#)

59. Garlini G, Redemagni M, Donini M, et al. Maxillary sinus elevation with an alloplastic material and implants: 11 years of clinical and radiologic follow-up. *J Oral Maxillofac Surg* 2010;68(5):1152-7. [Abstract](#)
60. Gehrke P, Jansen R, Dhom G, et al. Prospective study of the Friadent plus implant surface: two-year clinical experience. *Z Zahnärztl Impl* 2006;22(1):29-34.
61. Gehrke P, Jansen R, Euisenmann E, et al. A two-year follow-up. *EDI* 2005;1(4).
62. Gomez-Roman G, Kruppenbacher M, Weber H, et al. Immediate postextraction implant placement with root-analog stepped implants: surgical procedure and statistical outcome after 6 years. *Int J Oral Maxillofac Implants* 2001;16(4):503-13. [Abstract](#)
63. Gomez-Roman G, Lukas D. Influence of the implant abutment on the periotest value: an in vivo study. *Quintessence Int* 2001;32(10):797-9. [Abstract](#)
64. Gomez-Roman G, Lukas D, Beniashvili R, et al. Area-dependent enlargement ratios of panoramic tomography on orthograde patient positioning and its significance for implant dentistry. *Int J Oral Maxillofac Implants* 1999;14(2):248-57. [Abstract](#)
65. Gomez-Roman G, Schulte W, d'Hoedt B, et al. The Frialit-2 implant system: five-year clinical experience in single-tooth and immediately postextraction applications. *Int J Oral Maxillofac Implants* 1997;12(3):299-309. [Abstract](#)
66. Heitz-Mayfield LJA, Salvi GE, Mombelli A, et al. Anti-infective surgical therapy of peri-implantitis. A 12-month prospective clinical study. *Clin Oral Implants Res* 2012;23(2):205-10. [Abstract](#)
67. Herr G, Wahl D, Kusswetter W. Osteogenic activity of bone morphogenetic protein and hydroxyapatite composite implants. *Ann Chir Gynaecol Suppl* 1993;207:99-107. [Abstract](#)
68. Iezzi G, Degidi M, Scarano A, et al. Bone response to submerged, unloaded implants inserted in poor bone sites: a histological and histomorphometrical study of 8 titanium implants retrieved from man. *J Oral Implantol* 2005;31(5):225-33. [Abstract](#)
69. Jakse N, Payer M, Tangl S, et al. Influence of low-level laser treatment on bone regeneration and osseointegration of dental implants following sinus augmentation: An experimental study on sheep. *Clin Oral Implants Res* 2007;18(4):517-24. [Abstract](#)
70. Janda R, Roulet JF, Wulf M, et al. A new adhesive technology for all-ceramics. *Dent Mater* 2003;19(6):567-73. [Abstract](#)
71. Jansen VK, Conrads G, Richter EJ. Microbial leakage and marginal fit of the implant-abutment interface. *Int J Oral Maxillofac Implants* 1997;12(4):527-40. [Abstract](#)
72. Kamburoglu K, Gulsahi A, Genc Y, et al. A comparison of peripheral marginal bone loss at dental implants measured with conventional intraoral film and digitized radiographs. *J Oral Implantol* 2012;38(3):211-9. [Abstract](#)
73. Karabuda C, Yaltirk M, Bayraktar M. A clinical comparison of prosthetic complications of implant-supported overdentures with different attachment systems. *Implant Dent* 2008;17(1):74-81. [Abstract](#)

74. Khoury F. Augmentation of the sinus floor with mandibular bone block and simultaneous implantation: a 6-year clinical investigation. *Int J Oral Maxillofac Implants* 1999;14(4):557-64. [Abstract](#)
75. Kirmeier R, Payer M, Wehrscheutz M, et al. Evaluation of three-dimensional changes after sinus floor augmentation with different grafting materials. *Clin Oral Implants Res* 2008;19(4):366-72. [Abstract](#)
76. Koike H, Kawahara D, Kawahara H. Clinical characterization of several bone grafting materials as a dental implant supporting tissue. *Adv Sci Techn* 2006;49:300-05.
77. Koke U, Wolf A, Lenz P, et al. In vitro investigation of marginal accuracy of implant-supported screw-retained partial dentures. *J Oral Rehabil* 2004;31(5):477-82. [Abstract](#)
78. Koldslund OC, Wohlfahrt JC, Aass AM. Surgical treatment of peri-implantitis: prognostic indicators of short-term results. *J Clin Periodontol* 2017;45(1):100-13. [Abstract](#)
79. Kondell PA, Soder PO, Landt H, et al. Gingival fluid and tissues around successful titanium and ceramic implants. A comparative clinical, laboratory, and morphologic study. *Acta Odontol Scand* 1991;49(3):169-73. [Abstract](#)
80. Kosinski T. Single tooth-by-tooth crowns over Frialit-2 implants. *J Oral Implantol* 2000;26(1):20-7; discussion 28. [Abstract](#)
81. Kourtis S, Psarri C, Andritsakis P, et al. Provisional restorations for optimizing esthetics in anterior maxillary implants: A case report. *J Esthet Restor Dent* 2007;19(1):6-17. [Abstract](#)
82. Kreisler M, Al Haj H, D'Hoedt B. Temperature changes induced by 809-nm GaAlAs laser at the implant-bone interface during simulated surface decontamination. *Clin Oral Implants Res* 2003;14(1):91-96. [Abstract](#)
83. Kreisler M, Al Haj H, Gotz H, et al. Effect of simulated CO<sub>2</sub> and GaAlAs laser surface decontamination on temperature changes in Ti-plasma sprayed dental implants. *Lasers Surg Med* 2002;30(3):233-9. [Abstract](#)
84. Kreisler M, Kohnen W, Christoffers A-B, et al. In vitro evaluation of the biocompatibility of contaminated implant surfaces treated with an Er : YAG laser and an air powder system. *Clin Oral Implants Res* 2005;16(1):36-43. [Abstract](#)
85. Krennmaier G, Krainhofner M, Piehslinger E. Implant-supported maxillary overdentures retained with milled bars: maxillary anterior versus maxillary posterior concept--a retrospective study. *Int J Oral Maxillofac Implants* 2008;23(2):343-52. [Abstract](#)
86. Krennmaier G, Krainhofner M, Waldenberger O, et al. Dental implants as strategic supplementary abutments for implant-tooth-supported telescopic crown-retained maxillary dentures: a retrospective follow-up study for up to 9 years. *Int J Prosthodont* 2007;20(6):617-22. [Abstract](#)
87. Krennmaier G, Piehslinger E, Wagner H. Status of teeth adjacent to single-tooth implants. *Int J Prosthodont* 2003;16(5):524-8. [Abstract](#)

88. Krennmaier G, Schmidinger S, Waldenberger O. Single-tooth replacement with the Frialit-2 system: a retrospective clinical analysis of 146 implants. *Int J Oral Maxillofac Implants* 2002;17(1):78-85. [Abstract](#)
89. Krennmaier G, Ulm C. The symphyseal single-tooth implant for anchorage of a mandibular complete denture in geriatric patients: a clinical report. *Int J Oral Maxillofac Implants* 2001;16(1):98-104. [Abstract](#)
90. Krennmaier G, Waldenberger O. Clinical analysis of wide-diameter frialit-2 implants. *Int J Oral Maxillofac Implants* 2004;19(5):710-5. [Abstract](#)
91. Kunkel M, Wahlmann U, Reichert TE, et al. Reconstruction of mandibular defects following tumor ablation by vertical distraction osteogenesis using intraosseous distraction devices. *Clin Oral Implants Res* 2005;16(1):89-97. [Abstract](#)
92. Lachmann S, Jager B, Axmann D, et al. Resonance frequency analysis and damping capacity assessment. Part I: an in vitro study on measurement reliability and a method of comparison in the determination of primary dental implant stability. *Clin Oral Implants Res* 2006;17(1):75-9. [Abstract](#)
93. Lachmann S, Kimmerle-Müller E, Axmann D, et al. Reliability of findings around healthy implants in association with oral hygiene measures: a clinical, microbiological, and immunological follow-up in edentulous patients. *Clin Oral Implants Res* 2007;18(6):686-98. [Abstract](#)
94. Lachmann S, Kimmerle-Müller E, Axmann D, et al. Associations between peri-implant crevicular fluid volume, concentrations of crevicular inflammatory mediators, and composite IL-1A -889 and IL-1B +3954 genotype: A cross-sectional study on implant recall patients with and without clinical signs of peri-implantitis. *Clin Oral Implants Res* 2007;18(2):212-23. [Abstract](#)
95. Lachmann S, Kimmerle-Müller E, Gehring K, et al. A comparison of implant-supported, bar- or ball-retained mandibular overdentures: a retrospective clinical, microbiologic, and immunologic study of 10 edentulous patients attending a recall visit. *Int J Prosthodont* 2007;20(1):37-42. [Abstract](#)
96. Lachmann S, Laval JY, Jager B, et al. Resonance frequency analysis and damping capacity assessment. Part 2: peri-implant bone loss follow-up. An in vitro study with the Periotest and Osstell instruments. *Clin Oral Implants Res* 2006;17(1):80-4. [Abstract](#)
97. Lachmann S, Stehberger A, Axmann D, et al. The peri-implant health in patients attending an annual recall program. A clinical and microbiological study in 74 patients from the Tubingen Implant Registry. *Clin Oral Implants Res* 2013;24(12):1300-9. [Abstract](#)
98. Lambrecht JT, Cardone E, Kuhl S. Status report on dental implantology in Switzerland in 2006. A cross-sectional survey. *Eur J Oral Implantol* 2010;3(1):71-4. [Abstract](#)
99. Lee YJ, Heo SJ, Koak JY, et al. Accuracy of different impression techniques for internal-connection implants. *Int J Oral Maxillofac Implants* 2009;24(5):823-30. [Abstract](#)
100. Lin CL, Chang SH, Wang JC. Finite element analysis of biomechanical interactions of a tooth-implant splinting system for various bone qualities. *Chang Gung Med J* 2006;29(2):143-53. [Abstract](#)

101. Lin CL, Chang SH, Wang JC, et al. Mechanical interactions of an implant/tooth-supported system under different periodontal supports and number of splinted teeth with rigid and non-rigid connections. *J Dent* 2006;34(9):682-91. [Abstract](#)
102. Lin CL, Wang JC. Nonlinear finite element analysis of a splinted implant with various connectors and occlusal forces. *Int J Oral Maxillofac Implants* 2003;18(3):331-40. [Abstract](#)
103. Lin CL, Wang JC, Chang WJ. Biomechanical interactions in tooth-implant-supported fixed partial dentures with variations in the number of splinted teeth and connector type: a finite element analysis. *Clin Oral Implants Res* 2008;19(1):107-17. [Abstract](#)
104. Lin CL, Wang JC, Kuo YC. Numerical simulation on the biomechanical interactions of tooth/implant-supported system under various occlusal forces with rigid/non-rigid connections. *J Biomech* 2006;39(3):453-63. [Abstract](#)
105. Lin CL, Wang JC, Ramp LC, et al. Biomechanical response of implant systems placed in the maxillary posterior region under various conditions of angulation, bone density, and loading. *Int J Oral Maxillofac Implants* 2008;23(1):57-64. [Abstract](#)
106. Lin C-L, Chang S-H, Chang W-J, et al. Factorial analysis of variables influencing mechanical characteristics of a single tooth implant placed in the maxilla using finite element analysis and the statistics-based Taguchi method. *Eur J Oral Sci* 2007;115(5):408-16. [Abstract](#)
107. Lindeboom JA, Tjiook Y, Kroon FH. Immediate placement of implants in periapical infected sites: a prospective randomized study in 50 patients. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2006;101(6):705-10. [Abstract](#)
108. Lorenzoni M, Pertl C, Penkner K, et al. Comparison of the transfer precision of three different impression materials in combination with transfer caps for the Frialit-2 system. *J Oral Rehabil* 2000;27(7):629-38. [Abstract](#)
109. Lorenzoni M, Pertl C, Polansky R, et al. Guided bone regeneration with barrier membranes--a clinical and radiographic follow-up study after 24 months. *Clin Oral Implants Res* 1999;10(1):16-23. [Abstract](#)
110. Lorenzoni M, Pertl C, Polansky RA, et al. Evaluation of implants placed with barrier membranes. *Clin Oral Implants Res* 2002;13(3):274-80. [Abstract](#)
111. Lorenzoni M, Pertl C, Wegscheider W, et al. Retrospective analysis of Frialit-2 implants in the augmented sinus. *Int J Periodontics Restorative Dent* 2000;20(3):255-67. [Abstract](#)
112. Lorenzoni M, Pertl C, Zhang K, et al. In-patient comparison of immediately loaded and non-loaded implants within 6 months. *Clin Oral Implants Res* 2003;14(3):273-9. [Abstract](#)
113. Lorenzoni M, Pertl C, Zhang K, et al. Immediate loading of single-tooth implants in the anterior maxilla. Preliminary results after one year. *Clin Oral Implants Res* 2003;14(2):180-7. [Abstract](#)
114. Maiorana C, Redemagni M, Rabagliati M, et al. Treatment of maxillary ridge resorption by sinus augmentation with iliac cancellous bone, anorganic bovine bone, and endosseous implants: a clinical and histologic report. *Int J Oral Maxillofac Implants* 2000;15(6):873-8. [Abstract](#)

115. Maiorana C, Santoro F. Maxillary and mandibular bone reconstruction with hip grafts and implants using Frialit-2 implants. *Int J Periodontics Restorative Dent* 2002;22(3):221-9. [Abstract](#)
116. Maiorana C, Sigurta D, Mirandola A, et al. Sinus elevation with alloplasts or xenogenic materials and implants: an up-to-4-year clinical and radiologic follow-up. *Int J Oral Maxillofac Implants* 2006;21(3):426-32. [Abstract](#)
117. Marcaccini AM, Novaes AB, Jr., Souza SL, et al. Immediate placement of implants into periodontally infected sites in dogs. Part 2: A fluorescence microscopy study. *Int J Oral Maxillofac Implants* 2003;18(6):812-9. [Abstract](#)
118. Marchetti C, Pieri F, Corinaldesi G, et al. A long-term retrospective study of two different implant surfaces placed after reconstruction of the severely resorbed maxilla using Le Fort I osteotomy and interpositional bone grafting. *Int J Oral Maxillofac Implants* 2008;23(5):911-8. [Abstract](#)
119. Marrone A, Lasserre J, Bercy P, et al. Prevalence and risk factors for peri-implant disease in Belgian adults. *Clin Oral Implants Res* 2013;24(8):934-40. [Abstract](#)
120. Meyle J, Gersok G, Boedecker RH, et al. Long-term analysis of osseointegrated implants in non-smoker patients with a previous history of periodontitis. *J Clin Periodontol* 2014;41(5):504-12. [Abstract](#)
121. Moheng P, Feryn JM. Clinical and biologic factors related to oral implant failure: a 2-year follow-up study. *Implant Dent* 2005;14(3):281-8. [Abstract](#)
122. Nergiz I, Arpak N, Bostanci H, et al. Stability of loaded and unloaded implants with different surfaces. *Int J Oral Maxillofac Implants* 2009;24(2):289-98. [Abstract](#)
123. Nisapakultorn K, Suphanantachat S, Silkosessak O, et al. Factors affecting soft tissue level around anterior maxillary single-tooth implants. *Clin Oral Implants Res* 2010;21(6):662-70. [Abstract](#)
124. Nkenke E, Fenner M. Indications for immediate loading of implants and implant success. *Clin Oral Implants Res* 2006;17 Suppl 2:19-34. [Abstract](#)
125. Nkenke E, Hahn M, Weinzierl K, et al. Implant stability and histomorphometry: a correlation study in human cadavers using stepped cylinder implants. *Clin Oral Implants Res* 2003;14(5):601-9. [Abstract](#)
126. Nkenke E, Kloss F, Wiltfang J, et al. Histomorphometric and fluorescence microscopic analysis of bone remodelling after installation of implants using an osteotome technique. *Clin Oral Implants Res* 2002;13(6):595-602. [Abstract](#)
127. Nkenke E, Schlegel A, Schultze-Mosgau S, et al. The endoscopically controlled osteotome sinus floor elevation: a preliminary prospective study. *Int J Oral Maxillofac Implants* 2002;17(4):557-66. [Abstract](#)
128. Noack N, Willer J, Hoffmann J. Long-term results after placement of dental implants: longitudinal study of 1,964 implants over 16 years. *Int J Oral Maxillofac Implants* 1999;14(5):748-55. [Abstract](#)
129. Nocini PF, Massimo A, Editta BdP, et al. Vertical distraction osteogenesis of the mandible applied to an iliac crest graft: report of a case. *Clin Oral Implants Res* 2004;15(3):366-70. [Abstract](#)

130. Nonhoff J, Moest T, Schmitt CM, et al. Establishment of a new pull-out strength testing method to quantify early osseointegration—an experimental pilot study. *J Craniomaxillofac Surg* 2015;43(10):1966-73. [Abstract](#)
131. Novaes AB, Jr., Marcaccini AM, Souza SL, et al. Immediate placement of implants into periodontally infected sites in dogs: a histomorphometric study of bone-implant contact. *Int J Oral Maxillofac Implants* 2003;18(3):391-8. [Abstract](#)
132. Novaes AB, Jr., Papalexiou V, Grisi MF, et al. Influence of implant microstructure on the osseointegration of immediate implants placed in periodontally infected sites. A histomorphometric study in dogs. *Clin Oral Implants Res* 2004;15(1):34-43. [Abstract](#)
133. Novaes AB, Jr., Papalexiou V, Luczyszyn SM, et al. Immediate implant in extraction socket with acellular dermal matrix graft and bioactive glass: a case report. *Implant Dent* 2002;11(4):343-8. [Abstract](#)
134. Novaes AB, Jr., Papalexiou V, Muglia V, et al. Influence of interimplant distance on gingival papilla formation and bone resorption: clinical-radiographic study in dogs. *Int J Oral Maxillofac Implants* 2006;21(1):45-51. [Abstract](#)
135. Ostman PO. Immediate/early loading of dental implants. Clinical documentation and presentation of a treatment concept. *Periodontol 2000* 2008;47:90-112. [Abstract](#)
136. Ottoni JM, Oliveira ZF, Mansini R, et al. Correlation between placement torque and survival of single-tooth implants. *Int J Oral Maxillofac Implants* 2005;20(5):769-76. [Abstract](#)
137. Özcelik T, Ersoy E, Yilmaz B. Biomechanical evaluation of tooth- and implant-supported fixed dental prostheses with various nonrigid connector positions: A finite element analysis. *J Prosthodont* 2011;20(1):16-28. [Abstract](#)
138. Ozkan Y, Akoglu B, Kulak-Ozkan Y. Five-year treatment outcomes with four types of implants in the posterior maxilla and mandible in partially edentulous patients: A retrospective study. *Int J Oral Maxillofac Implants* 2011;26(3):639-47. [Abstract](#)
139. Ozkan Y, Ozcan M, Akoglu B, et al. Three-year treatment outcomes with three brands of implants placed in the posterior maxilla and mandible of partially edentulous patients. *J Prosthet Dent* 2007;97(2):78-84. [Abstract](#)
140. Ozkir SE, Terzioglu H. Macro design effects on stress distribution around implants: A photoelastic stress analysis. *Indian J Dent Res* 2012;23(5):603-7. [Abstract](#)
141. Papalexiou V, Novaes AB, Jr., Grisi MF, et al. Influence of implant microstructure on the dynamics of bone healing around immediate implants placed into periodontally infected sites. A confocal laser scanning microscopic study. *Clin Oral Implants Res* 2004;15(1):44-53. [Abstract](#)
142. Papalexiou V, Novaes AB, Jr., Ribeiro RF, et al. Influence of the interimplant distance on crestal bone resorption and bone density: a histomorphometric study in dogs. *J Periodontol* 2006;77(4):614-21. [Abstract](#)
143. Patil RC, Kanchan S, Ramanathan K. Immediate implant placement in conjunction with a DFDBA graft and resorbable membrane: A 1-10 year retrospective clinical study. *J Indian Prosthodont Soc* 2005;5(4):203-07. [Abstract](#)

144. Payer M, Kirmeier R, Jakse N, et al. Surgical factors influencing mesiodistal implant angulation. *Clin Oral Implants Res* 2008;19(3):265-70. [Abstract](#)
145. Perry J, Lenchewski E. Clinical performance and 5-year retrospective evaluation of Frialit-2 implants. *Int J Oral Maxillofac Implants* 2004;19(6):887-91. [Abstract](#)
146. Pertl C, Ebeleseder K, Lorenzoni M, et al. Contemporary treatment of the resorbed avulsed tooth: a case report. *Int Endod J* 1999;32(4):332-36. [Abstract](#)
147. Petsos H, Trimpou G, Eickholz P, et al. The influence of professional competence on the inter- and intra-individual esthetic evaluation of implant-supported crowns in the anterior maxilla. *Clin Oral Implants Res* 2017;28(4):453-60. [Abstract](#)
148. Proff P, Bayerlein T, Rottner K, et al. Effect of bone conditioning on primary stability of FRIALIT-2 implants. *Clin Oral Implants Res* 2008;19(1):42-7. [Abstract](#)
149. Quayle AA, Cawood J, Howell RA, et al. The immediate or delayed replacement of teeth by permucosal intra-osseous implants: the Tubingen implant system. Part 1. Implant design, rationale for use and pre-operative assessment. *Br Dent J* 1989;166(10):365-70. [Abstract](#)
150. Ricci G, Aimetti M, Stablim W, et al. Crestal bone resorption 5 years after implant loading: clinical and radiologic results with a 2-stage implant system. *Int J Oral Maxillofac Implants* 2004;19(4):597-602. [Abstract](#)
151. Rimondini L, Bruschi GB, Scipioni A, et al. Tissue healing in implants immediately placed into postextraction sockets: a pilot study in a mini-pig model. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2005;100(3):e43-50. [Abstract](#)
152. Romanos GE, Testori T, Degidi M, et al. Histologic and histomorphometric findings from retrieved, immediately occlusally loaded implants in humans. *J Periodontol* 2005;76(11):1823-32. [Abstract](#)
153. Rupp F, Scheideler L, Rehbein D, et al. Roughness induced dynamic changes of wettability of acid etched titanium implant modifications. *Biomaterials* 2004;25(7-8):1429-38. [Abstract](#)
154. Sahm N, Becker J, Santel T, et al. Non-surgical treatment of peri-implantitis using an air-abrasive device or mechanical debridement and local application of chlorhexidine: a prospective, randomized, controlled clinical study. *J Clin Periodontol* 2011;38(9):872-78. [Abstract](#)
155. Schicho K, Kastner J, Klingesberger R, et al. Surface area analysis of dental implants using micro-computed tomography. *Clin Oral Implants Res* 2007;18(4):459-64. [Abstract](#)
156. Schlegel KA, Fichtner G, Schultze-Mosgau S, et al. Histologic findings in sinus augmentation with autogenous bone chips versus a bovine bone substitute. *Int J Oral Maxillofac Implants* 2003;18(1):53-8. [Abstract](#)
157. Schmage P, Kahili F, Nergiz I, et al. Cleaning effectiveness of implant prophylaxis instruments. *Int J Oral Maxillofac Implants* 2014;29(2):331-7. [Abstract](#)
158. Schuler R. A relatively low cumulative survival rate (CSR) over 5 years when endosseous tapered dental implants are placed either immediately after tooth removal or according to a delayed-placement protocol. *J Evid Based Dent Pract* 2005;5(3):149-50. [Abstract](#)

159. Schulte W. The intra-osseous Al<sub>2</sub>O<sub>3</sub> (Frialit) Tuebingen implant. Developmental status after eight years (I). *Quintessence Int* 1984;15(1):9-26. [Abstract](#)
160. Schulte W. The intra-osseous Al<sub>2</sub>O<sub>3</sub> (Frialit) Tuebingen implant. Developmental status after eight years (II). *Quintessence Int* 1984;15(2):147-63. [Abstract](#)
161. Schulte W. The intra-osseous Al<sub>2</sub>O<sub>3</sub> (Frialit) Tuebingen implant. Developmental status after eight years (III). *Quintessence Int* 1984;15(3):297-300. [Abstract](#)
162. Schulze RK, d'Hoedt B. Mathematical analysis of projection errors in "paralleling technique" with respect to implant geometry. *Clin Oral Implants Res* 2001;12(4):364-71. [Abstract](#)
163. Schwarz F, Herten M, Sager M, et al. Comparison of naturally occurring and ligature-induced peri-implantitis bone defects in humans and dogs. *Clin Oral Implants Res* 2007;18(2):161-70. [Abstract](#)
164. Shaw RJ, Sutton AF, Cawood JI, et al. Oral rehabilitation after treatment for head and neck malignancy. *Head Neck* 2005;27(6):459-70. [Abstract](#)
165. Simon RL. Single implant-supported molar and premolar crowns: a ten-year retrospective clinical report. *J Prosthet Dent* 2003;90(6):517-21. [Abstract](#)
166. Simunek A, Cierny M, Kopecka D, et al. The sinus lift with phycogenic bone substitute. *Clin Oral Implants Res* 2005;16(3):342-48. [Abstract](#)
167. Sonoyama W, Kuboki T, Okamoto S, et al. Quality of life assessment in patients with implant-supported and resin-bonded fixed prostheses for bounded edentulous spaces. *Clin Oral Implants Res* 2002;13(4):359-64. [Abstract](#)
168. Stadlinger B, Pilling E, Huhle M, et al. Influence of extracellular matrix coatings on implant stability and osseointegration: An animal study. *J Biomed Mater Res B* 2007;83B(1):222-31. [Abstract](#)
169. Stadlinger B, Pilling E, Huhle M, et al. Evaluation of osseointegration of dental implants coated with collagen, chondroitin sulphate and BMP-4: an animal study. *Int J Oral Maxillofac Surg* 2008;37(1):54-9. [Abstract](#)
170. Steinebrunner L, Wolfart S, Bossmann K, et al. In vitro evaluation of bacterial leakage along the implant-abutment interface of different implant systems. *Int J Oral Maxillofac Implants* 2005;20(6):875-81. [Abstract](#)
171. Steinebrunner L, Wolfart S, Ludwig K, et al. Implant-abutment interface design affects fatigue and fracture strength of implants. *Clin Oral Implants Res* 2008;19(12):1276-84. [Abstract](#)
172. Strietzel FP, Lange KP, Svegar M, et al. Retrospective evaluation of the success of oral rehabilitation using the Frialit-2 implant system. Part 1: Influence of topographic and surgical parameters. *Int J Prosthodont* 2004;17(2):187-94. [Abstract](#)
173. Strietzel FP, Nowak M, Küchler I, et al. Peri-implant alveolar bone loss with respect to bone quality after use of the osteotome technique. *Clin Oral Implants Res* 2002;13(5):508-13. [Abstract](#)
174. Strietzel FP, Rothe S, Reichart PA, et al. Implant-prosthetic treatment in HIV-infected patients receiving highly active antiretroviral therapy: report of cases. *Int J Oral Maxillofac Implants* 2006;21(6):951-6. [Abstract](#)

175. Stuge U, Brodin P, Bjornland T. Masseter muscle reflex evoked by tapping on osseointegrated Frialit implants. *Int J Oral Maxillofac Implants* 1993;8(6):650-4. [Abstract](#)
176. Szmukler-Moncler S, Testori T, Bernard JP. Etched implants: A comparative surface analysis of four implant systems. *J Biomed Mater Res B* 2004;69B(1):46-57. [Abstract](#)
177. Tang Z, Sha Y, Lin Y, et al. Peri-implant mucosal inflammation and bone loss: clinical and radiographic evaluation of 108 dental implants after 1-year loading. *Chin J Dent Res* 2000;3(2):15-20. [Abstract](#)
178. Tetsch J, Tetsch P, Lysek DA. Long-term results after lateral and osteotome technique sinus floor elevation: a retrospective analysis of 2190 implants over a time period of 15 years. *Clin Oral Implants Res* 2010;21(5):497-503. [Abstract](#)
179. Tosun T, Keles A, Erverdi N. Method for the placement of palatal implants. *Int J Oral Maxillofac Implants* 2002;17(1):95-100. [Abstract](#)
180. Traini T, Degidi M, Iezzi G, et al. Comparative evaluation of the peri-implant bone tissue mineral density around unloaded titanium dental implants. *J Dent* 2007;35(1):84-92. [Abstract](#)
181. Traini T, Novaes AB, Jr., Papalexiou V, et al. Influence of interimplant distance on bone microstructure: a histomorphometric study in dogs. *Clin Implant Dent Relat Res* 2008;10(1):1-10. [Abstract](#)
182. Traini T, Novaes AB, Piattelli A, et al. The relationship between interimplant distances and vascularization of the interimplant bone. *Clin Oral Implants Res* 2010;21(8):822-9. [Abstract](#)
183. Van Der Bilt A, Van Kampen FMC, Cune MS. Masticatory function with mandibular implant-supported overdentures fitted with different attachment types. *Eur J Oral Sci* 2006;114(3):191-96. [Abstract](#)
184. Van Kampen F, Cune M, Van Der Bilt A, et al. Retention and postinsertion maintenance of bar-clip, ball and magnet attachments in mandibular implant overdenture treatment: an in vivo comparison after 3 months of function. *Clin Oral Implants Res* 2003;14(6):720-26. [Abstract](#)
185. Van Kampen F, Cune M, Van Der Bilt A, et al. The effect of maximum bite force on marginal bone loss in mandibular overdenture treatment: an in vivo study. *Clin Oral Implants Res* 2005;16(5):587-93. [Abstract](#)
186. Vergara JA, Caffesse RG. Preservation of esthetics with implant dentistry: a clinical report. *Clin Implant Dent Relat Res* 2002;4(4):200-11. [Abstract](#)
187. Vergara JA, Caffesse RG. Immediate replacement of single upper posterior teeth: a report of cases. *Clin Implant Dent Relat Res* 2003;5(2):130-6. [Abstract](#)
188. Viscioni A, Franco M, Rigo L, et al. Implants inserted into homografts bearing fixed restorations. *Int J Prosthodont* 2009;22(2):148-54. [Abstract](#)
189. Weber HP, Sukotjo C. Does the type of implant prosthesis affect outcomes in the partially edentulous patient? *Int J Oral Maxillofac Implants* 2007;22 Suppl:140-72. [Abstract](#)

190. Weibrich G, Streckbein P, Krummenauer F, et al. Clinical report with up to 4 years of follow-up on a cervically modified stepped screw-type implant. *Int J Oral Maxillofac Implants* 2006;21(5):795-800. [Abstract](#)
191. Wenz HJ, Hertrampf K. Accuracy of impressions and casts using different implant impression techniques in a multi-implant system with an internal hex connection. *Int J Oral Maxillofac Implants* 2008;23(1):39-47. [Abstract](#)
192. Wheeler S. Use of the Frialit-2 implant system in private practice: a clinical report. *Int J Oral Maxillofac Implants* 2003;18(4):552-5. [Abstract](#)
193. Yan C, Ye L, Zhen J, et al. Neuroplasticity of edentulous patients with implant-supported full dentures. *Eur J Oral Sci* 2008;116(5):387-93. [Abstract](#)
194. Yerit KC, Posch M, Hainich S, et al. Long-term implant survival in the grafted maxilla: results of a 12-year retrospective study. *Clin Oral Implants Res* 2004;15(6):693-9. [Abstract](#)
195. Yerit KC, Posch M, Seemann M, et al. Implant survival in mandibles of irradiated oral cancer patients. *Clin Oral Implants Res* 2006;17(3):337-44. [Abstract](#)
196. Young MPJ, Carter DH, Worthington H, et al. Microbial analysis of bone collected during implant surgery: a clinical and laboratory study. *Clin Oral Implants Res* 2001;12(2):95-103. [Abstract](#)
197. Young MPJ, Worthington HV, Lloyd RE, et al. Bone collected during dental implant surgery: a clinical and histological study. *Clin Oral Implants Res* 2002;13(3):298-303. [Abstract](#)
198. Zetterqvist L, Anneroth G, Nordenram A. Tissue integration of Al<sub>2</sub>O<sub>3</sub>-ceramic dental implants: an experimental study in monkeys. *Int J Oral Maxillofac Implants* 1991;6(3):285-93. [Abstract](#)
199. Zetterqvist L, Anneroth G, Nordenram A, et al. X-ray microanalytical and morphological observations of the interface region between ceramic implant and bone. *Clin Oral Implants Res* 1995;6(2):104-13. [Abstract](#)
200. Zeytinoglu M, Ilhan B, Dundar N, et al. Fractal analysis for the assessment of trabecular peri-implant alveolar bone using panoramic radiographs. *Clin Oral Investig* 2015;19(2):519-24. [Abstract](#)

## Digital implant solutions

### Atlantis

1. Adams MW. Computer-designed and milled patient-specific implant abutments. *Dent Today* 2005;24(6):80-3. [Abstract](#)
2. Ahmed WM, Abdallah MN, McCullagh AP, et al. Marginal discrepancies of monolithic zirconia crowns: the influence of preparation designs and sintering techniques. *J Prosthodont* 2019;28(3):288-98. [Abstract](#)
3. Al-Ardah AJ, Alqahtani F, Lozada JL. Three-year follow-up of a single immediate implant placed in an infected area: a new approach for harvesting autogenous symphysis graft. *J Oral Implantol* 2014;40(2):211-6. [Abstract](#)

4. Alhashim A, Kamel M, Brackett WW. Four-year follow-up of the rehabilitation of a mandibular arch with a cementable zirconia-reinforced fixed dental prosthesis: a clinical report. *J Prosthet Dent* 2012;108(3):138-42. [Abstract](#)
5. Alqahtani F. Full-mouth rehabilitation of severely worn dentition due to soda swishing: a clinical report. *J Prosthodont* 2014;23(1):50-7. [Abstract](#)
6. Alsayed HD, Alqahtani NM, Levon JA, et al. Prosthodontic rehabilitation of an ectodermal dysplasia patient with implant telescopic crown attachments. *J Prosthodont* 2017;26(7):622-27. [Abstract](#)
7. Aparicio T, D. L. Using Compartis ISUS in conjunction with ANKYLOS. CAD/CAM technology increases predictability in implant prosthetics. *Inside Dentistry* 2011;7(5).
8. Apicella D, Veltri M, Chieffi N, et al. Implant adaptation of stock abutments versus CAD/CAM abutments: A radiographic and scanning electron microscopy study. *Annali di Stomatologia* 2010;1(3-4):9-13. [Abstract](#)
9. Baldassarri M, Hjerppe J, Romeo D, et al. Marginal accuracy of three implant-ceramic abutment configurations. *Int J Oral Maxillofac Implants* 2012;27(3):537-43. [Abstract](#)
10. Barbier L, Abeloos J, De Clercq C, et al. Peri-implant bone changes following tooth extraction, immediate placement and loading of implants in the edentulous maxilla. *Clin Oral Investig* 2012;16(4):1061-70. [Abstract](#)
11. Barrero CH, Bencharit S, Petrola F. Case report: Screw-retained zirconia implant restoration. *J Oral Implantol* 2016;42(4):359-62. [Abstract](#)
12. Barwacz C, Hernandez MM. Direct extrinsic characterization maximizing esthetics of fixed interim restorations. *J Cosmetic Dentistry* 2013;29(1):122-31.
13. Barwacz CA, Stanford CM, Diehl UA, et al. Pink esthetic score outcomes around three implant-abutment configurations: 3-year results. *Int J Oral Maxillofac Implants* 2018;33(5):1126-35. [Abstract](#)
14. Barwacz CA, Stanford CM, Diehl UA, et al. Electronic assessment of peri-implant mucosal esthetics around three implant-abutment configurations: a randomized clinical trial. *Clin Oral Implants Res* 2016;27(6):707-15. [Abstract](#)
15. Bencharit S, Allen RK, Whitley D, 3rd. Utilization of demineralized bone matrix to restore missing buccal bone during single implant placement: Clinical report. *J Oral Implantol* 2016;42(6):490-97. [Abstract](#)
16. Bencharit S, Border MB, Mack CR, et al. Full-mouth rehabilitation for a patient with dentinogenesis imperfecta: a clinical report. *J Oral Implantol* 2014;40(5):593-600. [Abstract](#)
17. Bergstresser J. Implant abutment tissue strategies. *J Dent Technol* 2009;August/September:34-36.
18. Borges T, Lima T, Carvalho A, et al. The influence of customized abutments and custom metal abutments on the presence of the interproximal papilla at implants inserted in single-unit gaps: a 1-year prospective clinical study. *Clin Oral Implants Res* 2014;25(11):1222-7. [Abstract](#)

19. Borges T, Lima T, Carvalho AC, et al. Clinical outcome of inter-proximal papilla between a tooth and a single implant treated with CAD/CAM abutments: a cross-sectional study. *J Oral Maxillofac Res* 2012;3(3). [Abstract](#)
20. Brandenberg FD, Sailer I, Fehmer V, et al. Randomized controlled clinical pilot study of all-ceramic single-tooth implant reconstructions: clinical and microbiological outcomes at one year of loading. *Clin Oral Implants Res* 2017;28(4):406-13. [Abstract](#)
21. Bressan E, Venezze AC, Magaz VR, et al. Fixed conometric retention with CAD/CAM conic coupling butments and prefabricated syncone caps: A case series. *Int J Periodontics Restorative Dent* 2018;38(2):277-80. [Abstract](#)
22. Büchi DL, Sailer I, Fehmer V, et al. All-ceramic single-tooth implant reconstructions using modified zirconia abutments: a prospective randomized controlled clinical trial of the effect of pink veneering ceramic on the esthetic outcomes. *Int J Periodontics Restorative Dent* 2014;34(1):29-37. [Abstract](#)
23. Cardo VA, Jr., Koschitzki E, Augenbaum N, et al. Replacement of an implant and prosthesis in the premaxilla due to a malposition and prosthetic failure: a clinical case letter. *J Oral Implantol* 2014;40(6):751-4. [Abstract](#)
24. Cash J, R. A. Implant suprastructures for the completely edentulous. *J Dent Technol* 2011;May.
25. Cooper LF, Reside G, Stanford C, et al. A multicenter randomized comparative trial of implants with different abutment interfaces to replace anterior maxillary single teeth. *Int J Oral Maxillofac Implants* 2015;30(3):622-32. [Abstract](#)
26. Cooper LF, Reside G, Stanford C, et al. Three-year prospective randomized comparative assessment of anterior maxillary single implants with different abutment interfaces. *Int J Oral Maxillofac Implants* 2019;34(1):150-58. [Abstract](#)
27. Cooper LF, Stanford C, Feine J, et al. Prospective assessment of CAD/CAM zirconia abutment and lithium disilicate crown restorations: 2.4 year results. *J Prosthet Dent* 2016;116(1):33-9. [Abstract](#)
28. Corsalini M, Di Venere D, Stefanachi G, et al. Maxillary overdenture retained with an implant support CAD-CAM bar: A 4 years follow up case. *Open Dent J* 2017;11:247-56. [Abstract](#)
29. De Kok IJ, Barwacz C, Kumar L, et al. A retrospective multicenter study evaluating Atlantis® Abutments on implants from four manufacturers. *Clin Oral Implants Res* 2018;29(Suppl.17, E-POSTER 12106): E-pub Oct 11, doi/epdf/10.1111/clr.227\_13358. [Abstract](#)
30. Dhingra A, Weiner S, Luke AC, et al. Analysis of dimensional changes in the screw and the surface topography at the interface of a titanium screw and a zirconia abutment under cyclic loading: an in vitro study. *Int J Oral Maxillofac Implants* 2013;28(3):661-9. [Abstract](#)
31. Eisner B, Naenni N, Husler J, et al. Three-year results of a randomized controlled clinical trial using submucosally veneered and unveneered zirconia abutments supporting all-ceramic single-implant crowns. *Int J Periodontics Restorative Dent* 2018;38(5):645-52. [Abstract](#)
32. Esquivel-Upshaw J, Mehler A, Clark A, et al. Peri-implant complications for posterior endosteal implants. *Clin Oral Implants Res* 2015;26(12):1390-6. [Abstract](#)

33. Esquivel-Upshaw JF, Clark AE, Shuster JJ, et al. Randomized clinical trial of implant-supported ceramic-ceramic and metal-ceramic fixed dental prostheses: preliminary results. *J Prosthodont* 2014;23(2):73-82. [Abstract](#)
34. Esquivel-Upshaw JF, Mehler A, Clark AE, et al. Fracture analysis of randomized implant-supported fixed dental prostheses. *J Dent* 2014;42(10):1335-42. [Abstract](#)
35. Fabbri G, Fraedani M, Dellificorelli G, et al. Clinical Evaluation of the Influence of Connection Type and Restoration Height on the Reliability of Zirconia Abutments: A Retrospective Study on 965 Abutments with a Mean 6-Year Follow-Up. *Int J Periodontics Restorative Dent* 2017;37(1):19-31. [Abstract](#)
36. Farahani A, Zadeh HH. Adjunctive orthodontic applications in dental implantology. *J Oral Implantol* 2015;41(4):501-8. [Abstract](#)
37. Ferrari M, Cagidiaco MC, Garcia-Godoy F, et al. Effect of different prosthetic abutments on peri-implant soft tissue. A randomized controlled clinical trial. *Am J Dent* 2015;28(2):85-9. [Abstract](#)
38. Ferrari M, Carrabba M, Vichi A, et al. Influence of abutment color and mucosal thickness on soft tissue color. *Int J Oral Maxillofac Implants* 2017;32(2):393-99. [Abstract](#)
39. Ferrari M, Tricarico MG, Cagidiaco MC, et al. 3-year randomized controlled prospective clinical trial on different CAD-CAM implant abutments. *Clin Implant Dent Relat Res* 2016;18(6):1134-41. [Abstract](#)
40. Fokas G, Ma L, Chronopoulos V, et al. Differences in micromorphology of the implant-abutment junction for original and third-party abutments on a representative dental implant. *J Prosthet Dent* 2019;121(1):143-50. [Abstract](#)
41. Ganz S. Computer-milled patient-specific abutments: incredibly quality with unprecedented simplicity. *Implantology* 2003;2003:37-44.
42. Ganz S. Finally, a 'win-win' solution: Increasing accuracy while saving time, money with computer-milled abutments. *Dental Economics* 2005;95:64-68.
43. Ganz SD. Use of stereolithographic models as diagnostic and restorative aids for predictable immediate loading of implants. *Pract Proced Aesthet Dent* 2003;15(10):763-71. [Abstract](#)
44. Ganz SD. CT-derived model-based surgery for immediate loading of maxillary anterior implants. *Pract Proced Aesthet Dent* 2007;19(5):311-8. [Abstract](#)
45. Ganz SD. Defining new paradigms for assessment of implant receptor sites. The use of CT/CBCT and interactive virtual treatment planning for congenitally missing lateral incisors. *Compend Contin Educ Dent* 2008;29(5):256-8, 60-2, 64-7. [Abstract](#)
46. Ganz SD. Defining new paradigms for assessment of implant receptor sites. The use of CT/CBCT and interactive virtual treatment planning for congenitally missing lateral incisors. *Inside Dentistry* 2009;Nov/Dec:2-9. [Abstract](#)
47. Ganz SD, Desai N, Weiner S. Marginal integrity of direct and indirect castings for implant abutments. *Int J Oral Maxillofac Implants* 2006;21(4):593-9. [Abstract](#)
48. Garg AK. The Atlantis components abutment: simplifying the tooth implant procedure. *Dent Implantol Update* 2002;13(9):65-70. [Abstract](#)

49. Gehrke P, Spanos E, Fischer C, et al. Influence of scaling procedures on the integrity of titanium nitride coated CAD/CAM abutments. *J Adv Prosthodont* 2018;10(3):197-204. [Abstract](#)
50. Gigandet M, Bigolin G, Faoro F, et al. Implants with original and non-original abutment connections. *Clin Implant Dent Relat Res* 2014;16(2):303-11. [Abstract](#)
51. Gil MS, Ishikawa-Nagai S, Elani HW, et al. A prospective clinical trial to assess the optical efficacy of pink neck implants and pink abutments on soft tissue esthetics. *J Esthet Restor Dent* 2017;29(6):409-15. [Abstract](#)
52. Gilbert AB, Yilmaz B, Seidt JD, et al. Three-dimensional displacement of nine different abutments for an implant with an internal hexagon platform. *Int J Oral Maxillofac Implants* 2015;30(4):781-8. [Abstract](#)
53. Guljé FL, Raghoobar GM, Erkens WA, et al. Impact of crown-implant ratio of single restorations supported by 6-mm implants: A short-term case series study. *Int J Oral Maxillofac Implants* 2016;31(3):672-5. [Abstract](#)
54. Guljé FL, Raghoobar GM, Vissink A, et al. Single crowns in the resorbed posterior maxilla supported by either 6-mm implants or by 11-mm implants combined with sinus floor elevation surgery: A 1-year randomised controlled trial. *Eur J Oral Implantol* 2014;7(3):247-55. [Abstract](#)
55. Guljé FL, Raghoobar GM, Vissink A, et al. Single restorations in the resorbed posterior mandible supported by 6-mm implants: a 1-year prospective case series study. *Clin Implant Dent Relat Res* 2015;17 Suppl 2:e465-71. [Abstract](#)
56. Happe A, Kunz A. Complex fixed implant-supported restoration in a site compromised by periodontitis: A case report. *Int J Esthet Dent* 2016;11(2):186-202. [Abstract](#)
57. Hosseini B, Byrd WC, Preisser JS, et al. Effects of antibiotics on bone and soft-tissue healing following immediate single-tooth implant placement into sites with apical pathology. *J Oral Implantol* 2015;41(5):e202-11. [Abstract](#)
58. Ioannidis A, Cathomen E, Jung RE, et al. Discoloration of the mucosa caused by different restorative materials - a spectrophotometric in vitro study. *Clin Oral Implants Res* 2017;28(9):1133-38. [Abstract](#)
59. Jackson BJ, Slavin MR. Treatment of congenitally missing maxillary lateral incisors: An interdisciplinary approach. *J Oral Implantol* 2013;39(2):187-92. [Abstract](#)
60. Jarman JM, Hamalian T, Randi AP. Comparing the fracture resistance of alternatively engineered zirconia abutments with original equipment manufactured abutments with different implant connection designs. *Int J Oral Maxillofac Implants* 2017;32(5):992-1000. [Abstract](#)
61. Joda T, Burki A, Bethge S, et al. Stiffness, strength, and failure modes of implant-supported monolithic lithium disilicate crowns: influence of titanium and zirconia abutments. *Int J Oral Maxillofac Implants* 2015;30(6):1272-9. [Abstract](#)
62. Jones G. Treatment of the edentulous patient using angled implants: Diagnosis to delivery. *Australasian Dental Practice* 2016;27(4):p170-71.
63. Karl M, Irastorza-Landa A. In vitro characterization of original and nonoriginal implant abutments. *Int J Oral Maxillofac Implants* 2018;33(6):1229-39. [Abstract](#)

64. Keith JD, Jr. Localized ridge augmentation with a block allograft followed by secondary implant placement: a case report. *Int J Periodontics Restorative Dent* 2004;24(1):11-7. [Abstract](#)
65. Kelly JR, Rungruanganunt P. Fatigue behavior of computer-aided design/computer-assisted manufacture ceramic abutments as a function of design and ceramics processing. *Int J Oral Maxillofac Implants* 2016;31(3):601-9. [Abstract](#)
66. Kerstein RB, Castellucci F, Osorio J. Ideal gingival form with computer-generated permanent healing abutments. *Compend Contin Educ Dent* 2000;21(10):793-7, 800-1. [Abstract](#)
67. Kerstein RB, Osorio J. Utilizing computer-generated duplicate titanium custom abutments to facilitate intraoral and laboratory implant prosthesis fabrication. *Pract Proced Aesthet Dent* 2003;15(4):311-4. [Abstract](#)
68. Kerstein RB, Radke J. A comparison of fabrication precision and mechanical reliability of 2 zirconia implant abutments. *Int J Oral Maxillofac Implants* 2008;23(6):1029-36. [Abstract](#)
69. Kim A, Campbell SD, Viana MA, et al. Abutment material effect on peri-implant soft tissue color and perceived esthetics. *J Prosthodont* 2016;25(8):634-40. [Abstract](#)
70. King P, Maiorana C, Luthardt RG, et al. Clinical and radiographic evaluation of a small-diameter dental implant used for the restoration of patients with permanent tooth agenesis (hypodontia) in the maxillary lateral incisor and mandibular incisor regions: a 36-month follow-up. *Int J Prosthodont* 2016;29(2):147-53. [Abstract](#)
71. Koch FP, Gotze E, Kumar VV, et al. A bar-retained overdenture as an external fixator device in a three-dimensional CAD/CAM-based surgical reconstruction of the mandible. *J Craniomaxillofac Surg* 2015;43(8):1447-51. [Abstract](#)
72. Kois JC, Kan JY. Predictable peri-implant gingival aesthetics: surgical and prosthodontic rationales. *Pract Proced Aesthet Dent* 2001;13(9):691-8. [Abstract](#)
73. Koutouzis T, Adeinat B, Ali A. The influence of abutment macro-design on clinical and radiographic peri-implant tissue changes for guided placed and restored implants: a 1-year randomized controlled trial. *Clin Oral Implants Res* 2019;E-pub Jun 2019, doi: 10.1111/cir.13493. [Abstract](#)
74. Kraus RD, Epprecht A, Hammerle CHF, et al. Cemented vs screw-retained zirconia-based single implant reconstructions: A 3-year prospective randomized controlled clinical trial. *Clin Implant Dent Relat Res* 2019;E-pub Mar 13, doi:10.1111/cid.12735. [Abstract](#)
75. Laass A, Sailer I, Husler J, et al. Randomized controlled clinical trial of all-ceramic single-tooth implant reconstructions using modified zirconia abutments: Results at 5 years after loading. *Int J Periodontics Restorative Dent* 2019;39(1):17-27. [Abstract](#)
76. Levin BP. The dual function of a dermal allograft in immediate implant therapy. *Int J Periodontics Restorative Dent* 2015;35(4):507-13. [Abstract](#)
77. Levin BP. Framing the restorative result: How tissue augmentation and preservation maximizes implant therapy outcomes. *Compend Contin Educ Dent* 2018;39(7):458-66. [Abstract](#)

78. Levin BP, Chu SJ. Changes in peri-implant soft tissue thickness with bone grafting and Dermis Allograft: A case series of 15 consecutive patients. *Int J Periodontics Restorative Dent* 2018;38(5):719-27. [Abstract](#)
79. Levin BP, Wilk BL. Immediate provisionalization of immediate implants in the esthetic zone: a prospective case series evaluating implant survival, esthetics, and bone maintenance. *Compend Contin Educ Dent* 2013;34(5):352-61. [Abstract](#)
80. Levin BP, Wilk BL. The teamwork approach to esthetic tooth replacement with immediate implant placement and immediate temporization. *Compend Contin Educ Dent* 2015;36(9):682-8. [Abstract](#)
81. Lops D, Bressan E, Parpaila A, et al. Soft tissues stability of cad-cam and stock abutments in anterior regions: 2-year prospective multicentric cohort study. *Clin Oral Implants Res* 2015;26(12):1436-42. [Abstract](#)
82. Lops D, Parpaila A, Paniz G, et al. Interproximal papilla stability around CAD/CAM and stock abutments in anterior regions: A 2-year prospective multicenter cohort study. *Int J Periodontics Restorative Dent* 2017;37(5):657-65. [Abstract](#)
83. Maiorana C, King P, Quaas S, et al. Clinical and radiographic evaluation of early loaded narrow-diameter implants: 3 years follow-up. *Clin Oral Implants Res* 2015;26(1):77-82. [Abstract](#)
84. Mandelaris GA, Vlk SD. Guided implant surgery with placement of a presurgical CAD/CAM patient-specific abutment and provisional in the esthetic zone. *Compend Contin Educ Dent* 2014;35(7):494-504. [Abstract](#)
85. Maridati PC, Cremonesi S, Fontana F, et al. Management of d-PTFE membrane exposure for having final clinical success. *J Oral Implantol* 2016;42(3):289-91. [Abstract](#)
86. Martin R. Astra Tech OsseoSpeed™ 3.0S implant. *Inside Dentistry* 2010;6(4):2-4.
87. McGuire MK, Scheyer T, Ho DK, et al. Esthetic outcomes in relation to implant-abutment interface design following a standardized treatment protocol in a multicenter randomized controlled trial- A cohort of 12 cases at 1-year follow-up. *Int J Periodontics Restorative Dent* 2015;35(2):149-59. [Abstract](#)
88. Mertens C, de San Jose Gonzalez J, Freudlsperger C, et al. Implant-prosthetic rehabilitation of hemimaxillectomy defects with CAD/CAM suprastructures. *J Craniomaxillofac Surg* 2016;44(11):1812-18. [Abstract](#)
89. Millen CS, Reuben RL, Ibbetson RJ. The effect of coping/veneer thickness on the fracture toughness and residual stress of implant supported, cement retained zirconia and metal-ceramic crowns. *Dent Mater* 2012;28(10):e250-8. [Abstract](#)
90. Mizumoto RM, Malamis D, Mascarenhas F, et al. Titanium implant wear from a zirconia custom abutment: A clinical report. *J Prosthet Dent* 2019;E-pub Jun 2019, doi:10.1016/j.jprostdent.2018.11.008. [Abstract](#)
91. Mizumoto RM, Yilmaz B, McGlumphy EA, Jr., et al. Accuracy of different digital scanning techniques and scan bodies for complete-arch implant-supported prostheses. *J Prosthet Dent* 2019;E-pub apr doi:10.1016/j.jprostdent.2019.01.003. [Abstract](#)

92. Muhlemann S, Truninger TC, Stawarczyk B, et al. Bending moments of zirconia and titanium implant abutments supporting all-ceramic crowns after aging. *Clin Oral Implants Res* 2014;25(1):74-81. [Abstract](#)
93. Nazarian A. Easier implant restoration: CAD/CAM generated implant abutments. *Contemporary Esthetics* 2007;5:44-48.
94. Noelken R. Immediate implant placement in the aesthetic zone using the OsseoSpeed® Profile EV implant. *Australasian Dental Practice* 2017;28(4):170-74. [Abstract](#)
95. Noelken R, Geier J, Kunkel M, et al. Influence of soft tissue grafting, orofacial implant position, and angulation on facial hard and soft tissue thickness at immediately inserted and provisionalized implants in the anterior maxilla. *Clin Implant Dent Relat Res* 2018;20(5):674-82. [Abstract](#)
96. Noelken R, Moergel M, Kunkel M, et al. Immediate and flapless implant insertion and provisionalization using autogenous bone grafts in the esthetic zone: 5-year results. *Clin Oral Implants Res* 2018;29(3):320-27. [Abstract](#)
97. Noelken R, Moergel M, Pausch T, et al. Clinical and esthetic outcome with immediate insertion and provisionalization with or without connective tissue grafting in presence of mucogingival recessions: A retrospective analysis with follow-up between 1 and 8 years. *Clin Implant Dent Relat Res* 2018;20(3):285-93. [Abstract](#)
98. Noelken R, Neffe BA, Kunkel M, et al. Maintenance of marginal bone support and soft tissue esthetics at immediately provisionalized OsseoSpeed implants placed into extraction sites: 2-year results. *Clin Oral Implants Res* 2014;25(2):214-20. [Abstract](#)
99. Norton MR. The Influence of Low Insertion Torque on Primary Stability, Implant Survival, and Maintenance of Marginal Bone Levels: A Closed-Cohort Prospective Study. *Int J Oral Maxillofac Implants* 2017;32(4):849-57. [Abstract](#)
100. Ocelik V, Schepke U, Rasoul HH, et al. On the bulk degradation of yttria-stabilized nanocrystalline zirconia dental implant abutments: an electron backscatter diffraction study. *J Mater Sci Mater Med* 2017;28(8):121. [Abstract](#)
101. Paniz G, Stellini E, Meneghelli R, et al. The precision of fit of cast and milled full-arch implant-supported restorations. *Int J Oral Maxillofac Implants* 2013;28(3):687-93. [Abstract](#)
102. Parpaille A, Norton MR, Cecchinato D, et al. Virtual abutment design: a concept for delivery of CAD/CAM customized abutments-- report of a retrospective cohort. *Int J Periodontics Restorative Dent* 2013;33(1):51-8. [Abstract](#)
103. Petrungaro P, Smilach M, Jimenez E. Use of ceramic abutments in the esthetic zone to enhance implant esthetics. *Inside Dentistry* 2007;Feb:2-5.
104. Quirynen T, Quirynen M, Duyck J. Prevention of distal extension cantilever fracture in mandibular overdentures. *J Dent* 2015;43(9):1140-7. [Abstract](#)
105. Raigrodski AJ, Schwedhelm ER, Chen YW. A simplified technique for recording an implant-supported ovate pontic site in the esthetic zone. *J Prosthet Dent* 2014;111(2):154-8. [Abstract](#)
106. Rebeeah HA, Yilmaz B, Seidt JD, et al. Comparison of 3D displacements of screw-retained zirconia implant crowns into implants with different internal

- connections with respect to screw tightening. *J Prosthet Dent* 2018;119(1):132-37. [Abstract](#)
107. Rinke S, Ziebolz D. Fabrication of an implant-supported overdenture using CAD/CAM technology: A clinical report. *Quintessence Int* 2013;44(2):127-34. [Abstract](#)
108. Rojas-Vizcaya F. Rehabilitation of the maxillary arch with implant-supported fixed restorations guided by the most apical buccal bone level in the esthetic zone: a clinical report. *J Prosthet Dent* 2012;107(4):213-20. [Abstract](#)
109. Rosen A. Implant success: planning and impression material selection are key. *Compend Contin Educ Dent* 2018;39(3):12-14. [Abstract](#)
110. Salaita LG, Yilmaz B, Seidt JD, et al. Strain analysis of 9 different abutments for cement-retained crowns on an internal hexagonal implant. *J Prosthet Dent* 2017;118(2):166-71. [Abstract](#)
111. Sancho-Puchades M, Crameri D, Ozcan M, et al. The influence of the emergence profile on the amount of undetected cement excess after delivery of cement-retained implant reconstructions. *Clin Oral Implants Res* 2017;28(12):1515-22. [Abstract](#)
112. Schepke U, Gresnigt MMM, Browne WR, et al. Phase transformation and fracture load of stock and CAD/CAM-customized zirconia abutments after 1 year of clinical function. *Clin Oral Implants Res* 2019;30(6):559-69. [Abstract](#)
113. Schepke U, Lohbauer U, Meijer HJ, et al. Adhesive failure of Lava Ultimate and lithium disilicate crowns bonded to zirconia abutments: A prospective within-patient comparison. *Int J Prosthodont* 2018;31(3):208-10. [Abstract](#)
114. Schepke U, Meijer HJ, Kerdijk W, et al. Digital versus analog complete-arch impressions for single-unit premolar implant crowns: Operating time and patient preference. *J Prosthet Dent* 2015;114(3):403-6 e1. [Abstract](#)
115. Schepke U, Meijer HJ, Kerdijk W, et al. Stock versus CAD/CAM customized zirconia implant abutments - clinical and patient-based outcomes in a randomized controlled clinical trial. *Clin Implant Dent Relat Res* 2017;19(1):74-84. [Abstract](#)
116. Schepke U, Meijer HJ, Vermeulen KM, et al. Clinical bonding of resin nano ceramic restorations to zirconia abutments: A case series within a randomized clinical trial. *Clin Implant Dent Relat Res* 2016;18(5):984-92. [Abstract](#)
117. Schneider A, Kurtzman GM. Computerized milled solid implant abutments utilized at second stage surgery. *Gen Dent* 2001;49(4):416-20. [Abstract](#)
118. Sesemann MR. A visual essay. Maxillary arch reconstruction utilizing CAD/CAM Atlantis abutments. *Pract Proced Aesthet Dent* 2008;20(7):397-9. [Abstract](#)
119. Sumi T, Braian M, Shimada N, et al. Characteristics of implant-CAD/CAM abutment connections of two different internal connection systems. *J Oral Rehabil* 2012;39(5):391-8. [Abstract](#)
120. Svanborg P, Eliasson A, Stenport V. Additively manufactured titanium and cobalt-chromium implant frameworks: Fit and effect of ceramic veneering. *Int J Oral Maxillofac Implants* 2018;33(3):590-96. [Abstract](#)

121. Svanborg P, Stenport V, Eliasson A. Fit of cobalt-chromium implant frameworks before and after ceramic veneering in comparison with CNC-milled titanium frameworks. *Clin and Exp Dent Res* 2015;1(2):49-56. [Abstract](#)
122. Tahmaseb A, De Clerck R, Wismeijer D. Computer-guided implant placement: 3D planning software, fixed intraoral reference points, and CAD/CAM technology. A case report. *Int J Oral Maxillofac Implants* 2009;24(3):541-6. [Abstract](#)
123. Taylor TD, Klotz MW, Lawton RA. Titanium tattooing associated with zirconia implant abutments: a clinical report of two cases. *Int J Oral Maxillofac Implants* 2014;29(4):958-60. [Abstract](#)
124. Thoma DS, Brandenberg F, Fehmer V, et al. Randomized controlled clinical trial of all-ceramic single tooth implant reconstructions using modified zirconia abutments: Radiographic and prosthetic results at 1 year of loading. *Clin Implant Dent Relat Res* 2016;18(3):462-72. [Abstract](#)
125. Thoma DS, Brandenberg F, Fehmer V, et al. The esthetic effect of veneered zirconia abutments for single-tooth implant reconstructions: A randomized controlled clinical trial. *Clin Implant Dent Relat Res* 2016;18(6):1210-17. [Abstract](#)
126. Thoma DS, Sailer I, Muhlemann S, et al. Randomized controlled clinical study of veneered zirconia abutments for single implant crowns: Clinical, histological, and microbiological outcomes. *Clin Implant Dent Relat Res* 2018;20(6):988-96. [Abstract](#)
127. Toia M, Galli S, Cecchinato D, et al. Clinical evidence of OsseoSpeed EV implants: A retrospective study and characterization of the newly introduced system. *Int J Periodontics Restorative Dent* 2017;E-pub Aug 23, doi: 10.11607/prd.2549. [Abstract](#)
128. Toia M, Stocchero M, Becktor JP, et al. Implant vs abutment level connection in implant supported screw-retained fixed partial dentures with cobalt-chrome framework: 1-year interim results of a randomized clinical study. *Clin Implant Dent Relat Res* 2019;21(2):238-46. [Abstract](#)
129. Toia M, Wennerberg A, Torrisi P, et al. Patient satisfaction and clinical outcomes in implant-supported overdentures retained by milled bars: Two-year follow-up. *J Oral Rehabil* 2019;46(7):624-33. [Abstract](#)
130. Van Nimwegen WG, Goene RJ, Van Daelen AC, et al. Immediate implant placement and provisionalisation in the aesthetic zone. *J Oral Rehabil* 2016;43(10):745-52. [Abstract](#)
131. Vera C, De Kok IJ, Chen W, et al. Evaluation of post-implant buccal bone resorption using cone beam computed tomography: a clinical pilot study. *Int J Oral Maxillofac Implants* 2012;27(5):1249-57. [Abstract](#)
132. Wadhwani C, Rapoport D, La Rosa S, et al. Radiographic detection and characteristic patterns of residual excess cement associated with cement-retained implant restorations: a clinical report. *J Prosthet Dent* 2012;107(3):151-7. [Abstract](#)
133. Wasiluk G, Chomik E, Gehrke P, et al. Incidence of undetected cement on CAD/CAM monolithic zirconia crowns and customized CAD/CAM implant abutments. A prospective case series. *Clin Oral Implants Res* 2017;28(7):774-78. [Abstract](#)

134. Watkin A, Kerstein RB. Improving darkened anterior peri-implant tissue color with zirconia custom implant abutments. *Compend Contin Educ Dent* 2008;29(4):238-40, 42. [Abstract](#)
135. Whitesides L. Evaluation of the Atlantis abutment in implant restoration. *Inside Dentistry* 2006;Sept:98-99.
136. Whitesides LM. Solution for the challenging implant. *Dent Today* 2008;27(2):146, 48. [Abstract](#)
137. Wilk BL. Intraoral digital impressioning for dental implant restorations versus traditional implant impression techniques. *Compend Contin Educ Dent* 2015;36(7):529-33. [Abstract](#)
138. Yilmaz B, Gilbert AB, Seidt JD, et al. Displacement of implant abutments following initial and repeated torqueing. *Int J Oral Maxillofac Implants* 2015;30(5):1011-8. [Abstract](#)
139. Yilmaz B, Hashemzadeh S, Seidt JD, et al. Displacement comparison of CAD-CAM titanium and zirconia abutments to implants with different conical connections. *J Prosthodont Res* 2018;62(2):200-03. [Abstract](#)
140. Yilmaz B, Salaita LG, Seidt JD, et al. Load to failure of different titanium abutments for an internal hexagon implant. *J Prosthet Dent* 2015;114(4):513-6. [Abstract](#)
141. Yilmaz B, Salaita LG, Seidt JD, et al. Load to failure of different zirconia abutments for an internal hexagon implant. *J Prosthet Dent* 2015;114(3):373-7. [Abstract](#)
142. Yoda N, Zheng K, Chen J, et al. Bone morphological effects on post-implantation remodeling of maxillary anterior buccal bone: A clinical and biomechanical study. *J Prosthodont Res* 2017;61(4):393-402. [Abstract](#)
143. Zeller S, Guichet D, Kontogiorgos E, et al. Accuracy of three digital workflows for implant abutment and crown fabrication using a digital measuring technique. *J Prosthet Dent* 2019;121(2):276-84. [Abstract](#)

## Simplant

1. Abboud M, Wahl G, Guirado JL, et al. Application and success of two stereolithographic surgical guide systems for implant placement with immediate loading. *Int J Oral Maxillofac Implants* 2012;27(3):634-43. [Abstract](#)
2. Aboul-Hosn Centenero S, Hernandez-Alfaro F. 3d planning in orthognathic surgery: Cad/cam surgical splints and prediction of the soft and hard tissues results - our experience in 16 cases. *J Craniomaxillofac Surg* 2012;40(2):162-8. [Abstract](#)
3. Afshari FS, Hallas MB, Knoernschild KL. An alternative approach in fabrication of fixed complete dentures using a duplicate denture. *J Prosthodont* 2012;21(7):569-72. [Abstract](#)
4. Ahmad R, Abu-Hassan MI, Chen J, et al. The relationship of mandibular morphology with residual ridge resorption associated with implant-retained overdentures. *Int J Prosthodont* 2016;29(6):573-80. [Abstract](#)

5. Ahmad R, Abu-Hassan MI, Li Q, et al. Three dimensional quantification of mandibular bone remodeling using standard tessellation language registration based superimposition. *Clin Oral Implants Res* 2012;24(11):1273-9. [Abstract](#)
6. Albiero AM, Benato R. Computer-assisted surgery and intraoral welding technique for immediate implant-supported rehabilitation of the edentulous maxilla: Case report and technical description. *Int J Med Robot* 2016;12(3):453-60. [Abstract](#)
7. Albiero AM, Benato R, Benato A, et al. Use of intraoral welding to increase the predictability of immediately loaded computer-guided implants. *Int J Periodontics Restorative Dent* 2017;37(4):591-98. [Abstract](#)
8. Albiero AM, Benato R, Momic S, et al. Implementation of computer-guided implant planning using digital scanning technology for restorations supported by conical abutments: A dental technique. *J Prosthet Dent* 2017;119(5):720-26. [Abstract](#)
9. Albiero AM, Benato R, Momic S, et al. Guided-welded approach planning using a computer-aided designed prosthetic shell for immediately loaded complete-arch rehabilitations supported by conometric abutments. *J Prosthet Dent* 2019;E-pub May 13 doi:10.1016/j.prosdent.2018.12.002. [Abstract](#)
10. Al-Harbi SA, Sun AY. Implant placement accuracy when using stereolithographic template as a surgical guide: preliminary results. *Implant Dent* 2009;18(1):46-56. [Abstract](#)
11. Al-Harbi SA, Verrett RG. Fabrication of a stable surgical template using staged tooth extraction for immediate implant placement. *J Prosthet Dent* 2005;94(4):394-7. [Abstract](#)
12. Al-Hashedi AA, Taiyeb-Ali TB, Yunus N. Outcomes of placing short implants in the posterior mandible: a preliminary randomized controlled trial. *Aust Dent J* 2016;61(2):208-18. [Abstract](#)
13. Aljunid S, AlSiweedi S, Nambiar P, et al. The management of persistent pain from a branch of the trifid mandibular canal due to implant impingement. *J Oral Implantol* 2016;42(4):349-52. [Abstract](#)
14. Allum SR. Immediately loaded full-arch provisional implant restorations using CAD/CAM and guided placement: maxillary and mandibular case reports. *Br Dent J* 2008;204(7):377-81. [Abstract](#)
15. Amet EM. Management of unscheduled anterior tooth or prosthesis loss with extraction and immediate implant placement: a clinical report. *J Oral Implantol* 2010;36(3):209-17. [Abstract](#)
16. Amet EM, Ganz SD. Implant treatment planning using a patient acceptance prosthesis, radiographic record base, and surgical template. Part 1: Presurgical phase. *Implant Dent* 1997;6(3):193-7. [Abstract](#)
17. Amet EM, Uehlein C. Alveolar nerve repositioning with rescue implants for management of previous treatment. A clinical report. *J Prosthodont* 2013;22(8):633-40. [Abstract](#)
18. Amorfini L, Migliorati M, Signori A, et al. Block allograft technique versus standard guided bone regeneration: a randomized clinical trial. *Clin Implant Dent Relat Res* 2014;16(5):655-67. [Abstract](#)

19. Arisan V, Bolukbasi N, Oksuz L. Computer-assisted flapless implant placement reduces the incidence of surgery-related bacteremia. *Clin Oral Investig* 2013;17(9):1985-93. [Abstract](#)
20. Arisan V, Karabuda CZ, Mumcu E, et al. Implant positioning errors in freehand and computer-aided placement methods: a single-blind clinical comparative study. *Int J Oral Maxillofac Implants* 2013;28(1):190-204. [Abstract](#)
21. Arisan V, Karabuda CZ, Ozdemir T. Implant surgery using bone- and mucosa-supported stereolithographic guides in totally edentulous jaws: surgical and post-operative outcomes of computer-aided vs. standard techniques. *Clin Oral Implants Res* 2010;21(9):980-8. [Abstract](#)
22. Arisan V, Karabuda ZC, Avsever H, et al. Conventional multi-slice computed tomography (CT) and cone-beam CT (CBCT) for computer-assisted implant placement. Part I: relationship of radiographic gray density and implant stability. *Clin Implant Dent Relat Res* 2013;15(6):893-906. [Abstract](#)
23. Arisan V, Karabuda ZC, Ozdemir T. Accuracy of two stereolithographic guide systems for computer-aided implant placement: a computed tomography-based clinical comparative study. *J Periodontol* 2010;81(1):43-51. [Abstract](#)
24. Arisan V, Karabuda ZC, Piskin B, et al. Conventional multi-slice computed tomography (CT) and cone-beam CT (CBCT) for computer-aided implant placement. Part II: reliability of mucosa-supported stereolithographic guides. *Clin Implant Dent Relat Res* 2013;15(6):907-17. [Abstract](#)
25. Azari A, Nikzad S. Flapless implant surgery: review of the literature and report of 2 cases with computer-guided surgical approach. *J Oral Maxillofac Surg* 2008;66(5):1015-21. [Abstract](#)
26. Azari A, Nikzad S, Kabiri A. Using computer-guided implantology in flapless implant surgery of a maxilla: a clinical report. *J Oral Rehabil* 2008;35(9):690-4. [Abstract](#)
27. Baggi L, Cappelloni I, Di Girolamo M, et al. The influence of implant diameter and length on stress distribution of osseointegrated implants related to crestal bone geometry: a three-dimensional finite element analysis. *J Prosthet Dent* 2008;100(6):422-31. [Abstract](#)
28. Bencharit S, Allen RK, Whitley D, 3rd. Utilization of demineralized bone matrix to restore missing buccal bone during single implant placement: Clinical report. *J Oral Implantol* 2016;42(6):490-97. [Abstract](#)
29. Bencharit S, Morelli T, Barros S, et al. Comparing initial wound healing and osteogenesis of porous tantalum trabecular metal and titanium alloy materials. *J Oral Implantol* 2019;E-pub Jan 22, doi: 10.1563/aaid-joi-D-17-00258. [Abstract](#)
30. Bernard L, Vercruyssen M, Duyck J, et al. A randomized controlled clinical trial comparing guided with nonguided implant placement: A 3-year follow-up of implant-centered outcomes. *J Prosthet Dent* 2019;121(6):904-10. [Abstract](#)
31. Bertos Quilez J, Guijarro-Martinez R, Aboul-Hosn Centenero S, et al. Virtual quad zygoma implant placement using cone beam computed tomography: sufficiency of malar bone volume, intraosseous implant length, and relationship to the sinus according to the degree of alveolar bone atrophy. *Int J Oral Maxillofac Surg* 2018;47(2):252-61. [Abstract](#)

32. Besimo CE, Lambrecht JT, Guindy JS. Accuracy of implant treatment planning utilizing template-guided reformatted computed tomography. Dentomaxillofac Radiol 2000;29(1):46-51. [Abstract](#)
33. Bianchi J, Fiorellini JP, Howell TH, et al. Measuring the efficacy of rhBMP-2 to regenerate bone: a radiographic study using a commercially available software program. Int J Periodontics Restorative Dent 2004;24(6):579-87. [Abstract](#)
34. Bocklage R. Computer analysis of titanium implants in atrophic arch and poor quality bone: a case report. Implant Dent 2001;10(3):162-7. [Abstract](#)
35. Boedeker D, Dyer J, Kraut R. Clinical outcome of immediately loaded maxillary implants: a 2-year retrospective study. J Oral Maxillofac Surg 2011;69(5):1335-43. [Abstract](#)
36. Bou Serhal C, Jacobs R, Van Cleynenbreugel J, et al. Validation of a 3D-CT based stereolithographic template for implant placement in an ex vivo atrophic mandible. Clin Oral Implants Res 2002;13.
37. Braidy H, Appelbaum M. Alveolar distraction osteogenesis of the severely atrophic anterior maxilla: surgical and prosthetic challenges. J Prosthodont 2011;20(2):139-43. [Abstract](#)
38. Bynum JH. Treatment of a class III malocclusion. J Cosmetic Dentistry 2013;29(2):64-72. [Abstract](#)
39. Caldwell CS. Practical incorporation of computed tomography into daily implant treatment planning. Tex Dent J 2005;122(4):343-54. [Abstract](#)
40. Cassetta M. Immediate loading of implants inserted in edentulous arches using multiple mucosa-supported stereolithographic surgical templates: a 10-year prospective cohort study. Int J Oral Maxillofac Surg 2016;45(4):526-34. [Abstract](#)
41. Cassetta M, Di Mambro A, Di Giorgio G, et al. The influence of the tolerance between mechanical components on the accuracy of implants inserted with a stereolithographic surgical guide: A retrospective clinical study. Clin Implant Dent Relat Res 2015;17(3):580-8. [Abstract](#)
42. Cassetta M, Di Mambro A, Giansanti M, et al. Is it possible to improve the accuracy of implants inserted with a stereolithographic surgical guide by reducing the tolerance between mechanical components? Int J Oral Maxillofac Surg 2013;42(7):887-90. [Abstract](#)
43. Cassetta M, Di Mambro A, Giansanti M, et al. How does an error in positioning the template affect the accuracy of implants inserted using a single fixed mucosa-supported stereolithographic surgical guide? Int J Oral Maxillofac Surg 2014;43(1):85-92. [Abstract](#)
44. Cassetta M, Di Mambro A, Giansanti M, et al. The intrinsic error of a stereolithographic surgical template in implant guided surgery. Int J Oral Maxillofac Surg 2013;42(2):264-75. [Abstract](#)
45. Cassetta M, Giansanti M, Di Mambro A, et al. Accuracy of two stereolithographic surgical templates: A retrospective study. Clin Implant Dent Relat Res 2013;15(3):448-59. [Abstract](#)
46. Cassetta M, Giansanti M, Di Mambro A, et al. Accuracy of positioning of implants inserted using a mucosa-supported stereolithographic surgical guide in the

- edentulous maxilla and mandible. *Int J Oral Maxillofac Implants* 2014;29(5):1071-8. [Abstract](#)
47. Cassetta M, Stefanelli LV, Giansanti M, et al. Depth deviation and occurrence of early surgical complications or unexpected events using a single stereolithographic surgi-guide. *Int J Oral Maxillofac Surg* 2011;40(12):1377-87. [Abstract](#)
48. Cassetta M, Stefanelli LV, Giansanti M, et al. Accuracy of a computer-aided implant surgical technique. *Int J Periodontics Restorative Dent* 2013;33(3):317-25. [Abstract](#)
49. Chai J, Chau AC, Chu FC, et al. Diagnostic performance of mandibular bone density measurements in assessing osteoporotic status. *Int J Oral Maxillofac Implants* 2014;29(3):667-74. [Abstract](#)
50. Chan CK, Chai JY, Wah CT. In vitro ultrasonographic measurement of jawbone to predict bone quality. *Int J Oral Maxillofac Implants* 2014;29(5):1042-8. [Abstract](#)
51. Chan PW, Chik FF, Pow EH, et al. Stereoscopic technique for conversion of radiographic guide into implant surgical guide. *Clin Implant Dent Relat Res* 2013;15(4):613-24. [Abstract](#)
52. Chang PP, Henegbarth EA, Lang LA. Maxillary zirconia implant fixed partial dentures opposing an acrylic resin implant fixed complete denture: a two-year clinical report. *J Prosthet Dent* 2007;97(6):321-30. [Abstract](#)
53. Chow J, Hui E, Lee PK, et al. Zygomatic implants-protocol for immediate occlusal loading: a preliminary report. *J Oral Maxillofac Surg* 2006;64(5):804-11. [Abstract](#)
54. Clelland N, Chaudhry J, Rashid RG, et al. Split-mouth comparison of splinted and nonsplinted prostheses on short implants: 3-year results. *Int J Oral Maxillofac Implants* 2016;31(5):1135-41. [Abstract](#)
55. Cushen SE, Turkyilmaz I. Impact of operator experience on the accuracy of implant placement with stereolithographic surgical templates: An in vitro study. *J Prosthet Dent* 2013;109(4):248-54. [Abstract](#)
56. Damstra J, Fourie Z, De Wit M, et al. A three-dimensional comparison of a morphometric and conventional cephalometric midsagittal planes for craniofacial asymmetry. *Clin Oral Investig* 2012;16(1):285-94. [Abstract](#)
57. Damstra J, Fourie Z, Huddleston Slater JJ, et al. Accuracy of linear measurements from cone-beam computed tomography-derived surface models of different voxel sizes. *Am J Orthod Dentofacial Orthop* 2010;137(1):16 e1-6; discussion 16-7. [Abstract](#)
58. Damstra J, Fourie Z, Huddleston Slater JJ, et al. Reliability and the smallest detectable difference of measurements on 3-dimensional cone-beam computed tomography images. *Am J Orthod Dentofacial Orthop* 2011;140(3):e107-14. [Abstract](#)
59. Damstra J, Fourie Z, Ren Y. Evaluation and comparison of postero-anterior cephalograms and cone-beam computed tomography images for the detection of mandibular asymmetry. *Eur J Orthod* 2013;35(1):45-50. [Abstract](#)

60. Davies J, Johnson B, Drage N. Effective doses from cone beam CT investigation of the jaws. *Dentomaxillofac Radiol* 2012;41(1):30-6. [Abstract](#)
61. Deeb G, Antonos L, Tack S, et al. Is cone-beam computed tomography always necessary for dental implant placement? *J Oral Maxillofac Surg* 2017;75(2):285-89. [Abstract](#)
62. Degidi M, Daprile G, Nardi D, et al. Buccal bone plate in immediately placed and restored implant with Bio-Oss((R)) collagen graft: a 1-year follow-up study. *Clin Oral Implants Res* 2013;24(11):1201-5. [Abstract](#)
63. Degidi M, Nardi D, Daprile G, et al. Buccal bone plate in the immediately placed and restored maxillary single implant: a 7-year retrospective study using computed tomography. *Implant Dent* 2012;21(1):62-6. [Abstract](#)
64. Dene L. Implant supported overdenture for the atrophic mandible. *N Y State Dent J* 2010;76(3):26-9. [Abstract](#)
65. Depprich RA, Ommerborn MA, Handschel JG, et al. Dentin dysplasia type I: a challenge for treatment with dental implants. *Head Face Med* 2007;3:31. [Abstract](#)
66. D'Haese J, De Bruyn H. Effect of smoking habits on accuracy of implant placement using mucosally supported stereolithographic surgical guides. *Clin Implant Dent Relat Res* 2013;15(3):402-11. [Abstract](#)
67. D'haese J, Van De Velde T, Elaut L, et al. A prospective study on the accuracy of mucosally supported stereolithographic surgical guides in fully edentulous maxillae. *Clin Implant Dent Relat Res* 2012;14(2):293-303. [Abstract](#)
68. D'haese J, Vervaeke S, Verbanck N, et al. Clinical and radiographic outcome of implants placed using stereolithographic guided surgery: a prospective monocenter study. *Int J Oral Maxillofac Implants* 2013;28(1):205-15. [Abstract](#)
69. Di Giacomo GA, Cury PR, de Araujo NS, et al. Clinical application of stereolithographic surgical guides for implant placement: preliminary results. *J Periodontol* 2005;76(4):503-7. [Abstract](#)
70. Dragonas P, Palin C, Khan S, et al. Complications associated with the use of recombinant human bone morphogenic protein-2 in ridge augmentation: A case report. *J Oral Implantol* 2017;43(5):351-59. [Abstract](#)
71. Edelmann AR, Hosseini B, Byrd WC, et al. Exploring effectiveness of computer-aided planning in implant positioning for a single immediate implant placement. *J Oral Implantol* 2016;42(3):233-9. [Abstract](#)
72. Elian N, Ehrlich B, Jalbout Z, et al. A restoratively driven ridge categorization, as determined by incorporating ideal restorative positions on radiographic templates utilizing computed tomography scan analysis. *Clin Implant Dent Relat Res* 2009;11(4):272-8. [Abstract](#)
73. Elsyad MA, Mahanna FF, Elshahat MA, et al. Locators versus magnetic attachment effect on peri-implant tissue health of immediate loaded two implants retaining a mandibular overdenture: a 1-year randomised trial. *J Oral Rehabil* 2016;43(4):297-305. [Abstract](#)
74. Eun-Suk K, Eun-Jin P, Schrott A, et al. Immediate loading as a vehicle for interdisciplinary training in implant placement and restoration. *Int J Oral Maxillofac Implants* 2010;25(4):759-62. [Abstract](#)

75. Fourie Z, Damstra J, Gerrits PO, et al. Accuracy and reliability of facial soft tissue depth measurements using cone beam computer tomography. *Forensic Sci Int* 2010;199(1-3):9-14. [Abstract](#)
76. Fourie Z, Damstra J, Schepers RH, et al. Segmentation process significantly influences the accuracy of 3D surface models derived from cone beam computed tomography. *Eur J Radiol* 2012;81(4):e524-30. [Abstract](#)
77. Frongia G, Piancino MG, Bracco AA, et al. Assessment of the reliability and repeatability of landmarks using 3-D cephalometric software. *CRANIO* 2012;30(4):255-63. [Abstract](#)
78. Froum SJ, Cho SC, Cho YS, et al. Narrow-diameter implants: a restorative option for limited interdental space. *Int J Periodontics Restorative Dent* 2007;27(5):449-55. [Abstract](#)
79. Froum SJ, Cho SC, Suzuki T, et al. Epicrestal and subcrestal placement of platform-switched implants: 18 month-result of a randomized, controlled, split-mouth, prospective clinical trial. *Clin Oral Implants Res* 2018;29(4):353-66. [Abstract](#)
80. Froum SJ, Tarnow DP, Wallace SS, et al. Sinus floor elevation using anorganic bovine bone matrix (OsteoGraf/N) with and without autogenous bone: a clinical, histologic, radiographic, and histomorphometric analysis--Part 2 of an ongoing prospective study. *Int J Periodontics Restorative Dent* 1998;18(6):528-43. [Abstract](#)
81. Ganz SD. The triangle of bone--a formula for successful implant placement and restoration. *Implant Soc* 1995;5(5):2-6. [Abstract](#)
82. Ganz SD. Use of stereolithographic models as diagnostic and restorative aids for predictable immediate loading of implants. *Pract Proced Aesthet Dent* 2003;15(10):763-71. [Abstract](#)
83. Ganz SD. Presurgical planning with CT-derived fabrication of surgical guides. *J Oral Maxillofac Surg* 2005;63(9 Suppl 2):59-71. [Abstract](#)
84. Ganz SD. CT-derived model-based surgery for immediate loading of maxillary anterior implants. *Pract Proced Aesthet Dent* 2007;19(5):311-8. [Abstract](#)
85. Ganz SD. Defining new paradigms for assessment of implant receptor sites. The use of CT/CBCT and interactive virtual treatment planning for congenitally missing lateral incisors. *Compend Contin Educ Dent* 2008;29(5):256-8, 60-2, 64-7. [Abstract](#)
86. Ganz SD. Defining new paradigms for assessment of implant receptor sites. The use of CT/CBCT and interactive virtual treatment planning for congenitally missing lateral incisors. *Inside Dentistry* 2009;Nov/Dec:2-9. [Abstract](#)
87. Garcia-Denche JT, Wu X, Martinez PP, et al. Membranes over the lateral window in sinus augmentation procedures: a two-arm and split-mouth randomized clinical trials. *J Clin Periodontol* 2013;40(11):1043-51. [Abstract](#)
88. Gillot L, Cannas B, Buti J, et al. A retrospective cohort study of 113 patients rehabilitated with immediately loaded maxillary cross-arch fixed dental prostheses in combination with immediate implant placement. *Eur J Oral Implantol* 2012;5(1):71-9. [Abstract](#)

89. Gokce SM, Gorgulu S, Gokce HS, et al. Evaluation of pharyngeal airway space changes after bimaxillary orthognathic surgery with a 3-dimensional simulation and modeling program. *Am J Orthod Dentofacial Orthop* 2014;146(4):477-92. [Abstract](#)
90. Gorgulu S, Gokce SM, Olmez H, et al. Nasal cavity volume changes after rapid maxillary expansion in adolescents evaluated with 3-dimensional simulation and modeling programs. *Am J Orthod Dentofacial Orthop* 2011;140(5):633-40. [Abstract](#)
91. Hakim SG, Glanz J, Ofer M, et al. Correlation of cone beam CT-derived bone density parameters with primary implant stability assessed by peak insertion torque and periotest in the maxilla. *J Craniomaxillofac Surg* 2019;47(3):461-67. [Abstract](#)
92. Hara S, Mitsugi M, Kanno T, et al. Endoscopically assisted intraoral modified Le Fort II type midfacial advancement using piezoelectric surgery and an intraoperative RED system. *J Oral Maxillofac Surg* 2013;71(2):e93-103. [Abstract](#)
93. Hara S, Mitsugi M, Kanno T, et al. Three-dimensional virtual operations can facilitate complicated surgical planning for the treatment of patients with jaw deformities associated with facial asymmetry: a case report. *Int J Oral Sci* 2013;5(3):176-82. [Abstract](#)
94. Hernandez-Alfaro F, Guijarro-Martinez R. New protocol for three-dimensional surgical planning and CAD/CAM splint generation in orthognathic surgery: an in vitro and in vivo study. *Int J Oral Maxillofac Surg* 2013;42(12):1547-56. [Abstract](#)
95. Hernandez-Alfaro F, Guijarro-Martinez R, Mareque-Bueno J. Effect of mono- and bimaxillary advancement on pharyngeal airway volume: cone-beam computed tomography evaluation. *J Oral Maxillofac Surg* 2011;69(11):e395-400. [Abstract](#)
96. Hernandez-Alfaro F, Guijarro-Martinez R, Molina-Coral A, et al. "Surgery first" in bimaxillary orthognathic surgery. *J Oral Maxillofac Surg* 2011;69(6):e201-7. [Abstract](#)
97. Hernandez-Alfaro F, Guijarro-Martinez R, Peiro-Guijarro MA. Surgery first in orthognathic surgery: what have we learned? A comprehensive workflow based on 45 consecutive cases. *J Oral Maxillofac Surg* 2014;72(2):376-90. [Abstract](#)
98. Ho MH, Chiang CP, Liu YF, et al. Highly efficient release of lovastatin from poly(lactic-co-glycolic acid) nanoparticles enhances bone repair in rats. *J Orthop Res* 2011;29(10):1504-10. [Abstract](#)
99. Holmes S, Goldner S, Bridle C, et al. Evaluation of complex craniomaxillofacial fractures by a new three-dimensional planning system. *Br J Oral Maxillofac Surg* 2006;44(5):416-7. [Abstract](#)
100. Horowitz RA. The use of osteotomes for sinus augmentation at the time of implant placement. *Compend Contin Educ Dent* 1997;18(5):441-7, 50-2; quiz 54. [Abstract](#)
101. Hosseini B, Byrd WC, Preisser JS, et al. Effects of antibiotics on bone and soft-tissue healing following immediate single-tooth implant placement into sites with apical pathology. *J Oral Implantol* 2015;41(5):e202-11. [Abstract](#)
102. Hrabak K, Szabo G, Ewers R, et al. 2D and 3D computer tomography and sinus graft analysis with various graft materials. *J Long Term Eff Med Implants* 1999;9(3):223-33. [Abstract](#)

103. Ikumi N, Tsutsumi S. Assessment of correlation between computerized tomography values of the bone and cutting torque values at implant placement: a clinical study. *Int J Oral Maxillofac Implants* 2005;20(2):253-60. [Abstract](#)
104. Ishak MI, Abdul Kadir MR, Sulaiman E, et al. Finite element analysis of different surgical approaches in various occlusal loading locations for zygomatic implant placement for the treatment of atrophic maxillae. *Int J Oral Maxillofac Surg* 2012;41(9):1077-89. [Abstract](#)
105. Jacobs R. Preoperative radiologic planning of implant surgery in compromised patients. *Periodontol 2000* 2003;33:12-25. [Abstract](#)
106. Jang HY, Kim HC, Lee SC, et al. Choice of graft material in relation to maxillary sinus width in internal sinus floor augmentation. *J Oral Maxillofac Surg* 2010;68(8):1859-68. [Abstract](#)
107. Jensen C, Raghoobar GM, Meijer HJ, et al. Comparing two diagnostic procedures in planning dental implants to support a mandibular free-ending removable partial denture. *Clin Implant Dent Relat Res* 2016;18(4):678-85. [Abstract](#)
108. Jeong SM, Yoo JH, Fang Y, et al. The effect of guided flapless implant procedure on heat generation from implant drilling. *J Craniomaxillofac Surg* 2014;42(6):725-9. [Abstract](#)
109. Jones JL, Knox J, Key SJ. Potential reformatting errors in cone-beam computed tomography for dentoalveolar surgery: a cautionary tale. *Br J Oral Maxillofac Surg* 2017;55(1):71-73. [Abstract](#)
110. Juluri R, Moran M, Suzuki JB, et al. A comparison of computed tomography scans and digital periapical radiographs ridge height measurements. *J Oral Implantol* 2015;41(2):125-31. [Abstract](#)
111. Jung YR, Kim SC, Kang KH, et al. Placement angle effects on the success rate of orthodontic microimplants and other factors with cone-beam computed tomography. *Am J Orthod Dentofacial Orthop* 2013;143(2):173-81. [Abstract](#)
112. Kacer CM, Dyer JD, Kraut RA. Immediate loading of dental implants in the anterior and posterior mandible: a retrospective study of 120 cases. *J Oral Maxillofac Surg* 2010;68(11):2861-7. [Abstract](#)
113. Kalaignan P, Mohan JS, Jayakumar A. Assessment of oral health-related quality of life for complex mandibular defects rehabilitated with computer-guided implant restoration. *J Int Soc Prev Community Dent* 2018;8(3):277-81. [Abstract](#)
114. Kamposiora P, Papavasiliou G, Madianos P. Presentation of two cases of immediate restoration of implants in the esthetic region, using facilitate software and guides with stereolithographic model surgery prior to patient surgery. *J Prosthodont* 2012;21(2):130-7. [Abstract](#)
115. Kaneko T, Masuda I, Horie N, et al. New bone formation in nongrafted sinus lifting with space-maintaining management: a novel technique using a titanium bone fixation device. *J Oral Maxillofac Surg* 2012;70(3):e217-24. [Abstract](#)
116. Kang SH, Lee JW, Lim SH, et al. Verification of the usability of a navigation method in dental implant surgery: in vitro comparison with the stereolithographic surgical guide template method. *J Craniomaxillofac Surg* 2014;42(7):1530-5. [Abstract](#)

117. Kang YH, Kim BC, Park KR, et al. Visual pathway-related horizontal reference plane for three-dimensional craniofacial analysis. *Orthod Craniofac Res* 2012;15(4):245-54. [Abstract](#)
118. Kanno T, Mitsugi M, Sukegawa S, et al. Computer-simulated bi-directional alveolar distraction osteogenesis. *Clin Oral Implants Res* 2008;19(12):1211-8. [Abstract](#)
119. Katsumi Y, Tanaka R, Hayashi T, et al. Variation in arterial supply to the floor of the mouth and assessment of relative hemorrhage risk in implant surgery. *Clin Oral Implants Res* 2013;24(4):434-40. [Abstract](#)
120. Kawasaki T, Komatsu K, Tsuchiya R. Tilted placement of tapered implants using a modified surgical template. *J Oral Maxillofac Surg* 2011;69(6):1642-50. [Abstract](#)
121. Kennedy KS, Jones EM, Kim DG, et al. A prospective clinical study to evaluate early success of short implants. *Int J Oral Maxillofac Implants* 2013;28(1):170-7. [Abstract](#)
122. Kim SJ, Ribeiro AL, Atlas AM, et al. Resonance frequency analysis as a predictor of early implant failure in the partially edentulous posterior maxilla following immediate nonfunctional loading or delayed loading with single unit restorations. *Clin Oral Implants Res* 2015;26(2):183-90. [Abstract](#)
123. Kimura K, Fukase Y, Makino M, et al. Three-dimensional finite element analysis of fixed complete-arch prostheses supported by 4 immediate-loaded implants in the completely edentulous maxilla using clinical computerized tomography data. *J Oral Implantol* 2011;37 Spec No:96-105. [Abstract](#)
124. Klein M, Abrams M. Computer-guided surgery utilizing a computer-milled surgical template. *Pract Proced Aesthet Dent* 2001;13(2):165-9; quiz 70. [Abstract](#)
125. Kong N, Hui M, Miao F, et al. Mandibular incisive canal in han chinese using cone beam computed tomography. *Int J Oral Maxillofac Surg* 2016;45(9):1142-6. [Abstract](#)
126. Koop R, Vercruyssen M, Vermeulen K, et al. Tolerance within the sleeve inserts of different surgical guides for guided implant surgery. *Clin Oral Implants Res* 2013;24(6):630-4. [Abstract](#)
127. Koutouzis T, Adeinat B, Ali A. The influence of abutment macro-design on clinical and radiographic peri-implant tissue changes for guided placed and restored implants: a 1-year randomized controlled trial. *Clin Oral Implants Res* 2019;E-pub Jun 2019, doi: 10.1111/cir.13493. [Abstract](#)
128. Kusek ER. Immediate implant placement into infected sites: bacterial studies of the Hydroacoustic effects of the YSGG laser. *J Oral Implantol* 2011;37 Spec No:205-11. [Abstract](#)
129. Lal K, White GS, Morea DN, et al. Use of stereolithographic templates for surgical and prosthodontic implant planning and placement. Part II. A clinical report. *J Prosthodont* 2006;15(2):117-22. [Abstract](#)
130. Lal K, White GS, Morea DN, et al. Use of stereolithographic templates for surgical and prosthodontic implant planning and placement. Part I. The concept. *J Prosthodont* 2006;15(1):51-8. [Abstract](#)

131. Laverty DP, Addison O, Wubie BA, et al. Outcomes of implant-based oral rehabilitation in head and neck oncology patients-a retrospective evaluation of a large, single regional service cohort. *Int J Implant Dent* 2019;5(1):8. [Abstract](#)
132. Lee BS, Ohe JY, Kim BK. Differences in bone remodeling using demineralized bone matrix in bilateral sagittal split ramus osteotomy: a study on volumetric analysis using three-dimensional cone-beam computed tomography. *J Oral Maxillofac Surg* 2014;72(6):1151-7. [Abstract](#)
133. Lee CY. Three-dimensional computer tomography (CT) in the evaluation of placement for dental implants. *Hawaii Dent J* 1996;27(3):26-9. [Abstract](#)
134. Lee CYS, Hasegawa H. Immediate load and esthetic zone considerations to replace maxillary incisor teeth using a new zirconia implant abutment in the bone grafted anterior maxilla. *J Oral Implantol* 2008;34(5):259-67. [Abstract](#)
135. Lemmerman KJ, Lemmerman NE. Osseointegrated dental implants in private practice: a long-term case series study. *J Periodontol* 2005;76(2):310-9. [Abstract](#)
136. Lethaus B, Lie N, de Beer F, et al. Surgical and prosthetic reconsiderations in patients with maxillectomy. *J Oral Rehabil* 2010;37(2):138-42. [Abstract](#)
137. Lethaus B, Poort L, Yamauchi K, et al. Qualitative bone CT as a tool to assess vascularization in irradiated bone: an animal study. *Clin Oral Implants Res* 2013;24(7):746-9. [Abstract](#)
138. Levine MH, Goddard AL, Dodson TB. Inferior alveolar nerve canal position: a clinical and radiographic study. *J Oral Maxillofac Surg* 2007;65(3):470-4. [Abstract](#)
139. Li H, Yang Y, Chen Y, et al. Three-dimensional reconstruction of maxillae using spiral computed tomography and its application in postoperative adult patients with unilateral complete cleft lip and palate. *J Oral Maxillofac Surg* 2011;69(12):e549-57. [Abstract](#)
140. Li J, Xuan F, Choi BH, et al. Minimally invasive ridge augmentation using xenogenous bone blocks in an atrophied posterior mandible: a clinical and histological study. *Implant Dent* 2013;22(2):112-6. [Abstract](#)
141. Lin YK, Yau HT, Wang IC, et al. A novel dental implant guided surgery based on integration of surgical template and augmented reality. *Clin Implant Dent Relat Res* 2015;17(3):543-53. [Abstract](#)
142. Lin Z, He B, Chen J, et al. Manufacture method and clinical application of minimally invasive dental implant guide template based on registration technology. (English). *West China Journal of Stomatology* 2012;30(4):402-06. [Abstract](#)
143. Maini A, Durning P, Drage N. Resorption: within or without? The benefit of cone-beam computed tomography when diagnosing a case of an internal/external resorption defect. *Br Dent J* 2008;204(3):135-7. [Abstract](#)
144. Maloney K, Bastidas J, Freeman K, et al. Cone beam computed tomography and SimPlant materialize dental software versus direct measurement of the width and height of the posterior mandible: an anatomic study. *J Oral Maxillofac Surg* 2011;69(7):1923-9. [Abstract](#)

145. Mandelaris GA, Rosenfeld AL. A novel approach to the antral sinus bone graft technique: The use of a prototype cutting guide for precise outlining of the lateral wall. A case report. *Int J Periodontics Restorative Dent* 2008;28(6):568-75. [Abstract](#)
146. Mandelaris GA, Rosenfeld AL. Alternative applications of guided surgery: precise outlining of the lateral window in antral sinus bone grafting. *J Oral Maxillofac Surg* 2009;67(11 Suppl):23-30. [Abstract](#)
147. Mandelaris GA, Rosenfeld AL, King SD, et al. Computer-guided implant dentistry for precise implant placement: combining specialized stereolithographically generated drilling guides and surgical implant instrumentation. *Int J Periodontics Restorative Dent* 2010;30(3):275-81. [Abstract](#)
148. Mandelaris GA, Vlk SD. Guided implant surgery with placement of a presurgical CAD/CAM patient-specific abutment and provisional in the esthetic zone. *Compend Contin Educ Dent* 2014;35(7):494-504. [Abstract](#)
149. Mangano C, Mangano F, Piatelli A, et al. Single-tooth Morse taper connection implants after 1 year of functional loading: a multicentre study on 302 patients. *Eur J Oral Implantol* 2008;1(4):305-15. [Abstract](#)
150. Mangano C, Mangano F, Piatelli A, et al. Prospective clinical evaluation of 1920 Morse taper connection implants: results after 4 years of functional loading. *Clin Oral Implants Res* 2009;20(3):254-61. [Abstract](#)
151. Mangano C, Mangano F, Piatelli A, et al. Prospective clinical evaluation of 307 single-tooth morse taper-connection implants: a multicenter study. *Int J Oral Maxillofac Implants* 2010;25(2):394-400. [Abstract](#)
152. Mangano C, Mangano F, Shibli JA, et al. Morse taper connection implants supporting "planned" maxillary and mandibular bar-retained overdentures: a 5-year prospective multicenter study. *Clin Oral Implants Res* 2011;22(10):1117-24. [Abstract](#)
153. Mangano C, Piatelli A, Mangano A, et al. Combining scaffolds and osteogenic cells in regenerative bone surgery: a preliminary histological report in human maxillary sinus augmentation. *Clin Implant Dent Relat Res* 2009;11 Suppl 1:e92-102. [Abstract](#)
154. Marei HF, Alshaia A, Alarifi S, et al. Effect of steam heat sterilization on the accuracy of 3D printed surgical guides. *Implant Dentistry* 2019;E-pub may 30 doi: 10.1097/ID.0000000000000908.
155. Matsuo A, Chiba H, Takahashi H, et al. Clinical application of a custom-made bioresorbable raw particulate hydroxyapatite/poly-L-lactide mesh tray for mandibular reconstruction. *Odontology* 2010;98(1):85-8. [Abstract](#)
156. Matsuo A, Hamada H, Oba H, et al. Virtual reality head-mounted display for endoscopically-assisted implant surgery. *Br J Oral Maxillofac Surg* 2018;56(7):636-37. [Abstract](#)
157. Matsuo A, Hamada H, Takahashi H, et al. Long-term structural changes and outcomes of implants in particulate cellular bone and marrow reconstructed jawbone. *Clin Implant Dent Relat Res* 2019;21(2):360-68. [Abstract](#)
158. Matsuo A, Kono M, Toyoda J, et al. Navigation surgery for Le Fort 1 osteotomy in a fibrous dysplasia patient. *Odontology* 2010;98(2):181-4. [Abstract](#)

159. Mazzocco F, Jimenez D, Barallat L, et al. Bone volume changes after immediate implant placement with or without flap elevation. *Clin Oral Implants Res* 2017;28(4):495-501. [Abstract](#)
160. Mendes R. Computer assisted implant planning - A case report involving severely atrophic edentulous maxillary regions. *J Chin Clin Med* 2010;5(11):665-7.
161. Mengel R, Candir M, Shiratori K, et al. Digital volume tomography in the diagnosis of periodontal defects: an in vitro study on native pig and human mandibles. *J Periodontol* 2005;76(5):665-73. [Abstract](#)
162. Merheb J, Temmerman A, Coucke W, et al. Relation between spongy bone density in the maxilla and skeletal bone density. *Clin Implant Dent Relat Res* 2015;17(6):1180-7. [Abstract](#)
163. Merheb J, Temmerman A, Rasmussen L, et al. Influence of skeletal and local bone density on dental implant stability in patients with osteoporosis. *Clin Implant Dent Relat Res* 2016;18(2):253-60. [Abstract](#)
164. Merheb J, Van Assche N, Coucke W, et al. Relationship between cortical bone thickness or computerized tomography-derived bone density values and implant stability. *Clin Oral Implants Res* 2010;21(6):612-7. [Abstract](#)
165. Merheb J, Vercruyssen M, Coucke W, et al. The fate of buccal bone around dental implants. A 12-month postloading follow-up study. *Clin Oral Implants Res* 2017;28(1):103-08. [Abstract](#)
166. Merheb J, Vercruyssen M, Coucke W, et al. Relationship of implant stability and bone density derived from computerized tomography images. *Clin Implant Dent Relat Res* 2018;20(1):50-57. [Abstract](#)
167. Merrett SJ, Drage NA, Durning P. Cone beam computed tomography: a useful tool in orthodontic diagnosis and treatment planning. *J Orthod* 2009;36(3):202-10. [Abstract](#)
168. Mertens C, Decker C, Engel M, et al. Early bone resorption of free microvascular reanastomized bone grafts for mandibular reconstruction - A comparison of iliac crest and fibula grafts. *J Craniomaxillofac Surg* 2014;42(5):e217-23. [Abstract](#)
169. Mertens C, Freudlsperger C, Bodem J, et al. Reconstruction of the maxilla following hemimaxillectomy defects with scapular tip grafts and dental implants. *J Craniomaxillofac Surg* 2016;44(11):1806-11. [Abstract](#)
170. Miguel-Sánchez A, Vilaplana-Vivo J, Vilaplana-Vivo C, et al. Accuracy of quantitative computed tomography bone mineral density measurements in mandibles: A cadaveric study. *Clin Implant Dent Relat Res* 2015;17(4):693-9. [Abstract](#)
171. Minamizato T, Koga T, I T, et al. Clinical application of autogenous partially demineralized dentin matrix prepared immediately after extraction for alveolar bone regeneration in implant dentistry: a pilot study. *Int J Oral Maxillofac Surg* 2017;47(1):125-32. [Abstract](#)
172. Mischkowski RA, Zinser MJ, Neugebauer J, et al. Comparison of static and dynamic computer-assisted guidance methods in implantology. *Int J Comput Dent* 2006;9(1):23-35. [Abstract](#)
173. Nart J, Barallat L, Jimenez D, et al. Radiographic and histological evaluation of deproteinized bovine bone mineral vs. deproteinized bovine bone mineral with

- 10% collagen in ridge preservation. A randomized controlled clinical trial. *Clin Oral Implants Res* 2017;28(7):840-48. [Abstract](#)
174. Neugebauer J, Kistler F, Kistler S, et al. CAD/CAM-produced surgical guides: Optimizing the treatment workflow. *Int J Comput Dent* 2011;14(2):93-103. [Abstract](#)
175. Nijmeh AD, Goodger NM, Hawkes D, et al. Image-guided navigation in oral and maxillofacial surgery. *Br J Oral Maxillofac Surg* 2005;43(4):294-302. [Abstract](#)
176. Nikzad S, Azari A. A novel stereolithographic surgical guide template for planning treatment involving a mandibular dental implant. *J Oral Maxillofac Surg* 2008;66(7):1446-54. [Abstract](#)
177. Nikzad S, Azari A. Computer-assisted implant surgery; a flapless surgical/immediate loaded approach with 1 year follow-up. *Int J Med Robot* 2008;4(4):348-54. [Abstract](#)
178. Nikzad S, Azari A. Custom-made radiographic template, computed tomography, and computer-assisted flapless surgery for treatment planning in partial edentulous patients: a prospective 12-month study. *J Oral Maxillofac Surg* 2010;68(6):1353-9. [Abstract](#)
179. Noh K, Pae A, Lee JW, et al. Fabricating a tooth- and implant-supported maxillary obturator for a patient after maxillectomy with computer-guided surgery and CAD/CAM technology: A clinical report. *J Prosthet Dent* 2016;115(5):637-42. [Abstract](#)
180. Noharet R, Van Dooren E. Combination of cone beam computed tomography and CAD-CAM techniques for maintaining natural emergence profile in immediate extraction and/or implant placement and restoration of a central incisor: A dental technique. *J Prosthet Dent* 2019;E-pub Apr 1 doi: 10.1016/j.jprosdent.2018.12.003. [Abstract](#)
181. Nolan PJ, Freeman K, Kraut RA. Correlation between Schneiderian membrane perforation and sinus lift graft outcome: a retrospective evaluation of 359 augmented sinus. *J Oral Maxillofac Surg* 2014;72(1):47-52. [Abstract](#)
182. Norton MR, Gamble C. Bone classification: an objective scale of bone density using the computerized tomography scan. *Clin Oral Implants Res* 2001;12(1):79-84. [Abstract](#)
183. Odin G, Misch CE, Binderman I, et al. Fixed rehabilitation of severely atrophic jaws using immediately loaded basal disk implants after in situ bone activation. *J Oral Implantol* 2012;38(5):611-6. [Abstract](#)
184. Orentlicher G, Goldsmith D, Horowitz A. Computer-generated implant planning and surgery: Case selection. (cover story). *Compend Contin Educ Dent* 2009;30(3):162-73. [Abstract](#)
185. Orentlicher G, Horowitz A, Goldsmith D, et al. Cumulative survival rate of implants placed "fully guided" using CT-guided surgery: A 7-year retrospective study. *Compend Contin Educ Dent* 2014;35(8):590-7. [Abstract](#)
186. Özkurt Z, Duygu G, Canpolat C, et al. Reconstruction of edentulous maxillary and mandibular arches with implant-supported fixed restorations using a digital treatment planning technique: a clinical report. *J Oral Implantol* 2008;34(3):161-8. [Abstract](#)

187. Pancko F, Dyer J, Weisglass S, et al. Use of tilted implants in treatment of the atrophic posterior mandible: a preliminary report of a novel approach. *J Oral Maxillofac Surg* 2010;68(2):407-13. [Abstract](#)
188. Papadimitriou DE, Salari S, Gannam C, et al. Implant-prosthetic classification of the edentulous jaw for treatment planning with fixed rehabilitations. *Int J Prosthodont* 2014;27(4):320-7. [Abstract](#)
189. Paranque AR, Steve M, Vazquez L, et al. Esthetic and functional reconstruction of the post-tumoral interrupted mandible with double-barrel fibular free flap graft: rationale for a prosthodontic approach. *J Oral Implantol* 2011;37(5):571-77. [Abstract](#)
190. Park C, Raigrodski AJ, Rosen J, et al. Accuracy of implant placement using precision surgical guides with varying occlusogingival heights: an in vitro study. *J Prosthet Dent* 2009;101(6):372-81. [Abstract](#)
191. Park E-J, Schrott A, Schnitman PA. Immediate loading as a vehicle for interdisciplinary training in implant placement and restoration. *Int J Oral Maxillofac Implants* 2010;25(5):1007-10. [Abstract](#)
192. Park KR, Park HS, Piao Z, et al. Three-dimensional vector analysis of mandibular structural asymmetry. *J Craniomaxillofac Surg* 2013;41(4):338-44. [Abstract](#)
193. Petschelt F, Millian M, Kraußeneck T. Analysis of the precision of implant templates. *Z Zahärztl Impl* 2013;29(1):58-69. [Abstract](#)
194. Pieralli S, Gintaute A, Beuer F, et al. Digital and orthodontically driven implant planning: A multidisciplinary case history report. *Int J Prosthodont* 2019;32(32):214-16. [Abstract](#)
195. Platzer S, Bertha G, Heschl A, et al. Three-dimensional accuracy of guided implant placement: indirect assessment of clinical outcomes. *Clin Implant Dent Relat Res* 2013;15(5):724-34. [Abstract](#)
196. Ramaglia L, Toti P, Sbordone C, et al. Implant angulation: 2-year retrospective analysis on the influence of dental implant angle insertion on marginal bone resorption in maxillary and mandibular osseous onlay grafts. *Clin Oral Investig* 2015;19(4):769-79. [Abstract](#)
197. Ramirez A. Smile without fear: SmartFix® concept for oral rehabilitation. *Compend Contin Educ Dent* 2018;39(3):8-10. [Abstract](#)
198. Rhoades KA, Leve LD, Harold GT, et al. Drug use trajectories after a randomized controlled trial of MTFC: Associations with partner drug use. *J Res Adolesc* 2014;24(1):40-54. [Abstract](#)
199. Rodriguez A, Anastassov GE, Lee H, et al. Maxillary sinus augmentation with deproteinized bovine bone and platelet rich plasma with simultaneous insertion of endosseous implants. *J Oral Maxillofac Surg* 2003;61(2):157-63. [Abstract](#)
200. Rodriguez-Recio O, Rodriguez-Recio C, Gallego L, et al. Computed tomography and computer-aided design for locating available palatal bone for grafting: two case reports. *Int J Oral Maxillofac Implants* 2010;25(1):197-200. [Abstract](#)
201. Rosenfeld AL, Mandelaris GA, Tardieu PB. Prosthetically directed implant placement using computer software to ensure precise placement and predictable prosthetic outcomes. Part 3: stereolithographic drilling guides that

- do not require bone exposure and the immediate delivery of teeth. *Int J Periodontics Restorative Dent* 2006;26(5):493-9. [Abstract](#)
202. Rosenfeld AL, Mandelaris GA, Tardieu PB. Prosthetically directed implant placement using computer software to ensure precise placement and predictable prosthetic outcomes. Part 2: rapid-prototype medical modeling and stereolithographic drilling guides requiring bone exposure. *Int J Periodontics Restorative Dent* 2006;26(4):347-53. [Abstract](#)
203. Rosenfeld AL, Mandelaris GA, Tardieu PB. Prosthetically directed implant placement using computer software to ensure precise placement and predictable prosthetic outcomes. Part 1: diagnostics, imaging, and collaborative accountability. *Int J Periodontics Restorative Dent* 2006;26(3):215-21. [Abstract](#)
204. Ruppin J, Popovic A, Strauss M, et al. Evaluation of the accuracy of three different computer-aided surgery systems in dental implantology: optical tracking vs. stereolithographic splint systems. *Clin Oral Implants Res* 2008;19(7):709-16. [Abstract](#)
205. Ryu KH, Min S, You HK, et al. Alveolar ridge dimensional changes following ridge preservation procedure using SocketKAP() : exploratory study of serial cone-beam computed tomography and histologic analysis in canine model. *Clin Oral Implants Res* 2016;27(9):1144-51. [Abstract](#)
206. Sarment DP, Al-Shammari K, Kazor CE. Stereolithographic surgical templates for placement of dental implants in complex cases. *Int J Periodontics Restorative Dent* 2003;23(3):287-95. [Abstract](#)
207. Sarment DP, Sukovic P, Clinthorne N. Accuracy of implant placement with a stereolithographic surgical guide. *Int J Oral Maxillofac Implants* 2003;18(4):571-7. [Abstract](#)
208. Sawada A, Wakabayashi N, Ona M, et al. Viscoelasticity of human oral mucosa: implications for masticatory biomechanics. *J Dent Res* 2011;90(5):590-5. [Abstract](#)
209. Sbordone C, Sbordone L, Toti P, et al. Volume changes of grafted autogenous bone in sinus augmentation procedure. *J Oral Maxillofac Surg* 2011;69(6):1633-41. [Abstract](#)
210. Sbordone C, Toti P, Guidetti F, et al. Volume changes of autogenous bone after sinus lifting and grafting procedures: a 6-year computerized tomographic follow-up. *J Craniomaxillofac Surg* 2013;41(3):235-41. [Abstract](#)
211. Sbordone C, Toti P, Guidetti F, et al. Volumetric changes after sinus augmentation using blocks of autogenous iliac bone or freeze-dried allogeneic bone. A non-randomized study. *J Craniomaxillofac Surg* 2014;42(2):113-8. [Abstract](#)
212. Sbordone C, Toti P, Guidetti F, et al. Volume changes of iliac crest autogenous bone grafts after vertical and horizontal alveolar ridge augmentation of atrophic maxillas and mandibles: a 6-year computerized tomographic follow-up. *J Oral Maxillofac Surg* 2012;70(11):2559-65. [Abstract](#)
213. Sbordone C, Toti P, Guidetti F, et al. Healing of donor defect after mandibular parasymphysis block harvesting: a 6-year computerized tomographic follow-up. *J Craniomaxillofac Surg* 2012;40(5):421-6. [Abstract](#)

214. Schepers RH, Raghoebar GM, Vissink A, et al. Fully 3-dimensional digitally planned reconstruction of a mandible with a free vascularized fibula and immediate placement of an implant-supported prosthetic construction. Head Neck 2013;35(4):E109-14. [Abstract](#)
215. Schioli G, Angiero F, Zangerl A, et al. Accuracy of a flapless protocol for computer-guided zygomatic implant placement in human cadavers: expectations and reality. Int J Med Robot 2016;12(1):102-8. [Abstract](#)
216. Schlee M, Rothamel D. Ridge augmentation using customized allogenic bone blocks: proof of concept and histological findings. Implant Dent 2013;22(3):212-8. [Abstract](#)
217. Schneider D, Sancho-Puchades M, Benic GI, et al. A randomized controlled clinical trial comparing conventional and computer-assisted implant planning and placement in partially edentulous patients. Part 1: clinician-related outcome measures. Int J Periodontics Restorative Dent 2018;38(Suppl):s49-s57. [Abstract](#)
218. Schneider D, Schober F, Grohmann P, et al. In-vitro evaluation of the tolerance of surgical instruments in templates for computer-assisted guided implantology produced by 3-D printing. Clin Oral Implants Res 2015;26(3):320-5. [Abstract](#)
219. Schnitman PA, Hwang JW. To immediately load, expose, or submerge in partial edentulism: a study of primary stability and treatment outcome. Int J Oral Maxillofac Implants 2011;26(4):850-9. [Abstract](#)
220. Schultze-Mosgau S, Keweloh M, Wiltfang J, et al. Histomorphometric and densitometric changes in bone volume and structure after avascular bone grafting in the extremely atrophic maxilla. Br J Oral Maxillofac Surg 2001;39(6):439-47. [Abstract](#)
221. Schwartz-Arad D, Toti P, Levin L, et al. A comparative volumetric study of symphysis donor defects, unfilled or filled with bone substitute. Clin Implant Dent Relat Res 2013;15(5):684-91. [Abstract](#)
222. Sencimen M, Gulses A, Ozen J, et al. Early detection of alterations in the resonance frequency assessment of oral implant stability on various bone types: a clinical study. J Oral Implantol 2011;37(4):411-9. [Abstract](#)
223. Serag M, Alnassar T, Rochford C, et al. Implementation of digital dentistry to rehabilitate a mutilated dentition with implant fixed prostheses: a clinical report. J Oral Implantol 2015;41(2):201-4. [Abstract](#)
224. Shahbazian M, Jacobs R, Wyatt J, et al. Validation of the cone beam computed tomography-based stereolithographic surgical guide aiding autotransplantation of teeth: clinical case-control study. Oral Surg Oral Med Oral Pathol Oral Radiol 2013;115(5):667-75. [Abstract](#)
225. Shahbazian M, Jacobs R, Wyatt J, et al. Accuracy and surgical feasibility of a CBCT-based stereolithographic surgical guide aiding autotransplantation of teeth: in vitro validation. J Oral Rehabil 2010;37(11):854-9. [Abstract](#)
226. Shapurian T, Damoulis PD, Reiser GM, et al. Quantitative evaluation of bone density using the Hounsfield index. Int J Oral Maxillofac Implants 2006;21(2):290-97. [Abstract](#)
227. Shen P, Zhao J, Fan L, et al. Accuracy evaluation of computer-designed surgical guide template in oral implantology. J Craniomaxillofac Surg 2015;43(10):2189-94. [Abstract](#)

228. Shigehara S, Ohba S, Nakashima K, et al. Immediate loading of dental implants inserted in edentulous maxillas and mandibles; 5-year results of a clinical study. *J Oral Implantol* 2015;41(6):701-5. [Abstract](#)
229. Shimizu T, Mizushiri M, Fukunishi K, et al. Full mouth reconstruction with dental implants in the conservative treatment of bilateral condylar fractures: a clinical letter. *J Oral Implantol* 2015;41(1):89-92. [Abstract](#)
230. Solow RA. Channel retention for fixed implant superstructures: A clinical report. *J Prosthet Dent* 2015;114(3):323-7. [Abstract](#)
231. Somogyi-Ganss E, Holmes HI, Jokstad A. Accuracy of a novel prototype dynamic computer-assisted surgery system. *Clin Oral Implants Res* 2015;26(8):882-90. [Abstract](#)
232. Song WW, Kim SS, Sandor GK, et al. Maxillary yaw as the primary predictor of maxillary dental midline deviation: 3D analysis using cone-beam computed tomography. *J Oral Maxillofac Surg* 2013;71(4):752-62. [Abstract](#)
233. Star H, Thevissen P, Jacobs R, et al. Human dental age estimation by calculation of pulp-tooth volume ratios yielded on clinically acquired cone beam computed tomography images of monoradicular teeth. *J Forensic Sci* 2011;56 Suppl 1:S77-82. [Abstract](#)
234. Stockham CD. Using CT and SIM/Plant to plan implant therapy. *Alpha Omegan* 1996;89(4):35-8. [Abstract](#)
235. Stoppie N, Pattijn V, Van Cleynenbreugel T, et al. Structural and radiological parameters for the characterization of jawbone. *Clin Oral Implants Res* 2006;17(2):124-33. [Abstract](#)
236. Stubinger S, Buitrago-Tellez C, Cantelmi G. Deviations between placed and planned implant positions: an accuracy pilot study of skeletally supported stereolithographic surgical templates. *Clin Implant Dent Relat Res* 2014;16(4):540-51. [Abstract](#)
237. Sudbrink SD. Computer-guided implant placement with immediate provisionalization: a case report. *J Oral Maxillofac Surg* 2005;63(6):771-4. [Abstract](#)
238. Tajima N, Ohba S, Sawase T, et al. Evaluation of sinus floor augmentation with simultaneous implant placement using platelet-rich fibrin as sole grafting material. *Int J Oral Maxillofac Implants* 2013;28(1):77-83. [Abstract](#)
239. Takuma T, Oishi K, Manabe T, et al. Buccal bone resorption around posterior implants after surgery: a 1-year prospective study. *Int J Oral Maxillofac Implants* 2014;29(3):634-41. [Abstract](#)
240. Tanaka K, Sailer I, Iwama R, et al. Relationship between cortical bone thickness and implant stability at the time of surgery and secondary stability after osseointegration measured using resonance frequency analysis. *J Periodontal Implant Sci.* 2018;48(360-372). [Abstract](#)
241. Tang T, Huang Z, Liao L, et al. Factors that influence direction deviation in freehand implant placement. *J Prosthodont* 2019;28(5):511-18. [Abstract](#)
242. Tang T, Liao L, Huang Z, et al. Accuracy of the evaluation of implant position using a completely digital registration method compared with a radiographic

- method. *J Prosthet Dent* 2019;E-pub Apr 14, doi:10.1016/j.prosdent.2018.11.020.
- [Abstract](#)
243. Tardieu PB, Vrielinck L, Escolano E, et al. Computer-assisted implant placement: scan template, simplant, surgiguide, and SAFE system. *Int J Periodontics Restorative Dent* 2007;27(2):141-9. [Abstract](#)
244. Temmerman A, Meeus M, Dhondt R, et al. Oral implant placement and restoration by undergraduate students: clinical outcomes and student perceptions. *Eur J Dent Educ* 2016;20(2):73-83. [Abstract](#)
245. Testori T, Robiony M, Parenti A, et al. Evaluation of accuracy and precision of a new guided surgery system: A multicenter clinical study. *Int J Periodontics Restorative Dent* 2014;34(suppl):s59-s69. [Abstract](#)
246. Tischler M. Simplified fixed implant prosthetics. *Dent Today* 2003;22(9):84-6. [Abstract](#)
247. Tischler M. Interactive computerized tomography for dental implants. Treatment planning from the prosthetic end result. *Dent Today* 2004;23(3):90, 92-3. [Abstract](#)
248. Tischler M. Full-arch fixed prosthetics supported by dental implants and natural teeth: planning, provisionalization, treatment sequences: 2 case examples. *Dent Today* 2004;23(9):86, 88, 90-1. [Abstract](#)
249. Tischler M. Dental implant placement in the maxillary anterior region: guidelines for aesthetic success. *Dent Today* 2005;24(3):72, 74, 76 passim; quiz 78, 61. [Abstract](#)
250. Todisco M, Trisi P. Bone mineral density and bone histomorphometry are statistically related. *Int J Oral Maxillofac Implants* 2005;20(6):898-904. [Abstract](#)
251. Todorovic VS, Postma TC, van Zyl AW. Assessment of the anterior loop of the inferior alveolar nerve using reformatted computed tomography: a retrospective study. *Br J Oral Maxillofac Surg* 2018;56(3):186-91. [Abstract](#)
252. Torres J, Tamimi F, Alkhraisat MH, et al. Platelet-rich plasma may prevent titanium-mesh exposure in alveolar ridge augmentation with anorganic bovine bone. *J Clin Periodontol* 2010;37(10):943-51. [Abstract](#)
253. Torres J, Tamimi F, Martinez PP, et al. Effect of platelet-rich plasma on sinus lifting: a randomized-controlled clinical trial. *J Clin Periodontol* 2009;36(8):677-87. [Abstract](#)
254. Tremblay G. Innovative advanced occlusion planning with superimposed CT and optical scans. *Compend Contin Educ Dent* 2011;32(3):50-2, 54-6, 58. [Abstract](#)
255. Tremblay G. Rehabilitation of surgically relocated integrated dental implants with and without bone morphogenesis protein-2. *J Oral Implantol* 2013;39(4):409-15. [Abstract](#)
256. Trikeriotis D, Paravalou E, Diamantopoulos P, et al. Anterior mandible canal communications: a potential portal of entry for tumour spread. *Dentomaxillofac Radiol* 2008;37(3):125-9. [Abstract](#)
257. Uchida T, Yoshida T, Kashiwagi K, et al. Clinical, radiographic, and histologic evaluation of localized ridge augmentation using a mandibular bone block. *Int J Periodontics Restorative Dent* 2008;28(2):180-87. [Abstract](#)

258. Valente F, Schioli G, Sbrenna A. Accuracy of computer-aided oral implant surgery: a clinical and radiographic study. *Int J Oral Maxillofac Implants* 2009;24(2):234-42. [Abstract](#)
259. Van Assche N, Quirynen M. Tolerance within a surgical guide. *Clin Oral Implants Res* 2010;21(4):455-58. [Abstract](#)
260. Van de Velde T, Glor F, De Bruyn H. A model study on flapless implant placement by clinicians with a different experience level in implant surgery. *Clin Oral Implants Res* 2008;19(1):66-72. [Abstract](#)
261. Van de Velde T, Sennerby L, De Bruyn H. The clinical and radiographic outcome of implants placed in the posterior maxilla with a guided flapless approach and immediately restored with a provisional rehabilitation: a randomized clinical trial. *Clin Oral Implants Res* 2010;21(11):1223-33. [Abstract](#)
262. Van de Wiele G, Teughels W, Vercruyssen M, et al. The accuracy of guided surgery via mucosa-supported stereolithographic surgical templates in the hands of surgeons with little experience. *Clin Oral Implants Res* 2015;26(12):1489-94. [Abstract](#)
263. Van Steenberghe D, Malevez C, Van Cleynenbreugel J, et al. Accuracy of drilling guides for transfer from three-dimensional CT-based planning to placement of zygoma implants in human cadavers. *Clin Oral Implants Res* 2003;14(1):131-6. [Abstract](#)
264. van Zyl AW, van Heerden WF. A retrospective analysis of maxillary sinus septa on reformatted computerised tomography scans. *Clin Oral Implants Res* 2009;20(12):1398-401. [Abstract](#)
265. Vandenberghe B, Luchsinger S, Hostens J, et al. The influence of exposure parameters on jawbone model accuracy using cone beam CT and multislice CT. *Dentomaxillofac Radiol* 2012;41(6):466-74. [Abstract](#)
266. Varol A, Basa S. The role of computer-aided 3D surgery and stereolithographic modelling for vector orientation in premaxillary and trans-sinusoidal maxillary distraction osteogenesis. *Int J Med Robot* 2009;5(2):198-206. [Abstract](#)
267. Verardi S. CT scans may not be indicated to analyze the distribution of the arteries in the lateral wall of the maxillary sinus. *J Evid Based Dent Pract* 2006;6(4):276-7. [Abstract](#)
268. Vercruyssen M, Coucke W, Naert I, et al. Depth and lateral deviations in guided implant surgery: an RCT comparing guided surgery with mental navigation or the use of a pilot-drill template. *Clin Oral Implants Res* 2015;26(11):1315-20. [Abstract](#)
269. Vercruyssen M, Cox C, Coucke W, et al. A randomized clinical trial comparing guided implant surgery (bone- or mucosa-supported) with mental navigation or the use of a pilot-drill template. *J Clin Periodontol* 2014;41(7):717-23. [Abstract](#)
270. Vercruyssen M, Cox C, Naert I, et al. Accuracy and patient-centered outcome variables in guided implant surgery: a RCT comparing immediate with delayed loading. *Clin Oral Implants Res* 2016;27(4):427-32. [Abstract](#)
271. Vercruyssen M, van de Wiele G, Teughels W, et al. Implant- and patient-centred outcomes of guided surgery, a 1-year follow-up: An RCT comparing guided surgery with conventional implant placement. *J Clin Periodontol* 2014;41(12):1154-60. [Abstract](#)

272. Verdonck HD, Meijer GJ, Laurin T, et al. Assessment of vascularity in irradiated and nonirradiated maxillary and mandibular minipig alveolar bone using laser doppler flowmetry. *Int J Oral Maxillofac Implants* 2007;22(5):774-78. [Abstract](#)
273. Verdonck HW, Meijer GJ, Laurin T, et al. Implant stability during osseointegration in irradiated and non-irradiated minipig alveolar bone: an experimental study. *Clin Oral Implants Res* 2008;19(2):201-6. [Abstract](#)
274. Verdonck HW, Meijer GJ, Nieman FH, et al. Quantitative computed tomography bone mineral density measurements in irradiated and non-irradiated minipig alveolar bone: an experimental study. *Clin Oral Implants Res* 2008;19(5):465-8. [Abstract](#)
275. Vermeulen J. The accuracy of implant placement by experienced surgeons: Guided vs freehand approach in a simulated plastic model. *Int J Oral Maxillofac Implants* 2017;32(3):617-24. [Abstract](#)
276. Vogl S, Stopper M, Hof M, et al. Immediate occlusal vs nonocclusal loading of implants: A randomized prospective clinical pilot study and patient centered outcome after 36 months. *Clin Implant Dent Relat Res* 2019;E-pub May 8, doi:10.1111/cid.12770. [Abstract](#)
277. Vogl S, Stopper M, Hof M, et al. Immediate occlusal versus non-occlusal loading of implants: A randomized clinical pilot study. *Clin Implant Dent Relat Res* 2015;17(3):589-97. [Abstract](#)
278. Vrielinck L, Politis C, Schepers S, et al. Image-based planning and clinical validation of zygoma and pterygoid implant placement in patients with severe bone atrophy using customized drill guides. Preliminary results from a prospective clinical follow-up study. *Int J Oral Maxillofac Surg* 2003;32(1):7-14. [Abstract](#)
279. Wakimoto M, Matsumura T, Ueno T, et al. Bone quality and quantity of the anterior maxillary trabecular bone in dental implant sites. *Clin Oral Implants Res* 2012;23(11):1314-9. [Abstract](#)
280. Wang WH, Deng JY, Li M, et al. Preoperative three-dimensional reconstruction in vascularized fibular flap transfer. *J Craniomaxillofac Surg* 2012;40(7):599-603. [Abstract](#)
281. Wang WH, Deng JY, Zhu J, et al. Computer-assisted virtual technology in intracapsular condylar fracture with two resorbable long-screws. *Br J Oral Maxillofac Surg* 2013;51(2):138-43. [Abstract](#)
282. Wang WH, Zhu J, Deng JY, et al. Three-dimensional virtual technology in reconstruction of mandibular defect including condyle using double-barrel vascularized fibula flap. *J Craniomaxillofac Surg* 2013;41(5):417-22. [Abstract](#)
283. Widmann G, Bale RJ. Accuracy in computer-aided implant surgery--a review. *Int J Oral Maxillofac Implants* 2006;21(2):305-13. [Abstract](#)
284. Wildburger A, Payer M, Jakse N, et al. Impact of autogenous concentrated bone marrow aspirate on bone regeneration after sinus floor augmentation with a bovine bone substitute--a split-mouth pilot study. *Clin Oral Implants Res* 2014;25(10):1175-81. [Abstract](#)
285. Witherington T, Cheung A, Nagy L, et al. Enhanced implant case planning using dual scan CBCT of an existing prosthesis: Report of a case. *J Oral Implantol* 2017;43(5):381-86. [Abstract](#)

286. Wong HH, Pow EH, Choi WW. Management of mandibular rotation after a mandibulectomy: a clinical report. *J Prosthet Dent* 2013;110(6):532-7. [Abstract](#)
287. Xiaojun C, Ming Y, Yanping L, et al. Image guided oral implantology and its application in the placement of zygoma implants. *Comput Methods Programs Biomed* 2009;93(2):162-73. [Abstract](#)
288. Yoda N, Zheng K, Chen J, et al. Bone morphological effects on post-implantation remodeling of maxillary anterior buccal bone: A clinical and biomechanical study. *J Prosthodont Res* 2017;61(4):393-402. [Abstract](#)
289. Younes F, Cosyn J, De Bruyckere T, et al. A randomized controlled study on the accuracy of free-handed, pilot-drill guided and fully guided implant surgery in partially edentulous patients. *J Clin Periodontol* 2018;45(6):721-32. [Abstract](#)
290. Zeren KJ. Use of bone morphogenetic protein-2 in molar extraction sockets for immediate implant placement: A prospective case series. *Int J Periodontics Restorative Dent* 2018;38(1):87-93. [Abstract](#)
291. Zhang S, Liu X, Xu Y, et al. Application of rapid prototyping for temporomandibular joint reconstruction. *J Oral Maxillofac Surg* 2011;69(2):432-8. [Abstract](#)
292. Zhang W, Shen G, Wang X, et al. Evaluation of alveolar bone grafting using limited cone beam computed tomography. *Oral Surg Oral Med Oral Pathol Oral Radiol* 2012;113(4):542-8. [Abstract](#)
293. Zheng J, Zhang S, Lu E, et al. Systematic modification and evaluation of a canine model for elevation of the floor of the maxillary sinus. *Br J Oral Maxillofac Surg* 2014;52(9):784-8. [Abstract](#)
294. Zinser MJ, Mischkowski RA, Sailer HF, et al. Computer-assisted orthognathic surgery: feasibility study using multiple CAD/CAM surgical splints. *Oral Surg Oral Med Oral Pathol Oral Radiol* 2012;113(5):673-87. [Abstract](#)
295. Zinser MJ, Sailer HF, Ritter L, et al. A paradigm shift in orthognathic surgery? A comparison of navigation, computer-aided designed/computer-aided manufactured splints, and "classic" intermaxillary splints to surgical transfer of virtual orthognathic planning. *J Oral Maxillofac Surg* 2013;71(12):2151 e1-21. [Abstract](#)

## Regenerative Symbios

1. Ahmed M, Salah MK, Khairy N. Computer-aided design/computer-aided manufacturing cutting guides for odontectomy of deeply impacted mandibular third molars. *Open Access Maced J Med Sci* 2018;6(12):2395-401. [Abstract](#)
2. Al Ruhaimi KA. Effect of adding resorbable calcium sulfate to grafting materials on early bone regeneration in osseous defects in rabbits. *Int J Oral Maxillofac Implants* 2000;15(6):859-64. [Abstract](#)
3. Al Ruhaimi KA. Bone graft substitutes: a comparative qualitative histologic review of current osteoconductive grafting materials. *Int J Oral Maxillofac Implants* 2001;16(1):105-14. [Abstract](#)

4. Al-Hezaimi K, Iezzi G, Rudek I, et al. Histomorphometric analysis of bone regeneration using a dual layer of membranes (dPTFE placed over collagen) in fresh extraction sites: A canine model. *J Oral Implantol* 2015;41(2):188-95. [Abstract](#)
5. Al-Hezaimi K, Rudek I, Al-Hamdan KS, et al. Efficacy of using a dual layer of membrane (dPTFE placed over collagen) for ridge preservation in fresh extraction sites: a micro-computed tomographic study in dogs. *Clin Oral Implants Res* 2013;24(10):1152-7. [Abstract](#)
6. Al-Maawi S, Vorakulpipat C, Orlowska A, et al. In vivo implantation of a bovine-derived collagen membrane leads to changes in the physiological cellular pattern of wound healing by the induction of multinucleated giant cells: An adverse reaction? *Front Bioeng Biotechnol* 2018;6(104). [Abstract](#)
7. Almohandes A, Carcuac O, Abrahamsson I, et al. Re-osseointegration following reconstructive surgical therapy of experimental peri-implantitis. A pre-clinical in vivo study. *Clin Oral Implants Res* 2019;30(5):447-56. [Abstract](#)
8. Amet EM. Management of unscheduled anterior tooth or prosthesis loss with extraction and immediate implant placement: a clinical report. *J Oral Implantol* 2010;36(3):209-17. [Abstract](#)
9. Arpak MN, Alkan A, Nergiz I. A case of localized ridge augmentation from using a titanium membrane: a pilot study. *J Oral Sci* 2000;42(3):133-8. [Abstract](#)
10. Bahat O, Fontanessi RV. Efficacy of implant placement after bone grafting for three-dimensional reconstruction of the posterior jaw. *Int J Periodontics Restorative Dent* 2001;21(3):220-31. [Abstract](#)
11. Barbeck M, Najman S, Stojanovic S, et al. Addition of blood to a phycogenic bone substitute leads to increased in vivo vascularization. *Biomed Mater* 2015;10(5):055007. [Abstract](#)
12. Barros RR, Novaes AB, Jr., Roriz VM, et al. Anorganic bovine matrix/p-15 "flow" in the treatment of periodontal defects: case series with 12 months of follow-up. *J Periodontol* 2006;77(7):1280-7. [Abstract](#)
13. Basler T, Naenni N, Schneider D, et al. Randomized controlled clinical study assessing two membranes for guided bone regeneration of peri-implant bone defects: 3-year results. *Clin Oral Implants Res* 2018;29(5):499-507. [Abstract](#)
14. Behfarnia P, Khorasani MM, Birang R, et al. Histological and histomorphometric analysis of animal experimental dehiscence defect treated with three bio absorbable GTR collagen membrane. *Dent Res J (Isfahan)* 2012;9(5):574-81. [Abstract](#)
15. Bhongade ML, Tiwari IR. A comparative evaluation of the effectiveness of an anorganic bone matrix/cell binding peptide with an open flap debridement in human infrabony defects: a clinical and radiographic study. *J Contemp Dent Pract* 2007;8(6):25-34. [Abstract](#)
16. Brawn PR, Kwong-Hing A. Histologic comparison of light emitting diode phototherapy-treated hydroxyapatite-grafted extraction sockets: a same-mouth case study. *Implant Dent* 2007;16(2):204-11. [Abstract](#)
17. Bressan E, Grusovin MG, D'Avenia F, et al. The influence of repeated abutment changes on peri-implant tissue stability: 3-year post-loading results from a

- multicentre randomised controlled trial. Eur J Oral Implantol 2017;10(4):373-90. [Abstract](#)
18. Butz F, Bachle M, Ofer M, et al. Sinus augmentation with bovine hydroxyapatite/synthetic peptide in a sodium hyaluronate carrier (PepGen P-15 Putty): a clinical investigation of different healing times. Int J Oral Maxillofac Implants 2011;26(6):1317-23. [Abstract](#)
  19. Cano J, Campo J, Ewers R. Expansion of the alveolar bone crest in two stages: two clinical cases. Oral Surgery 2011;4(1):30-34. [Abstract](#)
  20. Charalampakis G, Rabe P, Leonhardt A, et al. A follow-up study of peri-implantitis cases after treatment. J Clin Periodontol 2011;38(9):864-71. [Abstract](#)
  21. Chen L, Cha J. An 8-year retrospective study: 1,100 patients receiving 1,557 implants using the minimally invasive hydraulic sinus condensing technique. J Periodontol 2005;76(3):482-91. [Abstract](#)
  22. Cheung HS, Tofe AJ. Mechanism of cell growth on calcium phosphate particles: role of cell-mediated dissolution of calcium phosphate matrix. S.T.P. Pharma Sciences 1993;3(1):51-55.
  23. Cortes A. Effectiveness of piezoelectric surgery in preparing the lateral window for maxillary sinus augmentation in patients with sinus anatomical variations: A case series. Int J Oral Maxillofac Implants 2012;27(5):1211-15. [Abstract](#)
  24. Cortes AR, Cortes DN. Nontraumatic bone expansion for immediate dental implant placement: an analysis of 21 cases. Implant Dent 2010;19(2):92-7. [Abstract](#)
  25. Cullum D, Lucas M. Minimally invasive extraction site management with dehydrated amnion/chorion membrane (dHACM): Open-socket grafting. Compend Contin Educ Dent 2019;40(3):178-83. [Abstract](#)
  26. Dahlet JC, Boukari A, Collavini M, et al. Ultrastructure and analytical features of the sinus floor augmentation with osteograph and pepgen P-15. J Biomater Nanobiotechnol 2013;4(1):64-73.
  27. De Stavola L, Tunkel J. Results of vertical bone augmentation with autogenous bone block grafts and the tunnel technique: a clinical prospective study of 10 consecutively treated patients. Int J Periodontics Restorative Dent 2013;33(5):651-9. [Abstract](#)
  28. De Stavola L, Tunkel J. A new approach to maintenance of regenerated autogenous bone volume: delayed relining with xenograft and resorbable membrane. Int J Oral Maxillofac Implants 2013;28(4):1062-7. [Abstract](#)
  29. Degidi M, Piattelli M, Scarano A, et al. Maxillary sinus augmentation with a synthetic cell-binding peptide: histological and histomorphometrical results in humans. J Oral Implantol 2004;30(6):376-83. [Abstract](#)
  30. Donovan R, Fetner A, Koutouzis T, et al. Crestal bone changes around implants with reduced abutment diameter placed non-submerged and at subcrestal positions: a 1-year radiographic evaluation. J Periodontol 2010;81(3):428-34. [Abstract](#)
  31. Emam H, Beheiri G, Elsalanty M, et al. Microcomputed tomographic and histologic analysis of anorganic bone matrix coupled with cell-binding peptide

- suspended in sodium hyaluronate carrier after sinus augmentation: a clinical study. *Int J Oral Maxillofac Implants* 2011;26(3):561-70. [Abstract](#)
32. Emam HA, Behiri G, El-Alaily M, et al. The efficacy of a tissue-engineered xenograft in conjunction with sodium hyaluronate carrier in maxillary sinus augmentation: a clinical study. *Int J Oral Maxillofac Surg* 2015;44(10):1287-94. [Abstract](#)
33. Engler-Hamm D, Cheung WS, Yen A, et al. Ridge preservation using a composite bone graft and a bioabsorbable membrane with and without primary wound closure: a comparative clinical trial. *J Periodontol* 2011;82(3):377-87. [Abstract](#)
34. Enislidis G, Fock N, Millesi-Schobel G, et al. Analysis of complications following alveolar distraction osteogenesis and implant placement in the partially edentulous mandible. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2005;100(1):25-30. [Abstract](#)
35. Enislidis G, Wittwer G, Ewers R. Preliminary report on a staged ridge splitting technique for implant placement in the mandible: a technical note. *Int J Oral Maxillofac Implants* 2006;21(3):445-9. [Abstract](#)
36. Esposito M, Bressan E, Grusovin MG, et al. Do repeated changes of abutments have any influence on the stability of peri-implant tissues? One-year post-loading results from a multicentre randomised controlled trial. *Eur J Oral Implantol* 2017;10(1):57-72. [Abstract](#)
37. Eto AL, Joly JC, Jeffcoat M, et al. Use of anorganic bovine-derived hydroxyapatite matrix/cell-binding peptide (P-15) in the treatment of class II furcation defects: a clinical and radiographic study in humans. *J Periodontol* 2007;78(12):2277-83. [Abstract](#)
38. Evian CI, Al-Momani A, Rosenberg ES, et al. Therapeutic management for immediate implant placement in sites with periapical deficiencies where coronal bone is present: technique and case report. *Int J Oral Maxillofac Implants* 2006;21(3):476-80. [Abstract](#)
39. Ewers R. Maxilla sinus grafting with marine algae derived bone forming material: a clinical report of long-term results. *J Oral Maxillofac Surg* 2005;63(12):1712-23. [Abstract](#)
40. Ewers R, Fock N, Millesi-Schobel G, et al. Pedicled sandwich plasty: a variation on alveolar distraction for vertical augmentation of the atrophic mandible. *Br J Oral Maxillofac Surg* 2004;42(5):445-7. [Abstract](#)
41. Ewers R, Gorwoda W, Schopper C, et al. Histologic findings at augmented bone areas supplied with two different bone substitute materials combined with sinus floor lifting. Report of one case. *Clin Oral Implants Res* 2004;15(1):96-100. [Abstract](#)
42. Figueiredo M, Henriques J, Martins G, et al. Physicochemical characterization of biomaterials commonly used in dentistry as bone substitutes--comparison with human bone. *J Biomed Mater Res B* 2010;92(2):409-19. [Abstract](#)
43. Froum SJ, Tarnow DP, Wallace SS, et al. Sinus floor elevation using anorganic bovine bone matrix (OsteoGraf/N) with and without autogenous bone: a clinical, histologic, radiographic, and histomorphometric analysis--Part 2 of an ongoing prospective study. *Int J Periodontics Restorative Dent* 1998;18(6):528-43. [Abstract](#)

44. Garlini G, Redemagni M, Canciani E, et al. Maxillary sinus floor augmentation with vegetal hydroxyapatite versus demineralized bovine bone: A randomized clinical study with a split-mouth design. *J Dental Implants* 2014;4(2):118-25.
45. Ghanbari H, Moeintaghavi A, Sargolzaei N, et al. Comparative study of Algipore and decalcified freeze-dried bone allograft in open maxillary sinus elevation using piezoelectric surgery. *J Periodontol Implant Dent* 2013;5(1):1-6.
46. Ghivari S, Patil AC, Patil S, et al. Interdisciplinary management of an isolated intrabony defect. *Case Rep Dent* 2014;2014:672152. [Abstract](#)
47. Gille J, Dorn B, Kekow J, et al. Bone substitutes as carriers for transforming growth factor-beta(1) (TGF-beta(1)). *Int Orthop* 2002;26(4):203-6. [Abstract](#)
48. Gluckman H, Du Toit J, Salama M. The palatal bone block graft for onlay grafting combined with maxillary implant placement: A case series. *Int J Periodontics Restorative Dent* 2016;36(4):517-23. [Abstract](#)
49. Gossweiner S, Watzinger F, Ackerman KL, et al. Horseshoe Le Fort I osteotomy: an augmentation technique for the severely atrophied maxilla--an eight-year follow-up. *J Long Term Eff Med Implants* 1999;9(3):193-202. [Abstract](#)
50. Grizas E, Kourtis S, Andrikopoulou E, et al. A detailed decision tree to create, preserve, transfer, and support the emergence profile in anterior maxillary implants using custom abutments. *Quintessence Int* 2018;49(5):349-64. [Abstract](#)
51. Guda T, Walker JA, Singleton BM, et al. Guided bone regeneration in long-bone defects with a structural hydroxyapatite graft and collagen membrane. *Tissue Eng Part A* 2013;19(17-18):1879-88. [Abstract](#)
52. Hahn J. 8-year onlay bone graft and ridge augmentation with PepGen P-15: a clinical and radiographic case study. *Implant Dent* 2004;13(3):228-31. [Abstract](#)
53. Hahn J, Rohrer MD, Tofe AJ. Clinical, radiographic, histologic, and histomorphometric comparison of PepGen P-15 particulate and PepGen P-15 flow in extraction sockets: a same-mouth case study. *Implant Dent* 2003;12(2):170-4. [Abstract](#)
54. Hammerle CH, Olah AJ, Schmid J, et al. The biological effect of natural bone mineral on bone neoformation on the rabbit skull. *Clin Oral Implants Res* 1997;8(3):198-207. [Abstract](#)
55. Hanser T, D oliveux R. MicroSaw and Piezosurgery in harvesting mandibular bone blocks from the retromolar region: A randomized split-mouth prospective clinical trial. *Int J Oral Maxillofac Implants* 2018;33(2):365-72. [Abstract](#)
56. Hanser T, Khouri F. Extraction site management in the esthetic zone using autogenous hard and soft tissue grafts: a 5-year consecutive clinical study. *Int J Periodontics Restorative Dent* 2014;34(3):305-12. [Abstract](#)
57. Henningsen A, Smeets R, Koppen K, et al. Immediate loading of subcrestally placed dental implants in anterior and premolar sites. *J Craniomaxillofac Surg* 2017;45(11):1898-905. [Abstract](#)
58. Herr G, Wahl D, Kusswetter W. Osteogenic activity of bone morphogenetic protein and hydroxyapatite composite implants. *Ann Chir Gynaecol Suppl* 1993;207:99-107. [Abstract](#)

59. Hoffmann O, Beaumont C, Zafiropoulos GG. Immediate implant placement: a case series. *J Oral Implantol* 2006;32(4):182-9. [Abstract](#)
60. Hole BB, Schwarz JA, Gilbert JL, et al. A study of biologically active peptide sequences (P-15) on the surface of an ABM scaffold (PepGen P-15) using AFM and FTIR. *J Biomed Mater Res A* 2005;74(4):712-21. [Abstract](#)
61. Hrabak K, Szabo G, Ewers R, et al. 2D and 3D computer tomography and sinus graft analysis with various graft materials. *J Long Term Eff Med Implants* 1999;9(3):223-33. [Abstract](#)
62. Iezzi G, Degidi M, Piattelli A, et al. Comparative histological results of different biomaterials used in sinus augmentation procedures: a human study at 6 months. *Clin Oral Implants Res* 2012;23(12):1369-76. [Abstract](#)
63. Jayme SJ, Muglia VA, de Oliveira RR, et al. Optimization in multi-implant placement for immediate loading in edentulous arches using a modified surgical template and prototyping: a case report. *Int J Oral Maxillofac Implants* 2008;23(4):759-62. [Abstract](#)
64. Jimbo R, Jinno Y, Vennerberg A. Bone regenerative properties of biphasic bone substitutes. A critical size defect study in the rabbit calvaria (P255). *Clin Oral Implants Res* 2015;26(Supplement S12):84. [Abstract](#)
65. Johansson LA, Isaksson S, Lindh C, et al. Maxillary sinus floor augmentation and simultaneous implant placement using locally harvested autogenous bone chips and bone debris: a prospective clinical study. *J Oral Maxillofac Surg* 2010;68(4):837-44. [Abstract](#)
66. Juarez Broon N, Bello Hernandez C, Ruiz Montanez Ol, et al. Autotransplantation, surgical repositioning of retained canine, and apical filling of two incisors with root resorption. *Iran Endod J* 2018;13(2):267-70. [Abstract](#)
67. Kablan F. The use of cortical bone wedges from the mandibular ramus “wedge technique”: For 3-dimensional bone augmentation of the atrophic ridges. technique presentation and report of case series. *Open Journal of Stomatology* 2018;8(06):217.
68. Kahnberg KE, Wallstrom M, Rasmusson L. Local sinus lift for single-tooth implant. I. Clinical and radiographic follow-up. *Clin Implant Dent Relat Res* 2009;13(3):231-7. [Abstract](#)
69. Kainulainen V, Oikarinen K. Comparison of four bone collectors designed for oral and maxillofacial surgery--an in vitro study. *Clin Oral Implants Res* 1998;9(5):327-32. [Abstract](#)
70. Kainulainen VT, Kainulainen TJ, Oikarinen KS, et al. Performance of six bone collectors designed for dental implant surgery. *Clin Oral Implants Res* 2006;17(3):282-87. [Abstract](#)
71. Kasaj A, Rohrig B, Reichert C, et al. Clinical evaluation of anorganic bovine-derived hydroxyapatite matrix/cell-binding peptide (P-15) in the treatment of human infrabony defects. *Clin Oral Investig* 2008;12(3):241-7. [Abstract](#)
72. Kasperk C, Ewers R, Simons B, et al. Algae-derived (phycogene) hydroxylapatite. A comparative histological study [corrected and issued with original paging in *Int J Oral Maxillofac Surg* 1988 Oct;17(5)]. *Int J Oral Maxillofac Surg* 1988;17(6):319-24. [Abstract](#)

73. Keeve PL, Khoury F. Long-term results of peri-implant conditions in periodontally compromised patients following lateral bone augmentation. *Int J Oral Maxillofac Implants* 2017;32(1):137-46. [Abstract](#)
74. Khashu H, Vandana KL. Clinical and radiographic evaluation of human periodontal osseous defect (mandibular grade II furcation) treated with PepGen P-15 and a bioresorbable membrane (Atrisorb). *J Indian Soc Periodontol* 2012;16(4):569-76. [Abstract](#)
75. Khoury F, Hanser T. Mandibular bone block harvesting from the retromolar region: a 10-year prospective clinical study. *Int J Oral Maxillofac Implants* 2015;30(3):688-397. [Abstract](#)
76. Khoury F, Hidajat H. Extensive autogenous bone augmentation and implantation in patients under bisphosphonate treatment: A 15-case series. *Int J Periodontics Restorative Dent* 2016;36(1):9-18. [Abstract](#)
77. Khoury F, Keller P, Keeve PL. Stability of grafted implant placement sites after sinus floor elevation using a layering technique: 10-year clinical and radiographic results. *Int J Oral Maxillofac Implants* 2017;32(5):1086-96. [Abstract](#)
78. Kirmeier R, Payer M, Wehrschtet M, et al. Evaluation of three-dimensional changes after sinus floor augmentation with different grafting materials. *Clin Oral Implants Res* 2008;19(4):366-72. [Abstract](#)
79. Klein M, Goetz H, Pazan S, et al. Pore characteristics of bone substitute materials assessed by microcomputed tomography. *Clin Oral Implants Res* 2009;20(1):67-74. [Abstract](#)
80. Klongnoi B, Rupprecht S, Kessler P, et al. Lack of beneficial effects of platelet-rich plasma on sinus augmentation using a fluorohydroxyapatite or autogenous bone: an explorative study. *J Clin Periodontol* 2006;33(7):500-9. [Abstract](#)
81. Klug C, Cede J. Technical modifications for intraoral quadrangular Le Fort II osteotomy. *J Oral Maxillofac Surg* 2017;75(2):402 e1-02 e16. [Abstract](#)
82. Kohal RJ, Straub LM, Wolkewitz M, et al. Evaluation of guided bone regeneration around oral implants over different healing times using two different bovine bone materials: a randomized, controlled clinical and histological investigation. *Clin Implant Dent Relat Res* 2015;17(5):957-71. [Abstract](#)
83. Koike H, Kawahara D, Kawahara H. Clinical characterization of several bone grafting materials as a dental implant supporting tissue. *Adv Sci Techn* 2006;49:300-05.
84. Kolk A, Boskov M, Haidari S, et al. Comparative analysis of bone regeneration behavior using recombinant human BMP-2 versus plasmid DNA of BMP-2. *J Biomed Mater Res A* 2019;107(1):163-73. [Abstract](#)
85. Korfage A, Raghoebar GM, Noorda WD, et al. Recommendations for implant-retained nasal prostheses after ablative tumor surgery: Minimal surgical aftercare, high implant survival, and satisfied patients. *Head Neck* 2016;38 Suppl 1:E619-24. [Abstract](#)
86. Koutouzis T, Fetner M, Fetner A, et al. Retrospective evaluation of crestal bone changes around implants with reduced abutment diameter placed non-submerged and at subcrestal positions: the effect of bone grafting at implant placement. *J Periodontol* 2011;82(2):234-42. [Abstract](#)

87. Kratz F, Müller C, Körber N, et al. Characterization of protein films on dental materials: Bicinchoninic acid assay (BCA) studies on loosely and firmly adsorbed protein layers. *physica status solidi (a)* 2013;210(5):964-67. [Abstract](#)
88. Krauser JT, Rohrer MD, Wallace SS. Human histologic and histomorphometric analysis comparing OsteoGraf/N with PepGen P-15 in the maxillary sinus elevation procedure: a case report. *Implant Dent* 2000;9(4):298-302. [Abstract](#)
89. Krennmaier S, Hunger S, Forstner T, et al. Implant health and factors affecting peri-implant marginal bone alteration for implants placed in staged maxillary sinus augmentation: A 5-year prospective study. *Clin Implant Dent Relat Res* 2019;21(1):32-41. [Abstract](#)
90. Kubler A, Neugebauer J, Oh JH, et al. Growth and proliferation of human osteoblasts on different bone graft substitutes: an in vitro study. *Implant Dent* 2004;13(2):171-9. [Abstract](#)
91. Kuhl S, Gotz H, Hansen T, et al. Three-dimensional analysis of bone formation after maxillary sinus augmentation by means of microcomputed tomography: a pilot study. *Int J Oral Maxillofac Implants* 2010;25(5):930-8. [Abstract](#)
92. Landi L, Pretel RW, Jr., Hakimi NM, et al. Maxillary sinus floor elevation using a combination of DFDBA and bovine-derived porous hydroxyapatite: a preliminary histologic and histomorphometric report. *Int J Periodontics Restorative Dent* 2000;20(6):574-83. [Abstract](#)
93. Lee CY, Rohrer MD, Prasad HS, et al. Sinus grafting with a natural fluorohydroxyapatite for immediate load: a study with histologic analysis and histomorphometry. *J Oral Implantol* 2009;35(4):164-75. [Abstract](#)
94. Lee HW, Lin WS, Morton D. A retrospective study of complications associated with 100 consecutive maxillary sinus augmentations via the lateral window approach. *Int J Oral Maxillofac Implants* 2013;28(3):860-8. [Abstract](#)
95. Levin BP. Immediate temporization of immediate implants in the esthetic zone: evaluating survival and bone maintenance. *Compend Contin Educ Dent* 2011;32(4):52-6, 58-60, 62. [Abstract](#)
96. Levin BP. The dermal apron technique for immediate implant socket management: A novel technique. *J Esthet Restor Dent* 2016;28(1):18-28. [Abstract](#)
97. Levin BP. Framing the restorative result: How tissue augmentation and preservation maximizes implant therapy outcomes. *Compend Contin Educ Dent* 2018;39(7):458-66. [Abstract](#)
98. Levin BP, Chu SJ. Changes in peri-implant soft tissue thickness with bone grafting and Dermis Allograft: A case series of 15 consecutive patients. *Int J Periodontics Restorative Dent* 2018;38(5):719-27. [Abstract](#)
99. Levin BP, Wilk BL. Immediate provisionalization of immediate implants in the esthetic zone: a prospective case series evaluating implant survival, esthetics, and bone maintenance. *Compend Contin Educ Dent* 2013;34(5):352-61. [Abstract](#)
100. Levin BP, Wilk BL. The teamwork approach to esthetic tooth replacement with immediate implant placement and immediate temporization. *Compend Contin Educ Dent* 2015;36(9):682-8. [Abstract](#)

101. Lu SY, Huang CC. Resolution of an active peri-implantitis in a chronic steroid user by bone augmentation with PepGen P-15 and a barrier membrane. *J Oral Implantol* 2007;33(5):280-7. [Abstract](#)
102. Luczyszyn SM, Papalexiou V, Novaes AB, Jr., et al. Acellular dermal matrix and hydroxyapatite in prevention of ridge deformities after tooth extraction. *Implant Dent* 2005;14(2):176-84. [Abstract](#)
103. Luongo G, Bressan E, Grusovin MG, et al. Do repeated changes of abutments have any influence on the stability of peri-implant tissues? Four-month post-loading preliminary results from a multicentre randomised controlled trial. *Eur J Oral Implantol* 2015;8(2):129-40. [Abstract](#)
104. Lutz R, Prechtl C, Nonhoff J, et al. Biofunctionalization of the implant surface with different concentrations of a synthetic peptide (P-15). *Clin Oral Implants Res* 2013;24(7):781-6. [Abstract](#)
105. Mahesh L, Lahori M, Bali P, et al. Lateral ridge augmentation by titanium membrane using autografts and alloplast: A case report with 3 years radiological follow-up. *Int J Oral Implantol Clin Res* 2010;1(1):e37-42.
106. Mardas N, Stavropoulos A, Karring T. Calvarial bone regeneration by a combination of natural anorganic bovine-derived hydroxyapatite matrix coupled with a synthetic cell-binding peptide (PepGen): an experimental study in rats. *Clin Oral Implants Res* 2008;19(10):1010-5. [Abstract](#)
107. Matos S, Guerra F, Krauser JT, et al. Evaluation of an anorganic bovine-derived mineral with P-15 hydrogel bone graft: preliminary study in a rabbit cranial bone model. *Clin Oral Implants Res* 2012;23(6):698-705. [Abstract](#)
108. Matos SM, Guerra FA, Krauser J, et al. Clinical evaluation of the combination of anorganic bovine-derived hydroxyapatite matrix/cell-binding peptide (P-15) in particulate and hydrogel form as a bone replacement graft material in human periodontal osseous defects: 6-month reentry controlled clinical study. *J Periodontol* 2007;78(10):1855-63. [Abstract](#)
109. Melker DJ. The use of PerioDerm for root coverage and correction of insufficiently attached gingiva. *CHAIRSIDE magazine* 2013;8(2):47-59. [Abstract](#)
110. Metzler P, von Wilmowsky C, Zimmermann R, et al. The effect of current used bone substitution materials and platelet-rich plasma on periosteal cells by ectopic site implantation: an in-vivo pilot study. *J Craniomaxillofac Surg* 2012;40(5):409-15. [Abstract](#)
111. Mir-Mari J, Benic GI, Valmaseda-Castellon E, et al. Influence of wound closure on the volume stability of particulate and non-particulate GBR materials: an in vitro cone-beam computed tomographic examination. Part II. *Clin Oral Implants Res* 2017;28(6):631-39. [Abstract](#)
112. Mir-Mari J, Wui H, Jung RE, et al. Influence of blinded wound closure on the volume stability of different GBR materials: an in vitro cone-beam computed tomographic examination. *Clin Oral Implants Res* 2016;27(2):258-65. [Abstract](#)
113. Mladenovic Z, Sahlin-Platt A, Bengtsson Å, et al. Surface characterization of bone graft substitute materials conditioned in cell culture medium. *Surf Interface Anal* 2010;42(6-7):452-56. [Abstract](#)

114. Möller B, Acil Y, Birkenfeld F, et al. Highly porous hydroxyapatite with and without local harvested bone in sinus floor augmentation: a histometric study in pigs. *Clin Oral Implants Res* 2014;25(7):871-8. [Abstract](#)
115. Naenni N, Schneider D, Jung RE, et al. Randomized clinical study assessing two membranes for guided bone regeneration of peri-implant bone defects: clinical and histological outcomes at 6 months. *Clin Oral Implants Res* 2017;28(10):1309-17. [Abstract](#)
116. Najafi B, Kheirieh P, Torabi A, et al. Periodontal regenerative treatment of intrabony defects in the esthetic zone using modified vestibular incision subperiosteal tunnel access (M-VISTA). *Int J Periodontics Restorative Dent* 2018;38(Suppl):e9-e16. [Abstract](#)
117. Nazareth CA, Cury PR. Use of anorganic bovine-derived hydroxyapatite matrix/cell-binding peptide (P-15) in the treatment isolated Class I gingival recession of defects: a pilot study. *J Periodontol* 2011;82(5):700-7. [Abstract](#)
118. Neugebauer J, Iezzi G, Perrotti V, et al. Experimental immediate loading of dental implants in conjunction with grafting procedures. *J Biomed Mater Res B* 2009;91(2):604-12. [Abstract](#)
119. Noelken R, Moergel M, Kunkel M, et al. Immediate and flapless implant insertion and provisionalization using autogenous bone grafts in the esthetic zone: 5-year results. *Clin Oral Implants Res* 2018;29(3):320-27. [Abstract](#)
120. Noelken R, Neffe BA, Kunkel M, et al. Maintenance of marginal bone support and soft tissue esthetics at immediately provisionalized OsseoSpeed implants placed into extraction sites: 2-year results. *Clin Oral Implants Res* 2014;25(2):214-20. [Abstract](#)
121. Noelken R, Oberhansl F, Kunkel M, et al. Immediately provisionalized OsseoSpeed() Profile implants inserted into extraction sockets: 3-year results. *Clin Oral Implants Res* 2016;27(6):744-9. [Abstract](#)
122. Nomura T, Katz JL, Powers MP, et al. Evaluation of the micromechanical elastic properties of potential bone-grafting materials. *J Biomed Mater Res B* 2005;73(1):29-34. [Abstract](#)
123. Ogutcen-Toller M, Sener I, Kasap V, et al. Maxillary myxoma: surgical treatment and reconstruction with buccal fat pad flap: a case report. *J Contemp Dent Pract* 2006;7(1):107-16. [Abstract](#)
124. Ortiz-Vigon A, Suarez I, Martinez-Villa S, et al. Safety and performance of a novel collagenated xenogeneic bone block for lateral alveolar crest augmentation for staged implant placement. *Clin Oral Implants Res* 2017;29(1):36-45. [Abstract](#)
125. Pabst AM, Walter C, Ehbauer S, et al. Analysis of implant-failure predictors in the posterior maxilla: A retrospective study of 1395 implants. *J Craniomaxillofac Surg* 2015;43(3):414-20. [Abstract](#)
126. Pereira KK, Alves OC, Novaes AB, Jr., et al. Progression of osteogenic cell cultures grown on microtopographic titanium coated with calcium phosphate and functionalized with a type I collagen-derived peptide. *J Periodontol* 2013;84(8):1199-210. [Abstract](#)

127. Pettinicchio M, Traini T, Murmura G, et al. Histologic and histomorphometric results of three bone graft substitutes after sinus augmentation in humans. *Clin Oral Investig* 2012;16(1):45-53. [Abstract](#)
128. Pieri F, Lucarelli E, Corinaldesi G, et al. Effect of mesenchymal stem cells and platelet-rich plasma on the healing of standardized bone defects in the alveolar ridge: a comparative histomorphometric study in minipigs. *J Oral Maxillofac Surg* 2009;67(2):265-72. [Abstract](#)
129. Pieri F, Lucarelli E, Corinaldesi G, et al. Mesenchymal stem cells and platelet-rich plasma enhance bone formation in sinus grafting: a histomorphometric study in minipigs. *J Clin Periodontol* 2008;35(6):539-46. [Abstract](#)
130. Pinho MN, Roriz VL, Novaes AB, Jr., et al. Titanium membranes in prevention of alveolar collapse after tooth extraction. *Implant Dent* 2006;15(1):53-61. [Abstract](#)
131. Pistilli R, Felice P, Piatelli M, et al. Blocks of autogenous bone versus xenografts for the rehabilitation of atrophic jaws with dental implants: preliminary data from a pilot randomised controlled trial. *Eur J Oral Implantol* 2014;7(2):153-71. [Abstract](#)
132. Poeschl PW, Ziya-Ghazvini F, Schicho K, et al. Application of platelet-rich plasma for enhanced bone regeneration in grafted sinus. *J Oral Maxillofac Surg* 2012;70(3):657-64. [Abstract](#)
133. Pohl V, Pohl S, Sulzbacher I, et al. Alveolar Ridge Augmentation Using Dystopic Autogenous Tooth: 2-Year Results of an Open Prospective Study. *Int J Oral Maxillofac Implants* 2017;32(4):870-79. [Abstract](#)
134. Possamai V, Scott A, Neil W. Bone pate collection: a simple solution. *Clin Otolaryngol* 2008;33(2):199. [Abstract](#)
135. Radhakrishnan S, Anusuya CN. Comparative clinical evaluation of combination anorganic bovine-derived hydroxyapatite matrix (ABM)/cell binding peptide (P-15) and open flap debridement (DEBR) in human periodontal osseous defects: a 6 month pilot study. *J Int Acad Periodontol* 2004;6(3):101-7. [Abstract](#)
136. Restoy-Lozano A, Dominguez-Mompell JL, Infante-Cossio P, et al. Calvarial bone grafting for three-dimensional reconstruction of severe maxillary defects: a case series. *Int J Oral Maxillofac Implants* 2015;30(4):880-90. [Abstract](#)
137. Romanos GE, Gaertner K, Nentwig GH. Long-term evaluation of immediately loaded implants in the edentulous mandible using fixed bridges and platform shifting. *Clin Implant Dent Relat Res* 2014;16(4):601-8. [Abstract](#)
138. Romanos GE, Nentwig GH. Regenerative therapy of deep peri-implant infrabony defects after CO<sub>2</sub> laser implant surface decontamination. *Int J Periodontics Restorative Dent* 2008;28(3):245-55. [Abstract](#)
139. Roos-Jansåker AM, Lindahl C, Persson GR, et al. Long-term stability of surgical bone regenerative procedures of peri-implantitis lesions in a prospective case-control study over 3 years. *J Clin Periodontol* 2011;38(6):590-7. [Abstract](#)
140. Roos-Jansåker AM, Persson GR, Lindahl C, et al. Surgical treatment of peri-implantitis using a bone substitute with or without a resorbable membrane: a 5-year follow-up. *J Clin Periodontol* 2014;41(11):1108-14. [Abstract](#)

141. Roos-Jansåker AM, Renvert H, Lindahl C, et al. Surgical treatment of peri-implantitis using a bone substitute with or without a resorbable membrane: a prospective cohort study. *J Clin Periodontol* 2007;34(7):625-32. [Abstract](#)
142. Roos-Jansåker AM, Renvert H, Lindahl C, et al. Submerged healing following surgical treatment of peri-implantitis: a case series. *J Clin Periodontol* 2007;34(8):723-7. [Abstract](#)
143. Rosen PS, Summers R, Mellado JR, et al. The bone-added osteotome sinus floor elevation technique: multicenter retrospective report of consecutively treated patients. *Int J Oral Maxillofac Implants* 1999;14(6):853-8. [Abstract](#)
144. Rosen VB, Hobbs LW, Spector M. The ultrastructure of anorganic bovine bone and selected synthetic hydroxyapatites used as bone graft substitute materials. *Biomaterials* 2002;23(3):921-8. [Abstract](#)
145. Russmueller G, Winkler L, Lieber R, et al. In vitro effects of particulate bone substitute materials on the resorption activity of human osteoclasts. *Eur Cell Mater* 2017;34:291-306. [Abstract](#)
146. Sanz M, Ferrantino L, Vignoletti F, et al. Guided bone regeneration of non-contained mandibular buccal bone defects using deproteinized bovine bone mineral and a collagen membrane: an experimental in vivo investigation. *Clin Oral Implants Res* 2017;28(11):1466-76. [Abstract](#)
147. Scarano A, Cholakis AK, Piattelli A. Histologic evaluation of sinus grafting materials after peri-implantitis-induced failure: A case series. *Int J Oral Maxillofac Implants* 2017;32(2):e69-e75. [Abstract](#)
148. Scarano A, Degidi M, Perrotti V, et al. Sinus augmentation with phycogene hydroxyapatite: histological and histomorphometrical results after 6 months in humans. A case series. *Oral Maxillofac Surg* 2012;16(1):41-5. [Abstract](#)
149. Scarano A, Perrotti V, Degidi M, et al. Bone regeneration with algae-derived hydroxyapatite: a pilot histologic and histomorphometric study in rabbit tibia defects. *Int J Oral Maxillofac Implants* 2012;27(2):336-40. [Abstract](#)
150. Schliephake H, Drewes M, Mihatovic I, et al. Use of a self-curing resorbable polymer in vertical ridge augmentations - a pilot study in dogs. *Clin Oral Implants Res* 2014;25(4):435-40. [Abstract](#)
151. Schmid J, Hammerle CH, Fluckiger L, et al. Blood-filled spaces with and without filler materials in guided bone regeneration. A comparative experimental study in the rabbit using bioresorbable membranes. *Clin Oral Implants Res* 1997;8(2):75-81. [Abstract](#)
152. Schopper C, Goriwoda W, Moser D, et al. Long-term results after guided bone regeneration with resorbable and microporous titanium membranes. *J Oral Maxillofac Surg Clin NA* 2001;30(3):157-61.
153. Schopper C, Moser D, Sabbas A, et al. The fluorohydroxyapatite (FHA) FRIOS Algipore is a suitable biomaterial for the reconstruction of severely atrophic human maxillae. *Clin Oral Implants Res* 2003;14(6):743-9. [Abstract](#)
154. Schopper C, Moser D, Spassova E, et al. Bone regeneration using a naturally grown HA/TCP carrier loaded with rh BMP-2 is independent of barrier-membrane effects. *J Biomed Mater Res A* 2008;85(4):954-63. [Abstract](#)

155. Schopper C, Moser D, Spassova-Tzekova E, et al. Mineral apposition rates provide significant information on long-term effects in BMP-induced bone regeneration. *J Biomed Mater Res A* 2009;89(3):679-86. [Abstract](#)
156. Schopper C, Moser D, Wanschitz F, et al. Histomorphologic findings on human bone samples six months after bone augmentation of the maxillary sinus with Algipore. *J Long Term Eff Med Implants* 1999;9(3):203-13. [Abstract](#)
157. Schopper C, Ziya-Ghazvini F, Goriwoda W, et al. HA/TCP compounding of a porous CaP biomaterial improves bone formation and scaffold degradation--a long-term histological study. *J Biomed Mater Res B* 2005;74(1):458-67. [Abstract](#)
158. Schulz MC, Lode A, Wittig S, et al. Characterization of the osseointegration of Algipore and Algipore modified with mineralized collagen type I. *Oral surg Oral Med Oral Pathol Oral Radiol* 2012;114(5 Suppl):S160-6. [Abstract](#)
159. Shchukarev A, Z. M, M. R. Surface characterization of bone graft substitute materials conditioned in cell culture medium. 2. Protein adsorption. *Surf Interface Anal* 2012;44(8):919-23. [Abstract](#)
160. Shuman IE. Long-term provisionalization following tooth extraction. An innovative approach. *Dent Today* 2003;22(6):60-3. [Abstract](#)
161. Simion M, Ferrantino L, Idotta E, et al. The association of guided bone regeneration and enamel matrix derivative for suprabony reconstruction in the esthetic area: a case report. *Int J Periodontics Restorative Dent* 2015;35(6):767-72. [Abstract](#)
162. Simunek A, Cierny M, Kopecka D, et al. The sinus lift with phycogenic bone substitute. *Clin Oral Implants Res* 2005;16(3):342-48. [Abstract](#)
163. Sirin Y, Yildirimturk S, Aytugar E, et al. A comparison of panoramic radiography and cone beam computed tomography in the detection of osteosynthesis complications in sheep mandibular angle fractures. *Oral Surg Oral Med Oral Pathol Oral Radiol* 2019;127(2):167-74. [Abstract](#)
164. Smiler D, Soltan M, Lee JW. A histomorphogenic analysis of bone grafts augmented with adult stem cells. *Implant Dent* 2007;16(1):42-53. [Abstract](#)
165. Spassova E, Gintenreiter S, Halwax E, et al. Chemistry, ultrastructure and porosity of monophasic and biphasic bone forming materials derived from marine algae. *Mat.-wiss. u Werkstofftech.* 2007;38(12):1-8. [Abstract](#)
166. Sullivan JP. Implant placement in the aesthetic zone following an autogenous bone graft from an intraoral site: a case study. *Prim Dent J* 2013;2(4):49-55. [Abstract](#)
167. Tadic D, Epple M. A thorough physicochemical characterisation of 14 calcium phosphate-based bone substitution materials in comparison to natural bone. *Biomaterials* 2004;25(6):987-94. [Abstract](#)
168. Takamoto M, Takechi M, Ohta K, et al. Risk of bacterial contamination of bone harvesting devices used for autogenous bone graft in implant surgery. *Head Face Med* 2013;9:3. [Abstract](#)
169. Taylor JC, Cuff SE, Leger JP, et al. In vitro osteoclast resorption of bone substitute biomaterials used for implant site augmentation: a pilot study. *Int J Oral Maxillofac Implants* 2002;17(3):321-30. [Abstract](#)

170. Terheyden H, Jepsen S, Vogeler S, et al. Recombinant human osteogenic protein 1 in the rat mandibular augmentation model: differences in morphology of the newly formed bone are dependent on the type of carrier. *Mund Kiefer Gesichtschir* 1997;1(5):272-5. [Abstract](#)
171. Tezulas E, Dilek OC, Topcuoglu N, et al. Decontamination of autogenous bone grafts collected during dental implant site preparation: a pilot study. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2009;107(5):656-60. [Abstract](#)
172. Thoma DS, Weber FE, Bienz SP, et al. Biodegradation and tissue integration of various polyethylene glycol matrices: a comparative study in rabbits. *Clin Oral Implants Res* 2017;28(11):e244-e51. [Abstract](#)
173. Thompson DM, Rohrer MD, Prasad HS. Comparison of bone grafting materials in human extraction sockets: clinical, histologic, and histomorphometric evaluations. *Implant Dent* 2006;15(1):89-96. [Abstract](#)
174. Thorwarth M, Schultze-Mosgau S, Wehrhan F, et al. Bioactivation of an anorganic bone matrix by P-15 peptide for the promotion of early bone formation. *Biomaterials* 2005;26(28):5648-57. [Abstract](#)
175. Thorwarth M, Wehrhan F, Srour S, et al. Evaluation of substitutes for bone: comparison of microradiographic and histological assessments. *Br J Oral Maxillofac Surg* 2007;45(1):41-7. [Abstract](#)
176. Tischler M. Multi-modality anterior extraction site grafting. Increased predictability for aesthetics. *Dent Today* 2003;22(3):94-6, 98. [Abstract](#)
177. Tovar N, Jimbo R, Gangolli R, et al. Evaluation of bone response to various anorganic bovine bone xenografts: an experimental calvaria defect study. *Int J Oral Maxillofac Surg* 2014;43(2):251-60. [Abstract](#)
178. Traini T, Piattelli A, Caputi S, et al. Regeneration of human bone using different bone substitute biomaterials. *Clin Implant Dent Relat Res* 2015;17(1):150-62. [Abstract](#)
179. Trasatti C, Spears R, Gutmann JL, et al. Increased Tgf-beta1 production by rat osteoblasts in the presence of PepGen P-15 in vitro. *J Endod* 2004;30(4):213-7. [Abstract](#)
180. Tunkel J, Wurdinger R, de Stavola L. Vertical 3D bone reconstruction with simultaneous implantation: A case series report. *Int J Periodontics Restorative Dent* 2018;38(3):413-21. [Abstract](#)
181. Turhani D, Cvikel B, Watzinger E, et al. In vitro growth and differentiation of osteoblast-like cells on hydroxyapatite ceramic granule calcified from red algae. *J Oral Maxillofac Surg* 2005;63(6):793-9. [Abstract](#)
182. Turhani D, Item C, Thurnher D, et al. [Evidence of osteocalcin expression in osteoblast cells of mandibular origin growing on biomaterials with RT-PCR and SDS-PAGE/Western blotting]. *Mund Kiefer Gesichtschir* 2003;7(5):294-300. [Abstract](#)
183. Turhani D, Watzinger E, Weissenbock M, et al. Analysis of cell-seeded 3-dimensional bone constructs manufactured in vitro with hydroxyapatite granules obtained from red algae. *J Oral Maxillofac Surg* 2005;63(5):673-81. [Abstract](#)

184. Turhani D, Watzinger E, Weissenbock M, et al. Three-dimensional composites manufactured with human mesenchymal cambial layer precursor cells as an alternative for sinus floor augmentation: an in vitro study. *Clin Oral Implants Res* 2005;16(4):417-24. [Abstract](#)
185. Turhani D, Weissenbock M, Stein E, et al. Exogenous recombinant human BMP-2 has little initial effects on human osteoblastic cells cultured on collagen type I coated/noncoated hydroxyapatite ceramic granules. *J Oral Maxillofac Surg* 2007;65(3):485-93. [Abstract](#)
186. Turhani D, Weissenbock M, Watzinger E, et al. Invitro study of adherent mandibular osteoblast-like cells on carrier materials. *Int J Oral Maxillofac Surg* 2005;34(5):543-50. [Abstract](#)
187. Uludag H, D'Augusta D, Golden J, et al. Implantation of recombinant human bone morphogenetic proteins with biomaterial carriers: A correlation between protein pharmacokinetics and osteoinduction in the rat ectopic model. *J Biomed Mater Res* 2000;50(2):227-38. [Abstract](#)
188. Urban IA, Klokkevold PR, Takei HH. Abutment-supported papilla: A combined surgical and prosthetic approach to papilla reformation. *Int J Periodontics Restorative Dent* 2016;36(5):665-71. [Abstract](#)
189. Valentini P, Abensur D, Albertini JF, et al. Immediate provisionalization of single extraction-site implants in the esthetic zone: a clinical evaluation. *Int J Periodontics Restorative Dent* 2010;30(1):41-51. [Abstract](#)
190. Verardi S, Pastagia J. Obliteration of the nasopalatine canal in conjunction with horizontal ridge augmentation. *Compend Contin Educ Dent* 2012;33(2):116-20, 22. [Abstract](#)
191. Wanschitz F, Figl M, Wagner A, et al. Measurement of volume changes after sinus floor augmentation with a phycogenic hydroxyapatite. *Int J Oral Maxillofac Implants* 2006;21(3):433-8. [Abstract](#)
192. Wanschitz F, Nell A, Patruta S, et al. Influence of three currently used bone replacing materials on the in vitro proliferation of human peripheral blood mononuclear cells. *Clin Oral Implants Res* 2005;16(5):570-4. [Abstract](#)
193. Watzinger F, Luksch J, Millesi W, et al. Guided bone regeneration with titanium membranes: a clinical study. *Br J Oral Maxillofac Surg* 2000;38(4):312-5. [Abstract](#)
194. Weissenboeck M, Stein E, Undt G, et al. Particle size of hydroxyapatite granules calcified from red algae affects the osteogenic potential of human mesenchymal stem cells in vitro. *Cells Tissues Organs* 2006;182(2):79-88. [Abstract](#)
195. Wenz B, Oesch B, Horst M. Analysis of the risk of transmitting bovine spongiform encephalopathy through bone grafts derived from bovine bone. *Biomaterials* 2001;22(12):1599-606. [Abstract](#)
196. Widmark G, Ivanoff CJ. Augmentation of exposed implant threads with autogenous bone chips: prospective clinical study. *Clin Implant Dent Relat Res* 2000;2(4):178-83. [Abstract](#)
197. Wong DH, Kendrick S. Peptide-enhanced bovine xenograft to treat severe recession. *Dent Today* 2010;29(11):174, 76, 78-9. [Abstract](#)

198. Yerit KC, Posch M, Guserl U, et al. Rehabilitation of the severely atrophied maxilla by horseshoe Le Fort I osteotomy (HLFO). *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2004;97(6):683-92. [Abstract](#)
199. Yerit KC, Posch M, Hainich S, et al. Long-term implant survival in the grafted maxilla: results of a 12-year retrospective study. *Clin Oral Implants Res* 2004;15(6):693-9. [Abstract](#)
200. Young MPJ, Carter DH, Worthington H, et al. Microbial analysis of bone collected during implant surgery: a clinical and laboratory study. *Clin Oral Implants Res* 2001;12(2):95-103. [Abstract](#)
201. Young MPJ, Carter DH, Worthington HV, et al. The effects of an immediately pre-surgical chlorhexidine oral rinse on the bacterial contaminants of bone debris collected during dental implant surgery. *Clin Oral Implants Res* 2002;13(1):20-29. [Abstract](#)
202. Young MPJ, Worthington HV, Lloyd RE, et al. Bone collected during dental implant surgery: a clinical and histological study. *Clin Oral Implants Res* 2002;13(3):298-303. [Abstract](#)
203. Yu H, Qiu L. A prospective randomized controlled trial of two-window versus solo-window technique by lateral sinus floor elevation in atrophic posterior maxilla: Results from a 1-year observational phase. *Clin Implant Dent Relat Res* 2017;19(5):783-92. [Abstract](#)
204. Yu HS, Noh WC, Park JW, et al. Comparative study on the cellular activities of osteoblast-like cells and new bone formation of anorganic bone mineral coated with tetra-cell adhesion molecules and synthetic cell binding peptide. *J Periodontal Implant Sci* 2011;41(6):293-301. [Abstract](#)
205. Yukna R, Salinas TJ, Carr RF. Periodontal regeneration following use of ABM/P-1 5: a case report. *Int J Periodontics Restorative Dent* 2002;22(2):146-55. [Abstract](#)
206. Yukna RA, Callan DP, Krauser JT, et al. Multi-center clinical evaluation of combination anorganic bovine-derived hydroxyapatite matrix (ABM)/cell binding peptide (P-15) as a bone replacement graft material in human periodontal osseous defects. 6-month results. *J Periodontol* 1998;69(6):655-63. [Abstract](#)
207. Yukna RA, Krauser JT, Callan DP, et al. Multi-center clinical comparison of combination anorganic bovine-derived hydroxyapatite matrix (ABM)/cell binding peptide (P-15) and ABM in human periodontal osseous defects. 6-month results. *J Periodontol* 2000;71(11):1671-9. [Abstract](#)
208. Yukna RA, Krauser JT, Callan DP, et al. Thirty-six month follow-up of 25 patients treated with combination anorganic bovine-derived hydroxyapatite matrix (ABM)/cell-binding peptide (P-15) bone replacement grafts in human infrabony defects. I. Clinical findings. *J Periodontol* 2002;73(1):123-8. [Abstract](#)
209. Zhou AJ, Clokie CM, Peel SA. Bone formation in algae-derived and synthetic calcium phosphates with or without poloxamer. *J Craniofac Surg* 2013;24(2):354-9. [Abstract](#)
210. Zhou AJ, Peel SA, Clokie CM. An evaluation of hydroxyapatite and biphasic calcium phosphate in combination with Pluronic F127 and BMP on bone repair. *J Craniofac Surg* 2007;18(6):1264-75. [Abstract](#)