

Publication list

Contents

- 1. Implant systems..... 2
 - 1.1. Ankylos..... 2
 - 1.2. Astra Tech Implant Systems..... 36
 - 1.3. Astra Tech Implant Systems EV..... 135
 - 1.4. Xive..... 143
- 2. Digital Implant Solutions 170
 - 2.1. Atlantis 170
 - 2.2. Simplant 184
 - 2.3. PrimeScan 213
- 3. Regenerative..... 215
 - 3.1 Symbios Algipore 215
 - 3.2. Symbios Ossix..... 222
 - 3.3 Symbios other products and instruments 231

1. Implant systems

1.1. Ankylos

1. Abboud M, Koeck B, Stark H, Wahl G, Paillon R. Immediate loading of single-tooth implants in the posterior region. *Int J Oral Maxillofac Implants* 2005;20(1):61-8. [Abstract](#)
2. Abboud M, Wahl G, Guirado JL, Orentlicher G. Application and success of two stereolithographic surgical guide systems for implant placement with immediate loading. *Int J Oral Maxillofac Implants* 2012;27(3):634-43. [Abstract](#)
3. Ahmad R, Abu-Hassan MI, Chen J, Li Q, Swain MV. The relationship of mandibular morphology with residual ridge resorption associated with implant-retained overdentures. *Int J Prosthodont* 2016;29(6):573-80. [Abstract](#)
4. Ahmad R, Abu-Hassan MI, Li Q, Swain MV. Three dimensional quantification of mandibular bone remodeling using standard tessellation language registration based superimposition. *Clin Oral Implants Res* 2012;24(11):1273-9. [Abstract](#)
5. Ahmad R, Chen J, Abu-Hassan MI, Li Q, Swain MV. Investigation of mucosa-induced residual ridge resorption under implant-retained overdentures and complete dentures in the mandible. *Int J Oral Maxillofac Implants* 2015;30(3):657-66. [Abstract](#)
6. Ahuja V, Padndey A. Placement of immediate dental implant in the anterior maxilla: A case report. *Guident Implant* 2019;12(11):14-16.
7. Al-fakeh H, Sharhan HM, Ziyad TA, Abdulghani EA, Al-Moraiss E, Al-Sosowa AA, Liu B, Zhang K. Three-dimensional Radiographic Assessment of Bone Changes Around Posterior Dental Implants at Native Bone Site in Gansu Province, Northwest of China: A Retrospective Cohort Study. *Journal of Stomatology, Oral and Maxillofacial Surgery* 2022;E pub April 9, doi: 10.1016/j.jormas.2022.04.005:1-20. [Abstract](#)
8. Al-Hashedi AA, Taiyeb-Ali TB, Yunus N. Outcomes of placing short implants in the posterior mandible: a preliminary randomized controlled trial. *Aust Dent J* 2016;61(2):208-18. [Abstract](#)
9. Albiero AM, Benato R. Computer-assisted surgery and intraoral welding technique for immediate implant-supported rehabilitation of the edentulous maxilla: Case report and technical description. *Int J Med Robot* 2016;12(3):453-60. [Abstract](#)
10. Albiero AM, Benato R, Benato A, Degidi M. Use of intraoral welding to increase the predictability of immediately loaded computer-guided implants. *Int J Periodontics Restorative Dent* 2017;37(4):591-98. [Abstract](#)
11. Albiero AM, Benato R, Benato A, Degidi M. Guided-welded approach planning using digital scanning technology for combined screw- and conometric-retained implant-supported maxillary prosthesis. *Int J Comput Dent* 2020;23(4):325-33. [Abstract](#)

12. Albiero AM, Benato R, Fincato A. Immediately Loaded Intraorally Welded Complete-Arch Maxillary Provisional Prosthesis. *Int J Periodontics Restorative Dent* 2015;35(5):725-31. [Abstract](#)
13. Albiero AM, Benato R, Momic S, Degidi M. Implementation of computer-guided implant planning using digital scanning technology for restorations supported by conical abutments: A dental technique. *J Prosthet Dent* 2017;119(5):720-26. [Abstract](#)
14. Albiero AM, Bevilacqua L, Pegoraro F, Turco G, Momic S, Di Lenarda R, Maglione M. Mechanical and fatigue resistance of restorations supported by welded- framework and realized using computer-aided designed prosthetic shells: in vitro pilot study. *Clinical Oral Investigations* 2022;E Pub June 20, doi: 10.21203/rs.3.rs-1672384/v1:1-14.
15. Alhammadi SH, Burnside G, Milosevic A. Clinical outcomes of single implant supported crowns versus 3-unit implant-supported fixed dental prostheses in Dubai Health Authority: a retrospective study. *BMC Oral Health* 2021;21(1):171. [Abstract](#)
16. Aloise JP, Curcio R, Laporta MZ, Rossi L, da Silva AM, Rapoport A. Microbial leakage through the implant-abutment interface of Morse taper implants in vitro. *Clin Oral Implants Res* 2010;21(3):328-35. [Abstract](#)
17. Alsrouji MS, Ahmad R, Rajali A, Mustafa N, Ibrahim N, Baba NZ. Mandibular implant-retained overdentures: potential accelerator of bone loss in the anterior maxilla? *J Prosthodont* 2019;28(2):131-37. [Abstract](#)
18. Andrikopoulou E. Detecting bone changes along dental implants, after immediate or delayed loading, using digital subtraction on cropped panoramic radiographs. A prospective clinical trial with minimum 3-year follow up. *J Osseointegration* 2019;11(March):11-20. [Abstract](#)
19. Aoki M, Takanashi K, Matsukubo T, Yajima Y, Okuda K, Sato T, Ishihara K. Transmission of periodontopathic bacteria from natural teeth to implants. *Clin Implant Dent Relat Res* 2012;14(3):406-11. [Abstract](#)
20. Aparicio T, D. L. Using Compartis ISUS in conjunction with ANKYLOS. CAD/CAM technology increases predictability in implant prosthetics. *Inside Dentistry* 2011;7(5).
21. Arasawa M, Oda Y, Kobayashi T, Uoshima K, Nishiyama H, Hoshina H, Saito C. Evaluation of bone volume changes after sinus floor augmentation with autogenous bone grafts. *Int J Oral Maxillofac Surg* 2012;41(7):853-7. [Abstract](#)
22. Assenza B, Tripodi D, Scarano A, Perrotti V, Piattelli A, Iezzi G, D'Ercole S. Bacterial leakage in implants with different implant-abutment connections: an in vitro study. *J Periodontol* 2012;83(4):491-7. [Abstract](#)
23. Baggi L, Cappelloni I, Di Girolamo M, Maceri F, Vairo G. The influence of implant diameter and length on stress distribution of osseointegrated implants related to crestal bone geometry: a three-dimensional finite element analysis. *J Prosthet Dent* 2008;100(6):422-31. [Abstract](#)

24. Baggi L, Di Girolamo M, Mirisola C, Calcaterra R. Microbiological evaluation of bacterial and mycotic seal in implant systems with different implant-abutment interfaces and closing torque values. *Implant Dent* 2013;22(4):344-50. [Abstract](#)
25. Baggi L, Pastore S, Di Girolamo M, Vairo G. Implant-bone load transfer mechanisms in complete-arch prostheses supported by four implants: A three-dimensional finite element approach. *J Prosthet Dent* 2013;109(1):9-21. [Abstract](#)
26. Baixe S, Fauxpoint G, Arntz Y, Etienne O. Microgap between zirconia abutments and titanium implants. *Int J Oral Maxillofac Implants* 2010;25(3):455-60. [Abstract](#)
27. Barros RR, Degidi M, Novaes AB, Piattelli A, Shibli JA, Iezzi G. Osteocyte density in the peri-implant bone of immediately loaded and submerged dental implants. *J Periodontol* 2009;80(3):499-504. [Abstract](#)
28. Baruffaldi A, Baruffaldi A, Baruffaldi M, Maiorana C, Poli PP. A suggested protocol to increase the accuracy of prosthetic phases in case of full-arch model-free fully guided computer-aided implant placement and immediate loading. *J Oral Maxillofac Surg* 2020;24(3):343-51. [Abstract](#)
29. Benlidayi ME, Tatli U, Salimov F, Tukul HC, Yuksel O. Comparison of autogenous and allograft bone rings in surgically created vertical bone defects around implants in a sheep model. *Clin Oral Implants Res* 2018;29(11):1155-62. [Abstract](#)
30. Bernard L, Vercruyssen M, Vanderveken J, Coucke W, Quirynen M, Naert I. Randomized controlled trial comparing immediate loading with conventional loading using cone-anchored implant-supported screw-retained removable prostheses: A 2-year follow-up clinical trial. *J Prosthet Dent* 2019;121(2):258-64. [Abstract](#)
31. Bhatavadekar N, Gharpure AS. The graft infusion technique (GIT) for treatment of peri-implantitis defects: case series. *J Dent Shiraz Univ Med Scien.* 2021;22(4):296-303.
32. Block MS, Goldenberg BS. Preliminary results using a friction-fit crown to abutment connection. *Int J Periodontics Restorative Dent* 2021;41(5146):217-24. [Abstract](#)
33. Block MS, Kaleem A. Use of sintered xenograft over allograft for ridge augmentation: technique note. *J Oral Maxillofac Surg* 2014;72(3):496-502. [Abstract](#)
34. Blum K, Wiest W, Fella C, Balles A, Dittmann J, Rack A, Maier D, Thomann R, Spies BC, Kohal RJ, Zabler S, Nelson K. Fatigue induced changes in conical implant-abutment connections. *Dent Mater* 2015;31(11):1415-26. [Abstract](#)
35. Bozkaya D, Muftu S, Muftu A. Evaluation of load transfer characteristics of five different implants in compact bone at different load levels by finite elements analysis. *J Prosthet Dent* 2004;92(6):523-30. [Abstract](#)
36. Brandtner C, Borumandi F, Krenkel C, Gaggl A. A new technique for sandwich osteoplasty with interpositional bone grafts for fixation. *Int J Oral Maxillofac Implants* 2014;29(5):1164-9. [Abstract](#)

37. Bressan E, Grusovin MG, D'Avenia F, Neumann K, Sbricoli L, Luongo G, Esposito M. The influence of repeated abutment changes on peri-implant tissue stability: 3-year post-loading results from a multicentre randomised controlled trial. *Eur J Oral Implantol* 2017;10(4):373-90. [Abstract](#)
38. Bressan E, Lops D. Conometric retention for complete fixed prosthesis supported by four implants: 2-years prospective study. *Clin Oral Implants Res* 2014;25(5):546-52. [Abstract](#)
39. Bressan E, Sbricoli L, Guazzo R, Bambace M, Lops D, Tomasi C. Five-year prospective study on conometric retention for complete fixed prostheses. *Int J Oral Implantol (Berl)* 2019;12(1):105-13. [Abstract](#)
40. Brozovic J, Demoli N, Farkas N, Susic M, Alar Z, Gabric Panduric D. Properties of axially loaded implant-abutment assemblies using digital holographic interferometry analysis. *Dent Mater* 2014;30(3):e17-27. [Abstract](#)
41. Bruckmoser E, Gruber R, Steinmassl O, Eder K, Watzinger F, Bayerle-Eder M, Jesch P. Crestal sinus floor augmentation using hydraulic pressure and vibrations: A retrospective single cohort study. *Int J Oral Maxillofac Implants* 2018;33(5):1149-54. [Abstract](#)
42. Budei DV, Vaireanu D-I, Prepelita P, Popescu-Pelin G, Mincu M, Ciobotaru I-A. A comparative morphological study of titanium dioxide surface layer dental implants. *Open Chemistry* 2021;19(1):189-98. [Abstract](#)
43. Buitrago-Osuna A. Microleakage at implant-abutment interface in internal conical connection implants, an in-vitro study. *J Oral Health Dent Sci* 2019;3(1):1-6.
44. Butz F, Bachle M, Ofer M, Marquardt K, Kohal RJ. Sinus augmentation with bovine hydroxyapatite/synthetic peptide in a sodium hyaluronate carrier (PepGen P-15 Putty): a clinical investigation of different healing times. *Int J Oral Maxillofac Implants* 2011;26(6):1317-23. [Abstract](#)
45. Carbiner R, Jerjes W, Shakib K, Giannoudis PV, Hopper C. Analysis of the compatibility of dental implant systems in fibula free flap reconstruction. *Head Neck Oncol* 2012;4:37. [Abstract](#)
46. Cauduro FS, Silva DN, Oliveira RBd, Bridi MdP, Cauduro DE, Pretto SM. Single tooth morse taper implant placement and restoration immediately after extraction. *RGO - Revista Gaúcha de Odontologia* 2019;67. [Abstract](#)
47. Cepa S, Koller B, Spies BC, Stampf S, Kohal RJ. Implant-retained prostheses: ball vs. conus attachments - A randomized controlled clinical trial. *Clin Oral Implants Res* 2017;28(2):177-85. [Abstract](#)
48. Cepa S, Koller B, Wolkewitz M, Kohal R. Implant-retained prostheses: ball vs. conus attachments - A randomized controlled clinical trial. *Z Zahnärztl Impl* 2011;27(4):320-33.
49. Chang HC, Chang CH, Li HY, Wang CH. Biomechanical analysis of the press-fit effect in a conical Morse taper implant system by using an in vitro experimental test and finite element analysis. *J Prosthet Dent* 2020;E-pub Dec 19, doi:10.1016/j.prosdent.2020.10.022. [Abstract](#)

50. Chang HC, Li HY, Chen YN, Chang CH, Wang CH. Mechanical analysis of a dental implant system under 3 contact conditions and with 2 mechanical factors. *J Prosthet Dent* 2019;122(4):376-82. [Abstract](#)
51. Chang HH, Yeh CL, Wang YL, Fu KK, Tsai SJ, Yang JH, Lin CP. Neutralized dicalcium phosphate and hydroxyapatite biphasic bioceramics promote bone regeneration in critical peri-implant bone defects. *Materials (Basel)* 2020;13(4). [Abstract](#)
52. Chen H, Gu T, Lai H, Gu X. Evaluation of hard tissue 3-dimensional stability around single implants placed with guided bone regeneration in the anterior maxilla: A 3-year retrospective study. *J Prosthet Dent* 2021;E-pub Apr 3, doi:10.1016/j.prosdent.2021.02.015. [Abstract](#)
53. Chou CT, Morris HF, Ochi S, Walker L, DesRosiers D. AICRG, Part II: Crestal bone loss associated with the Ankylos implant: loading to 36 months. *J Oral Implantol* 2004;30(3):134-43. [Abstract](#)
54. Conserva E, Lanuti A, Menini M. Cell behavior related to implant surfaces with different microstructure and chemical composition: an in vitro analysis. *Int J Oral Maxillofac Implants* 2010;25(6):1099-107. [Abstract](#)
55. Conserva E, Menini M, Ravera G, Pera P. The role of surface implant treatments on the biological behavior of SaOS-2 osteoblast-like cells. An in vitro comparative study. *Clin Oral Implants Res* 2013;24(8):880-9. [Abstract](#)
56. Cosyn J, Vandenbulcke E, Browaeys H, Van Maele G, De Bruyn H. Factors associated with failure of surface-modified implants up to four years of function. *Clin Implant Dent Relat Res* 2012;14(3):347-58. [Abstract](#)
57. Crespi R, Cappare P, Gherlone E. Radiographic evaluation of marginal bone levels around platform-switched and non-platform-switched implants used in an immediate loading protocol. *Int J Oral Maxillofac Implants* 2009;24(5):920-6. [Abstract](#)
58. de Freitas AR, Del Rey YC, de Souza Santos E, Faria Ribeiro R, de Albuquerque Junior RF, do Nascimento C. Microbial communities of titanium versus zirconia abutments on implant-supported restorations: Biodiversity composition and its impact on clinical parameters over a 3-year longitudinal prospective study. *Clin Implant Dent Relat Res* 2021;23(2):197-207. [Abstract](#)
59. de Oliveira RR, Novaes AB, Jr., Papalexou V, Muglia VA, Taba M, Jr. Influence of interimplant distance on papilla formation and bone resorption: a clinical-radiographic study in dogs. *J Oral Implantol* 2006;32(5):218-27. [Abstract](#)
60. de Oliveira RR, Novaes AB, Jr., Taba M, Jr., Papalexou V, Muglia VA. Bone remodeling adjacent to Morse cone-connection implants with platform switch: a fluorescence study in the dog mandible. *Int J Oral Maxillofac Implants* 2009;24(2):257-66. [Abstract](#)
61. de Oliveira Silva TS, de Freitas AR, de Albuquerque RF, Pedrazzi V, Ribeiro RF, do Nascimento C. A 3-year longitudinal prospective study assessing microbial profile and clinical outcomes of single-

unit cement-retained implant restorations: Zirconia versus titanium abutments. Clin Implant Dent Relat Res 2020;22(3):301-10. [Abstract](#)

62. Debruyne S, Grognaard N, Verleye G, Van Massenhove K, Mavreas D, Vannet BV. ISQ calculation evaluation of in vitro laser scanning vibrometry-captured resonance frequency. Int J Implant Dent 2017;3(1):44. [Abstract](#)
63. Degidi M, Daprile G, Nardi D, Piattelli A. Buccal bone plate in immediately placed and restored implant with Bio-Oss((R)) collagen graft: a 1-year follow-up study. Clin Oral Implants Res 2013;24(11):1201-5. [Abstract](#)
64. Degidi M, Daprile G, Nardi D, Piattelli A. Immediate provisionalization of implants placed in fresh extraction sockets using a definitive abutment: the chamber concept. Int J Periodontics Restorative Dent 2013;33(5):559-65. [Abstract](#)
65. Degidi M, Daprile G, Piattelli A. Marginal bone loss around implants with platform-switched Morse-cone connection: a radiographic cross-sectional study. Clin Oral Implants Res 2017;28(9):1108-12. [Abstract](#)
66. Degidi M, Gehrke P, Spanel A, Piattelli A. Syncrystallization: a technique for temporization of immediately loaded implants with metal-reinforced acrylic resin restorations. Clin Implant Dent Relat Res 2006;8(3):123-34. [Abstract](#)
67. Degidi M, Iezzi G, Scarano A, Piattelli A. Immediately loaded titanium implant with a tissue-stabilizing/maintaining design ('beyond platform switch') retrieved from man after 4 weeks: a histological and histomorphometrical evaluation. A case report. Clin Oral Implants Res 2008;19(3):276-82. [Abstract](#)
68. Degidi M, Nardi D, Daprile G, Piattelli A. Nonremoval of immediate abutments in cases involving subcrestally placed postextractive tapered single implants: a randomized controlled clinical study. Clin Implant Dent Relat Res 2014;16(6):794-805. [Abstract](#)
69. Degidi M, Nardi D, Gianluca S, Piattelli A. The conometric concept: A 5-year follow-up of fixed partial monolithic zirconia restorations supported by cone-in-cone abutments. Int J Periodontics Restorative Dent 2018;38(3):363-71. [Abstract](#)
70. Degidi M, Nardi D, Piattelli A. Prospective study with a 2-year follow-up on immediate implant loading in the edentulous mandible with a definitive restoration using intra-oral welding. Clin Oral Implants Res 2010;21(4):379-85. [Abstract](#)
71. Degidi M, Nardi D, Piattelli A. One abutment at one time: non-removal of an immediate abutment and its effect on bone healing around subcrestal tapered implants. Clin Oral Implants Res 2011;22(11):1303-7. [Abstract](#)
72. Degidi M, Nardi D, Piattelli A. The conometric concept: Coupling connection for immediately loaded titanium-reinforced provisional fixed partial dentures-a case series. Int J Periodontics Restorative Dent 2016;36(3):347-54. [Abstract](#)

73. Degidi M, Nardi D, Sighinolfi G, Degidi D. The conometric concept for the definitive rehabilitation of a single posterior implant by using a conical indexed abutment: A technique. *J Prosthet Dent* 2020;123(4):576-79. [Abstract](#)
74. Degidi M, Nardi D, Sighinolfi G, Degidi D, Piattelli A. The conometric concept: A two-year follow-up of fixed partial CEREC restorations supported by cone-in-cone abutments. *J Prosthodont* 2019;28(2):e780-e87. [Abstract](#)
75. Degidi M, Nardi D, Sighinolfi G, Degidi D, Piattelli A. Fixed partial restorations made of a new zirconia-reinforced lithium silicate material: A 2-year short-term report. *Int J Prosthodont* 2021;34(1):37-46. [Abstract](#)
76. Degidi M, Nardi D, Sighinolfi G, Merla A, Piattelli A. In vitro infrared thermography assessment of temperature peaks during the intra-oral welding of titanium abutments. *Infrared Phys Technol* 2012;55:279-83.
77. Degidi M, Nardi D, Sighinolfi G, Piattelli A. Immediate rehabilitation of the edentulous mandible using Ankylos SynCone telescopic copings and intraoral welding: A pilot study. *Int J Periodontics Restorative Dent* 2012;32(6):e189-94. [Abstract](#)
78. Degidi M, Nardi D, Sighinolfi G, Piattelli A. The conometric concept: definitive fixed lithium disilicate restorations supported by conical abutments. *J Prosthodont* 2018;27(7):605-10. [Abstract](#)
79. Degidi M, Perrotti V, Piattelli A, Iezzi G. Mineralized bone-implant contact and implant stability quotient in 16 human implants retrieved after early healing periods: a histologic and histomorphometric evaluation. *Int J Oral Maxillofac Implants* 2010;25(1):45-8. [Abstract](#)
80. Degidi M, Perrotti V, Shibli JA, Novaes AB, Piattelli A, Iezzi G. Equicrestal and subcrestal dental implants: a histologic and histomorphometric evaluation of nine retrieved human implants. *J Periodontol* 2011;82(5):708-15. [Abstract](#)
81. Degidi M, Perrotti V, Strocchi R, Piattelli A, Iezzi G. Is insertion torque correlated to bone-implant contact percentage in the early healing period? A histological and histomorphometrical evaluation of 17 human-retrieved dental implants. *Clin Oral Implants Res* 2009;20(8):778-81. [Abstract](#)
82. Degidi M, Piattelli A, Carinci F. Immediate loaded dental implants: comparison between fixtures inserted in postextractive and healed bone sites. *J Craniofac Surg* 2007;18(4):965-71. [Abstract](#)
83. Degidi M, Piattelli A, Carinci F. Clinical outcome of narrow diameter implants: a retrospective study of 510 implants. *J Periodontol* 2008;79(1):49-54. [Abstract](#)
84. Degidi M, Piattelli A, Gehrke P, Felice P, Carinci F. Five-year outcome of 111 immediate nonfunctional single restorations. *J Oral Implantol* 2006;32(6):277-85. [Abstract](#)
85. Degidi M, Piattelli A, Iezzi G, Carinci F. Do longer implants improve clinical outcome in immediate loading? *Int J Oral Maxillofac Surg* 2007;36(12):1172-6. [Abstract](#)

86. Degidi M, Piattelli A, Iezzi G, Carinci F. Wide-diameter implants: analysis of clinical outcome of 304 fixtures. *J Periodontol* 2007;78(1):52-8. [Abstract](#)
87. Degidi M, Piattelli A, Iezzi G, Carinci F. Immediately loaded short implants: analysis of a case series of 133 implants. *Quintessence Int* 2007;38(3):193-201. [Abstract](#)
88. Degidi M, Piattelli A, Scarano A, Shibli JA, Iezzi G. Peri-implant collagen fibers around human cone Morse connection implants under polarized light: a report of three cases. *Int J Periodontics Restorative Dent* 2012;32(3):323-8. [Abstract](#)
89. Degidi M, Piattelli A, Shibli JA, Perrotti V, Iezzi G. Bone formation around one-stage implants with a modified sandblasted and acid-etched surface: human histologic results at 4 weeks. *Int J Periodontics Restorative Dent* 2009;29(6):607-13. [Abstract](#)
90. Degidi M, Piattelli A, Shibli JA, Perrotti V, Iezzi G. Bone formation around immediately loaded and submerged dental implants with a modified sandblasted and acid-etched surface after 4 and 8 weeks: a human histologic and histomorphometric analysis. *Int J Oral Maxillofac Implants* 2009;24(5):896-901. [Abstract](#)
91. Degidi M, Piattelli A, Shibli JA, Perrotti V, Iezzi G. Early bone formation around immediately restored implants with and without occlusal contact: a human histologic and histomorphometric evaluation. Case report. *Int J Oral Maxillofac Implants* 2009;24(4):734-9. [Abstract](#)
92. Degidi M, Scarano A, Piattelli M, Piattelli A. Histologic evaluation of an immediately loaded titanium implant retrieved from a human after 6 months in function. *J Oral Implantol* 2004;30(5):289-96. [Abstract](#)
93. Delben JA, Barao VA, Ferreira MB, da Silva NR, Thompson VP, Assuncao WG. Influence of abutment-to-fixture design on reliability and failure mode of all-ceramic crown systems. *Dent Mater* 2014;30(4):408-16. [Abstract](#)
94. Deppe H, Ahrens M, Behr AV, Marr C, Sculean A, Mela P, Ritschl LM. Thermal effect of a 445 nm diode laser on five dental implant systems: an in vitro study. *Sci Rep* 2021;11(1):20174. [Abstract](#)
95. Deppe H, Wolff C, Bauer F, Ruthenberg R, Sculean A, Mucke T. Dental implant surfaces after insertion in bone: an in vitro study in four commercial implant systems. *Clin Oral Investig* 2018;22(3):1593-600. [Abstract](#)
96. Desai H, Shetty M, Kalra R, Hegde R. Esthetic rehabilitation of a partially edentulous patient with implants and tooth-supported fixed prosthesis. *Journal of Dental Implants* 2019;9(2). [Abstract](#)
97. Dhaliwal JS, Albuquerque RF, Jr., Fakhry A, Kaur S, Feine JS. Customized smartpeg for measurement of resonance frequency of mini dental implants. *Int J Implant Dent* 2017;3(1):4. [Abstract](#)
98. Dhaliwal JS, Albuquerque RF, Jr., Murshed M, Feine JS. Osseointegration of standard and mini dental implants: a histomorphometric comparison. *Int J Implant Dent* 2017;3(1):15. [Abstract](#)

99. Dhaliwal JS, Marulanda J, Li J, Alebrahim S, Feine JS, Murshed M. In vitro comparison of two titanium dental implant surface treatments: 3MESPE MDIs versus Ankylos(R). *Int J Implant Dent* 2017;3(1):27. [Abstract](#)
100. Dhattrak P, Girme V, Shirsat U, Sumanth S, Deshmukh V. Significance of orthotropic material models to predict stress around bone-implant interface using numerical simulation. *Bio Nano Sci* 2019;E-pub Jun 27, doi:10.1007/s12668-019-00649-5. [Abstract](#)
101. Dhattrak P, Shirsat U, Sumanth S, Deshmukh V. Influence of cutting flutes on stress distribution for selected dental implants: Numerical studies. *Materials Today: Proceedings* 2021;38:2680-86. [Abstract](#)
102. Dias FJ, Fuentes R, Navarro P, Weber B, Borie E. Assessment of the chemical composition in different dental implant types: An analysis through EDX system. *Coatings* 2020;10(9):882. [Abstract](#)
103. Dittmer MP, Dittmer S, Borchers L, Kohorst P, Stiesch M. Influence of the interface design on the yield force of the implant-abutment complex before and after cyclic mechanical loading. *J Prosthodont Res* 2012;56(1):19-24. [Abstract](#)
104. Dittmer S, Dittmer MP, Kohorst P, Jendras M, Borchers L, Stiesch M. Effect of implant-abutment connection design on load bearing capacity and failure mode of implants. *J Prosthodont* 2011;20(7):510-6. [Abstract](#)
105. do Nascimento C, Pita MS, Santos Ede S, Monesi N, Pedrazzi V, de Albuquerque Junior RF, Ribeiro RF. Microbiome of titanium and zirconia dental implants abutments. *Dent Mater* 2016;32(1):93-101. [Abstract](#)
106. Donovan R, Fetner A, Koutouzis T, Lundgren T. Crestal bone changes around implants with reduced abutment diameter placed non-submerged and at subcrestal positions: a 1-year radiographic evaluation. *J Periodontol* 2010;81(3):428-34. [Abstract](#)
107. Doring K, Eisenmann E, Stiller M. Functional and esthetic considerations for single-tooth Ankylos implant-crowns: 8 years of clinical performance. *J Oral Implantol* 2004;30(3):198-209. [Abstract](#)
108. Eccellente T, Piombino M, Piattelli A, D'Alimonte E, Perrotti V, Iezzi G. Immediate loading of dental implants in the edentulous maxilla. *Quintessence Int* 2011;42(4):281-9. [Abstract](#)
109. Eccellente T, Piombino M, Piattelli A, Perrotti V, Iezzi G. A new treatment concept for immediate loading of implants inserted in the edentulous mandible. *Quintessence Int* 2010;41(6):489-95. [Abstract](#)
110. Eerdeken L, Schols M, Coelst L, Quirynen M, Naert I. A 5-year prospective study on cone-anchored implants in the edentulous maxilla. *Clin Implant Dent Relat Res* 2015;17 Suppl 2:e621-32. [Abstract](#)
111. Ehrenfest DM, Vazquez L, Park YJ, Sammartino G, Bernard JP. Identification card and codification of the chemical and morphological characteristics of 14 dental implant surfaces. *J Oral Implantol* 2011;37(5):525-42. [Abstract](#)

112. Eitner S, Schlegel A, Emeka N, Holst S, Will J, Hamel J. Comparing bar and double-crown attachments in implant-retained prosthetic reconstruction: a follow-up investigation. *Clin Oral Implants Res* 2008;19(5):530-7. [Abstract](#)
113. Elemek E, Urgancioglu A, Dincer J, Cilingir A. Does implant-abutment interface affect marginal bone levels around implants? *Eur J Dent* 2019;13(1):47-52. [Abstract](#)
114. Ellakwa A, Raj T, Deeb S, Ronaghi G, Martin FE, Klineberg I. Influence of implant abutment angulations on the fracture resistance of overlaying CAM-milled zirconia single crowns. *Aust Dent J* 2011;56(2):132-40. [Abstract](#)
115. Englezos E, Cosyn J, Koole S, Jacquet W, De Bruyn H. Resective treatment of peri-implantitis: clinical and radiographic outcomes after 2 years. *Int J Periodontics Restorative Dent* 2018;38(5):729-35. [Abstract](#)
116. Esposito M, Bressan E, Grusovin MG, D'Avenia F, Neumann K, Sbricoli L, Luongo G. Do repeated changes of abutments have any influence on the stability of peri-implant tissues? One-year post-loading results from a multicentre randomised controlled trial. *Eur J Oral Implantol* 2017;10(1):57-72. [Abstract](#)
117. Fauroux MA, Levallois B, Yachouh J, Torres JH. Assessment of leakage at the implant-abutment connection using a new gas flow method. *Int J Oral Maxillofac Implants* 2012;27(6):1409-12. [Abstract](#)
118. Felice P, Marchetti C, Iezzi G, Piattelli A, Worthington H, Pellegrino G, Esposito M. Vertical ridge augmentation of the atrophic posterior mandible with interpositional bloc grafts: bone from the iliac crest vs. bovine anorganic bone. Clinical and histological results up to one year after loading from a randomized-controlled clinical trial. *Clin Oral Implants Res* 2009;20(12):1386-93. [Abstract](#)
119. Felice P, Marchetti C, Piattelli A, Pellegrino G, Checchi V, Worthington H, Esposito M. Vertical ridge augmentation of the atrophic posterior mandible with interpositional block grafts: bone from the iliac crest versus bovine anorganic bone. *Eur J Oral Implantol* 2008;1(3):183-98. [Abstract](#)
120. Fenelon T, Bakr MM, Walsh LJ, George R. Effects of lasers and their delivery characteristics on machined and micro-roughened titanium dental implant surfaces. *Bioengineering (Basel)* 2020;7(3). [Abstract](#)
121. Fetner M, Fetner A, Koutouzis T, Clozza E, Tovar N, Sarendranath A, Coelho PG, Neiva K, Janal MN, Neiva R. The effects of subcrestal implant placement on crestal bone levels and bone-to-abutment contact: a microcomputed tomographic and histologic study in dogs. *Int J Oral Maxillofac Implants* 2015;30(5):1068-75. [Abstract](#)
122. Finelle G, Papadimitriou DE, Souza AB, Katebi N, Gallucci GO, Araujo MG. Peri-implant soft tissue and marginal bone adaptation on implant with non-matching healing abutments: micro-CT analysis. *Clin Oral Implants Res* 2015;26(4):e42-6. [Abstract](#)

123. Florke C, Eisenbeiss AK, Metz U, Gulses A, Acil Y, Wiltfang J, Naujokat H. Introducing a novel experimental model for osseointegration of titanium dental implants induced by monobacterial contamination: An in-vivo feasibility study. *Materials (Basel)* 2021;14(22). [Abstract](#)
124. Frisch E, Ratka-Kruger P, Wenz HJ. Unsplinted implants and teeth supporting maxillary removable partial dentures retained by telescopic crowns: a retrospective study with >6 years of follow-up. *Clin Oral Implants Res* 2015;26(9):1091-7. [Abstract](#)
125. Frisch E, Ratka-Kruger P, Ziebolz D. Increasing the width of keratinized mucosa in maxillary implant areas using a split palatal bridge flap: surgical technique and 1-year follow-up. *J Oral Implantol* 2015;41(5):e195-201. [Abstract](#)
126. Frisch E, Vach K, Ratka-Krueger P. Impact of supportive implant therapy on peri-implant diseases: A retrospective 7-year study. *J Clin Periodontol* 2020;47(1):101-09. [Abstract](#)
127. Frisch E, Wild V, Ratka-Kruger P, Vach K, Sennhenn-Kirchner S. Long-term results of implants and implant-supported prostheses under systematic supportive implant therapy: A retrospective 25-year study. *Clin Implant Dent Relat Res* 2020;22(6):689-96. [Abstract](#)
128. Frisch E, Ziebolz D, Ratka-Kruger P, Rinke S. A new technique for retaining double crowns on implants via custom-positioned vertical screws. *Int J Prosthodont* 2014;27(6):577-8. [Abstract](#)
129. Frisch E, Ziebolz D, Ratka-Kruger P, Rinke S. Double crown-retained maxillary overdentures: 5-year follow-up. *Clin Implant Dent Relat Res* 2015;17(1):22-31. [Abstract](#)
130. Frisch E, Ziebolz D, Rinke S. Long-term results of implant-supported over-dentures retained by double crowns: a practice-based retrospective study after minimally 10 years follow-up. *Clin Oral Implants Res* 2013;24(12):1281-7. [Abstract](#)
131. Frisch E, Ziebolz D, Vach K, Ratka-Kruger P. Supportive post-implant therapy: patient compliance rates and impacting factors: 3-year follow-up. *J Clin Periodontol* 2014;41(10):1007-14. [Abstract](#)
132. Frisch E, Ziebolz D, Vach K, Ratka-Kruger P. The effect of keratinized mucosa width on peri-implant outcome under supportive postimplant therapy. *Clin Implant Dent Relat Res* 2015;17 Suppl 1:e236-44. [Abstract](#)
133. Froum SJ, Cho SC, Suzuki T, Yu P, Corby P, Khouly I. Epicrestal and subcrestal placement of platform-switched implants: 18 month-result of a randomized, controlled, split-mouth, prospective clinical trial. *Clin Oral Implants Res* 2018;29(4):353-66. [Abstract](#)
134. Furuya Y, Kobayashi T, Sakamoto K, Ito T, Matsuura M, Yajima Y. Implant body displacement into medullary cavity of mandible: A case report. *Bull Tokyo Dent Coll* 2021;E-pub Aug 15, doi:10.2209/tdcpublication.2021-0001. [Abstract](#)
135. Furuya Y, Yamamoto M, Ito T, Takaki T, Shibahara T, Yajima Y. Implant treatment after sagittal splitting ramus osteotomy and alveolar ridge augmentation in patient with mandibular prognathism and multiple missing maxillary teeth. *Bull Tokyo Dent Coll* 2018;59(4):285-90. [Abstract](#)

136. Galli S, Jimbo R, Andersson M, Bryington M, Albrektsson T. Surface characterization and clinical review of two commercially available implants. *Implant Dent* 2013;22(5):507-18. [Abstract](#)
137. Gandolfi MG, Zamparini F, Iezzi G, Degidi M, Botticelli D, Piattelli A, Prati C. Microchemical and micromorphologic ESEM-EDX analysis of bone mineralization at the thread interface in human dental implants retrieved for mechanical complications after 2 months to 17 years. *Int J Periodontics Restorative Dent* 2018;38(3):431-41. [Abstract](#)
138. Garrana R, Mohangi G, Malo P, Nobre M. Leakage of microbial endotoxin through the implant-abutment interface in oral implants: An in vitro study. *Biomed Res Int* 2016;2016:9219071. [Abstract](#)
139. Gehrke P, Burg S, Peters U, Beikler T, Fischer C, Rupp F, Schweizer E, Weigl P, Sader R, Smeets R, Schafer S. Bacterial translocation and microgap formation at a novel conical indexed implant abutment system for single crowns. *Clin Oral Investig* 2021;E-pub Aug 16, doi:10.1007/s00784-021-04112-2. [Abstract](#)
140. Gehrke P, Tabellion A, Fischer C. Microscopical and chemical surface characterization of CAD/CAM zircona abutments after different cleaning procedures. A qualitative analysis. *J Adv Prosthodont* 2015;7(2):151-9. [Abstract](#)
141. Giesenhagen B. Vertical augmentation with bone rings, maxilla, BioOss,. *EDI* 2006;2(3).
142. Giesenhagen B. Klinische Fünfjahresergebnisse nach einzeitiger Augmentation mit autologen Knochenringen und Ankylos-Implantaten im atrophierten Unterkiefer. Clinical results of one-stage augmentation with autologous bone rings and Ankylos implants after 5 years of loading in an atrophied mandible. *Zeitschrift für zahnärztliche Implantologie* 2015;31(1). [Abstract](#)
143. Gjurin ZS, Jenko M, Donik C, Oblak C. Characterization of new and retrieved titanium biomaterial for dental implants. *Materials and Technology* 2021;11(1):33.
144. Gluckman H, Salama M, Du Toit J. A retrospective evaluation of 128 socket-shield cases in the esthetic zone and posterior sites: Partial extraction therapy with up to 4 years follow-up. *Clin Implant Dent Relat Res* 2017;20(2):122-29. [Abstract](#)
145. Grisar K, Sinha D, Schoenaers J, Dormaar T, Politis C. Retrospective analysis of dental implants placed between 2012 and 2014: Indications, risk factors, and early survival. *Int J Oral Maxillofac Implants* 2017;32(3):649-54. [Abstract](#)
146. Grizas E, Kourtis S, Andrikopoulou E, Romanos GE. A detailed decision tree to create, preserve, transfer, and support the emergence profile in anterior maxillary implants using custom abutments. *Quintessence Int* 2018;49(5):349-64. [Abstract](#)
147. Grogard N, Verleye G, Mavreas D, Vande-Vannet B. Updated secondary implant stability data of two dental implant systems. A retrospective cohort study. *J Clin Exp Dent* 2017;9(9):e1121-e28. [Abstract](#)

148. Guler B, Uraz A, Cetiner D. The chemical surface evaluation of black and white porous titanium granules and different commercial dental implants with energy-dispersive x-ray spectroscopy analysis. *Clin Implant Dent Relat Res* 2019;21(2):352-59. [Abstract](#)
149. Guler B, Uraz A, Yalim M, Bozkaya S. The comparison of porous titanium granule and xenograft in the surgical treatment of peri-implantitis: A prospective clinical study. *Clin Implant Dent Relat Res* 2017;19(2):316-27. [Abstract](#)
150. Gupta G, Gupta DK, Gupta N. Use of intra-oral welding to stabilize immediate loading implants: A case report. *Guident Implant* 2019(Sep):16-18.
151. Gurzawska K, Dirscherl K, Jorgensen B, Berglundh T, Jorgensen NR, Gotfredsen K. Pectin nanocoating of titanium implant surfaces - An experimental study in rabbits. *Clin Oral Implants Res* 2017;28(3):298-307. [Abstract](#)
152. Hadrowicz P, Hadrowicz J, Kozakiewicz M, Gesing A. Assessment of parathyroid hormone serum level as a predictor for bone condition around dental implants. *Int J Oral Maxillofac Implants* 2017;32(4):e207-e12. [Abstract](#)
153. Haga-Tsujimura M, Nakahara K, Kobayashi E, Igarashi K, Schaller B, Saulacic N. Single-staged implant placement using bone ring technique with and without membrane placement: An experimental study in the Beagle dog. *Clin Oral Implants Res* 2017;29(3):263-76. [Abstract](#)
154. Hakobyan G, Esayan L, Hakobyan D, Khachatryan G, Tunyan G. The comparative assessment of the of the effectiveness of immediate and delayed dental implantation. *Int J Oral Craniofac Sci* 2021;6(2):30-37.
155. Halldin A, Frotscher M, Tebbel F. Conometric retention and dynamic loading over time (P12152). *Clin Oral Implants Res* 2018;29(S17).
156. Hanser T, Khoury F. Extraction site management in the esthetic zone using autogenous hard and soft tissue grafts: a 5-year consecutive clinical study. *Int J Periodontics Restorative Dent* 2014;34(3):305-12. [Abstract](#)
157. Hanser T, Khoury F. Alveolar ridge contouring with free connective tissue graft at implant placement: A 5-year consecutive clinical study. *Int J Periodontics Restorative Dent* 2016;36(4):465-73. [Abstract](#)
158. Harder S, Dimaczek B, Acil Y, Terheyden H, Freitag-Wolf S, Kern M. Molecular leakage at implant-abutment connection--in vitro investigation of tightness of internal conical implant-abutment connections against endotoxin penetration. *Clin Oral Investig* 2010;14(4):427-32. [Abstract](#)
159. Hasan I, Keilig L, Reimann S, Rahimi A, Wahl G, Bourauel C. Material parameters of the reindeer antler for use in dental implant biomechanics. *Ann Anat* 2012;194(6):518-23. [Abstract](#)
160. Hasegawa M, Hotta Y, Hoshino T, Ito K, Komatsu S, Saito T. Long-term radiographic evaluation of risk factors related to implant treatment: suggestion for alternative statistical analysis of marginal bone loss. *Clin Oral Implants Res* 2016;27(10):1283-89. [Abstract](#)

161. Hegde R, John N, Shetty M, Kumar P. Bone augmentation using CGF-A case report with two year follow up. *Annals of Clinical Prosthodontics* 2021;4(1):1-6.
162. Hegde R, Krishna Prasad D, Shetty DV, Shetty M. Immediate placement and restoration of implant in periapical infected site in the maxillary esthetic zone: A case report. *J Indian Prosthodont Soc* 2014;14(Suppl 1):299-302. [Abstract](#)
163. Hermes M, Lommen J, Kübler N, Lytvyniuk I, Singh D, Schorn L, Holtmann H. Influence of schneiderian membrane perforations on the prognosis and outcomes of lateral window sinus lift operations: A retrospective case series study. *J Dent Oral Disord Ther* 2018;6(2):1-9. [Abstract](#)
164. Horrocks GB. The controlled assisted ridge expansion technique for implant placement in the anterior maxilla: a technical note. *Int J Periodontics Restorative Dent* 2010;30(5):495-501. [Abstract](#)
165. Hotta Y. Use of cephalometric analysis for implant placement in a patient with an edentulous maxilla with a severe Class III intermaxillary relationship. *J Oral Implantol* 2004;30(1):7-13. [Abstract](#)
166. Hsu PF, Yao KT, Kao HC, Hsu ML. Effects of axial loading on the pull-out force of conical connection abutments in Ankylos Implant. *Int J Oral Maxillofac Implants* 2018;33(4):788-94. [Abstract](#)
167. Hu KS, Li H, Tu YK, Lin SJ. Esthetic results of immediate implant placement in extraction sockets with intact versus deficient walls. *J Dent Sci* 2021;16(1):108-14. [Abstract](#)
168. Iezzi G, Degidi M, Shibli JA, Vantaggiato G, Piattelli A, Perrotti V. Bone response to dental implants after a 3- to 10-year loading period: a histologic and histomorphometric report of four cases. *Int J Periodontics Restorative Dent* 2013;33(6):755-61. [Abstract](#)
169. Iezzi G, Di Lillo F, Furlani M, Degidi M, Piattelli A, Giuliani A. The symmetric 3D organization of connective tissue around implant abutment: A key-issue to prevent bone resorption. *Symmetry* 2021;13(7):1126. [Abstract](#)
170. Jansen VK, Conrads G, Richter EJ. Microbial leakage and marginal fit of the implant-abutment interface. *Int J Oral Maxillofac Implants* 1997;12(4):527-40. [Abstract](#)
171. Jesch P, Jesch W, Bruckmoser E, Krebs M, Kladek T, Seemann R. An up to 17-year follow-up retrospective analysis of a minimally invasive, flapless approach: 18 945 implants in 7783 patients. *Clin Implant Dent Relat Res* 2018;20(3):393-402. [Abstract](#)
172. Jiang X, Zhang Y, Di P, Lin Y. Hard tissue volume stability of guided bone regeneration during the healing stage in the anterior maxilla: A clinical and radiographic study. *Clin Implant Dent Relat Res* 2018;20(1):68-75. [Abstract](#)
173. Jiansheng H, Dongying X, Xianfeng W, Baoyi X, Qiong L, Jincai Z. Clinical evaluation of short and wide-diameter implants immediately placed into extraction sockets of posterior areas: a 2-year retrospective study. *J Oral Implantol* 2012;38(6):729-37. [Abstract](#)

174. Jin X, Guan Y, Ren J, Zhao Y, Wang X, He F. A retrospective study of 12,538 internal conical connection implants: focused on the long-term integrity of implant-abutment complexes. *Clin Oral Implants Res* 2022;E-pub Feb 3, doi:10.1111/clr.13898:1-14. [Abstract](#)
175. Joda T. Combined tooth-implant-supported telescopic prostheses in a midterm follow-up of > 2 years. *Int J Prosthodont* 2013;26(6):536-40. [Abstract](#)
176. Joda T, Michelaki I, Heydecke G. Peri-implant bone loss of dental implants with platform-switching design after 5 years of loading: a cross-sectional study. *Quintessence Int* 2015;46(1):59-66. [Abstract](#)
177. Jones G. Treatment of the edentulous patient using angled implants: Diagnosis to delivery. *Australasian Dental Practice* 2016;27(4):p170-71.
178. Kashani H, Hilon J, Rasoul MH, Friberg B. Influence of a single preoperative dose of antibiotics on the early implant failure rate. A randomized clinical trial. *Clin Implant Dent Relat Res* 2019;21(2):278-83. [Abstract](#)
179. Katic Z, Jukic T, Stubljar D. Effects of osteotomy lengths on the temperature rise of the crestal bone during implant site preparation. *Implant Dent* 2018;E-pub Feb 13, doi: 10.1097/ID.0000000000000732. [Abstract](#)
180. Kawamura A, Akiba Y, Nagasawa M, Takashima M, Arai Y, Uoshima K. Bone heating and implant removal using a high-frequency electrosurgical device: An in vivo experimental study. *Clin Oral Implants Res* 2021;E-pub Jun 6, doi:10.1111/clr.13793. [Abstract](#)
181. Kelly A, Flanagan D. Ridge expansion and immediate placement with piezosurgery and screw expanders in atrophic maxillary sites: two case reports. *J Oral Implantol* 2013;39(1):85-90. [Abstract](#)
182. Kesar N, Weigl P, Nentwig GH, Krebs M. Prevalence and risk of peri-implant diseases based on the type of prosthetic restoration: A retrospective study after 17 to 23 years. *J Prosthet Dent* 2022;E-pub Jan 8, doi:10.1016/j.prosdent.2021.11.030:1-8. [Abstract](#)
183. Khalid T, Yunus N, Ibrahim N, Elkezza A, Masood M. Patient-reported outcome and its association with attachment type and bone volume in mandibular implant overdenture. *Clin Oral Implants Res* 2017;28(5):535-42. [Abstract](#)
184. Khalid T, Yunus N, Ibrahim N, Saleh NBM, Goode D, Masood M. Assessment of masticatory function of mandibular implant-supported overdenture wearers: A 3-year prospective study. *J Prosthet Dent* 2020;124(6):674-81. [Abstract](#)
185. Khojasteh A, Hassani A, Motamedian SR, Saadat S, Alikhasi M. Cortical bone augmentation versus nerve lateralization for treatment of atrophic posterior mandible: a retrospective study and review of literature. *Clin Implant Dent Relat Res* 2016;18(2):342-59. [Abstract](#)

186. Khojasteh A, Motamedian SR, Sharifzadeh N, Zadeh HH. The influence of initial alveolar ridge defect morphology on the outcome of implants in augmented atrophic posterior mandible: an exploratory retrospective study. *Clin Oral Implants Res* 2017;28(10):e208-e17. [Abstract](#)
187. Khoury F, Doliveux R. The bone core technique for the augmentation of limited bony defects: Five-year prospective study with a new minimally invasive technique. *Int J Periodontics Restorative Dent* 2018;38(2):199-207. [Abstract](#)
188. Khuder T, Yunus N, Sulaiman E, Dabbagh A. Finite element analysis and clinical complications in mandibular implant-overdentures opposing maxillary dentures. *J Mech Behav Biomed Mater* 2017;75:97-104. [Abstract](#)
189. Kistler F, Kristler S, Adler S, Neugebauer J. Implant placement without augmentation? A question about the components and procedure. *Dentsply Implants Magazine* 2013;1:30-32.
190. Kitagawa T, Tanimoto Y, Iida T, Murakami H. Effects of material and coefficient of friction on taper joint dental implants. *J Prosthodont Res* 2020;64(4):359-67. [Abstract](#)
191. Kitagawa T, Tanimoto Y, Odaki M, Nemoto K, Aida M. Influence of implant/abutment joint designs on abutment screw loosening in a dental implant system. *J Biomed Mater Res B* 2005;75(2):457-63. [Abstract](#)
192. Kjaergaard M, Nguyen VG, Brandt J, Pouchet J, Weigl PM. Comparison of implant stability between conventional drills and piezosurgical implant bed preparation techniques. *J Oral Implantol* 2021;E-pub Jun 28, doi: 10.1563/aaid-joi-D-20-00119.
193. Klaus RE, Romanos G, Egerer C, Nentwig GH. Treating free-end cases with Ankylos System restorations. *Z Zahnärztl Impl* 1997;4.
194. Klongnoi B, Rupprecht S, Kessler P, Thorwarth M, Wiltfang J, Schlegel KA. Influence of platelet-rich plasma on a bioglass and autogenous bone in sinus augmentation. An explorative study. *Clin Oral Implants Res* 2006;17(3):312-20. [Abstract](#)
195. Klongnoi B, Rupprecht S, Kessler P, Zimmermann R, Thorwarth M, Pongsiri S, Neukam FW, Wiltfang J, Schlegel KA. Lack of beneficial effects of platelet-rich plasma on sinus augmentation using a fluorohydroxyapatite or autogenous bone: an explorative study. *J Clin Periodontol* 2006;33(7):500-9. [Abstract](#)
196. Knabe C, Mele A, Kann PH, Peleska B, Adel-Khattab D, Renz H, Reuss A, Bohner M, Stiller M. Effect of sex-hormone levels, sex, body mass index and other host factors on human craniofacial bone regeneration with bioactive tricalcium phosphate grafts. *Biomaterials* 2017;123:48-62. [Abstract](#)
197. Kocar M, Seme K, Hren NI. Characterization of the normal bacterial flora in peri-implant sulci of partially and completely edentulous patients. *Int J Oral Maxillofac Implants* 2010;25(4):690-8. [Abstract](#)
198. Kohal RJ, Straub LM, Wolkewitz M, Bachle M, Patzelt SB. Evaluation of guided bone regeneration around oral implants over different healing times using two different bovine bone materials: a

- randomized, controlled clinical and histological investigation. Clin Implant Dent Relat Res 2015;17(5):957-71. [Abstract](#)
199. Kosyfaki P, Woerner W, Att W. Prosthodontic treatment in a partially edentulous patient with a complex medical history of epilepsy and deep vein thrombosis: a case report. Quintessence Int 2011;42(5):365-73. [Abstract](#)
200. Kourtis S, Madianos P, Patras M, Andrikopoulou E. Rehabilitation of the edentulous mandible with implant-supported overdentures on telescopic abutments and immediate loading. A controlled prospective clinical study. J Esthet Restor Dent 2018;30(4):369-77. [Abstract](#)
201. Koutouzis T, Adeinat B, Ali A. The influence of abutment macro-design on clinical and radiographic peri-implant tissue changes for guided, placed, and restored implants: A 1-year randomized controlled trial. Clin Oral Implants Res 2019;30(9):882-91. [Abstract](#)
202. Koutouzis T, Fetner M, Fetner A, Lundgren T. Retrospective evaluation of crestal bone changes around implants with reduced abutment diameter placed non-submerged and at subcrestal positions: the effect of bone grafting at implant placement. J Periodontol 2011;82(2):234-42. [Abstract](#)
203. Koutouzis T, Gadalla H, Kettler Z, Elbarasi A, Nonhoff J. The role of chlorhexidine on endotoxin penetration to the implant-abutment interface (IAI). Clin Implant Dent Relat Res 2015;17(3):476-82. [Abstract](#)
204. Koutouzis T, Neiva R, Nair M, Nonhoff J, Lundgren T. Cone beam computed tomographic evaluation of implants with platform-switched morse taper connection with the implant-abutment interface at different levels in relation to the alveolar crest. Int J Oral Maxillofac Implants 2014;29(5):1157-63. [Abstract](#)
205. Koutouzis T, Neiva R, Nonhoff J, Lundgren T. Placement of implants with platform-switched morse taper connections with the implant-abutment interface at different levels in relation to the alveolar crest: a short-term (1-year) randomized prospective controlled clinical trial. Int J Oral Maxillofac Implants 2013;28(6):1553-63. [Abstract](#)
206. Koutouzis T, Podaru A, Neiva R. Facial peri-implant soft tissue topography of posterior single implant-supported restorations and relationship to adjacent teeth: A retrospective analysis. Int J Oral Maxillofac Implants 2015;30(3):681-7. [Abstract](#)
207. Koutouzis T, Wallet S, Calderon N, Lundgren T. Bacterial colonization of the implant-abutment interface using an in vitro dynamic loading model. J Periodontol 2011;82(4):613-8. [Abstract](#)
208. Krebs M, Kesar N, Begic A, von Krockow N, Nentwig GH, Weigl P. Incidence and prevalence of peri-implantitis and peri-implant mucositis 17 to 23 (18.9) years postimplant placement. Clin Implant Dent Relat Res 2019;21(6):1116-23. [Abstract](#)

209. Krebs M, Schmenger K, Neumann K, Weigl P, Moser W, Nentwig GH. Long-term evaluation of ANKYLOS(R) dental implants, part i: 20-year life table analysis of a longitudinal study of more than 12,500 implants. *Clin Implant Dent Relat Res* 2015;17 Suppl 1:e275-86. [Abstract](#)
210. Kruse AB, Wild V, Ratka-Kruger P, Vach K, Frisch E. Peri-implant bone-level changes in the second decade of loading with regard to the implant-abutment connection: a retrospective study on implants under systematic aftercare. *Int J Implant Dent* 2021;7(1):1-9. [Abstract](#)
211. Kumar L, Sehgal K. Removable partial denture supported by implants with prefabricated telescopic abutments - a case report. *J Clin Diagn Res* 2014;8(6):ZD04-6. [Abstract](#)
212. Kunkel M, Wahlmann U, Reichert TE, Wegener J, Wagner W. Reconstruction of mandibular defects following tumor ablation by vertical distraction osteogenesis using intraosseous distraction devices. *Clin Oral Implants Res* 2005;16(1):89-97. [Abstract](#)
213. Lasserre JF, Brex MC, Toma S. Implantoplasty versus glycine air abrasion for the surgical treatment of peri-implantitis: A randomized clinical trial. *Int J Oral Maxillofac Implants* 2020;35(35):197-206. [Abstract](#)
214. Leja C, Geminiani A, Caton J, Romanos GE. Thermodynamic effects of laser irradiation of implants placed in bone: an in vitro study. *Lasers Med Sci* 2013;28(6):1435-40. [Abstract](#)
215. Li CH, Chou CT. Bone sparing implant removal without trephine via internal separation of the titanium body with a carbide bur. *Int J Oral Maxillofac Surg* 2014;43(2):248-50. [Abstract](#)
216. Li-Rodriguez JK, Diaz-Durany M, Romeo-Rubio M, Paz Salido M, Pradies G. Accuracy of a guided implant system with milled surgical templates. *J Oral Sci* 2022;64(2):145-50. [Abstract](#)
217. Lin G, Ye S, Liu F, He F. A retrospective study of 30,959 implants: Risk factors associated with early and late implant loss. *J Clin Periodontol* 2018;45(6):733-43. [Abstract](#)
218. Lin MI, Shen YW, Huang HL, Hsu JT, Fuh LJ. A retrospective study of implant-abutment connections on crestal bone level. *J Dent Res* 2013;92(12 Suppl):202S-7S. [Abstract](#)
219. Lin X, Zhou Z, Li S, Gao Y, Zheng X. Digital guides to facilitate retained root removal and simultaneous implant placement. *Int J Oral Maxillofac Surg* 2021;E-pub Dec 16, doi:10.1016/j.ijom.2021.12.002. [Abstract](#)
220. Liskmann S, Vihalemm T, Salum O, Zilmer K, Fischer K, Zilmer M. Characterization of the antioxidant profile of human saliva in peri-implant health and disease. *Clin Oral Implants Res* 2007;18(1):27-33. [Abstract](#)
221. Liskmann S, Zilmer M, Vihalemm T, Salum O, Fischer K. Correlation of peri-implant health and myeloperoxidase levels: a cross-sectional clinical study. *Clin Oral Implants Res* 2004;15(5):546-52. [Abstract](#)

222. Liu S, Tang C, Yu J, Dai W, Bao Y, Hu D. The effect of platform switching on stress distribution in implants and periimplant bone studied by nonlinear finite element analysis. *J Prosthet Dent* 2014;112(5):1111-8. [Abstract](#)
223. Liu Y, Tang C. Interdisciplinary treatment with implant-supported prostheses for an adolescent with ectodermal dysplasia: A clinical report. *J Prosthet Dent* 2020;123(5):655-60. [Abstract](#)
224. Lopes de Chaves EMDEC, Sperandio M, Napimoga MH. Association between implant-abutment microgap and implant circularity to bacterial leakage: An in vitro study using tapered connection implants. *Int J Oral Maxillofac Implants* 2018;33(3):505-11. [Abstract](#)
225. Luo ZB, Zhang QB, Zhang ZQ, Chen D, Yan WX, Li KF, Chen Y. Performance of coralline hydroxyapatite in sinus floor augmentation: a retrospective study. *Clin Oral Investig* 2013;17(9):2003-10. [Abstract](#)
226. Luongo G, Bressan E, Grusovin MG, d'Avenia F, Neumann K, Sbricoli L, Esposito M. Do repeated changes of abutments have any influence on the stability of peri-implant tissues? Four-month post-loading preliminary results from a multicentre randomised controlled trial. *Eur J Oral Implantol* 2015;8(2):129-40. [Abstract](#)
227. Lutz R, Park J, Felszeghy E, Wiltfang J, Nkenke E, Schlegel KA. Bone regeneration after topical BMP-2-gene delivery in circumferential peri-implant bone defects. *Clin Oral Implants Res* 2008;19(6):590-9. [Abstract](#)
228. Lutz R, Prechtel C, Nonhoff J, Weisel T, Damien CJ, Schlegel KA. Biofunctionalization of the implant surface with different concentrations of a synthetic peptide (P-15). *Clin Oral Implants Res* 2013;24(7):781-6. [Abstract](#)
229. Lutz R, Srour S, Nonhoff J, Weisel T, Damien CJ, Schlegel KA. Biofunctionalization of titanium implants with a biomimetic active peptide (P-15) promotes early osseointegration. *Clin Oral Implants Res* 2010;21(7):726-34. [Abstract](#)
230. Maier F. Reconstruction of a severely atrophic maxilla by extensive augmentation and guided surgery. *Z Zahnärztl Impl* 2013;29:230–42.
231. Maier FM. Initial crestal bone loss after implant placement with flapped or flapless surgery-a prospective cohort study. *Int J Oral Maxillofac Implants* 2016;31(4):876-83. [Abstract](#)
232. Man Y, Wang Y, Qu Y, Wang P, Gong P. A palatal roll envelope technique for peri-implant mucosa reconstruction: a prospective case series study. *Int J Oral Maxillofac Surg* 2013;42(5):660-5. [Abstract](#)
233. Mandelli F, Ghensi P, Traini T. Biomimetic implant restoration made of human enamel and CAD/CAM block: a short report. *Quintessence Int* 2019;50(4):330-33. [Abstract](#)
234. Manjunath N, Roy JS, Mohammed B. Placement of an implant in a diabetic patient and a one year follow up-a case report. *Indian Journal of Dental Sciences* 2016;8(1).

235. Mankoo T. Maintenance of interdental papillae in the esthetic zone using multiple immediate adjacent implants to restore failing teeth--a report of ten cases at 2 to 7 years follow-up. *Eur J Esthet Dent* 2008;3(4):304-22. [Abstract](#)
236. Manoj S, Punit J, Chethan H, Nivya J. A study to assess the bone formed around immediate postextraction implants grafted with Concentrated Growth Factor in the mandibular posterior region. *J Osseointegration* 2018;10(4):121-29. [Abstract](#)
237. Marcian P, Borak L, Valasek J, Kaiser J, Florian Z, Wolff J. Finite element analysis of dental implant loading on atrophic and non-atrophic cancellous and cortical mandibular bone - a feasibility study. *J Biomech* 2014;47(16):3830-6. [Abstract](#)
238. Marrone A, Lasserre J, Bercy P, Brex MC. Prevalence and risk factors for peri-implant disease in Belgian adults. *Clin Oral Implants Res* 2013;24(8):934-40. [Abstract](#)
239. May D, Romanos GE. Immediate implant-supported mandibular overdentures retained by conical crowns: A new treatment concept. *Quintessence Int* 2002;33(1):5-12.
240. McArdle BF. Predictably solving a prosthetic dilemma: a partially edentulous mandible opposed by a worn maxillary denture. *Dent Today* 2013;32(12):62, 64. [Abstract](#)
241. Meleo D, Baggi L, Di Girolamo M, Di Carlo F, Pecci R, Bedini R. Fixture-abutment connection surface and micro-gap measurements by 3D micro-tomographic technique analysis. *Ann Ist Super Sanita* 2012;48(1):53-8. [Abstract](#)
242. Mello BF, de Carvalho Formiga M, de Souza da Silva LF, Dos Santos Coura G, Shibli JA. Horizontal ridge augmentation using a xenograft bone substitute for implant-supported fixed rehabilitation: A case report with four years of follow-Up. *Case rep dent* 2020;2020:6723936. [Abstract](#)
243. Metzler P, von Wilmsky C, Stadlinger B, Zemann W, Schlegel KA, Rosiwal S, Rupprecht S. Nano-crystalline diamond-coated titanium dental implants - A histomorphometric study in adult domestic pigs. *J Craniomaxillofac Surg* 2013;41(6):532-8. [Abstract](#)
244. Mitsias ME, Thompson VP, Pines M, Silva NR. Reliability and failure modes of two Y-TZP abutment designs. *Int J Prosthodont* 2015;28(1):75-8. [Abstract](#)
245. Morandi R, Cabral LM, de Moraes M. Implant-supported maxillary denture retained by a telescopic abutment system: A clinical report. *J Prosthet Dent* 2017;117(3):331-34. [Abstract](#)
246. Mori G, Oda Y, Sakamoto K, Ito T, Yajima Y. Clinical evaluation of full-arch screw-retained implant-supported fixed prostheses and full-arch telescopic-retained implant-supported fixed prostheses: A 5-12 year follow-up retrospective study. *Clin Oral Implants Res* 2019;30(3):197-205. [Abstract](#)
247. Moris ICM, Faria ACL, Ribeiro RF, Fok AS, Rodrigues RCS. Custom Morse taper zirconia abutments: Influence on marginal fit and torque loss before and after thermomechanical cycling. *J Mech Behav Biomed Mater* 2018;78:241-45. [Abstract](#)

248. Morris HF, Ochi S, Crum P, Orenstein IH, Winkler S. AICRG, Part I: A 6-year multicentered, multidisciplinary clinical study of a new and innovative implant design. *J Oral Implantol* 2004;30(3):125-33. [Abstract](#)
249. Morris HF, Ochi S, Orenstein IH, Petrazzuolo V. AICRG, Part V: Factors influencing implant stability at placement and their influence on survival of Ankylos implants. *J Oral Implantol* 2004;30(3):162-70. [Abstract](#)
250. Morris HF, Ochi S, Plezia R, Gilbert H, Dent CD, Pikulski J, Lambert PM. AICRG, Part III: The influence of antibiotic use on the survival of a new implant design. *J Oral Implantol* 2004;30(3):144-51. [Abstract](#)
251. Morris HF, Ochi S, Rodriguez A, Lambert PM. AICRG, Part IV: Patient satisfaction reported for Ankylos implant prostheses. *J Oral Implantol* 2004;30(3):152-61. [Abstract](#)
252. Morris HF, Ochi S, Winkler S. Introduction: a new and innovative implant design. *J Oral Implantol* 2004;30(3):121-4. [Abstract](#)
253. Morris HF, Winkler S, Ochi S. The ankylos endosseous dental implant: assessment of stability up to 18 months with the Periotest. *J Oral Implantol* 2000;26(4):291-9. [Abstract](#)
254. Morris HF, Winkler S, Ochi S, Kanaan A. A new implant designed to maximize contact with trabecular bone: survival to 18 months. *J Oral Implantol* 2001;27(4):164-73. [Abstract](#)
255. Moukrioti J, Al-Nawas B, Kreisler M. Evaluation of the split bone technique for lateral ridge augmentation: A retrospective case-control study. *Int J Oral Maxillofac Implants* 2019;34(5):1152-60. [Abstract](#)
256. Muhamad A-H, Azzaldeen A. Post Extraction Implant Placement with Immediate Provisionalization and Finalization Using a Simplified Technique: a Case Report. *Journal of Dental and Medical Sciences* 2021;20(10):30-36.
257. Murakami H, Igarashi K, Fuse M, Kitagawa T, Igarashi M, Uchibori S, Komine C, Gotouda H, Okada H, Kawai Y. Risk factors for abutment and implant fracture after loading. *J Oral Sci* 2020;63(1):92-97. [Abstract](#)
258. Nakahara K, Haga-Tsujimura M, Igarashi K, Kobayashi E, Schaller B, Lang NP, Saulacic N. Single-staged implant placement using the bone ring technique with and without membrane placement: Micro-CT analysis in a preclinical in vivo study. *Clin Oral Implants Res* 2020;31(1):29-36. [Abstract](#)
259. Nardi D, Degidi M, Sighinolfi G, Tebbel F, Marchetti C. Retention strength of conical welding caps for fixed implant-supported prostheses. *Int J Prosthodont* 2017;30(6):553-55. [Abstract](#)
260. Nawafleh N, Elshiyab E, Öchsner A, George R. In Vitro Fatigue and Fracture Load of Monolithic Ceramic Crowns Supported by Hybrid Abutment. *The Open Dentistry Journal* 2021;15:664-71.
261. Nentwig GH. Ankylos implant system: concept and clinical application. *J Oral Implantol* 2004;30(3):171-7. [Abstract](#)

262. Nguyen V, von Krockow N, Pouchet J, Weigl PM. Periosteal inhibition technique for alveolar ridge preservation as it applies to implant therapy. *Int J Periodontics Restorative Dent* 2019;39(5):737-44. [Abstract](#)
263. Nogeow W, Foo Q. Removal of a deeply displaced root on the maxillary sinus floor by piezosurgery and lateral sinus lift: A case report. *NZ dental journal* 2020;116(June 20):65-8.
264. Nogueira-Filho G, Pesun I, Isaak-Ploegman C, Wijegunasinghe M, Wierzbicki T, McCulloch CA. Longitudinal comparison of cytokines in peri-implant fluid and gingival crevicular fluid in healthy mouths. *J Periodontol* 2014;85(11):1582-8. [Abstract](#)
265. Nolan R, Kemmoona M, Polyzois I, Claffey N. The influence of prophylactic antibiotic administration on post-operative morbidity in dental implant surgery. A prospective double blind randomized controlled clinical trial. *Clin Oral Implants Res* 2014;25(2):252-9. [Abstract](#)
266. Nonhoff J, Moest T, Schmitt CM, Weisel T, Bauer S, Schlegel KA. Establishment of a new pull-out strength testing method to quantify early osseointegration-an experimental pilot study. *J Craniomaxillofac Surg* 2015;43(10):1966-73. [Abstract](#)
267. Nothdurft FP, Neumann K, Knauber AW. Fracture behavior of zirconia implant abutments is influenced by superstructure-geometry. *Clin Oral Investig* 2014;18(5):1467-72. [Abstract](#)
268. Novaes AB, Jr., de Oliveira RR, Muglia VA, Papalexiou V, Taba M. The effects of interimplant distances on papilla formation and crestal resorption in implants with a morse cone connection and a platform switch: a histomorphometric study in dogs. *J Periodontol* 2006;77(11):1839-49. [Abstract](#)
269. Novaes AB, Jr., Papalexiou V, Muglia V, Taba M, Jr. Influence of interimplant distance on gingival papilla formation and bone resorption: clinical-radiographic study in dogs. *Int J Oral Maxillofac Implants* 2006;21(1):45-51. [Abstract](#)
270. Oblak Č, Tomažević T, Ihan Hren N, Zarkovic Gjurin S. Early prosthetic rehabilitation of severe oligodontia with implant-retained overdenture: A case report. *Slovenian Medical Journal* 2020;89(9-10):521-27. [Abstract](#)
271. Obreja K, Ramanauskaite A, Begic A, Galarraga-Vinueza ME, Parvini P, Sader R, Schwarz F. The prevalence of peri-implant diseases around subcrestally placed implants: A cross-sectional study. *Clin Oral Implants Res* 2021;32(6):702-10. [Abstract](#)
272. Oda Y, Mori G, Honma S, Ito T, Iijima T, Yajima Y. Marginal bone loss and the risk indicators of fixed screw-retained implant-supported prostheses and fixed telescopic-retained implant-supported prostheses in full arch: A retrospective case-control study. *Clin Oral Implants Res* 2021;E-pub Mar 24, doi: 10.1111/clr.13750. [Abstract](#)
273. Oda Y, Mori G, Sasaki H, Furuya Y, Ito T, Iijima T, Sekine H, Yajima Y. Dimensional changes of buccal bone in the edentulous maxilla with telescopic-retained implant-supported fixed dental prostheses. *J Prosthet Dent* 2021;E-pub Oct 20, doi:10.1016/j.prosdent.2021.08.006. [Abstract](#)

274. Öncü E, Alaaddinoglu EE. The effect of platelet-rich fibrin on implant stability. *Int J Oral Maxillofac Implants* 2015;30(3):578-82. [Abstract](#)
275. Oskarsson M, Otsuki M, Welander M, Abrahamsson I. Peri-implant tissue healing at implants with different designs and placement protocols: An experimental study in dogs. *Clin Oral Implants Res* 2018;29(8):873-80. [Abstract](#)
276. Ozdiler A, Bakir-Topcuoglu N, Kulekci G, Isik-Ozkol G. Effects of taper angle and sealant agents on bacterial leakage along the implant-abutment interface: An in vitro study under loaded conditions. *Int J Oral Maxillofac Implants* 2018;33(5):1071-77. [Abstract](#)
277. Ozdiler A, Dayan S, Gencel B, Isik-Ozkol G. Reverse torque values of abutment screws after dynamic loading: The effects of sealant agents and the taper of conical connections. *J Oral Implantol* 2020;E-pub Sep 2, doi:/10.1563/aaid-joi-D-19-00228. [Abstract](#)
278. Ožiūnas R, Sakalauskienė J, Jegelevičius D, Janužis G. A comparative biomechanical study of original and compatible titanium bases: evaluation of screw loosening and 3D-crown displacement following cyclic loading analysis. *J Adv Prosthodont* 2022;14(2):70-77. [Abstract](#)
279. Park J, Lutz R, Felszeghy E, Wiltfang J, Nkenke E, Neukam FW, Schlegel KA. The effect on bone regeneration of a liposomal vector to deliver BMP-2 gene to bone grafts in peri-implant bone defects. *Biomaterials* 2007;28(17):2772-82. [Abstract](#)
280. Park SJ, Lee SW, Leesungbok R, Ahn SJ. Influence of the connection design and titanium grades of the implant complex on resistance under static loading. *J Adv Prosthodont* 2016;8(5):388-95. [Abstract](#)
281. Parvini P, Saminsky M, Stanner J, Klum M, Nickles K, Eickholz P. Discomfort/pain due to periodontal and peri-implant probing with/without platform switching. *Clin Oral Implants Res* 2019;30(10):997-1004. [Abstract](#)
282. Patras M, Kourtis S, Sykaras N. Creating natural-looking removable prostheses: combining art and science to imitate nature. *J Esthet Restor Dent* 2012;24(3):160-8. [Abstract](#)
283. Payer M, Kirmeier R, Jakse N, Pertl C, Wegscheider W, Lorenzoni M. Surgical factors influencing mesiodistal implant angulation. *Clin Oral Implants Res* 2008;19(3):265-70. [Abstract](#)
284. Petrovic L, Schlegel KA, Wiltfang J, Neukam FW, Rupprecht S. Preclinical animal study and clinical trail of modified extraoral craniofacial implants. *J Plast Reconstr Aesthet Surg* 2007;60(6):615-21. [Abstract](#)
285. Petsos H, Trimpou G, Eickholz P, Lauer HC, Weigl P. The influence of professional competence on the inter- and intra-individual esthetic evaluation of implant-supported crowns in the anterior maxilla. *Clin Oral Implants Res* 2017;28(4):453-60. [Abstract](#)
286. Poluha RL, Eidt JMS, Danieletto-Zanna CF, Ferreira GZ, Takizawa OK, Farah GJ. Use of osseointegrated implants in the intermaxillary suture in a patient with microstomia: Case report with a 2-year follow-up. *Spec Care Dentist* 2019;39(5):533-37. [Abstract](#)

287. Rabel A, Kohler SG, Schmidt-Westhausen AM. Clinical study on the primary stability of two dental implant systems with resonance frequency analysis. *Clin Oral Investig* 2007;11(3):257-65. [Abstract](#)
288. Rack T, Zabler S, Rack A, Riesemeier H, Nelson K. An in vitro pilot study of abutment stability during loading in new and fatigue-loaded conical dental implants using synchrotron-based radiography. *Int J Oral Maxillofac Implants* 2013;28(1):44-50. [Abstract](#)
289. Ramanauskaite A, Schwarz F, Begic A, Parvini P, Galarraga-Vinueza ME, Obreja K. The influence of simultaneous lateral grafting on clinical outcomes following one-stage implant placement: A cross-sectional analysis. *Int J Implant Dent* 2020;6(1):37. [Abstract](#)
290. Rana V, Dhakne VM, Jadhawar S, Kadam I, Mishra K, Patil P. Bone level measurements around platform switched and platform matched implants: A comparative study. *Niger J Surg* 2019;25(1):9-13. [Abstract](#)
291. Ranieri R, Ferreira A, Souza E, Arcoverde J, Dametto F, Gade-Neto C, Seabra F, Sarmiento C. The bacterial sealing capacity of morse taper implant-abutment systems in vitro. *J Periodontol* 2015;86(5):696-702. [Abstract](#)
292. Reda KM, El-Torky IR, El-Gendy MN. In vitro retention force measurement for three different attachment systems for implant-retained overdenture. *J Indian Prosthodont Soc* 2016;16(4):380-85. [Abstract](#)
293. Ren S, Lin Y, Hu X, Wang Y. Changes in proximal contact tightness between fixed implant prostheses and adjacent teeth: A 1-year prospective study. *J Prosthet Dent* 2016;115(4):437-40. [Abstract](#)
294. Riad R, Meselhy A, Alaswad M. Thermoplastic versus conventional heat cured denture bases for implant-retained mandibular overdenture. *Egyptian Dental Journal* 2020;66(4):2179-85. [Abstract](#)
295. Rinke S, Lattke A, Eickholz P, Kramer K, Ziebolz D. Practice-based clinical evaluation of zirconia abutments for anterior single-tooth restorations. *Quintessence Int* 2015;46(1):19-29. [Abstract](#)
296. Rinke S, Ohl S, Ziebolz D, Lange K, Eickholz P. Prevalence of periimplant disease in partially edentulous patients: A practice-based cross-sectional study. *Clin Oral Implants Res* 2011;22(8):826-33. [Abstract](#)
297. Rinke S, Roediger M, Eickholz P, Lange K, Ziebolz D. Technical and biological complications of single-molar implant restorations. *Clin Oral Implants Res* 2015;26(9):1024-30. [Abstract](#)
298. Rinke S, Ziebolz D, Ratka-Kruger P, Frisch E. Clinical outcome of double crown-retained mandibular removable dentures supported by a combination of residual teeth and strategic implants. *J Prosthodont* 2015;24(5):358-65. [Abstract](#)
299. Rismanchian M, Askari N, Shafiei S. The effect of placement depth of platform-switched implants on periimplant cortical bone stress: a 3-dimensional finite element analysis. *Implant Dent* 2013;22(2):165-9. [Abstract](#)

300. Rodiger M, Kloss J, Gersdorff N, Burgers R, Rinke S. Removal forces of adhesively and self-adhesively luted implant-supported zirconia copings depend on abutment geometry. *J Mech Behav Biomed Mater* 2018;87:119-23. [Abstract](#)
301. Rödiger M, Rinke S, Ehret-Kleinau F, Pohlmeier F, Lange K, Burgers R, Gersdorff N. Evaluation of removal forces of implant-supported zirconia copings depending on abutment geometry, luting agent and cleaning method during re-cementation. *J Adv Prosthodont* 2014;6(3):233-40. [Abstract](#)
302. Romanos G, Damouras M, Veis AA, Hess P, Schwarz F, Brandt S. Comparison of histomorphometry and microradiography of different implant designs to assess primary implant stability. *Clin Implant Dent Relat Res* 2020;22(3):373-79. [Abstract](#)
303. Romanos G, Grizas E, Laukart E, Nentwig GH. Effects of early moderate loading on implant stability: A retrospective investigation of 634 implants with platform switching and morse-tapered connections. *Clin Implant Dent Relat Res* 2016;18(2):301-9. [Abstract](#)
304. Romanos G, Toh CG, Siar CH, Swaminathan D, Ong AH, Donath K, Yaacob H, Nentwig GH. Peri-implant bone reactions to immediately loaded implants. An experimental study in monkeys. *J Periodontol* 2001;72(4):506-11. [Abstract](#)
305. Romanos GE. Present status of immediate loading of oral implants. *J Oral Implantol* 2004;30(3):189-97. [Abstract](#)
306. Romanos GE. Nonsurgical prosthetic management of mandibular fracture associated with dental implant therapy: a case report. *Int J Oral Maxillofac Implants* 2009;24(1):143-6. [Abstract](#)
307. Romanos GE. Advanced immediate functional loading: requirements for long-term success in modern implant dentistry. *Compend Contin Educ Dent* 2014;35(7):474-83. [Abstract](#)
308. Romanos GE. Severe atrophy of the posterior mandible and inferior alveolar nerve transposition. *Int J Periodontics Restorative Dent* 2021;41(5):e199-e204. [Abstract](#)
309. Romanos GE, Aydin E, Gaertner K, Nentwig GH. Long-term results after subcrestal or crestal placement of delayed loaded implants. *Clin Implant Dent Relat Res* 2015;17(1):133-41. [Abstract](#)
310. Romanos GE, Aydin E, Locher K, Nentwig GH. Immediate vs. delayed loading in the posterior mandible: a split-mouth study with up to 15 years of follow-up. *Clin Oral Implants Res* 2016;27(2):e74-9. [Abstract](#)
311. Romanos GE, Biltucci MT, Kokaras A, Paster BJ. Bacterial composition at the implant-abutment connection under loading in vivo. *Clin Implant Dent Relat Res* 2016;18(1):138-45. [Abstract](#)
312. Romanos GE, Gaertner K, Aydin E, Nentwig GH. Long-term results after immediate loading of platform-switched implants in smokers versus nonsmokers with full-arch restorations. *Int J Oral Maxillofac Implants* 2013;28(3):841-5. [Abstract](#)

313. Romanos GE, Gaertner K, Nentwig GH. Long-term evaluation of immediately loaded implants in the edentulous mandible using fixed bridges and platform shifting. *Clin Implant Dent Relat Res* 2014;16(4):601-8. [Abstract](#)
314. Romanos GE, Goldin E, Marotta L, Froum S, Tarnow DP. Immediate loading with fixed implant-supported restorations in an edentulous patient With an HIV infection: A case report. *Implant Dent* 2014;23(1):8-12. [Abstract](#)
315. Romanos GE, Gupta B, Gaertner K, Nentwig GH. Distal cantilever in full-arch prostheses and immediate loading: a retrospective clinical study. *Int J Oral Maxillofac Implants* 2014;29(2):427-31. [Abstract](#)
316. Romanos GE, Gurbanov S, Hess P, Nentwig GH, Schwarz F, Sader R. Crestal bone loss and implant failure of prefabricated versus customized abutments: a 10-year retrospective radiological study. *Clin Oral Investig* 2021;E-pub Nov 12, doi:10.1007/s00784-021-04269-w. [Abstract](#)
317. Romanos GE, Johansson CB. Immediate loading with complete implant-supported restorations in an edentulous heavy smoker: histologic and histomorphometric analyses. *Int J Oral Maxillofac Implants* 2005;20(2):282-90. [Abstract](#)
318. Romanos GE, Kuyunov O, Sacks D, Calvo-Guirado JL, Delgado-Ruiz R. Apical stability of implants with progressive thread design in vitro, based on clinicians with different levels of experience. *J Periodontol* 2019;90(11):1320-24. [Abstract](#)
319. Romanos GE, Malmstrom H, Feng C, Ercoli C, Caton J. Immediately loaded platform-switched implants in the anterior mandible with fixed prostheses: a randomized, split-mouth, masked prospective trial. *Clin Implant Dent Relat Res* 2014;16(6):884-92. [Abstract](#)
320. Romanos GE, May S, May D. Treatment concept of the edentulous mandible with prefabricated telescopic abutments and immediate functional loading. *Int J Oral Maxillofac Implants* 2011;26(3):593-7. [Abstract](#)
321. Romanos GE, May S, May D. Immediate loading of tooth-implant-supported telescopic mandibular prostheses. *Int J Oral Maxillofac Implants* 2012;27(6):1534-40. [Abstract](#)
322. Romanos GE, May S, May D. Implant-supporting telescopic maxillary prostheses and immediate loading. *Clin Implant Dent Relat Res* 2014;16(3):412-8. [Abstract](#)
323. Romanos GE, Montanaro NJ, Sacks D, Miller RJ, Javed F, Calvo-Guirado JL, Delgado-Ruiz RA. Various tip applications and temperature changes of Er,Cr:YSGG-Laser irradiated implants in vitro. *Int J Periodontics Restorative Dent* 2017;37(3):387-92. [Abstract](#)
324. Romanos GE, Motwani SV, Montanaro NJ, Javed F, Delgado-Ruiz R. Photothermal effects of defocused initiated versus noninitiated diode implant irradiation. *Photobiomodul Photomed Laser Surg* 2019;37(6):356-61. [Abstract](#)
325. Romanos GE, Nentwig GH. Single molar replacement with a progressive thread design implant system: a retrospective clinical report. *Int J Oral Maxillofac Implants* 2000;15(6):831-6. [Abstract](#)

326. Romanos GE, Nentwig GH. Immediate versus delayed functional loading of implants in the posterior mandible: a 2-year prospective clinical study of 12 consecutive cases. *Int J Periodontics Restorative Dent* 2006;26(5):459-69. [Abstract](#)
327. Romanos GE, Nentwig GH. Immediate loading using cross-arch fixed restorations in heavy smokers: nine consecutive case reports for edentulous arches. *Int J Oral Maxillofac Implants* 2008;23(3):513-9. [Abstract](#)
328. Romanos GE, Nentwig GH. Regenerative therapy of deep peri-implant infrabony defects after CO2 laser implant surface decontamination. *Int J Periodontics Restorative Dent* 2008;28(3):245-55. [Abstract](#)
329. Romanos GE, Nentwig GH. Immediate functional loading in the maxilla using implants with platform switching: five-year results. *Int J Oral Maxillofac Implants* 2009;24(6):1106-12. [Abstract](#)
330. Romanos GE, Testori T, Degidi M, Piattelli A. Histologic and histomorphometric findings from retrieved, immediately occlusally loaded implants in humans. *J Periodontol* 2005;76(11):1823-32. [Abstract](#)
331. Romanos GE, Toh CG, Siar CH, Swaminathan D. Histologic and histomorphometric evaluation of peri-implant bone subjected to immediate loading: an experimental study with *Macaca fascicularis*. *Int J Oral Maxillofac Implants* 2002;17(1):44-51. [Abstract](#)
332. Romanos GE, Toh CG, Siar CH, Wicht H, Yacoob H, Nentwig GH. Bone-implant interface around titanium implants under different loading conditions: a histomorphometrical analysis in the *Macaca fascicularis* monkey. *J Periodontol* 2003;74(10):1483-90. [Abstract](#)
333. Romanos GE, Traini T, Johansson CB, Piattelli A. Biologic width and morphologic characteristics of soft tissues around immediately loaded implants: studies performed on human autopsy specimens. *J Periodontol* 2010;81(1):70-8. [Abstract](#)
334. Rouach T. Management of the edentulous patient. *Dentsply Implants Magazine* 2014;2:40-44.
335. Roze J, Babu S, Saffarzadeh A, Gayet-Delacroix M, Hoornaert A, Layrolle P. Correlating implant stability to bone structure. *Clin Oral Implants Res* 2009;20(10):1140-5. [Abstract](#)
336. Saaby M, Karring E, Schou S, Isidor F. Factors influencing severity of peri-implantitis. *Clin Oral Implants Res* 2016;27(1):7-12. [Abstract](#)
337. Sagirkaya E, Kucukkekenci AS, Karasoy D, Akca K, Eckert SE, Cehreli MC. Comparative assessments, meta-analysis, and recommended guidelines for reporting studies on histomorphometric bone-implant contact in humans. *Int J Oral Maxillofac Implants* 2013;28(5):1243-53. [Abstract](#)
338. Sakka S, Krenkel C. Simultaneous maxillary sinus lifting and implant placement with autogenous parietal bone graft: outcome of 17 cases. *J Craniomaxillofac Surg* 2011;39(3):187-91. [Abstract](#)

339. Salihoglu U, Boynuegri D, Engin D, Duman AN, Gokalp P, Balos K. Bacterial adhesion and colonization differences between zirconium oxide and titanium alloys: an in vivo human study. *Int J Oral Maxillofac Implants* 2011;26(1):101-7. [Abstract](#)
340. Sarmast ND, Wang HH, Sajadi AS, Munne AM, Angelov N. Nonsurgical endodontic treatment of necrotic teeth resolved apical lesions on adjacent implants with retrograde/apical peri-implantitis: A case series with 2-year follow-up. *J Endod* 2019;45(5):645-50. [Abstract](#)
341. Scarano A, Valbonetti L, Degidi M, Pecci R, Piattelli A, de Oliveira PS, Perrotti V. Implant-abutment contact surfaces and microgap measurements of different implant connections under 3-dimensional x-ray microtomography. *Implant Dent* 2016;25(5):656-62. [Abstract](#)
342. Schicho K, Kastner J, Klingsberger R, Seemann R, Enislidis G, Undt G, Wanschitz F, Figl M, Wagner A, Ewers R. Surface area analysis of dental implants using micro-computed tomography. *Clin Oral Implants Res* 2007;18(4):459-64. [Abstract](#)
343. Schlegel KA, Kloss FR, Kessler P, Schultze-Mosgau S, Nkenke E, Wiltfang J. Bone conditioning to enhance implant osseointegration: an experimental study in pigs. *Int J Oral Maxillofac Implants* 2003;18(4):505-11. [Abstract](#)
344. Schlegel KA, Schultze-Mosgau S, Eitner S, Wiltfang J, Rupprecht S. Clinical trial of modified ankylos implants for extraoral use in cranio- and maxillofacial surgery. *Int J Oral Maxillofac Implants* 2004;19(5):716-20. [Abstract](#)
345. Schlegel KA, Thorwarth M, Plesinac A, Wiltfang J, Rupprecht S. Expression of bone matrix proteins during the osseous healing of topical conditioned implants: an experimental study. *Clin Oral Implants Res* 2006;17(6):666-72. [Abstract](#)
346. Schlegel KA, Zimmermann R, Thorwarth M, Neukam FW, Klongnoi B, Nkenke E, Felszeghy E. Sinus floor elevation using autogenous bone or bone substitute combined with platelet-rich plasma. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2007;104(3):e15-25. [Abstract](#)
347. Schmage P, Kahili F, Nergiz I, Scorziello TM, Platzer U, Pfeiffer P. Cleaning effectiveness of implant prophylaxis instruments. *Int J Oral Maxillofac Implants* 2014;29(2):331-7. [Abstract](#)
348. Schmage P, Thielemann J, Nergiz I, Scorziello TM, Pfeiffer P. Effects of 10 cleaning instruments on four different implant surfaces. *Int J Oral Maxillofac Implants* 2012;27(2):308-17. [Abstract](#)
349. Schmitt C, Karasholi T, Lutz R, Wiltfang J, Neukam FW, Schlegel KA. Long-term changes in graft height after maxillary sinus augmentation, onlay bone grafting, and combination of both techniques: a long-term retrospective cohort study. *Clin Oral Implants Res* 2014;25(2):e38-46. [Abstract](#)
350. Schmitt CM, Koepfle M, Moest T, Neumann K, Weisel T, Schlegel KA. In vivo evaluation of biofunctionalized implant surfaces with a synthetic peptide (P-15) and its impact on osseointegration. A preclinical animal study. *Clin Oral Implants Res* 2016;27(11):1339-48. [Abstract](#)

351. Schupbach P, Glauser R, Bauer S. Al₂O₃ particles on titanium dental implant systems following sandblasting and acid-etching process. *Int J Biomater* 2019;2019:6318429. [Abstract](#)
352. Schwarz F, Sahm N, Iglhaut G, Becker J. Impact of the method of surface debridement and decontamination on the clinical outcome following combined surgical therapy of peri-implantitis: a randomized controlled clinical study. *J Clin Periodontol* 2011;38(3):276-84. [Abstract](#)
353. Sears LM, Wadhvani CPK, Schoenbaum TR, Chung KH, Cagna DR. Biologic debris retention in implant impression copings, scan bodies, and laboratory analogs. *Int J Oral Maxillofac Implants* 2020;35(1):135-40. [Abstract](#)
354. Seetoh YL, Tan KB, Chua EK, Quek HC, Nicholls JI. Load fatigue performance of conical implant-abutment connections. *Int J Oral Maxillofac Implants* 2011;26(4):797-806. [Abstract](#)
355. Semper-Hogg W, Kraft S, Stiller S, Mehrhof J, Nelson K. Analytical and experimental position stability of the abutment in different dental implant systems with a conical implant-abutment connection. *Clin Oral Investig* 2013;17(3):1017-23. [Abstract](#)
356. Sethi A, Kaus T. Immediate replacement of single teeth with immediately loaded implants: Retrospective analysis of a clinical case series. *Implant Dent* 2017;26(1):30-36. [Abstract](#)
357. Sethi A, Kaus T, Cawood JI, Plaha H, Boscoe M, Sochor P. Onlay bone grafts from iliac crest: A retrospective analysis. *Int J Oral Maxillofac Surg* 2020;49(2):264-71. [Abstract](#)
358. Sethi A, Kaus T, Sochor P, Axmann-Krcmar D, Chanavaz M. Evolution of the concept of angulated abutments in implant dentistry: 14-year clinical data. *Implant Dent* 2002;11(1):41-51. [Abstract](#)
359. Shaarawy MA, Aboelross EM. The effect of varying implant position in immediately loaded implant-supported mandibular overdentures. *J Oral Implantol* 2013;39(3):345-54. [Abstract](#)
360. Shen X, Yang S, Xu Y, Xu J, Feng Y, He F. Analysis of implant loss risk factors after simultaneous guidedbone regeneration: A retrospective study of 5404 dentalimplants. *Clin Implant Dent Relat Res* 2022;E pub April 8, doi:org/10.1111/cid.13087:1-11. [Abstract](#)
361. Shen XT, Li JY, Luo X, Feng Y, Gai LT, He FM. Peri-implant marginal bone changes with implant-supported metal-ceramic or monolithic zirconia single crowns: A retrospective clinical study of 1 to 5 years. *J Prosthet Dent* 2021;E-pub Feb 24, doi: 10.1016/j.prosdent.2020.12.010. [Abstract](#)
362. Shetty M, Kalra R, Hedge c. Maxillary sinus augmentation with concentrated growth factors: radiographic evaluation. *J Osseointegration* 2018;10(4):109-14. [Abstract](#)
363. Shim HW, Yang BE. Long-term cumulative survival and mechanical complications of single-tooth Ankylos Implants: focus on the abutment neck fractures. *J Adv Prosthodont* 2015;7(6):423-30. [Abstract](#)
364. Shin YK, Han CH, Heo SJ, Kim S, Chun HJ. Radiographic evaluation of marginal bone level around implants with different neck designs after 1 year. *Int J Oral Maxillofac Implants* 2006;21(5):789-94. [Abstract](#)

365. Siar CH, Toh CG, Ali TB, Seiz D, Ong ST. Dimensional profile of oral mucosa around combined tooth-implant-supported bridgework in macaque mandible. *Clin Oral Implants Res* 2012;23(4):438-46. [Abstract](#)
366. Siar CH, Toh CG, Romanos G, Swaminathan D, Ong AH, Yaacob H, Nentwig GH. Peri-implant soft tissue integration of immediately loaded implants in the posterior macaque mandible: a histomorphometric study. *J Periodontol* 2003;74(5):571-8. [Abstract](#)
367. Siar CH, Toh CG, Romanos GE, Ng KH. Comparative assessment of the interfacial soft and hard tissues investing implants and natural teeth in the macaque mandible. *Clin Oral Investig* 2015;19(6):1353-62. [Abstract](#)
368. Sohn DS, Shin HI, Ahn MR, Lee JS. Piezoelectric vertical bone augmentation using the sandwich technique in an atrophic mandible and histomorphometric analysis of mineral allografts: a case report series. *Int J Periodontics Restorative Dent* 2010;30(4):383-91. [Abstract](#)
369. Solakoglu O, Filippi A. Regenerative therapy of peri-implantitis: clinical and radiologic documentation of 16 consecutive patients with a mean follow-up of 3 years. *J Oral Implantol* 2019;45(2):145-53. [Abstract](#)
370. Starr CB, Maksoud MA. Implant treatment in an urban general dentistry residency program: a 7-year retrospective study. *J Oral Implantol* 2006;32(3):142-7. [Abstract](#)
371. Stavroullakis A, Brito C, Chen HY, Bajenova E, Prakki A, Nogueira-Filho G. Dental implant surface treatments may modulate cytokine secretion in *Porphyromonas gingivalis*-stimulated human gingival fibroblasts: a comparative study. *J Biomed Mater Res A* 2015;103(3):1131-40. [Abstract](#)
372. Stoichkov B, Kirov D. Analysis of the causes of dental implant fracture: A retrospective clinical study. *Quintessence Int* 2018;49(4):279-86. [Abstract](#)
373. Stojcheva DC, Aleksandrovska A, Petrevska M, Micevski B. Alveolar ridge augmentation by open healing with high-density polytetrafluoroethylene membrane. *International Journal of Dental Biomaterials Research* 2022:1-8.
374. Streckbein P, Streckbein RG, Wilbrand JF, Malik CY, Schaaf H, Howaldt HP, Flach M. Non-linear 3D evaluation of different oral implant-abutment connections. *J Dent Res* 2012;91(12):1184-9. [Abstract](#)
375. Strenzke R, Ratka-Krueger P, Frisch E. Therapy for peri-implantitis: Significant radiographic bone fill after keratinized mucosa augmentation surgery with supportive implant therapy (SIT): A novel approach. *J Oral Implantol* 2020;E-pub, doi:10.1563/aaid-joi-D-20-00197. [Abstract](#)
376. Suba Z, Takacs D, Matusovits D, Barabas J, Fazekas A, Szabo G. Maxillary sinus floor grafting with beta-tricalcium phosphate in humans: density and microarchitecture of the newly formed bone. *Clin Oral Implants Res* 2006;17(1):102-8. [Abstract](#)

377. Sun P, Yu D, Luo X, Xu A, Feng Y, He FM. The effect of initial biologic width on marginal bone loss: A retrospective study. *Int J Oral Maxillofac Implants* 2022;37(1):190-98.
378. Sun YH, Shih YH, Li CH, Fang CY. Rehabilitation of occlusion on a severe atrophic mandible by four implants-supported fixed conometric denture after bilateral inferior alveolar nerve repositioning. *J Dent Sci* 2021;16(2):780-81. [Abstract](#)
379. Svanborg P, Eliasson A, Stenport V. Additively manufactured titanium and cobalt-chromium implant frameworks: Fit and effect of ceramic veneering. *Int J Oral Maxillofac Implants* 2018;33(3):590-96. [Abstract](#)
380. Svanborg P, Stenport V, Eliasson A. Fit of cobalt-chromium implant frameworks before and after ceramic veneering in comparison with CNC-milled titanium frameworks. *Clin Exp Dent Res* 2015;1(2):49-56. [Abstract](#)
381. Szabo G, Huys L, Coulthard P, Maiorana C, Garagiola U, Barabas J, Nemeth Z, Hrabak K, Suba Z. A prospective multicenter randomized clinical trial of autogenous bone versus beta-tricalcium phosphate graft alone for bilateral sinus elevation: histologic and histomorphometric evaluation. *Int J Oral Maxillofac Implants* 2005;20(3):371-81. [Abstract](#)
382. Szmukler-Moncler S, Bischof M, Nedir R, Ermrich M. Titanium hydride and hydrogen concentration in acid-etched commercially pure titanium and titanium alloy implants: a comparative analysis of five implant systems. *Clin Oral Implants Res* 2010;21(9):944-50. [Abstract](#)
383. Taiyeb-Ali TB, Toh CG, Siar CH, Seiz D, Ong ST. Influence of abutment design on clinical status of peri-implant tissues. *Implant Dent* 2009;18(5):438-46. [Abstract](#)
384. Tarnow D, Elian N, Fletcher P, Froum S, Magner A, Cho SC, Salama M, Salama H, Garber DA. Vertical distance from the crest of bone to the height of the interproximal papilla between adjacent implants. *J Periodontol* 2003;74(12):1785-8. [Abstract](#)
385. Tebbel F, Johnsson S, Halldin A. Removal force of conometric caps and abutments (P12153). *Clin Oral Implants Res* 2018;29(S17).
386. Tebbel F, Johnsson S, Halldin A. Removal force of conometric caps and abutments subjected to dynamic loading (P12154). *Clin Oral Implants Res* 2018;29(S17).
387. Tenenbaum H, Schaaf JF, Cuisinier FJ. Histological analysis of the Ankylos peri-implant soft tissues in a dog model. *Implant Dent* 2003;12(3):259-65. [Abstract](#)
388. Tesmer M, Wallet S, Koutouzis T, Lundgren T. Bacterial colonization of the dental implant fixture-abutment interface: an in vitro study. *J Periodontol* 2009;80(12):1991-7. [Abstract](#)
389. Traini T, Caputi S, Gherlone E, Degidi M, Piattelli A. Fibrin clot extension on zirconia surface for dental implants: a quantitative in vitro study. *Clin Implant Dent Relat Res* 2014;16(5):718-27. [Abstract](#)

390. Traini T, Di Iorio D, Caputi S, Degidi M, Iezzi G, Piattelli A. In vitro evaluation of thermomechanic coupling in conical implant-to-abutment joint. *Implant Dent* 2007;16(4):379-86. [Abstract](#)
391. Trimpou G, Weigl P, Krebs M, Parvini P, Nentwig GH. Rationale for esthetic tissue preservation of a fresh extraction socket by an implant treatment concept simulating a tooth replantation. *Dent Traumatol* 2010;26(1):105-11. [Abstract](#)
392. Turner A, Vazifdar F, Ghadiali B, Karkaria C. Immediate loaded implant supported prosthesis with SynCone. *Int J Oral Implantol Clin Res* 2010;1(3):169-72.
393. Uraz A, Isler SC, Cula S, Tunc S, Yalim M, Cetiner D. Platform-switched implants vs platform-matched implants placed in different implant-abutment interface positions: A prospective randomized clinical and microbiological study. *Clin Implant Dent Relat Res* 2020;22(1):59-68. [Abstract](#)
394. Vahnstrom M, Johansson PH, Svanborg P, Stenport VF. Comparison of porcelain veneer fracture in implant-supported fixed full-arch prostheses with a framework of either titanium, cobalt-chromium, or zirconia: An in vitro study. *Clin Exp Dent Res* 2022;E-pub Mar 21, doi:10.1002/cre2.558:1-8. [Abstract](#)
395. Valles C, Rodriguez-Ciurana X, Munoz F, Permuy M, Lopez-Alonso H, Nart J. Influence of implant neck surface and placement depth on crestal bone changes and soft tissue dimensions around platform-switched implants: A histologic study in dogs. *J Clin Periodontol* 2018;45(7):869-83. [Abstract](#)
396. Valles C, Rodriguez-Ciurana X, Nart J, Santos A, Galofre M, Tarnow D. Influence of implant neck surface and placement depth on crestal bone changes around platform-switched implants: A clinical and radiographic study in dogs. *J Periodontol* 2017;88(11):1200-10. [Abstract](#)
397. Vercruyssen M, Cox C, Naert I, Jacobs R, Teughels W, Quirynen M. Accuracy and patient-centered outcome variables in guided implant surgery: a RCT comparing immediate with delayed loading. *Clin Oral Implants Res* 2016;27(4):427-32. [Abstract](#)
398. Vlaminck L, Gorski T, Huys L, Saunders J, Schacht E, Gasthuys F. Immediate postextraction implant placement in sheep's mandibles: a pilot study. *Implant Dent* 2008;17(4):439-50. [Abstract](#)
399. Wadhvani C, Schonnenbaum TR, Audia F, Chung KH. In vitro study of the contamination remaining on used healing abutments after cleaning and sterilizing in dental practice. *Clin Implant Dent Relat Res* 2015;18(6):1069-74. [Abstract](#)
400. Wang D, Jin J, Qi W, Lin G, Sun P, He F. The two-dimensional size of peri-implant soft tissue in the anterior maxilla and some relevance: A 1- to 7-year cross-sectional study. *J Clin Periodontol* 2020;47(4):509-17. [Abstract](#)
401. Wang L, Wang T, Lu Y, Fan Z. A digital approach for 1-step formation of the supraimplant emergence profile at the time of immediate implant placement. *J Prosthet Dent* 2019;122(2):104-07. [Abstract](#)

402. Wang T, Wang L, Lu Q, Fan Z. Influence of anodized titanium abutments on the esthetics of the peri-implant soft tissue: A clinical study. *J Prosthet Dent* 2021;125(3):445-52. [Abstract](#)
403. Weigl P. Implant prosthodontics: what next? *Quintessence Int* 2003;34(9):653-69. [Abstract](#)
404. Weigl P. New prosthetic restorative features of Ankylos implant system. *J Oral Implantol* 2004;30(3):178-88. [Abstract](#)
405. Weigl P, Saarepera K, Hinrikus K, Wu Y, Trimpou G, Lorenz J. Screw-retained monolithic zirconia vs. cemented porcelain-fused-to-metal implant crowns: a prospective randomized clinical trial in split-mouth design. *Clin Oral Investig* 2019;23(3):1067-75. [Abstract](#)
406. Weigl P, Trimpou G, Grizas E, Hess P, Nentwig GH, Lauer HC, Lorenz J. All-ceramic versus titanium-based implant supported restorations: Preliminary 12-months results from a randomized controlled trial. *J Adv Prosthodont* 2019;11(1):48-54. [Abstract](#)
407. Weigl P, Trimpou G, Lorenz J, Nentwig GH, Lauer HC. Prefabricated taper crowns for the retention of implant superstructures: Three-year results of a prospective clinical trial. *J Prosthet Dent* 2019;121(4):618-22. [Abstract](#)
408. Weng D, Nagata MJ, Bell M, Bosco AF, de Melo LG, Richter EJ. Influence of microgap location and configuration on the periimplant bone morphology in submerged implants. An experimental study in dogs. *Clin Oral Implants Res* 2008;19(11):1141-7. [Abstract](#)
409. Weng D, Nagata MJ, Bell M, de Melo LG, Bosco AF. Influence of microgap location and configuration on peri-implant bone morphology in nonsubmerged implants: an experimental study in dogs. *Int J Oral Maxillofac Implants* 2010;25(3):540-7. [Abstract](#)
410. Weng D, Nagata MJ, Bosco AF, de Melo LG. Influence of microgap location and configuration on radiographic bone loss around submerged implants: an experimental study in dogs. *Int J Oral Maxillofac Implants* 2011;26(5):941-6. [Abstract](#)
411. Weng D, Nagata MJ, Leite CM, de Melo LG, Bosco AF. Influence of microgap location and configuration on radiographic bone loss in nonsubmerged implants: an experimental study in dogs. *Int J Prosthodont* 2011;24(5):445-52. [Abstract](#)
412. Wittwer G, Adeyemo WL, Schicho K, Birkfellner W, Enislidis G. Prospective randomized clinical comparison of 2 dental implant navigation systems. *Int J Oral Maxillofac Implants* 2007;22(5):785-90. [Abstract](#)
413. Wittwer G, Adeyemo WL, Schicho K, Figl M, Enislidis G. Navigated flapless transmucosal implant placement in the mandible: a pilot study in 20 patients. *Int J Oral Maxillofac Implants* 2007;22(5):801-7. [Abstract](#)
414. Wittwer G, Adeyemo WL, Schicho K, Gigovic N, Turhani D, Enislidis G. Computer-guided flapless transmucosal implant placement in the mandible: a new combination of two innovative techniques. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2006;101(6):718-23. [Abstract](#)

415. Wittwer G, Adeyemo WL, Wagner A, Enislidis G. Computer-guided flapless placement and immediate loading of four conical screw-type implants in the edentulous mandible. *Clin Oral Implants Res* 2007;18(4):534-9. [Abstract](#)
416. Woo IH, Kim JW, Kang SY, Kim YH, Yang BE. Narrow-diameter implants with conical connection for restoring the posterior edentulous region. *Maxillofac Plast Reconstr Surg* 2016;38(1):31. [Abstract](#)
417. Wu Y, Xiao P, Xu A, He F. Radiographic assessment of deproteinized bovine bone mineral (DBBM) and collagen-stabilized DBBM for transalveolar sinus floor elevation: A 2-year retrospective cohort study. *Clin Implant Dent Relat Res* 2022;E-pub Feb 15,doi:10.1111/cid.13070:1-12. [Abstract](#)
418. Yan C, Ye L, Zhen J, Ke L, Gang L. Neuroplasticity of edentulous patients with implant-supported full dentures. *Eur J Oral Sci* 2008;116(5):387-93. [Abstract](#)
419. Yang Y, Liu Z, Wei L, Taylor TD, Xiao H. Prosthodontic rehabilitation of a patient with hypophosphatasia using dental implants: A case report with seven years follow-up. *J Prosthodont* 2021;E-pub Aug 29, doi:10.1111/jopr.13419. [Abstract](#)
420. Yao KT, Chen CS, Cheng CK, Fang HW, Huang CH, Kao HC, Hsu ML. Optimization of the conical angle design in conical implant-abutment connections: A pilot study based on the finite element method. *J Oral Implantol* 2018;44(1):26-35. [Abstract](#)
421. Young-Kyu S, Chong-Hyun H, Seong-Joo H, Kim S, Heoung-Jae C. Radiographic evaluation of marginal bone level around implants with different neck designs after 1 year. *Int J Oral Maxillofac Implants* 2006;21(5):789-94. [Abstract](#)
422. Yu H, Qiu L. Analysis of fractured dental implant body from five different implant systems: a long-term retrospective study. *Int J Oral Maxillofac Surg* 2022;E pub May 10, doi:10.1016/j.ijom.2022.04.010:1-7. [Abstract](#)
423. Yuce MO, Adali E, Turk G, Isik G, Gunbay T. Three-dimensional bone grafting in dental implantology using autogenous bone ring transplant: Clinical outcomes of a one-stage technique. *Niger J Clin Pract* 2019;22(7):977-81. [Abstract](#)
424. Yunus N, Saub R, Taiyeb Ali TB, Salleh NM, Baig MR. Patient-based and clinical outcomes of implant telescopic attachment-retained mandibular overdentures: a 1-year longitudinal prospective study. *Int J Oral Maxillofac Implants* 2014;29(5):1149-56. [Abstract](#)
425. Zabler S, Rack T, Rack A, Nelson K. Quantitative studies on inner interfaces in conical metal joints using hard x-ray inline phase contrast radiography. *Rev Sci Instrum* 2010;81(10):103703. [Abstract](#)
426. Zabler S, Rack T, Rack A, Nelson K. Fatigue induced deformation of taper connections in dental titanium implants. *International Journal of Materials Research* 2012;103(2):207-16. [Abstract](#)
427. Zeren KJ. Use of bone morphogenetic protein-2 in molar extraction sockets for immediate implant placement: A prospective case series. *Int J Periodontics Restorative Dent* 2018;38(1):87-93. [Abstract](#)

428. Zhang RG, Hannak WB, Roggensack M, Freesmeyer WB. Retentive characteristics of Ankylos SynCone conical crown system over long-term use in vitro. *Eur J Prosth Rest Dent* 2008;16(2):61-6. [Abstract](#)
429. Zhou Y, Gao J, Sheng M, Qi W, Jin J, He F. Facial alveolar bone alterations and gray value changes based on cone beam computed tomography around maxillary anterior implants: A clinical retrospective study of 1-3 years. *Clin Oral Implants Res* 2020;31(5):476-87. [Abstract](#)
430. Ziebolz D, Schmalz G, Gollasch D, Eickholz P, Rinke S. Microbiological and aMMP-8 findings depending on peri-implant disease in patients undergoing supportive implant therapy. *Diagn Microbiol Infect Dis* 2017;88(1):47-52. [Abstract](#)
431. Zipprich H, Miatke S, Hmaidouch R, Lauer HC. A new experimental design for bacterial microleakage investigation at the implant-abutment interface: an in vitro study. *Int J Oral Maxillofac Implants* 2016;31(1):37-44. [Abstract](#)
432. Zipprich H, Weigl P, Lauer H-C, Lange B. Micro-movements at the implant-abutment interface: measurements, causes and consequences. *Implantologie* 2007;15:31-45.
433. Zipprich H, Weigl P, Ratka C, Lange B, Lauer HC. The micromechanical behavior of implant-abutment connections under a dynamic load protocol. *Clin Implant Dent Relat Res* 2018;20(5):814-23. [Abstract](#)

1.2 Astra Tech Implant Systems

1. Abaricia JO, Shah AH, Ruzga MN, Olivares-Navarrete R. Surface characteristics on commercial dental implants differentially activate macrophages in vitro and in vivo. *Clin Oral Implants Res* 2021;32(4):487-97. [Abstract](#)
2. Abdelhamed MI, Galley JD, Bailey MT, Johnston WM, Holloway J, McGlumphy E, Lelebicioglu B. A comparison of zirconia and titanium abutments for microleakage. *Clin Implant Dent Relat Res* 2015;17 Suppl 2:e643-51. [Abstract](#)
3. Abduljabbar T, Al-Hamoudi N, Al-Sowygh ZH, Alajmi M, Javed F, Vohra F. Comparison of peri-implant clinical and radiographic status around short (6 mm in length) dental implants placed in cigarette-smokers and never-smokers: Six-year follow-up results. *Clin Implant Dent Relat Res* 2018;20(1):21-25. [Abstract](#)
4. Abduo J, Judge R. Implications of implant framework misfit: An animal study on an bovine model. *J Oral Implantol* 2020;E-pub Jul 24, doi:10.1563/aaid-joi-D-19-00366. [Abstract](#)

5. Abrahamsson I, Albouy JP, Berglundh T. Healing at fluoride-modified implants placed in wide marginal defects: An experimental study in dogs. *Clin Oral Implants Res* 2008;19(2):153-59. [Abstract](#)
6. Abrahamsson I, Berglundh T. Tissue characteristics at microthreaded implants: An experimental study in dogs. *Clin Implant Dent Relat Res* 2006;8(3):107-13. [Abstract](#)
7. Abrahamsson I, Berglundh T. Effects of different implant surfaces and designs on marginal bone-level alterations: A review. *Clin Oral Implants Res* 2009;20 Suppl 4:207-15. [Abstract](#)
8. Abrahamsson I, Berglundh T, Lindhe J. Soft tissue response to plaque formation at different implant systems. A comparative study in the dog. *Clin Oral Implants Res* 1998;9(2):73-9. [Abstract](#)
9. Abrahamsson I, Berglundh T, Moon IS, Lindhe J. Peri-implant tissues at submerged and non-submerged titanium implants. *J Clin Periodontol* 1999;26(9):600-7. [Abstract](#)
10. Abrahamsson I, Berglundh T, Sekino S, Lindhe J. Tissue reactions to abutment shift: An experimental study in dogs. *Clin Implant Dent Relat Res* 2003;5(2):82-8. [Abstract](#)
11. Abrahamsson I, Berglundh T, Wennström J, Lindhe J. The peri-implant hard and soft tissues at different implant systems. A comparative study in the dog. *Clin Oral Implants Res* 1996;7(3):212-19. [Abstract](#)
12. Abrahamsson I, Carcuac O, Berglundh T. Influence of implant geometry and osteotomy design on early bone healing. A pre-clinical in-vivo study. *Clin Oral Implants Res* 2021;E-pub Aug 06, doi: 10.1111/clr.13816. [Abstract](#)
13. Abrahamsson I, Welander M, Linder E, Berglundh T. Healing at implants placed in an alveolar ridge with a sloped configuration: An experimental study in dogs. *Clin Implant Dent Relat Res* 2014;16(1):62-9. [Abstract](#)
14. Abrahamsson P, Walivaara DA, Isaksson S, Andersson G. Periosteal expansion before local bone reconstruction using a new technique for measuring soft tissue profile stability: A clinical study. *J Oral Maxillofac Surg* 2012;70(10):e521-30. [Abstract](#)
15. Abtahi J, Henefalk G, Aspenberg P. Impact of a zoledronate coating on early post-surgical implant stability and marginal bone resorption in the maxilla-A split-mouth randomized clinical trial. *Clin Oral Implants Res* 2019;30(1):49-58. [Abstract](#)
16. Abuhussein H, Pagni G, Rebaudi A, Wang HL. The effect of thread pattern upon implant osseointegration. *Clin Oral Implants Res* 2010;21(2):129-36. [Abstract](#)
17. Acocella A, Bertolai R, Sacco R. Modified insertion technique for immediate implant placement into fresh extraction socket in the first maxillary molar sites: A 3-year prospective study. *Implant Dent* 2010;19(3):220-8. [Abstract](#)
18. Acocella A, Ercoli C, Geminiani A, Feng C, Billi M, Acocella G, Giannini D, Sacco R. Clinical evaluation of immediate loading of electroeroded screw-retained titanium fixed prostheses supported by

tilted implant: A multicenter retrospective study. Clin Implant Dent Relat Res 2012;14(Suppl. 1):e98-108. [Abstract](#)

19. Adatia ND, Bayne SC, Cooper LF, Thompson JY. Fracture resistance of yttria-stabilized zirconia dental implant abutments. J Prosthodont 2009;18(1):17-22. [Abstract](#)
20. Adler L, Buhlin K, Jansson L. Survival and complications: A 9- to 15-year retrospective follow-up of dental implant therapy. J Oral Rehabil 2020;47(1):67-77. [Abstract](#)
21. Adler L, Liedholm E, Silvegren M, Modin C, Buhlin K, Jansson L. Patient satisfaction 8-14 years after dental implant therapy - a questionnaire study. Acta Odontol Scand 2016;74(5):423-9. [Abstract](#)
22. Afshari FS, Hallas MB, Knoernschild KL. An alternative approach in fabrication of fixed complete dentures using a duplicate denture. J Prosthodont 2012;21(7):569-72. [Abstract](#)
23. Aghazadeh A, Persson RG, Renvert S. Impact of bone defect morphology on the outcome of reconstructive treatment of peri-implantitis. Int J Implant Dent 2020;6(1):33. [Abstract](#)
24. Aglietta M, Siciliano VI, Zwahlen M, Bragger U, Pjetursson BE, Lang NP, Salvi GE. A systematic review of the survival and complication rates of implant supported fixed dental prostheses with cantilever extensions after an observation period of at least 5 years. Clin Oral Implants Res 2009;20(5):441-51. [Abstract](#)
25. Aguirre-Zorzano LA, Estefania-Fresco R, Telletxea O, Bravo M. Prevalence of peri-implant inflammatory disease in patients with a history of periodontal disease who receive supportive periodontal therapy. Clin Oral Implants Res 2015;26(11):1338-44. [Abstract](#)
26. Aguirre-Zorzano LA, Vallejo-Aisa FJ, Estefania-Fresco R. Supportive periodontal therapy and periodontal biotype as prognostic factors in implants placed in patients with a history of periodontitis. Med Oral Patol Oral Cir Bucal 2013;18(5):e786-92. [Abstract](#)
27. Aguirrebeitia J, Abasolo M, Vallejo J, Ansola R. Dental implants with conical implant-abutment interface: Influence of the conical angle difference on the mechanical behavior of the implant. Int J Oral Maxillofac Implants 2013;28(2):e72-82. [Abstract](#)
28. Ahn SH, Park EJ, Kim ES. Reamer-mediated transalveolar sinus floor elevation without osteotome and simultaneous implant placement in the maxillary molar area: Clinical outcomes of 391 implants in 380 patients. Clin Oral Implants Res 2012;23(7):866-72. [Abstract](#)
29. Akalin ZF, Ozkan YK, Ekerim A. Effects of implant angulation, impression material, and variation in arch curvature width on implant transfer model accuracy. Int J Oral Maxillofac Implants 2013;28(1):149-57. [Abstract](#)
30. Akca K, Cehreli MC. A photoelastic and strain-gauge analysis of interface force transmission of internal-cone implants. Int J Periodontics Restorative Dent 2008;28(4):391-9. [Abstract](#)

31. Akca K, Chang TL, Tekdemir I, Fanuscu MI. Biomechanical aspects of initial intraosseous stability and implant design: a quantitative micro-morphometric analysis. *Clin Oral Implants Res* 2006;17(4):465-72. [Abstract](#)
32. Akca K, Fanuscu MI, Caputo AA. Effect of compromised cortical bone on implant load distribution. *J Prosthodont* 2008;17(8):616-20. [Abstract](#)
33. Akoglu B, Ucankale M, Ozkan Y, Kulak-Ozkan Y. Five-year treatment outcomes with three brands of implants supporting mandibular overdentures. *Int J Oral Maxillofac Implants* 2011;26(1):188-94. [Abstract](#)
34. Al-Jadaa A, Attin T, Peltomaki T, Schmidlin PR. Comparison of three in vitro implant leakage testing methods. *Clin Oral Implants Res* 2015;26(4):e1-7. [Abstract](#)
35. Al-Johany SS, Al Amri MD, Al-Bakri AS, Al-Qarni MN. Effect of the unfilled space size of the abutment screw access hole on the extruded excess cement and retention of single implant zirconia crowns. *J Prosthodont* 2019;28(2):179-84. [Abstract](#)
36. Al-Nawas B, Gotz H. Three-dimensional topographic and metrologic evaluation of dental implants by confocal laser scanning microscopy. *Clin Implant Dent Relat Res* 2003;5(3):176-83. [Abstract](#)
37. Al-Nawas B, Kammerer PW, Morbach T, Ladwein C, Wegener J, Wagner W. Ten-year retrospective follow-up study of the TiOblast dental implant. *Clin Implant Dent Relat Res* 2012;14(1):127-34. [Abstract](#)
38. Alberto L, Kalluri L, Esquivel-Upshaw J, Duan Y. Three-dimensional finite element analysis of different connector designs for all-ceramic implant-supported fixed dental prostheses. *Ceramics* 2022;E-pub Feb 22, doi:10.3390/ceramics5010004.
39. Albouy JP, Abrahamsson I, Persson LG, Berglundh T. Spontaneous progression of peri-implantitis at different types of implants. An experimental study in dogs. I: clinical and radiographic observations. *Clin Oral Implants Res* 2008;19(10):997-1002. [Abstract](#)
40. Albouy JP, Abrahamsson I, Persson LG, Berglundh T. Spontaneous progression of ligature induced peri-implantitis at implants with different surface characteristics. An experimental study in dogs II: histological observations. *Clin Oral Implants Res* 2009;20(4):366-71. [Abstract](#)
41. Albouy JP, Abrahamsson I, Persson LG, Berglundh T. Implant surface characteristics influence the outcome of treatment of peri-implantitis: an experimental study in dogs. *J Clin Periodontol* 2011;38(1):58-64. [Abstract](#)
42. Albrektsson T, Sennerby L, Wennerberg A. State of the art of oral implants. *Periodontol* 2000 2008;47:15-26. [Abstract](#)
43. Albrektsson T, Wennerberg A. Oral implant surfaces: Part 2-review focusing on clinical knowledge of different surfaces. *Int J Prosthodont* 2004;17(5):544-64. [Abstract](#)

44. Albrektsson T, Wennerberg A. Oral implant surfaces: Part 1-review focusing on topographic and chemical properties of different surfaces and in vivo responses to them. *Int J Prosthodont* 2004;17(5):536-43. [Abstract](#)
45. Albugami RA, Smith S, Hassan MA, Almas K. Trends in implant dentistry: Implant systems, complications and barriers in Riyadh, Saudi Arabia. *Dent Med Probl* 2019;56(3):223-30. [Abstract](#)
46. Alhammadi SH, Burnside G, Milosevic A. Clinical outcomes of single implant supported crowns versus 3-unit implant-supported fixed dental prostheses in Dubai Health Authority: a retrospective study. *BMC Oral Health* 2021;21(1):171. [Abstract](#)
47. Alharbi HM, Babay N, Alzoman H, Basudan S, Anil S, Jansen JA. Bone morphology changes around two types of bone-level implants installed in fresh extraction sockets--a histomorphometric study in Beagle dogs. *Clin Oral Implants Res* 2015;26(9):1106-12. [Abstract](#)
48. Alissa R, Oliver R. Influence of prognostic risk indicators on osseointegrated dental implant failure: a matched case-control analysis. *J Oral Implantol* 2012;38(1):51-61. [Abstract](#)
49. Alissa R, Sakka S, Oliver R, Horner K, Esposito M, Worthington HV, Coulthard P. Influence of ibuprofen on bone healing around dental implants: a randomised double-blind placebo-controlled clinical study. *Eur J Oral Implantol* 2009;2(3):185-99. [Abstract](#)
50. Alkhodary MA, Ettesh AM. Early loading of short and standard-length dental implants retaining mandibular kennedy class I removable partial dentures. *Egyptian Dental Journal* 2022;68:795-806.
51. Almohandes A, Abrahamsson I, Dahlen G, Berglundh T. Effect of biofilm formation on implant abutments with an anti-bacterial coating: A pre-clinical in vivo study. *Clin Oral Implants Res* 2021;32(6):756-66. [Abstract](#)
52. Alsabeeha N, Payne AG, De Silva RK, Swain MV. Mandibular single-implant overdentures: a review with surgical and prosthodontic perspectives of a novel approach. *Clin Oral Implants Res* 2009;20(4):356-65. [Abstract](#)
53. Anadioti E, Gates WD, 3rd, Elpers J, De Kok IJ, Cooper LF. Retrospective cohort analysis of maxillary overdentures retained by unsplinted implants. *J Prosthet Dent* 2019;122(3):301-08 e1. [Abstract](#)
54. Andrade CX, Quirynen M, Rosenberg DR, Pinto NR. Interaction between different implant surfaces and liquid fibrinogen: A pilot in vitro experiment. *Biomed Res Int* 2021;2021:9996071. [Abstract](#)
55. Antalainen AK, Helminen M, Forss H, Sandor GK, Wolff J. Assessment of removed dental implants in Finland from 1994 to 2012. *Int J Oral Maxillofac Implants* 2013;28(6):1612-8. [Abstract](#)
56. Antunes AA, Oliveira Neto P, de Santis E, Caneva M, Botticelli D, Salata LA. Comparisons between Bio-Oss((R)) and Straumann((R)) Bone Ceramic in immediate and staged implant placement in dogs mandible bone defects. *Clin Oral Implants Res* 2013;24(2):135-42. [Abstract](#)

57. Apicella D, Veltri M, Balleri P, Apicella A, Ferrari M. Influence of abutment material on the fracture strength and failure modes of abutment-fixture assemblies when loaded in a bio-faithful simulation. *Clin Oral Implants Res* 2011;22(2):182-8. [Abstract](#)
58. Apicella D, Veltri M, Chieffi N, Balleri P, Ferrari M. Cement thickness at implant-supported single-tooth Lava assemblies: a scanning electron microscopic investigation. *Clin Oral Implants Res* 2010;21(7):747-50. [Abstract](#)
59. Apicella D, Veltri M, Chieffi N, Polimeni A, Giovannetti A, Ferrari M. Implant adaptation of stock abutments versus CAD/CAM abutments: a radiographic and Scanning Electron Microscopy study. *Ann Stomatol (Roma)* 2010;1(3-4):9-13. [Abstract](#)
60. Arora H, Ivanovski S. Correlation between pre-operative buccal bone thickness and soft tissue changes around immediately placed and restored implants in the maxillary anterior region: A 2-year prospective study. *Clin Oral Implants Res* 2017;28(10):1188-94. [Abstract](#)
61. Arora H, Ivanovski S. Clinical and aesthetic outcomes of immediately placed single-tooth implants with immediate vs. delayed restoration in the anterior maxilla: A retrospective cohort study. *Clin Oral Implants Res* 2018;29:346-52. [Abstract](#)
62. Arora H, Ivanovski S. Ten year clinical and aesthetic outcomes of an immediately placed and restored implant in the anterior maxilla: A case report. *Prosthesis* 2021;3:129-36. [Abstract](#)
63. Arora H, Khzam N, Roberts D, Bruce WL, Ivanovski S. Immediate implant placement and restoration in the anterior maxilla: Tissue dimensional changes after 2-5 year follow up. *Clin Implant Dent Relat Res* 2017;19(4):694-702. [Abstract](#)
64. Arunyanak SP, Sophon N, Tangsathian T, Supanimitkul K, Suwanwichit T, Kungsadalpipob K. The effect of factors related to periodontal status toward peri-implantitis. *Clin Oral Implants Res* 2019;30(8):791-99. [Abstract](#)
65. Arvidson K, Bystedt H, Ericsson I. Histometric and ultrastructural studies of tissues surrounding Astra dental implants in dogs. *Int J Oral Maxillofac Implants* 1990;5(2):127-34. [Abstract](#)
66. Arvidson K, Bystedt H, Frykholm A, von Konow L, Lothigius E. A 3-year clinical study of Astra dental implants in the treatment of edentulous mandibles. *Int J Oral Maxillofac Implants* 1992;7(3):321-9. [Abstract](#)
67. Arvidson K, Bystedt H, Frykholm A, von Konow L, Lothigius E. Five-year prospective follow-up report of the Astra Tech Dental Implant System in the treatment of edentulous mandibles. *Clin Oral Implants Res* 1998;9(4):225-34. [Abstract](#)
68. Arvidsson A, Sarve H, Johansson CB. Comparing and visualizing titanium implant integration in rat bone using 2D and 3D techniques. *J Biomed Mater Res B* 2015;103(1):12-20. [Abstract](#)
69. Arvidsson A, Sater BA, Wennerberg A. The role of functional parameters for topographical characterization of bone-anchored implants. *Clin Implant Dent Relat Res* 2006;8(2):70-6. [Abstract](#)

70. Ashurko I, Blagushina N, Borodiy A, Magdalyanova M. Hard and soft tissue augmentation with single-implant restoration in the esthetic zone. *Case Rep Dent* 2021;E-pub 2021. [Abstract](#)
71. Åstrand P. Current implant systems. *The Journal of the S.D.A.* 1993;85(11-12):651-63.
72. Åstrand P, Engquist B, Dahlgren S, Engquist E, Feldmann H, Grondahl K. Astra Tech and Brånemark System implants: a prospective 5-year comparative study. Results after one year. *Clin Implant Dent Relat Res* 1999;1(1):17-26. [Abstract](#)
73. Åstrand P, Engquist B, Dahlgren S, Grondahl K, Engquist E, Feldmann H. Astra Tech and Brånemark System implants: a 5-year prospective study of marginal bone reactions. *Clin Oral Implants Res* 2004;15(4):413-20. [Abstract](#)
74. Atieh MA, Pang JK, Lian K, Wong S, Tawse-Smith A, Ma S, Duncan WJ. Predicting peri-implant disease: Chi-square automatic interaction detection (CHAID) decision tree analysis of risk indicators. *J Periodontol* 2019;90(8):834-46. [Abstract](#)
75. Atieh MA, Payne AG, Duncan WJ, Cullinan MP. Immediate restoration/loading of immediately placed single implants: is it an effective bimodal approach? *Clin Oral Implants Res* 2009;20(7):645-59. [Abstract](#)
76. Att W, Bernhart J, Strub JR. Fixed rehabilitation of the edentulous maxilla: possibilities and clinical outcome. *J Oral Maxillofac Surg* 2009;67(11 Suppl):60-73. [Abstract](#)
77. Attia S, Narberhaus C, Schaaf H, Streckbein P, Pons-Kuhnemann J, Schmitt C, Neukam FW, Howaldt HP, Bottger S. Long-term influence of platelet-rich plasma (PRP) on dental implants after maxillary augmentation: Retrospective clinical and radiological outcomes of a randomized controlled clinical trial. *J Clin Med* 2020;9(2):355. [Abstract](#)
78. Azcarate-Velazquez F, Castillo-Oyague R, Oliveros-Lopez LG, Torres-Lagares D, Martinez-Gonzalez AJ, Perez-Velasco A, Lynch CD, Gutierrez-Perez JL, Serrera-Figallo MA. Influence of bone quality on the mechanical interaction between implant and bone: A finite element analysis. *J Dent* 2019;88:103161. [Abstract](#)
79. Badr M, Coulthard P, Alissa R, Oliver R. The efficacy of platelet-rich plasma in grafted maxillae. A randomised clinical trial. *Eur J Oral Implantol* 2010;3(3):233-44. [Abstract](#)
80. Bae OY, Kim YS, Shin SY, Kim WK, Lee YK, Kim SH. Clinical outcomes of reamer- vs osteotome-mediated sinus floor elevation with simultaneous implant placement: A 2-year retrospective study. *Int J Oral Maxillofac Implants* 2015;30(4):925-30. [Abstract](#)
81. Baelum V, Ellegaard B. Implant survival in periodontally compromised patients. *J Periodontol* 2004;75(10):1404-12. [Abstract](#)
82. Baggi L, Di Girolamo M, Mirisola C, Calcaterra R. Microbiological evaluation of bacterial and mycotic seal in implant systems with different implant-abutment interfaces and closing torque values. *Implant Dent* 2013;22(4):344-50. [Abstract](#)

83. Baixe S, Fauxpoint G, Arntz Y, Etienne O. Microgap between zirconia abutments and titanium implants. *Int J Oral Maxillofac Implants* 2010;25(3):455-60. [Abstract](#)
84. Bakke M, Holm B, Gotfredsen K. Masticatory function and patient satisfaction with implant-supported mandibular overdentures: a prospective 5-year study. *Int J Prosthodont* 2002;15(6):575-81. [Abstract](#)
85. Balatsouka D, Gotfredsen K, Lindh CH, Berglundh T. The impact of nicotine on osseointegration. An experimental study in the femur and tibia of rabbits. *Clin Oral Implants Res* 2005;16(4):389-95. [Abstract](#)
86. Balleri P, Ferrari M, Veltri M. One-year outcome of implants strategically placed in the retrocanine bone triangle. *Clin Implant Dent Relat Res* 2010;12(4):324-30. [Abstract](#)
87. Balshi TJ, Wolfinger GJ, Slauch RW, Balshi SF. A retrospective comparison of implants in the pterygomaxillary region: implant placement with two-stage, single-stage, and guided surgery protocols. *Int J Oral Maxillofac Implants* 2013;28(1):184-9. [Abstract](#)
88. Barbato L, Baldi N, Gonnelli A, Duvina M, Nieri M, Tonelli P. Association of smoking habits and height of residual bone on implant survival and success rate in lateral sinus lift: A retrospective study. *J Oral Implantol* 2018;44(6):432-38. [Abstract](#)
89. Barbier L, Abeloos J, De Clercq C, Jacobs R. Peri-implant bone changes following tooth extraction, immediate placement and loading of implants in the edentulous maxilla. *Clin Oral Investig* 2012;16(4):1061-70. [Abstract](#)
90. Barewal RM, Stanford C, Weesner TC. A randomized controlled clinical trial comparing the effects of three loading protocols on dental implant stability. *Int J Oral Maxillofac Implants* 2012;27(4):945-56. [Abstract](#)
91. Barias PA, Lee DJ, Yuan JC, Sukotjo C, Campbell SD, Knoernschild KL. Retrospective analysis of dental implants placed and restored by advanced prosthodontic residents. *J Prosthodont* 2013;22(2):157-63. [Abstract](#)
92. Barrero CH, Bencharit S, Petrola F. Case report: Screw-retained zirconia implant restoration. *J Oral Implantol* 2016;42(4):359-62. [Abstract](#)
93. Barwacz C, Hernandez MM. Direct extrinsic characterization maximizing esthetics of fixed interim restorations. *J Cosmetic Dentistry* 2013;29(1):122-31.
94. Barwacz CA, Brogden KA, Stanford CM, Dawson DV, Recker EN, Blanchette D. Comparison of pro-inflammatory cytokines and bone metabolism mediators around titanium and zirconia dental implant abutments following a minimum of 6 months of clinical function. *Clin Oral Implants Res* 2015;26(4):e35-41. [Abstract](#)
95. Barwacz CA, Shah KC, Bittner N, Parker W, Neumeier TT, Thalji GN, De Kok IJ. A retrospective, multicenter, cross-sectional case series study evaluating outcomes of CAD/CAM abutments on

- implants from four manufacturers: 4-Year mean follow-up. *Int J Oral Maxillofac Implants* 2021;36(5):966-76. [Abstract](#)
96. Barwacz CA, Stanford CM, Diehl UA, Cooper LF, Feine J, McGuire M, Scheyer ET. Pink esthetic score outcomes around three implant-abutment configurations: 3-year results. *Int J Oral Maxillofac Implants* 2018;33(5):1126-35. [Abstract](#)
97. Barwacz CA, Stanford CM, Diehl UA, Qian F, Cooper LF, Feine J, McGuire M. Electronic assessment of peri-implant mucosal esthetics around three implant-abutment configurations: a randomized clinical trial. *Clin Oral Implants Res* 2016;27(6):707-15. [Abstract](#)
98. Bashutski JD, Wang HL, Rudek I, Moreno I, Koticha T, Oh TJ. Effect of flapless surgery on single-tooth implants in the esthetic zone: a randomized clinical trial. *J Periodontol* 2013;84(12):1747-54. [Abstract](#)
99. Basler T, Naenni N, Schneider D, Hammerle CHF, Jung RE, Thoma DS. Randomized controlled clinical study assessing two membranes for guided bone regeneration of peri-implant bone defects: 3-year results. *Clin Oral Implants Res* 2018;29(5):499-507. [Abstract](#)
100. Bateli M, Att W, Strub JR. Implant neck configurations for preservation of marginal bone level: a systematic review. *Int J Oral Maxillofac Implants* 2011;26(2):290-303. [Abstract](#)
101. Bazrafshan N, Darby I. Retrospective success and survival rates of dental implants placed with simultaneous bone augmentation in partially edentulous patients. *Clin Oral Implants Res* 2014;25(7):768-73. [Abstract](#)
102. Becktor JP, Hallström H, Isaksson S, Sennerby L. The use of particulate bone grafts from the mandible for maxillary sinus floor augmentation before placement of surface-modified implants: results from bone grafting to delivery of the final fixed prosthesis. *J Oral Maxillofac Surg* 2008;66(4):780-6. [Abstract](#)
103. Bencharit S, Misiek DJ, Simon LA, Malone-Trahey A. Full mouth rehabilitation with dental implants for a patient with skeletal class III malocclusion: A case report. *J Oral Implantol* 2012;38(1):63-70. [Abstract](#)
104. Bencharit S, Reside GJ, Howard-Williams EL. Complex prosthodontic treatment with dental implants for a patient with polymyalgia rheumatica: a clinical report. *Int J Oral Maxillofac Implants* 2010;25(6):1241-5. [Abstract](#)
105. Bencharit S, Schardt-Sacco D, Border MB, Barbaro CP. Full mouth rehabilitation with implant-supported prostheses for severe periodontitis: a case report. *Open Dent J* 2010;4:165-71. [Abstract](#)
106. Benic GI, Thoma DS, Jung RE, Sanz IM, Unger S, Cantalapiedra A, Hammerle CH. Guided bone regeneration with particulate vs. block xenogenic bone substitutes: a pilot cone beam computed tomographic investigation. *Clin Oral Implants Res* 2017;28(11):e262-e70. [Abstract](#)

107. Benic GI, Thoma DS, Munoz F, Sanz Martin I, Jung RE, Hammerle CH. Guided bone regeneration of peri-implant defects with particulated and block xenogenic bone substitutes. *Clin Oral Implants Res* 2016;27(5):567-76. [Abstract](#)
108. Benic GI, Thoma DS, Sanz-Martin I, Munoz F, Hammerle CHF, Cantalapiedra A, Fischer J, Jung RE. Guided bone regeneration at zirconia and titanium dental implants: a pilot histological investigation. *Clin Oral Implants Res* 2017;28(12):1592-99. [Abstract](#)
109. Berberi A, Maroun D, Kanj W, Amine EZ, Philippe A. Micromovement evaluation of original and compatible abutments at the implant-abutment interface. *J Contemp Dent Pract* 2016;17(11):907-13. [Abstract](#)
110. Berberi A, Tehini G, Hjeij B, Aound G. Evaluation of marginal and internal fit at implant-abutment interface of original and compatible nonoriginal abutments. *Journal of Long-Term Effects of Medical Implants* 2022;E-pub March 7, doi:10.1615/JLongTermEffMedImplants.2022040297:1-18.
111. Berberi A, Tehini G, Rifai K, Bou Nasser Eddine F, Badran B, Akl H. Leakage evaluation of original and compatible implant-abutment connections: In vitro study using Rhodamine B. *J Dent Biomech* 2014;5:1-7. [Abstract](#)
112. Berberi A, Tehini G, Rifai K, Bou Nasser Eddine F, El Zein N, Badran B, Akl H. In vitro evaluation of leakage at implant-abutment connection of three implant systems having the same prosthetic interface using rhodamine B. *Int J Dent* 2014;2014:351263. [Abstract](#)
113. Berberi A, Tehini G, Tabaja Z, Kobaissi A, Hamze K, Rifai K, Ezzedine M, Badran B, Chokr A. Determination of inner implant's volumes: a pilot study for microleakage quantification by stereomicroscopy and spectrophotometry. *J Contemp Dent Pract* 2013;14(6):1122-30. [Abstract](#)
114. Berberi AN. Comparison of bone levels around immediately loaded single implants placed in healed or freshly extracted sites in the esthetic anterior maxilla: A 10-year prospective study. *Int J Oral Maxillofac Implants* 2021;36(5):1016-23. [Abstract](#)
115. Berberi AN, Noujeim ZN, Kanj WH, Mearawi RJ, Salameh ZA. Immediate placement and loading of maxillary single-tooth implants: a 3-year prospective study of marginal bone level. *J Contemp Dent Pract* 2014;15(2):202-8. [Abstract](#)
116. Berberi AN, Sabbagh JM, Aboushelib MN, Noujeim ZF, Salameh ZA. A 5-year comparison of marginal bone level following immediate loading of single-tooth implants placed in healed alveolar ridges and extraction sockets in the maxilla. *Front Physiol* 2014;5:29. [Abstract](#)
117. Berberi AN, Tehini GE, Noujeim ZF, Khairallah AA, Abousehlib MN, Salameh ZA. Influence of surgical and prosthetic techniques on marginal bone loss around titanium implants. Part I: immediate loading in fresh extraction sockets. *J Prosthodont* 2014;23(7):521-7. [Abstract](#)
118. Berglundh J, Romandini M, Derks J, Sanz M, Berglundh T. Clinical findings and history of bone loss at implant sites. *Clin Oral Implants Res* 2021;32(3):314-23. [Abstract](#)

119. Berglundh T, Abrahamsson I, Albouy JP, Lindhe J. Bone healing at implants with a fluoride-modified surface: an experimental study in dogs. *Clin Oral Implants Res* 2007;18(2):147-52. [Abstract](#)
120. Berglundh T, Abrahamsson I, Lindhe J. Bone reactions to longstanding functional load at implants: an experimental study in dogs. *J Clin Periodontol* 2005;32(9):925-32. [Abstract](#)
121. Berglundh T, Persson L, Klinge B. A systematic review of the incidence of biological and technical complications in implant dentistry reported in prospective longitudinal studies of at least 5 years. *J Clin Periodontol* 2002;29 Suppl 3:197-212; discussion 32-3. [Abstract](#)
122. Berglundh T, Wennstrom JL, Lindhe J. Long-term outcome of surgical treatment of peri-implantitis. A 2-11-year retrospective study. *Clin Oral Implants Res* 2018;29(4):404-10. [Abstract](#)
123. Bernard L, Vercruyssen M, Duyck J, Jacobs R, Teughels W, Quirynen M. A randomized controlled clinical trial comparing guided with nonguided implant placement: A 3-year follow-up of implant-centered outcomes. *J Prosthet Dent* 2019;121(6):904-10. [Abstract](#)
124. Bernhart G, Koob A, Schmitter M, Gabbert O, Stober T, Rammelsberg P. Clinical success of implant-supported and tooth-implant-supported double crown-retained dentures. *Clin Oral Investig* 2012;16(4):1031-7. [Abstract](#)
125. Bhatavadekar NB, Hu J, Keys K, Ofek G, Athanasiou KA. Novel application of cytodetachment technology to the analysis of dental implant surfaces. *Int J Oral Maxillofac Implants* 2011;26(5):985-90. [Abstract](#)
126. Bidra AS. Surgical and prosthodontic consequences of inadequate treatment planning for fixed implant-supported prosthesis in the edentulous mandible. *J Oral Maxillofac Surg* 2010;68(10):2528-36. [Abstract](#)
127. Bidra AS, Hofstede TM, Skoracki RJ, Jacob RF. Maxillofacial rehabilitation of a 7-year-old boy with osteosarcoma of the mandible using a free fibula flap and implant-supported prosthesis: a clinical report. *J Prosthet Dent* 2009;102(6):348-53. [Abstract](#)
128. Bidra AS, Montgomery PC, Jacob RF. Maxillofacial rehabilitation of a microstomic patient after resection of nose, lip, and maxilla. *J Oral Maxillofac Surg* 2010;68(10):2513-9. [Abstract](#)
129. Bidra AS, Shaqman M. Treatment planning and sequence for implant therapy in a young adult with generalized aggressive periodontitis. *J Oral Implantol* 2012;38(4):405-15. [Abstract](#)
130. Bidra AS, Uribe F. Preprosthetic orthodontic intervention for management of a partially edentulous patient with generalized wear and malocclusion. *J Esthet Restor Dent* 2012;24(2):88-100. [Abstract](#)
131. Bienz SP, Payer M, Hjerppe J, Husler J, Jakse N, Schmidlin PR, Hammerle CHF, Jung RE, Thoma DS. Primary bone augmentation leads to equally stable marginal tissue conditions comparing the use of xenograft blocks infused with BMP-2 and autogenous bone blocks: A 3D analysis after 3 years. *Clin Oral Implants Res* 2021;E-pub Sep 21, doi:10.1111/clr.13843:1-11. [Abstract](#)

132. Bilhan H, Geckili O, Mumcu E. The use of definitive implant abutments for the fabrication of provisional crowns: a case series. *J Periodontal Implant Sci* 2011;41(5):248-52. [Abstract](#)
133. Bilhan H, Geckili O, Mumcu E, Bozdog E, Sunbuloglu E, Kutay O. Influence of surgical technique, implant shape and diameter on the primary stability in cancellous bone. *J Oral Rehabil* 2010;37(12):900-7. [Abstract](#)
134. Bilhan H, Geckili O, Sulun T, Bilgin T. A quality-of-life comparison between self-aligning and ball attachment systems for 2-implant-retained mandibular overdentures. *J Oral Implantol* 2011;37 Spec No(sp1):167-73. [Abstract](#)
135. Bilhan H, Kutay O, Arat S, Cekici A, Cehreli MC. Astra Tech, Brånemark, and ITI Implants in the rehabilitation of partial edentulism: Two-year results. *Implant Dent* 2010;19(5):437-46. [Abstract](#)
136. Bilhan H, Mumcu E, Erol S, Kutay O. Influence of platform-switching on marginal bone levels for implants with mandibular overdentures: a retrospective clinical study. *Implant Dent* 2010;19(3):250-8. [Abstract](#)
137. Bilhan H, Mumcu E, Geckili O, Atalay B. The evaluation of the success of immediately placed single implants: a retrospective clinical study. *Implant Dent* 2011;20(3):215-25. [Abstract](#)
138. Bilhan H, Sonmez E, Mumcu E, Bilgin T. Immediate loading: three cases with up to 38 months of clinical follow-up. *J Oral Implantol* 2009;35(2):75-81. [Abstract](#)
139. Biyani R, Ali M, Belles D, Powers JM. Effect of metal extension of crown in the screw access channel of a posterior implant abutment on the retention of cement retained prosthesis. *J Oral Implantol* 2015;41(5):537-41. [Abstract](#)
140. Blum K, Wiest W, Fella C, Balles A, Dittmann J, Rack A, Maier D, Thomann R, Spies BC, Kohal RJ, Zabler S, Nelson K. Fatigue induced changes in conical implant-abutment connections. *Dent Mater* 2015;31(11):1415-26. [Abstract](#)
141. Bompolaki D, Edmondson SA, Katancik JA, Kamposiora P, Papavasiliou G. Clinical and patient-reported outcomes of single posterior implant-supported restorations completed by predoctoral students: A retrospective study with up to 10 years of follow up. *J Prosthodont* 2021;30(2):111-18. [Abstract](#)
142. Bompolaki D, Punj A, Fellows C, Truong C, Ferracane JL. Clinical performance of CAD/CAM monolithic lithium disilicate implant-supported single crowns using solid or predrilled blocks in a fully digital workflow: A retrospective cohort study with up to 33 months of follow up. *J Prosthodont* 2021;E-pub Apr 12, doi: 10.1111/jopr.13364. [Abstract](#)
143. Borges T, Lima T, Carvalho A, Dourado C, Carvalho V. The influence of customized abutments and custom metal abutments on the presence of the interproximal papilla at implants inserted in single-unit gaps: a 1-year prospective clinical study. *Clin Oral Implants Res* 2014;25(11):1222-7. [Abstract](#)

144. Borges T, Lima T, Carvalho AC, Carvalho V. Clinical outcome of inter-proximal papilla between a tooth and a single implant treated with CAD/CAM abutments: a cross-sectional study. *J Oral Maxillofac Res* 2012;3(3). [Abstract](#)
145. Bormann KH, Suarez-Cunqueiro MM, von See C, Kokemuller H, Schumann P, Gellrich NC. Sandwich osteotomy for vertical and transversal augmentation of the posterior mandible. *Int J Oral Maxillofac Surg* 2010;39(6):554-60. [Abstract](#)
146. Bormann KH, Suarez-Cunqueiro MM, von See C, Tavassol F, Dissmann JP, Ruecker M, Kokemueller H, Gellrich NC. Forty sandwich osteotomies in atrophic mandibles: a retrospective study. *J Oral Maxillofac Surg* 2011;69(6):1562-70. [Abstract](#)
147. Botticelli D, Perrotti V, Piattelli A, Iezzi G. Four stable and functioning dental implants retrieved for fracture after 14 and 17 years from the same Patient: A histologic and histomorphometric report. *Int J Periodontics Restorative Dent* 2019;39(1):83-88. [Abstract](#)
148. Botticelli D, Persson LG, Lindhe J, Berglundh T. Bone tissue formation adjacent to implants placed in fresh extraction sockets: an experimental study in dogs. *Clin Oral Implants Res* 2006;17(4):351-58. [Abstract](#)
149. Bousdras VA, Sindet-Pedersen S, Cunningham JL, Blunn G, Petrie A, Naert IE, Jaecques S, Goodship AE. Immediate functional loading of single-tooth TiO grit-blasted implant restorations: a controlled prospective study in a porcine model. Part I: Clinical outcome. *Clin Implant Dent Relat Res* 2007;9(4):197-206. [Abstract](#)
150. Bousdras VA, Walboomers F, Jansen JA, Cunningham JL, Blunn G, Petrie A, Jaecques S, Naert IE, Sindet-Pedersen S, Goodship AE. Immediate functional loading of single-tooth TiO(2) grit-blasted implant restoration. A controlled prospective study in a porcine model. Part II: Histology and histomorphometry. *Clin Implant Dent Relat Res* 2007;9(4):207-16. [Abstract](#)
151. Boven GC, Meijer HJ, Slot W, Vissink A, Raghoobar GM. Does a large dehiscent implant surface at placement affect the 5-year treatment outcome? An assessment of implants placed to support a maxillary overdenture. *J Craniomaxillofac Surg* 2015;43(9):1758-62. [Abstract](#)
152. Boven GC, Slot JWA, Raghoobar GM, Vissink A, Meijer HJA. Maxillary implant-supported overdentures opposed by (partial) natural dentitions: a 5-year prospective case series study. *J Oral Rehabil* 2017;44(12):988-95. [Abstract](#)
153. Bozini T, Petridis H, Garefis K. A meta-analysis of prosthodontic complication rates of implant-supported fixed dental prostheses in edentulous patients after an observation period of at least 5 years. *Int J Oral Maxillofac Implants* 2011;26(2):304-18. [Abstract](#)
154. Bozkaya D, Muftu S, Muftu A. Evaluation of load transfer characteristics of five different implants in compact bone at different load levels by finite elements analysis. *J Prosthet Dent* 2004;92(6):523-30. [Abstract](#)

155. Brandenberg FD, Sailer I, Fehmer V, Büchi DL, Hammerle CH, Thoma DS. Randomized controlled clinical pilot study of all-ceramic single-tooth implant reconstructions: clinical and microbiological outcomes at one year of loading. *Clin Oral Implants Res* 2017;28(4):406-13. [Abstract](#)
156. Brandt S, Lauer HC, Fehrenz M, Guth JF, Romanos G, Winter A. Ball versus locator attachments: A retrospective study on prosthetic maintenance and effect on oral-health-related quality of life. *Materials (Basel)* 2021;14(4). [Abstract](#)
157. Brandtner C, Borumandi F, Krenkel C, Gaggl A. A new technique for sandwich osteoplasty with interpositional bone grafts for fixation. *Int J Oral Maxillofac Implants* 2014;29(5):1164-9. [Abstract](#)
158. Bressan E, Paniz G, Lops D, Corazza B, Romeo E, Favero G. Influence of abutment material on the gingival color of implant-supported all-ceramic restorations: a prospective multicenter study. *Clin Oral Implants Res* 2010;22(6):631-7. [Abstract](#)
159. Bressan E, Sivoilella S, Stellini E, Almagro Urrutia Z, Lang NP, Botticelli D. Healing of buccal dehiscence defects at implants installed immediately into extraction sockets - an experimental study in dogs. *Clin Oral Implants Res* 2013;24(3):270-7. [Abstract](#)
160. Bressan E, Sivoilella S, Urrutia ZA, Salata LA, Lang NP, Botticelli D. Short implants (6 mm) installed immediately into extraction sockets: an experimental study in dogs. *Clin Oral Implants Res* 2012;23(5):536-41. [Abstract](#)
161. Bressan E, Tessarolo F, Sbricoli L, Caola I, Nollo G, Di Fiore A. Effect of chlorhexidine in preventing plaque biofilm on healing abutment: a crossover controlled study. *Implant Dent* 2014;23(1):64-8. [Abstract](#)
162. Bressan E, Tomasi C, Stellini E, Sivoilella S, Favero G, Berglundh T. Implant-supported mandibular overdentures: a cross-sectional study. *Clin Oral Implants Res* 2012;23(7):814-9. [Abstract](#)
163. Brozovic J, Demoli N, Farkas N, Susic M, Alar Z, Gabric Panduric D. Properties of axially loaded implant-abutment assemblies using digital holographic interferometry analysis. *Dent Mater* 2014;30(3):e17-27. [Abstract](#)
164. Bryington M, Mendonca G, Nares S, Cooper LF. Osteoblastic and cytokine gene expression of implant-adherent cells in humans. *Clin Oral Implants Res* 2014;25(1):52-8. [Abstract](#)
165. Büchi DL, Sailer I, Fehmer V, Hammerle CH, Thoma DS. All-ceramic single-tooth implant reconstructions using modified zirconia abutments: a prospective randomized controlled clinical trial of the effect of pink veneering ceramic on the esthetic outcomes. *Int J Periodontics Restorative Dent* 2014;34(1):29-37. [Abstract](#)
166. Buhara O, Uyanik LO, Ayali A, Aydin M. Active implant periapical lesions leading to implant failure: two case reports. *J Oral Implantol* 2014;40(3):325-9. [Abstract](#)
167. Bulat S, Butsan S, Salikhov K, Abramian S, Arsenidze A. Free fibula flap for reconstruction of the severely atrophic mandible: a retrospective study. *Int J Oral Maxillofac Surg* 2021;50(4):546-54. [Abstract](#)

168. Butkevica A, Nathanson D, Pober R, Strating H. Measurements of repeated tightening and loosening torque of seven different implant/abutment connection designs and their modifications: An in vitro study. *J Prosthodont* 2018;27(2):153-61. [Abstract](#)
169. Bystedt H, Rasmusson L. Porous titanium granules used as osteoconductive material for sinus floor augmentation: a clinical pilot study. *Clin Implant Dent Relat Res* 2009;11(2):101-5. [Abstract](#)
170. Caban J, Fermergard R, Abtahi J. Long-term evaluation of osteotome sinus floor elevation and simultaneous placement of implants without bone grafts: 10-Year radiographic and clinical follow-up. *Clin Implant Dent Relat Res* 2017;19(6):1023-33. [Abstract](#)
171. Caglar A, Bal BT, Karakoca S, Aydin C, Yilmaz H, Sarisoy S. Three-dimensional finite element analysis of titanium and yttrium-stabilized zirconium dioxide abutments and implants. *Int J Oral Maxillofac Implants* 2011;26(5):961-9. [Abstract](#)
172. Cairo F, Barbato L, Tonelli P, Batalocco G, Pagavino G, Nieri M. Xenogeneic collagen matrix versus connective tissue graft for buccal soft tissue augmentation at implant site. A randomized, controlled clinical trial. *J Clin Periodontol* 2017;44(7):769-76. [Abstract](#)
173. Cairo F, Nieri M, Cavalcanti R, Landi L, Rupe A, Sforza NM, Pace R, Barbato L. Marginal soft tissue recession after lateral guided bone regeneration at implant site: A long-term study with at least 5 years of loading. *Clin Oral Implants Res* 2020;31(11):1116-24. [Abstract](#)
174. Cakarer S, Selvi F, Can T, Kirli I, Palancioglu A, Keskin B, Yaltirik M, Keskin C. Investigation of the risk factors associated with the survival rate of dental implants. *Implant Dent* 2014;23(3):328-33. [Abstract](#)
175. Cakir O, Kazancioglu HO, Celik G, Deger S, Ak G. Evaluation of the efficacy of mandibular conventional and implant prostheses in a group of Turkish patients: a quality of life study. *J Prosthodont* 2014;23(5):390-6. [Abstract](#)
176. Calderini A, Maiorana C, Garlini G, Abbondanza T. A simplified method to assess precision of fit between framework and supporting implants: a preliminary study. *Int J Oral Maxillofac Implants* 2007;22(5):831-8. [Abstract](#)
177. Camps-Font O, Martin-Fatas P, Cle-Ovejero A, Figueiredo R, Gay-Escoda C, Valmaseda-Castellon E. Postoperative infections after dental implant placement: Variables associated with increased risk of failure. *J Periodontol* 2018;89(10):1165-73. [Abstract](#)
178. Canullo L, Penarrocha-Oltra D, Covani U, Botticelli D, Serino G, Penarrocha M. Clinical and microbiological findings in patients with peri-implantitis: a cross-sectional study. *Clin Oral Implants Res* 2016;27(3):376-82. [Abstract](#)
179. Canullo L, Penarrocha-Oltra D, Soldini C, Mazzocco F, Penarrocha M, Covani U. Microbiological assessment of the implant-abutment interface in different connections: cross-sectional study after 5 years of functional loading. *Clin Oral Implants Res* 2015;26(4):426-34. [Abstract](#)

180. Capecchi M, Buongiorno V, Romagnoli A, Parri SN, Guiducci GM, Bressan E. Severe descending mediastinitis after routine dental implant surgery: a case report. *Eur J Oral Implantol* 2012;5(4):389-96. [Abstract](#)
181. Carbiner R, Jerjes W, Shakib K, Giannoudis PV, Hopper C. Analysis of the compatibility of dental implant systems in fibula free flap reconstruction. *Head Neck Oncol* 2012;4:37. [Abstract](#)
182. Carcuac O, Abrahamsson I, Charalampakis G, Berglundh T. The effect of the local use of chlorhexidine in surgical treatment of experimental peri-implantitis in dogs. *J Clin Periodontol* 2015;42(2):196-203. [Abstract](#)
183. Carcuac O, Abrahamsson I, Derks J, Petzold M, Berglundh T. Spontaneous progression of experimental peri-implantitis in augmented and pristine bone: A pre-clinical in vivo study. *Clin Oral Implants Res* 2020;31(2):192-200. [Abstract](#)
184. Carcuac O, Derks J, Abrahamsson I, Wennstrom JL, Petzold M, Berglundh T. Surgical treatment of peri-implantitis: 3-year results from a randomized controlled clinical trial. *J Clin Periodontol* 2017;44(12):1294-303. [Abstract](#)
185. Carcuac O, Derks J, Charalampakis G, Abrahamsson I, Wennstrom J, Berglundh T. Adjunctive systemic and local antimicrobial therapy in the surgical treatment of peri-implantitis: a randomized controlled clinical trial. *J Dent Res* 2016;95(1):50-7. [Abstract](#)
186. Carlos LV, N CC, Sm Karina L, B KS, P EC, L GO. Comparative study of bacterial microfiltration in the implant-abutment interface, with straight and conical internal connections, in vitro. *Clin Exp Dent Res* 2021;E-pub Jun 28, doi:10.1002/cre2.439. [Abstract](#)
187. Carmagnola D, Araujo M, Berglundh T, Albrektsson T, Lindhe J. Bone tissue reaction around implants placed in a compromised jaw. *J Clin Periodontol* 1999;26(10):629-35. [Abstract](#)
188. Carmagnola D, Berglundh T, Araujo M, Albrektsson T, Lindhe J. Bone healing around implants placed in a jaw defect augmented with Bio-Oss. An experimental study in dogs. *J Clin Periodontol* 2000;27(11):799-805. [Abstract](#)
189. Carnaggio TV, Conrad R, Engelmeier RL, Gerngross P, Paravina R, Perezous L, Powers JM. Retention of CAD/CAM all-ceramic crowns on prefabricated implant abutments: an in vitro comparative study of luting agents and abutment surface area. *J Prosthodont* 2012;21(7):523-8. [Abstract](#)
190. Castro GL, Gallas M, Nunez IR, Borrajo JL, Alvarez JC, Varela LG. Scanning electron microscopic analysis of diode laser-treated titanium implant surfaces. *Photomed Laser Surg* 2007;25(2):124-8. [Abstract](#)
191. Cavalcanti R, Oreglia F, Manfredonia MF, Gianserra R, Esposito M. The influence of smoking on the survival of dental implants: a 5-year pragmatic multicentre retrospective cohort study of 1727 patients. *Eur J Oral Implantol* 2011;4(1):39-45. [Abstract](#)
192. Cecchinato D, Bengazi F, Blasi G, Botticelli D, Cardarelli I, Gualini F. Bone level alterations at implants placed in the posterior segments of the dentition: outcome of submerged/non-

- submerged healing. A 5-year multicenter, randomized, controlled clinical trial. *Clin Oral Implants Res* 2008;19(4):429-31. [Abstract](#)
193. Cecchinato D, Bressan EA, Toia M, Araujo MG, Liljenberg B, Lindhe J. Osseointegration in periodontitis susceptible individuals. *Clin Oral Implants Res* 2012;23(1):1-4. [Abstract](#)
194. Cecchinato D, Lops D, Salvi GE, Sanz M. A prospective, randomized, controlled study using OsseoSpeed implants placed in maxillary fresh extraction socket: soft tissues response. *Clin Oral Implants Res* 2015;26(1):20-7. [Abstract](#)
195. Cecchinato D, Marino M, Lindhe J. Bone loss at implants and teeth in the same segment of the dentition in partially dentate subjects. *Clin Oral Implants Res* 2017;28(5):626-30. [Abstract](#)
196. Cecchinato D, Marino M, Toia M, Cecchinato F, Lindhe J. Bone loss at implants and teeth in the same inter-proximal unit: A radiographic study. *Clin Oral Implants Res* 2018;29(4):375-80. [Abstract](#)
197. Cecchinato D, Olsson C, Lindhe J. Submerged or non-submerged healing of endosseous implants to be used in the rehabilitation of partially dentate patients. *J Clin Periodontol* 2004;31(4):299-308. [Abstract](#)
198. Cecchinato D, Parpaiola A, Lindhe J. A cross-sectional study on the prevalence of marginal bone loss among implant patients. *Clin Oral Implants Res* 2013;24(1):87-90. [Abstract](#)
199. Cecchinato D, Parpaiola A, Lindhe J. Mucosal inflammation and incidence of crestal bone loss among implant patients: a 10-year study. *Clin Oral Implants Res* 2014;25(7):791-6. [Abstract](#)
200. Cehreli M, Duyck J, De Cooman M, Puers R, Naert I. Implant design and interface force transfer. A photoelastic and strain-gauge analysis. *Clin Oral Implants Res* 2004;15(2):249-57. [Abstract](#)
201. Cehreli MC, Karasoy D, Akca K, Eckert SE. Meta-analysis of methods used to assess implant stability. *Int J Oral Maxillofac Implants* 2009;24(6):1015-32. [Abstract](#)
202. Cehreli MC, Karasoy D, Kokat AM, Akca K, Eckert S. A systematic review of marginal bone loss around implants retaining or supporting overdentures. *Int J Oral Maxillofac Implants* 2010;25(2):266-77. [Abstract](#)
203. Cehreli MC, Karasoy D, Kokat AM, Akca K, Eckert SE. Systematic review of prosthetic maintenance requirements for implant-supported overdentures. *Int J Oral Maxillofac Implants* 2010;25(1):163-80. [Abstract](#)
204. Celikkin N, Mastrogiacomo S, Dou W, Heerschap A, Oosterwijk E, Walboomers XF, Swieszkowski W. In vitro and in vivo assessment of a 3D printable gelatin methacrylate hydrogel for bone regeneration applications. *J Biomed Mater Res B Appl Biomater* 2022;E pub Apr 6, doi:10.1002/jbm.b.35067. [Abstract](#)

205. Ch'ng S, Skoracki RJ, Selber JC, Yu P, Martin JW, Hofstede TM, Chambers MS, Liu J, Hanasono MM. Osseointegrated implant-based dental rehabilitation in head and neck reconstruction patients. *Head Neck* 2016;38 Suppl 1:E321-7. [Abstract](#)
206. Cha HS, Kim YS, Jeon JH, Lee JH. Cumulative survival rate and complication rates of single-tooth implant; focused on the coronal fracture of fixture in the internal connection implant. *J Oral Rehabil* 2013;40(8):595-602. [Abstract](#)
207. Cha JK, Kim C, Pae HC, Lee JS, Jung UW, Choi SH. Maxillary sinus augmentation using biphasic calcium phosphate: dimensional stability results after 3-6 years. *J Periodontal Implant Sci* 2019;49(1):47-57. [Abstract](#)
208. Chae SW, Kim YS, Lee YM, Kim WK, Lee YK, Kim SH. Complication incidence of two implant systems up to six years: a comparison between internal and external connection implants. *J Periodontal Implant Sci* 2015;45(1):23-9. [Abstract](#)
209. Chaffee NR, Felton DA, Cooper LF, Palmqvist U, Smith R. Prosthetic complications in an implant-retained mandibular overdenture population: initial analysis of a prospective study. *J Prosthet Dent* 2002;87(1):40-4. [Abstract](#)
210. Chang M, Wennstrom JL. Bone alterations at implant-supported FDPs in relation to inter-unit distances: a 5-year radiographic study. *Clin Oral Implants Res* 2010;21(7):735-40. [Abstract](#)
211. Chang M, Wennström JL. Longitudinal changes in tooth/single-implant relationship and bone topography: an 8-year retrospective analysis. *Clin Implant Dent Relat Res* 2012;14(3):388-94. [Abstract](#)
212. Chang M, Wennstrom JL. Soft tissue topography and dimensions lateral to single implant-supported restorations. a cross-sectional study. *Clin Oral Implants Res* 2013;24(5):556-62. [Abstract](#)
213. Chao YL, Chen HH, Mei CC, Tu YK, Lu HK. Meta-regression analysis of the initial bone height for predicting implant survival rates of two sinus elevation procedures. *J Clin Periodontol* 2010;37:456-65. [Abstract](#)
214. Charalampakis G, Leonhardt A, Rabe P, Dahlen G. Clinical and microbiological characteristics of peri-implantitis cases: a retrospective multicentre study. *Clin Oral Implants Res* 2012;23(9):1045-54. [Abstract](#)
215. Charalampakis G, Ramberg P, Dahlen G, Berglundh T, Abrahamsson I. Effect of cleansing of biofilm formed on titanium discs. *Clin Oral Implants Res* 2015;26(8):931-6. [Abstract](#)
216. Chiapasco M, Colletti G, Coggiola A, Di Martino G, Anello T, Romeo E. Clinical outcome of the use of fresh frozen allogeneic bone grafts for the reconstruction of severely resorbed alveolar ridges: preliminary results of a prospective study. *Int J Oral Maxillofac Implants* 2015;30(2):450-60. [Abstract](#)

217. Chiapasco M, Di Martino G, Anello T, Zaniboni M, Romeo E. Fresh frozen versus autogenous iliac bone for the rehabilitation of the extremely atrophic maxilla with onlay grafts and endosseous implants: preliminary results of a prospective comparative study. *Clin Implant Dent Relat Res* 2015;17 Suppl 1:e251-66. [Abstract](#)
218. Chiapasco M, Palombo D. Sinus grafting and simultaneous removal of large antral pseudocysts of the maxillary sinus with a micro-invasive intraoral access. *Int J Oral Maxillofac Surg* 2015;44(12):1499-505. [Abstract](#)
219. Choi JH. The effect of different screw-tightening techniques on the strain generated on an internal-connection implant superstructure. Part 2: Models created with a splinted impression technique. *Int J Oral Maxillofac Implants* 2011;26(5):1016-23. [Abstract](#)
220. Choi JH, Lim YJ, Kim CW, Kim MJ. The effect of different screw-tightening techniques on the stress generated on an internal-connection implant superstructure. *Int J Oral Maxillofac Implants* 2009;24(6):1045-53. [Abstract](#)
221. Choi JH, Lim YJ, Yim SH, Kim CW. Evaluation of the accuracy of implant-level impression techniques for internal-connection implant prostheses in parallel and divergent models. *Int J Oral Maxillofac Implants* 2007;22(5):761-8. [Abstract](#)
222. Choi JY, Kang SH, Kim HY, Yeo IL. Control variable implants improve interpretation of surface modification and implant design effects on early bone responses: An in vivo study. *Int J Oral Maxillofac Implants* 2018;33(5):1033-40. [Abstract](#)
223. Choi JY, Lee HJ, Jang JU, Yeo IS. Comparison between bioactive fluoride modified and bioinert anodically oxidized implant surfaces in early bone response using rabbit tibia model. *Implant Dent* 2012;21(2). [Abstract](#)
224. Chrcanovic BR, Kisch J, Albrektsson T, Wennerberg A. Factors influencing early dental implant failures. *J Dent Res* 2016;95(9):995-1002. [Abstract](#)
225. Chrcanovic BR, Kisch J, Albrektsson T, Wennerberg A. Impact of different surgeons on dental implant failure. *Int J Prosthodont* 2017;30(5):445-54. [Abstract](#)
226. Chrcanovic BR, Kisch J, Albrektsson T, Wennerberg A. Intake of proton pump inhibitors is associated with an increased risk of dental implant failure. *Int J Oral Maxillofac Implants* 2017;32(5):1097-102. [Abstract](#)
227. Chrcanovic BR, Kisch J, Albrektsson T, Wennerberg A. Is the intake of selective serotonin reuptake inhibitors associated with an increased risk of dental implant failure? *Int J Oral Maxillofac Surg* 2017;46(6):782-88. [Abstract](#)
228. Chrcanovic BR, Kisch J, Albrektsson T, Wennerberg A. Factors influencing the fracture of dental implants. *Clin Implant Dent Relat Res* 2018;20(1):58-67. [Abstract](#)
229. Chrcanovic BR, Kisch J, Larsson C. Retrospective clinical evaluation of implant-supported single crowns: Mean follow-up of 15 years. *Clin Oral Implants Res* 2019;30(7):691-701. [Abstract](#)

230. Chrcanovic BR, Kisch J, Larsson C. Analysis of technical complications and risk factors for failure of combined tooth-implant-supported fixed dental prostheses. *Clin Implant Dent Relat Res* 2020;22(4):523-32. [Abstract](#)
231. Chrcanovic BR, Kisch J, Larsson C. Retrospective clinical evaluation of 2- to 6-unit implant-supported fixed partial dentures: Mean follow-up of 9 years. *Clin Implant Dent Relat Res* 2020;22(2):201-12. [Abstract](#)
232. Chrcanovic BR, Kisch J, Larsson C. Retrospective evaluation of implant-supported full-arch fixed dental prostheses after a mean follow-up of 10 years. *Clin Oral Implants Res* 2020;31(7):634-45. [Abstract](#)
233. Chutinet A, Pimkhaokham A, Serichetaphongse P. Immediate implant placement combined with guided bone regeneration in the restoration of a maxillary central incisor: a case report. *CU Dent J* 2013;36:107-16.
234. Clelland N, Chaudhry J, Rashid RG, McGlumphy E. Split-mouth comparison of splinted and nonsplinted prostheses on short implants: 3-year results. *Int J Oral Maxillofac Implants* 2016;31(5):1135-41. [Abstract](#)
235. Clelland NL, Seidt JD, Daroz LG, McGlumphy EA. Comparison of strains for splinted and nonsplinted implant prostheses using three-dimensional image correlation. *Int J Oral Maxillofac Implants* 2010;25(5):953-9. [Abstract](#)
236. Clelland NL, Yilmaz B, Seidt JD. Three-dimensional image correlation analyses for strains generated by cement and screw-retained implant prostheses. *Clin Implant Dent Relat Res* 2013;15(2):271-82. [Abstract](#)
237. Cody RP. Esthetics in implant dentistry - a case report using the Astra Tech Zir Abutment in a maxillary anterior single tooth reconstruction. *US Dentistry* 2006:27-28.
238. Coelho PG, Granato R, Marin C, Bonfante EA, Freire JN, Janal MN, Gil JN, Suzuki M. Biomechanical evaluation of endosseous implants at early implantation times: a study in dogs. *J Oral Maxillofac Surg* 2010;68(7):1667-75. [Abstract](#)
239. Collaert B, De Bruyn H. Early loading of four or five Astra Tech fixtures with a fixed cross-arch restoration in the mandible. *Clin Implant Dent Relat Res* 2002;4(3):133-5. [Abstract](#)
240. Collaert B, De Bruyn H. Immediate functional loading of TiOblast dental implants in full-arch edentulous maxillae: a 3-year prospective study. *Clin Oral Implants Res* 2008;19(12):1254-60. [Abstract](#)
241. Collaert B, Wijnen L, De Bruyn H. A 2-year prospective study on immediate loading with fluoride-modified implants in the edentulous mandible. *Clin Oral Implants Res* 2011;22(10):1111-6. [Abstract](#)
242. Colomina LE. Immediate loading of implant-fixed mandibular prostheses: a prospective 18-month follow-up clinical study-preliminary report. *Implant Dent* 2001;10(1):23-9. [Abstract](#)

243. Cooper L, De Kok IJ, Reside GJ, Pungpapong P, Rojas-Vizcaya F. Immediate fixed restoration of the edentulous maxilla after implant placement. *J Oral Maxillofac Surg* 2005;63(9 Suppl 2):97-110. [Abstract](#)
244. Cooper L, Felton DA, Kugelberg CF, Ellner S, Chaffee N, Molina AL, Moriarty JD, Paquette D, Palmqvist U. A multicenter 12-month evaluation of single-tooth implants restored 3 weeks after 1-stage surgery. *Int J Oral Maxillofac Implants* 2001;16(2):182-92. [Abstract](#)
245. Cooper LF, De Kok IJ, Rojas-Vizcaya F, Pungpapong P, Chang SH. The immediate loading of dental implants. *Compend Contin Educ Dent* 2007;28(4):216-25; quiz 26. [Abstract](#)
246. Cooper LF, Ellner S, Moriarty J, Felton DA, Paquette D, Molina A, Chaffee N, Asplund P, Smith R, Hostner C. Three-year evaluation of single-tooth implants restored 3 weeks after 1-stage surgery. *Int J Oral Maxillofac Implants* 2007;22(5):791-800. [Abstract](#)
247. Cooper LF, Masuda T, Whitson SW, Yliheikkila P, Felton DA. Formation of mineralizing osteoblast cultures on machined, titanium oxide grit-blasted, and plasma-sprayed titanium surfaces. *Int J Oral Maxillofac Implants* 1999;14(1):37-47. [Abstract](#)
248. Cooper LF, Moriarty JD, Guckes AD, Klee LB, Smith RG, Almgren C, Felton DA. Five-year prospective evaluation of mandibular overdentures retained by two microthreaded, TiOblast nonsplinted implants and retentive ball anchors. *Int J Oral Maxillofac Implants* 2008;23(4):696-704. [Abstract](#)
249. Cooper LF, Raes F, Reside GJ, Garriga JS, Tarrida LG, Wiltfang J, Kern M, de Bruyn H. Comparison of radiographic and clinical outcomes following immediate provisionalization of single-tooth dental implants placed in healed alveolar ridges and extraction sockets. *Int J Oral Maxillofac Implants* 2010;25(6):1222-32. [Abstract](#)
250. Cooper LF, Rahman A, Moriarty J, Chaffee N, Sacco D. Immediate mandibular rehabilitation with endosseous implants: simultaneous extraction, implant placement, and loading. *Int J Oral Maxillofac Implants* 2002;17(4):517-25. [Abstract](#)
251. Cooper LF, Reside G, DeKok I, Stanford C, Barwacz C, Feine J, Nader SA, Scheyer T, McGuire M. A 5-year esthetic RCT assessment of anterior maxillary single-tooth implants with different abutment interfaces. *Int J Oral Maxillofac Implants* 2021;36(1):165-76. [Abstract](#)
252. Cooper LF, Reside G, Raes F, Garriga JS, Tarrida LG, Wiltfang J, Kern M, De Bruyn H. Immediate provisionalization of dental implants in grafted alveolar ridges in the esthetic zone: a 5-year evaluation. *Int J Periodontics Restorative Dent* 2014;34(4):477-86. [Abstract](#)
253. Cooper LF, Reside G, Stanford C, Barwacz C, Feine J, Abi Nader S, Scheyer ET, McGuire M. A multicenter randomized comparative trial of implants with different abutment interfaces to replace anterior maxillary single teeth. *Int J Oral Maxillofac Implants* 2015;30(3):622-32. [Abstract](#)
254. Cooper LF, Reside G, Stanford C, Barwacz C, Feine J, Nader SA, Scheyer T, McGuire M. Three-year prospective randomized comparative assessment of anterior maxillary single implants with different abutment interfaces. *Int J Oral Maxillofac Implants* 2019;34(1):150-58. [Abstract](#)

255. Cooper LF, Reside GJ, Raes F, Garriga JS, Tarrida LG, Wiltfang J, Kern M, De Bruyn H. Immediate provisionalization of dental implants placed in healed alveolar ridges and extraction sockets: A 5-year prospective evaluation. *Int J Oral Maxillofac Implants* 2014;29(3):709-17. [Abstract](#)
256. Cooper LF, Scurria MS, Lang LA, Guckes AD, Moriarty JD, Felton DA. Treatment of edentulism using Astra Tech implants and ball abutments to retain mandibular overdentures. *Int J Oral Maxillofac Implants* 1999;14(5):646-53. [Abstract](#)
257. Cooper LF, Stanford C, Feine J, McGuire M. Prospective assessment of CAD/CAM zirconia abutment and lithium disilicate crown restorations: 2.4 year results. *J Prosthet Dent* 2016;116(1):33-9. [Abstract](#)
258. Cooper LF, Tarnow D, Froum S, Moriarty J, De Kok IJ. Comparison of marginal bone changes with internal conus and external hexagon design implant systems: A prospective, randomized study. *Int J Periodontics Restorative Dent* 2016;36(5):631-42. [Abstract](#)
259. Cooper LF, Zhou Y, Takebe J, Guo J, Abron A, Holmen A, Ellingsen JE. Fluoride modification effects on osteoblast behavior and bone formation at TiO₂ grit-blasted c.p. titanium endosseous implants. *Biomaterials* 2006;27(6):926-36. [Abstract](#)
260. Costa C, Peixinho N, Silva JP, Carvalho S. Study and characterization of the crest module design: A 3D finite element analysis. *J Prosthet Dent* 2015;113(6):541-7. [Abstract](#)
261. Cosyn J, Hooghe N, De Bruyn H. A systematic review on the frequency of advanced recession following single immediate implant treatment. *J Clin Periodontol* 2012;39(6):582-9. [Abstract](#)
262. Cosyn J, Vandenbulcke E, Browaeys H, Van Maele G, De Bruyn H. Factors associated with failure of surface-modified implants up to four years of function. *Clin Implant Dent Relat Res* 2012;14(3):347-58. [Abstract](#)
263. Creton M, Cune M, Verhoeven W, Muradin M, Wismeijer D, Meijer G. Implant treatment in patients with severe hypodontia: A retrospective evaluation. *J Oral Maxillofac Surg* 2010;68(3):530-8. [Abstract](#)
264. Currie F, Tilly C, Falk J. Different apical implant designs and the impact on initial stability (P16067). *Clin Oral Implants Res* 2019;30(S19):174-74. [Abstract](#)
265. D'Haese J, De Bruyn H. Effect of smoking habits on accuracy of implant placement using mucosally supported stereolithographic surgical guides. *Clin Implant Dent Relat Res* 2013;15(3):402-11. [Abstract](#)
266. D'Haese J, Matthys C, Sahak H, Besseler J, De Bruyn H. Seven years maintenance cost of implant-retained overdentures on ball versus locator abutments. Preprints 2020;E-pub, doi:10.20944/preprints202011.0662.v1. [Abstract](#)
267. D'haese J, Van De Velde T, Elaut L, De Bruyn H. A prospective study on the accuracy of mucosally supported stereolithographic surgical guides in fully edentulous maxillae. *Clin Implant Dent Relat Res* 2012;14(2):293-303. [Abstract](#)

268. D'haese J, Vervaeke S, Verbanck N, De Bruyn H. Clinical and radiographic outcome of implants placed using stereolithographic guided surgery: a prospective monocenter study. *Int J Oral Maxillofac Implants* 2013;28(1):205-15. [Abstract](#)
269. Dailey B, Jordan L, Blind O, Tavernier B. Axial displacement of abutments into implants and implant replicas, with the tapered cone-screw internal connection, as a function of tightening torque. *Int J Oral Maxillofac Implants* 2009;24(2):251-6. [Abstract](#)
270. Dasmah A, Kashani H, Thor A, Rasmusson L. Integration of fluoridated implants in onlay autogenous bone grafts - an experimental study in the rabbit tibia. *J Craniomaxillofac Surg* 2014;42(6):796-800. [Abstract](#)
271. Dasmah A, Rasmusson C, Thor A, Rasmusson L. Simultaneous or delayed placement of surface modified and fluoridated dental implants into autogenous block bone grafts: a histologic and biomechanical study in the rabbit. *Clin Implant Dent Relat Res* 2015;17(2):395-401. [Abstract](#)
272. Dasmah A, Thor A, Ekestubbe A, Sennerby L, Rasmusson L. Particulate vs. block bone grafts: Three-dimensional changes in graft volume after reconstruction of the atrophic maxilla, a 2-year radiographic follow-up. *J Craniomaxillofac Surg* 2012;40(8):654-9. [Abstract](#)
273. Dasmah A, Thor A, Ekestubbe A, Sennerby L, Rasmusson L. Marginal bone-level alterations at implants installed in block versus particulate onlay bone grafts mixed with platelet-rich plasma in atrophic maxilla. a prospective 5-year follow-up study of 15 patients. *Clin Implant Dent Relat Res* 2013;15(1):7-14. [Abstract](#)
274. Dave M, Davies J, Wilson R, Palmer R. A comparison of cone beam computed tomography and conventional periapical radiography at detecting peri-implant bone defects. *Clin Oral Implants Res* 2013;24(6):671-8. [Abstract](#)
275. Davis DM. Implant supported overdentures-the king's experience. *J Dent* 1997;25 Suppl 1:S33-7. [Abstract](#)
276. Davis DM, Packer ME. Mandibular overdentures stabilized by Astra Tech implants with either ball attachments or magnets: 5-year results. *Int J Prosthodont* 1999;12(3):222-9. [Abstract](#)
277. Davis DM, Packer ME. The maintenance requirements of mandibular overdentures stabilized by Astra Tech implants using three different attachment mechanisms-balls, magnets, and bars; 3-year results. *Eur J Prosth Rest Dent* 2000;8(4):131-4. [Abstract](#)
278. Davis DM, Rogers JO, Packer ME. The extent of maintenance required by implant-retained mandibular overdentures: a 3-year report. *Int J Oral Maxillofac Implants* 1996;11(6):767-74. [Abstract](#)
279. De Bruyn H, Bessler J, Raes F, Vaneker M. Clinical outcome of overdenture treatment on two nonsubmerged and nonsplinted Astra Tech Microthread implants. *Clin Implant Dent Relat Res* 2009;11(2):81-9. [Abstract](#)

280. De Bruyn H, Raes F, Cooper LF, Reside G, Garriga JS, Tarrida LG, Wiltfang J, Kern M. Three-years clinical outcome of immediate provisionalization of single Osseospeed() implants in extraction sockets and healed ridges. *Clin Oral Implants Res* 2013;24(2):217-23. [Abstract](#)
281. De Bruyn H, Van de Velde T, Collaert B. Immediate functional loading of TiOblast dental implants in full-arch edentulous mandibles: a 3-year prospective study. *Clin Oral Implants Res* 2008;19(7):717-23. [Abstract](#)
282. De Coster P, Browaeys H, De Bruyn H. Healing of extraction sockets filled with BoneCeramic(R) prior to implant placement: preliminary histological findings. *Clin Implant Dent Relat Res* 2011;13(1):34-45. [Abstract](#)
283. De Kok IJ, Chang KH, Lu TS, Cooper LF. Comparison of three-implant-supported fixed dentures and two-implant-retained overdentures in the edentulous mandible: a pilot study of treatment efficacy and patient satisfaction. *Int J Oral Maxillofac Implants* 2011;26(2):415-26. [Abstract](#)
284. De Kok IJ, Chang SS, Moriarty JD, Cooper LF. A retrospective analysis of peri-implant tissue responses at immediate load/provisionalized microthreaded implants. *Int J Oral Maxillofac Implants* 2006;21(3):405-12. [Abstract](#)
285. de Oliveira NRC, Pigozzo MN, Sesma N, Lagana DC. Clinical efficiency and patient preference of digital and conventional workflow for single implant crowns using immediate and regular digital impression: A meta-analysis. *Clin Oral Implants Res* 2020;31(8):669-86. [Abstract](#)
286. de Sanctis M, Vignoletti F, Discepoli N, Munoz F, Sanz M. Immediate implants at fresh extraction sockets: an experimental study in the beagle dog comparing four different implant systems. Soft tissue findings. *J Clin Periodontol* 2010;37(8):769-76. [Abstract](#)
287. de Sanctis M, Vignoletti F, Discepoli N, Zucchelli G, Sanz M. Immediate implants at fresh extraction sockets: bone healing in four different implant systems. *J Clin Periodontol* 2009;36(8):705-11. [Abstract](#)
288. De Smet E, Jaecques SV, Wevers M, Sloten JV, Naert IE. Constant strain rate and peri-implant bone modeling: an in vivo longitudinal micro-CT analysis. *Clin Implant Dent Relat Res* 2013;15(3):358-66. [Abstract](#)
289. de Vicente JC, Hernandez-Vallejo G, Brana-Abascal P, Pena I. Maxillary sinus augmentation with autologous bone harvested from the lateral maxillary wall combined with bovine-derived hydroxyapatite: clinical and histologic observations. *Clin Oral Implants Res* 2010;21(4):430-8. [Abstract](#)
290. de Waal YC, Raghoobar GM, Huddleston Slater JJ, Meijer HJ, Winkel EG, van Winkelhoff AJ. Implant decontamination during surgical peri-implantitis treatment: a randomized, double-blind, placebo-controlled trial. *J Clin Periodontol* 2013;40(2):186-95. [Abstract](#)

291. DeAngelo SJ, Kumar PS, Beck FM, Tatakis DN, Leblebicioglu B. Early soft tissue healing around one-stage dental implants: clinical and microbiologic parameters. *J Periodontol* 2007;78(10):1878-86. [Abstract](#)
292. Del Castillo R, Ercoli C, Delgado JC, Alcaraz J. An alternative multiple pontic design for a fixed implant-supported prosthesis. *J Prosthet Dent* 2011;106(3):198-203. [Abstract](#)
293. Dellavia C, Speroni S, Pellegrini G, Gatto A, Maiorana C. A new method to evaluate volumetric changes in sinus augmentation procedure. *Clin Implant Dent Relat Res* 2014;16(5):684-90. [Abstract](#)
294. den Hartog L, Slater JJ, Vissink A, Meijer HJ, Raghoobar GM. Treatment outcome of immediate, early and conventional single-tooth implants in the aesthetic zone: a systematic review to survival, bone level, soft-tissue, aesthetics and patient satisfaction. *J Clin Periodontol* 2008;35(12):1073-86. [Abstract](#)
295. Dereci O, Mumcu E, Dereci ON, Dayan SC, Kosar YC, Fadhil SMT. Effects of implant-related variables on the marginal bone loss around dental implants. *Quintessence Int* 2020;51(2):118-26. [Abstract](#)
296. Dhaese J, Matthys C, Sahak H, Besseler J, De Bruyn H. Implant-retained mandibular overdentures: patient-related outcome measurements after seven years of function. *Dentistry Journal* 2022;10(5):1-10.
297. Dierens M, Collaert B, Deschepper E, Browaeys H, Klinge B, De Bruyn H. Patient-centered outcome of immediately loaded implants in the rehabilitation of fully edentulous jaws. *Clin Oral Implants Res* 2009;20(10):1070-77. [Abstract](#)
298. Discepoli N, Ferrari Cagidiaco E, Landini G, Pallecchi L, Garcia-Godoy F, Ferrari M. Sealing effectiveness against *Staphylococcus aureus* of five different implant-abutment connections. *Am J Dent* 2018;31(3):141-43. [Abstract](#)
299. Diss A, Dohan DM, Mouhyi J, Mahler P. Osteotome sinus floor elevation using Choukroun's platelet-rich fibrin as grafting material: a 1-year prospective pilot study with microthreaded implants. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2008;105(5):572-9. [Abstract](#)
300. Dittmer MP, Dittmer S, Borchers L, Kohorst P, Stiesch M. Influence of the interface design on the yield force of the implant-abutment complex before and after cyclic mechanical loading. *J Prosthodont Res* 2012;56(1):19-24. [Abstract](#)
301. Dittmer S, Dittmer MP, Kohorst P, Jendras M, Borchers L, Stiesch M. Effect of implant-abutment connection design on load bearing capacity and failure mode of implants. *J Prosthodont* 2011;20(7):510-6. [Abstract](#)
302. Donati M, Botticelli D, La Scala V, Tomasi C, Berglundh T. Effect of immediate functional loading on osseointegration of implants used for single tooth replacement. A human histological study. *Clin Oral Implants Res* 2013;24(7):738-45. [Abstract](#)

303. Donati M, Ekestubbe A, Lindhe J, Wennstrom JL. Implant-supported single-tooth restorations. A 12-year prospective study. Clin Oral Implants Res 2016;27(10):1207-11. [Abstract](#)
304. Donati M, Ekestubbe A, Lindhe J, Wennstrom JL. Marginal bone loss at implants with different surface characteristics - A 20-year follow-up of a randomized controlled clinical trial. Clin Oral Implants Res 2018;29(5):480-87. [Abstract](#)
305. Donati M, La Scala V, Billi M, Di Dino B, Torrisi P, Berglundh T. Immediate functional loading of implants in single tooth replacement: a prospective clinical multicenter study. Clin Oral Implants Res 2008;19(8):740-48. [Abstract](#)
306. Donati M, La Scala V, Di Raimondo R, Speroni S, Testi M, Berglundh T. Marginal bone preservation in single-tooth replacement: a 5-year prospective clinical multicenter study. Clin Implant Dent Relat Res 2015;17(3):425-34. [Abstract](#)
307. Doornewaard R, Bruyn H, Matthys C, Bronkhorst E, Vandeweghe S, Vervaeke S. The long-term effect of adapting the vertical position of implants on peri-implant health: A 5-year intra-subject comparison in the edentulous mandible including oral health-related quality of life. J Clin Med 2020;9(10). [Abstract](#)
308. Doornewaard R, Glibert M, Matthys C, Vervaeke S, Bronkhorst E, de Bruyn H. Improvement of quality of life with implant-supported mandibular overdentures and the effect of implant type and surgical procedure on bone and soft tissue stability: A three-year prospective split-mouth trial. J Clin Med 2019;8(6). [Abstract](#)
309. Doukas D, Michelinakis G, Smith PW, Barclay CW. The influence of interimplant distance and attachment type on the retention characteristics of mandibular overdentures on 2 implants: 6-month fatigue retention values. Int J Prosthodont 2008;21(2):152-4. [Abstract](#)
310. Draenert FG, Sagheb K, Baumgardt K, Kammerer PW. Retrospective analysis of survival rates and marginal bone loss on short implants in the mandible. Clin Oral Implants Res 2012;23(9):1063-9. [Abstract](#)
311. Dragonas P, Palin C, Khan S, Gajendrareddy PK, Weiner WD. Complications associated with the use of recombinant human bone morphogenetic protein-2 in ridge augmentation: A case report. J Oral Implantol 2017;43(5):351-59. [Abstract](#)
312. Duddeck DU, Neugebauer J, Scheer M, Möller F, Herrera M, Zöller JE. Surprises in the land of microns. EDI 2010;6(2):50-54.
313. Duyck J, Corpas L, Vermeiren S, Ogawa T, Quirynen M, Vandamme K, Jacobs R, Naert I. Histological, histomorphometrical, and radiological evaluation of an experimental implant design with a high insertion torque. Clin Oral Implants Res 2010;21(8):877-84. [Abstract](#)
314. Ebler S, Ioannidis A, Jung RE, Hammerle CH, Thoma DS. Prospective randomized controlled clinical study comparing two types of two-piece dental implants supporting fixed reconstructions - results at 1 year of loading. Clin Oral Implants Res 2016;27(9):1169-77. [Abstract](#)

315. Eckert SE, Choi YG, Sanchez AR, Koka S. Comparison of dental implant systems: quality of clinical evidence and prediction of 5-year survival. *Int J Oral Maxillofac Implants* 2005;20(3):406-15. [Abstract](#)
316. Ehrenfest DM, Vazquez L, Park YJ, Sammartino G, Bernard JP. Identification card and codification of the chemical and morphological characteristics of 14 dental implant surfaces. *J Oral Implantol* 2011;37(5):525-42. [Abstract](#)
317. Eickholz P, Grotkamp FL, Steveling H, Muhling J, Staehle HJ. Reproducibility of peri-implant probing using a force-controlled probe. *Clin Oral Implants Res* 2001;12(2):153-8. [Abstract](#)
318. Eisner B, Naenni N, Husler J, Hammerle C, Thoma D, Sailer I. Three-year results of a randomized controlled clinical trial using submucosally veneered and unveneered zirconia abutments supporting all-ceramic single-implant crowns. *Int J Periodontics Restorative Dent* 2018;38(5):645-52. [Abstract](#)
319. Elias CN, Meirelles L. Improving osseointegration of dental implants. *Expert Rev Med Devices* 2010;7(2):241-56. [Abstract](#)
320. Eliasson A, Blomqvist F, Wennerberg A, Johansson A. A retrospective analysis of early and delayed loading of full-arch mandibular prostheses using three different implant systems: clinical results with up to 5 years of loading. *Clin Implant Dent Relat Res* 2009;11(2):134-48. [Abstract](#)
321. Ellegaard B, Baelum V, Karring T. Implant therapy in periodontally compromised patients. *Clin Oral Implants Res* 1997;8(3):180-8. [Abstract](#)
322. Ellegaard B, Baelum V, Kolsen-Petersen J. Non-grafted sinus implants in periodontally compromised patients: a time-to-event analysis. *Clin Oral Implants Res* 2006;17(2):156-64. [Abstract](#)
323. Ellegaard B, Kolsen-Petersen J, Baelum V. Implant therapy involving maxillary sinus lift in periodontally compromised patients. *Clin Oral Implants Res* 1997;8(4):305-15. [Abstract](#)
324. Ellingsen JE. Pre-treatment of titanium implants with fluoride improves their retention in bone. *J Mater Sci Mater Med* 1995;6:749-53. [Abstract](#)
325. Ellingsen JE. On the properties of surface-modified titanium. In: Davies JE, editor. *Bone Engineering*. Toronto: em squared inc. Toronto, Canada; 2000. p. 183-88.
326. Ellingsen JE, Johansson CB, Wennerberg A, Holmén A. Improved retention and bone-to-implant contact with fluoride-modified titanium implants. *Int J Oral Maxillofac Implants* 2004;19(5):659-66. [Abstract](#)
327. Ellingsen JE, Lyngstadaas SP. Increasing biocompatibility by chemical modification of titanium surfaces. In: Ellingsen JE, Lyngstadaas PS, editors. *Bio-Implant Interface; Improving Biomaterials and Tissue Reactions*. Boca Raton, Florida: CRC Press LLC; 2003. p. 323-40.

328. Elter C, Heuer W, Demling A, Hannig M, Heidenblut T, Stiesch M. Comparative analysis of biofilm formation on dental implant abutments with respect to supra- and subgingival areas: polytetrafluoroethylene versus titanium. *Int J Prosthodont* 2011;24(4):373-5. [Abstract](#)
329. Emami E, Alesawy A, de Grandmont P, Cerutti-Kopplin D, Kodama N, Menassa M, Rompre P, Durand R. A within-subject clinical trial on the conversion of mandibular two-implant to three-implant overdenture: Patient-centered outcomes and willingness to pay. *Clin Oral Implants Res* 2019;30(3):218-28. [Abstract](#)
330. Emami E, Cerutti-Kopplin D, Menassa M, Audy N, Kodama N, Durand R, Rompre P, de Grandmont P. Does immediate loading affect clinical and patient-centered outcomes of mandibular 2-unsplinted-implant overdenture? A 2-year within-case analysis. *J Dent* 2016;50:30-6. [Abstract](#)
331. Emami E, de Grandmont P, Menassa M, Audy N, Durand R. Anti-vascular endothelial growth factors as a potential risk for implant failure: A clinical report. *Case Rep Med* 2020;2020:Article ID 6141493. [Abstract](#)
332. Emami E, de Souza RF, Bernier J, Rompre P, Feine JS. Patient perceptions of the mandibular three-implant overdenture: a practice-based study. *Clin Oral Implants Res* 2015;26(6):639-43. [Abstract](#)
333. Englezos E, Cosyn J, Koole S, Jacquet W, De Bruyn H. Resective treatment of peri-implantitis: clinical and radiographic outcomes after 2 years. *Int J Periodontics Restorative Dent* 2018;38(5):729-35. [Abstract](#)
334. Engquist B, Astrand P, Dahlgren S, Engquist E, Feldmann H, Grondahl K. Marginal bone reaction to oral implants: a prospective comparative study of Astra Tech and Branemark System implants. *Clin Oral Implants Res* 2002;13(1):30-7. [Abstract](#)
335. Ericsson I, Johansson CB, Bystedt H, Norton MR. A histomorphometric evaluation of bone-to-implant contact on machine-prepared and roughened titanium dental implants. A pilot study in the dog. *Clin Oral Implants Res* 1994;5(4):202-6. [Abstract](#)
336. Ericsson I, Lekholm U, Sennerby L, Holmen A. Soft tissue response to clinically contaminated and thereafter cleaned titanium surfaces. An experimental study in the rat. *Clin Oral Implants Res* 2000;11(4):370-3. [Abstract](#)
337. Erkapers M, Ekstrand K, Baer RA, Toljanic JA, Thor A. Patient satisfaction following dental implant treatment with immediate loading in the edentulous atrophic maxilla. *Int J Oral Maxillofac Implants* 2011;26(2):356-64. [Abstract](#)
338. Erkmen E, Meric G, Kurt A, Tunc Y, Eser A. Biomechanical comparison of implant retained fixed partial dentures with fiber reinforced composite versus conventional metal frameworks: a 3D FEA study. *J Mech Behav Biomed Mater* 2011;4(1):107-16. [Abstract](#)
339. Erkut S, Uckan S. Alveolar distraction osteogenesis and implant placement in a severely resorbed maxilla: a clinical report. *J Prosthet Dent* 2006;95(5):340-3. [Abstract](#)

340. Erneklint C, Odman P, Ortengren U, Karlsson S. An in vitro load evaluation of a conical implant system with 2 abutment designs and 3 different retaining-screw alloys. *Int J Oral Maxillofac Implants* 2006;21(5):733-7. [Abstract](#)
341. Erneklint C, Odman P, Ortengren U, Rasmusson L. Tolerance test of five different types of crowns on single-tooth implants. *Int J Prosthodont* 1998;11(3):233-9. [Abstract](#)
342. Esposito M, Grusovin MG, Coulthard P, Thomsen P, Worthington HV. A 5-year follow-up comparative analysis of the efficacy of various osseointegrated dental implant systems: a systematic review of randomized controlled clinical trials. *Int J Oral Maxillofac Implants* 2005;20(4):557-68. [Abstract](#)
343. Esquivel-Upshaw J, Mehler A, Clark A, Neal D, Gonzaga L, Anusavice K. Peri-implant complications for posterior endosteal implants. *Clin Oral Implants Res* 2015;26(12):1390-6. [Abstract](#)
344. Esquivel-Upshaw JF, Clark AE, Shuster JJ, Anusavice KJ. Randomized clinical trial of implant-supported ceramic-ceramic and metal-ceramic fixed dental prostheses: preliminary results. *J Prosthodont* 2014;23(2):73-82. [Abstract](#)
345. Esquivel-Upshaw JF, Mecholsky JJ, Jr., Clark AE, Jenkins R, Hsu SM, Neal D, Ren F. Factors influencing the survival of implant-supported ceramic-ceramic prostheses: A randomized, controlled clinical trial. *J Dent* 2020;103S:100017. [Abstract](#)
346. Esquivel-Upshaw JF, Mehler A, Clark AE, Neal D, Anusavice KJ. Fracture analysis of randomized implant-supported fixed dental prostheses. *J Dent* 2014;42(10):1335-42. [Abstract](#)
347. Estefania-Fresco R, Garcia-de-la-Fuente AM, Egana-Fernandez-Valderrama A, Bravo M, Aguirre-Zorzano LA. One-year results of a nonsurgical treatment protocol for peri-implantitis. A retrospective case series. *Clin Oral Implants Res* 2019;30(7):702-12. [Abstract](#)
348. Ettl T, Gerlach T, Schusselbauer T, Gosau M, Reichert TE, Driemel O. Bone resorption and complications in alveolar distraction osteogenesis. *Clin Oral Investig* 2010;14(5):481-9. [Abstract](#)
349. Ettl T, Junold N, Zeman F, Hautmann M, Hahnel S, Kolbeck C, Muller S, Klingelhofer C, Reichert TE, Meier JK. Implant survival or implant success? Evaluation of implant-based prosthetic rehabilitation in head and neck cancer patients-a prospective observational study. *Clin Oral Investig* 2020;24(9):3039-47. [Abstract](#)
350. Ettl T, Weindler J, Gosau M, Muller S, Hautmann M, Zeman F, Koller M, Papavasileiou D, Burgers R, Driemel O, Schneider I, Klingelhofer C, Meier J, Wahlmann U, Reichert TE. Impact of radiotherapy on implant-based prosthetic rehabilitation in patients with head and neck cancer: A prospective observational study on implant survival and quality of life-preliminary results. *J Craniomaxillofac Surg* 2016;44(9):1453-62. [Abstract](#)
351. Fagbamigbe AF, Karlsson K, Derks J, Petzold M. Performance evaluation of survival regression models in analysing Swedish dental implant complication data with frailty. *PLoS One* 2021;16(1):e0245111. [Abstract](#)

352. Fahlstedt P, Bunaes DF, Lie SA, Leknes KN. Dental implant surface temperatures following double wavelength (2780/940 nm) laser irradiation in vitro. Clin Exp Dent Res 2020;E-pub Dec 5, doi:10.1002/cre2.369. [Abstract](#)
353. Fandridis J, Papadopoulos T. Surface characterization of three titanium dental implants. Implant Dent 2008;17(1):91-9. [Abstract](#)
354. Fanuscu MI, Chang TL, Akca K. Effect of surgical techniques on primary implant stability and peri-implant bone. J Oral Maxillofac Surg 2007;65(12):2487-91. [Abstract](#)
355. Farahani A, Zadeh HH. Adjunctive orthodontic applications in dental implantology. J Oral Implantol 2015;41(4):501-8. [Abstract](#)
356. Faria PE, Carvalho AL, de Torres EM, Rasmusson L, Salata LA. Effects of early functional loading on maintenance of free autogenous bone graft and implant osseointegration: an experimental study in dogs. J Oral Maxillofac Surg 2010;68(4):825-32. [Abstract](#)
357. Faria PE, Masalskas B, Heyden A, Rasmusson L, Salata LA. Immediate loading of implants in the edentulous mandible: A multicentre study. Oral Maxillofac Surg 2016;20(4):385-90. [Abstract](#)
358. Farzadmoghadam M, Mohammadi TM, Goudarzi R, Mohammadi M, Hasheminejad N. Is there a relationship between general and oral health-related quality of life in partially edentulous patients before and after implant treatment? A quasi-experimental study. Clin Oral Implants Res 2020;31(6):557-64. [Abstract](#)
359. Fenlon MR, Lyons A, Farrell S, Bavisha K, Banerjee A, Palmer RM. Factors affecting survival and usefulness of implants placed in vascularized free composite grafts used in post-head and neck cancer reconstruction. Clin Implant Dent Relat Res 2009;14(2):266-72. [Abstract](#)
360. Fermergård R, Åstrand P. Osteotome sinus floor elevation and simultaneous placement of implants - A 1-year retrospective study with Astra Tech implants. Clin Implant Dent Relat Res 2008;10(1):62-9. [Abstract](#)
361. Fermergård R, Åstrand P. Osteotome sinus floor elevation without bone grafts - A 3-year retrospective study with Astra Tech implants. Clin Implant Dent Relat Res 2012;14(2):198-205. [Abstract](#)
362. Ferrari M, Cagidiaco MC, Garcia-Godoy F, Goracci C, Cairo F. Effect of different prosthetic abutments on peri-implant soft tissue. A randomized controlled clinical trial. Am J Dent 2015;28(2):85-9. [Abstract](#)
363. Ferrari M, Carrabba M, Vichi A, Goracci C, Cagidiaco MC. Influence of abutment color and mucosal thickness on soft tissue color. Int J Oral Maxillofac Implants 2017;32(2):393-99. [Abstract](#)
364. Ferrari M, Tricarico MG, Cagidiaco MC, Vichi A, Gherlone EF, Zarone F, Sorrentino R. 3-year randomized controlled prospective clinical trial on different CAD-CAM implant abutments. Clin Implant Dent Relat Res 2016;18(6):1134-41. [Abstract](#)

365. Ferrus J, Cecchinato D, Pjetursson EB, Lang NP, Sanz M, Lindhe J. Factors influencing ridge alterations following immediate implant placement into extraction sockets. *Clin Oral Implants Res* 2010;21(1):22-9. [Abstract](#)
366. Foong JK, Judge RB, Palamara JE, Swain MV. Fracture resistance of titanium and zirconia abutments: An in vitro study. *J Prosthet Dent* 2013;109(5):304-12. [Abstract](#)
367. Franceschetti G, Farina R, Minenna L, Riccardi O, Stacchi C, Di Raimondo R, Maietti E, Trombelli L. The impact of graft remodeling on peri-implant bone support at implants placed concomitantly with transcrestal sinus floor elevation: A multicenter, retrospective case series. *Clin Oral Implants Res* 2020;31(2):105-20. [Abstract](#)
368. Franceschetti G, Farina R, Stacchi C, Di Lenarda R, Di Raimondo R, Trombelli L. Radiographic outcomes of transcrestal sinus floor elevation performed with a minimally invasive technique in smoker and non-smoker patients. *Clin Oral Implants Res* 2014;25(4):493-9. [Abstract](#)
369. Freitas-Junior AC, Almeida EO, Bonfante EA, Silva DN, Coelho PG. Reliability and Failure Modes of Morse Taper Dental Implant Connections. *Clin Oral Impl Res* 2021.
370. Freitas-Junior AC, Almeida EO, Bonfante EA, Silva NR, Coelho PG. Reliability and failure modes of internal conical dental implant connections. *Clin Oral Implants Res* 2013;24(2):197-202. [Abstract](#)
371. Frisch E, Vach K, Ratka-Krueger P. Impact of supportive implant therapy on peri-implant diseases: A retrospective 7-year study. *J Clin Periodontol* 2020;47(1):101-09. [Abstract](#)
372. Frisch E, Ziebolz D, Vach K, Ratka-Kruger P. Supportive post-implant therapy: patient compliance rates and impacting factors: 3-year follow-up. *J Clin Periodontol* 2014;41(10):1007-14. [Abstract](#)
373. Froum SJ, Froum SH, Rosen PS. Successful management of peri-implantitis with a regenerative approach: A consecutive series of 51 treated implants with 3- to 7.5-year follow-up. *Int J Periodontics Restorative Dent* 2012;32(1):11-20. [Abstract](#)
374. Fu W, Shah R, Curtis DA, Kapila Y. Psychologic stress of COVID-19 pandemic and oral Health: A case series. *Arch Clin Med Case Rep* 2021;5(5):672-79. [Abstract](#)
375. Fujioka M, Kanno T, Mitsugi M, Sukegawa S, Furuki Y. Oral rehabilitation of a maxillectomy defect using bone transport distraction and dental implants. *J Oral Maxillofac Surg* 2010;68(9):2278-82. [Abstract](#)
376. Fukuda M, Iino M, Ohnuki T, Nagai H, Takahashi T. Vertical alveolar distraction osteogenesis with complications in a reconstructed mandible. *J Oral Implantol* 2003;29(4):185-8. [Abstract](#)
377. Fukuda M, Iino M, Yamaoka K, Ohnuki T, Nagai H, Takahashi T. Two-stage distraction osteogenesis for mandibular segmental defect. *J Oral Maxillofac Surg* 2004;62(9):1164-8. [Abstract](#)
378. Fukuda M, Takahashi T, Iino M. Dentoalveolar reconstruction of a missing premaxilla using bone graft and endosteal implants. *J Oral Rehabil* 2003;30(1):87-90. [Abstract](#)

379. Fukuda M, Takahashi T, Nagai H, Iino M. Implant-supported edentulous maxillary obturators with milled bar attachments after maxillectomy. *J Oral Maxillofac Surg* 2004;62(7):799-805. [Abstract](#)
380. Funaki K, Takahashi T, Yamuchi K. Horizontal alveolar ridge augmentation using distraction osteogenesis: comparison with a bone-splitting method in a dog model. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2009;107(3):350-8. [Abstract](#)
381. Gaintantzopoulou M, Zinelis S, Silikas N, Eliades G. Micro-Raman spectroscopic analysis of TiO₂ phases on the root surfaces of commercial dental implants. *Dent Mater* 2014;30(8):861-7. [Abstract](#)
382. Galindo-Moreno P, Avila G, Fernandez-Barbero JE, Aguilar M, Sanchez-Fernandez E, Cutando A, Wang HL. Evaluation of sinus floor elevation using a composite bone graft mixture. *Clin Oral Implants Res* 2007;18(3):376-82. [Abstract](#)
383. Galindo-Moreno P, Avila G, Fernandez-Barbero JE, Mesa F, O'Valle-Ravassa F, Wang HL. Clinical and histologic comparison of two different composite grafts for sinus augmentation: a pilot clinical trial. *Clin Oral Implants Res* 2008;19(8):755-59. [Abstract](#)
384. Galindo-Moreno P, de Buitrago JG, Padial-Molina M, Fernandez-Barbero JE, Ata-Ali J, F OV. Histopathological comparison of healing after maxillary sinus augmentation using xenograft mixed with autogenous bone versus allograft mixed with autogenous bone. *Clin Oral Implants Res* 2018;29(2):192-201. [Abstract](#)
385. Galindo-Moreno P, Fernandez-Jimenez A, Avila-Ortiz G, Silvestre FJ, Hernandez-Cortes P, Wang HL. Marginal bone loss around implants placed in maxillary native bone or grafted sinuses: a retrospective cohort study. *Clin Oral Implants Res* 2014;25(3):378-84. [Abstract](#)
386. Galindo-Moreno P, Fernandez-Jimenez A, O'Valle F, Silvestre FJ, Sanchez-Fernandez E, Monje A, Catena A. Marginal bone loss in implants placed in grafted maxillary sinus. *Clin Implant Dent Relat Res* 2015;17(2):373-83. [Abstract](#)
387. Galindo-Moreno P, Leon-Cano A, Monje A, Ortega-Oller I, O'Valle F, Catena A. Abutment height influences the effect of platform switching on peri-implant marginal bone loss. *Clin Oral Implants Res* 2016;27(2):167-73. [Abstract](#)
388. Galindo-Moreno P, Leon-Cano A, Ortega-Oller I, Monje A, O'Valle F, Catena A. Marginal bone loss as success criterion in implant dentistry: beyond 2 mm. *Clin Oral Implants Res* 2015;26(4):e28-34. [Abstract](#)
389. Galindo-Moreno P, Moreno-Riestra I, Avila G, Fernandez-Barbero JE, Mesa F, Aguilar M, Wang HL, O'Valle F. Histomorphometric comparison of maxillary pristine bone and composite bone graft biopsies obtained after sinus augmentation. *Clin Oral Implants Res* 2010;21(1):122-8. [Abstract](#)
390. Galindo-Moreno P, Moreno-Riestra I, Avila G, Padial-Molina M, Paya JA, Wang HL, O'Valle F. Effect of anorganic bovine bone to autogenous cortical bone ratio upon bone remodeling patterns following maxillary sinus augmentation. *Clin Oral Implants Res* 2011;22(8):857-64. [Abstract](#)

391. Galindo-Moreno P, Nilsson P, King P, Becktor J, Speroni S, Schramm A, Maiorana C. Clinical and radiographic evaluation of early loaded narrow diameter implants - 1-year follow-up. *Clin Oral Implants Res* 2012;23(5):609-16. [Abstract](#)
392. Galindo-Moreno P, Nilsson P, King P, Worsaae N, Schramm A, Padial-Molina M, Maiorana C. Clinical and radiographic evaluation of early loaded narrow-diameter implants: 5-year follow-up of a multicenter prospective clinical study. *Clin Oral Implants Res* 2017;28(12):1584-91. [Abstract](#)
393. Galindo-Moreno P, Padial-Molina M, Avila G, Rios HF, Hernandez-Cortes P, Wang HL. Complications associated with implant migration into the maxillary sinus cavity. *Clin Oral Implants Res* 2012;23(10):1152-60. [Abstract](#)
394. Galindo-Moreno P, Padial-Molina M, Fernandez-Barbero JE, Mesa F, Rodriguez-Martinez D, O'Valle F. Optimal microvessel density from composite graft of autogenous maxillary cortical bone and anorganic bovine bone in sinus augmentation: influence of clinical variables. *Clin Oral Implants Res* 2010;21(2):221-7. [Abstract](#)
395. Galindo-Moreno P, Padial-Molina M, Nilsson P, King P, Worsaae N, Schramm A, Maiorana C. The influence of the distance between narrow implants and the adjacent teeth on marginal bone levels. *Clin Oral Implants Res* 2017;28(6):704-12. [Abstract](#)
396. Gander T, Studer S, Studer G, Gratz KW, Bredell M. Medium-term outcome of Astra Tech implants in head and neck oncology patients. *Int J Oral Maxillofac Surg* 2014;43(11):1381-5. [Abstract](#)
397. Gandolfi MG, Zamparini F, Iezzi G, Degidi M, Botticelli D, Piattelli A, Prati C. Microchemical and micromorphologic ESEM-EDX analysis of bone mineralization at the thread interface in human dental implants retrieved for mechanical complications after 2 months to 17 years. *Int J Periodontics Restorative Dent* 2018;38(3):431-41. [Abstract](#)
398. Garcia-Bellosta S, Bravo M, Subira C, Echeverria JJ. Retrospective study of the long-term survival of 980 implants placed in a periodontal practice. *Int J Oral Maxillofac Implants* 2010;25(3):613-9. [Abstract](#)
399. Gates WD, 3rd, Cooper LF, Sanders AE, Reside GJ, De Kok IJ. The effect of implant-supported removable partial dentures on oral health quality of life. *Clin Oral Implants Res* 2014;25(2):207-13. [Abstract](#)
400. Ge YJ, Yeh IT, Wong SW, Han D, Feng HL. Occlusal rehabilitation in a patient with oligodontia and microdontia using implants and full-ceramic restorations: A clinical report. *Chin J Dent Res* 2019;22(4):281-85. [Abstract](#)
401. Geckili O, Bilhan H, Bilgin T. A 24-week prospective study comparing the stability of titanium dioxide grit-blasted dental implants with and without fluoride treatment. *Int J Oral Maxillofac Implants* 2009;24(4):684-88. [Abstract](#)

402. Geckili O, Bilhan H, Bilgin T. Impact of mandibular two-implant retained overdentures on life quality in a group of elderly Turkish edentulous patients. *Arch Gerontol Geriatr* 2011;53(2):233-6. [Abstract](#)
403. Geckili O, Bilhan H, Cilingir A, Mumcu E, Bural C. A comparative in vitro evaluation of two different magnetic devices detecting the stability of osseo-integrated implants. *J Periodontal Res* 2012;47(4):508-13. [Abstract](#)
404. Geckili O, Bilhan H, Geckili E, Cilingir A, Mumcu E, Bural C. Evaluation of possible prognostic factors for the success, survival, and failure of dental implants. *Implant Dent* 2014;23(1):44-50. [Abstract](#)
405. Geckili O, Bilhan H, Mumcu E. Clinical and radiographic evaluation of three-implant-retained mandibular overdentures: a 3-year retrospective study. *Quintessence Int* 2011;42(9):721-8. [Abstract](#)
406. Geckili O, Bilhan H, Mumcu E, Bilgin T. Three-year radiologic follow-up of marginal bone loss around titanium dioxide grit-blasted dental implants with and without fluoride treatment. *Int J Oral Maxillofac Implants* 2011;26(2):319-24. [Abstract](#)
407. Geckili O, Bilhan H, Mumcu E, Dayan C, Yabul A, Tuncer N. Comparison of patient satisfaction, quality of life, and bite force between elderly edentulous patients wearing mandibular two implant-supported overdentures and conventional complete dentures after 4 years. *Spec Care Dentist* 2012;32(4):136-41. [Abstract](#)
408. Geckili O, Mumcu E, Bilhan H. Radiographic evaluation of narrow diameter implants after 5 years of clinical function: a retrospective study. *J Oral Implantol* 2011;39(S1):273-79. [Abstract](#)
409. Geckili O, Mumcu E, Bilhan H. The effect of maximum bite force, implant number, and attachment type on marginal bone loss around implants supporting mandibular overdentures: a retrospective study. *Clin Implant Dent Relat Res* 2012;14 Suppl 1(Supplement 1):e91-7. [Abstract](#)
410. Gehrke P, Tabellion A, Fischer C. Microscopical and chemical surface characterization of CAD/CAM zircona abutments after different cleaning procedures. A qualitative analysis. *J Adv Prosthodont* 2015;7(2):151-9. [Abstract](#)
411. Gellrich NC, Bormann KH, Tehranchian S, Kokemuller H, Suarez-Cunqueiro MM. Containment and contouring (CoCoon) technique: a biologically adequate approach to less invasive autogenous preimplant augmentation of bone. *Br J Oral Maxillofac Surg* 2013;51(8):880-6. [Abstract](#)
412. Gheisari R, Eatemadi H, Alavian A. Comparison of the marginal bone loss in one-stage versus two-stage implant surgery. *J Dent (Shiraz)* 2017;18(4):272-76. [Abstract](#)
413. Ghozeizi R, Alikhasi M, Siadat M-R, Siadat H, Sorouri M. A radiographic comparison of progressive and conventional loading on crestal bone loss and dentistry in single dental implants: A randomized controlled trial study. *J Dent (Tehran)* 2013;10(2):155-63. [Abstract](#)
414. Gigandet M, Bigolin G, Faoro F, Burgin W, Bragger U. Implants with original and non-original abutment connections. *Clin Implant Dent Relat Res* 2014;16(2):303-11. [Abstract](#)

415. Gjengedal H, Dahl L, Lavik A, Trovik TA, Berg E, Boe OE, Malde MK. Randomized clinical trial comparing dietary intake in patients with implant-retained overdentures and conventionally relined denture. *Int J Prosthodont* 2012;25(4):340-7. [Abstract](#)
416. Goellner M, Schmitt J, Karl M, Wichmann M, Holst S. The effect of axial and oblique loading on the micromovement of dental implants. *Int J Oral Maxillofac Implants* 2011;26(2):257-64. [Abstract](#)
417. Gökçen-Röhlig B, Meric U, Keskin H. Clinical and radiographic outcomes of implants immediately placed in fresh extraction sockets. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2010;109(4):1-7. [Abstract](#)
418. Gonzalez-Martin O, Lee EA, Veltri M. CBCT fractal dimension changes at the apex of immediate implants placed using undersized drilling. *Clin Oral Implants Res* 2012;23(8):954-7. [Abstract](#)
419. Goshima K, Lexner MO, Thomsen CE, Miura H, Gotfredsen K, Bakke M. Functional aspects of treatment with implant-supported single crowns: a quality control study in subjects with tooth agenesis. *Clin Oral Implants Res* 2010;21(1):108-14. [Abstract](#)
420. Gotfredsen K. Implant supported overdentures-the Copenhagen experience. *J Dent* 1997;25 Suppl 1:S39-42. [Abstract](#)
421. Gotfredsen K. A 5-year prospective study of single-tooth replacements supported by the Astra Tech implant: a pilot study. *Clin Implant Dent Relat Res* 2004;6(1):1-8. [Abstract](#)
422. Gotfredsen K. A 10-year prospective study of single tooth implants placed in the anterior maxilla. *Clin Implant Dent Relat Res* 2009;14(1):80-7. [Abstract](#)
423. Gotfredsen K, Holm B. Implant-supported mandibular overdentures retained with ball or bar attachments: a randomized prospective 5-year study. *Int J Prosthodont* 2000;13(2):125-30. [Abstract](#)
424. Gotfredsen K, Holm B, Sewerin I, Harder F, Hjorting-Hansen E, Pedersen CS, Christensen K. Marginal tissue response adjacent to Astra Dental Implants supporting overdentures in the mandible. *Clin Oral Implants Res* 1993;4(2):83-9. [Abstract](#)
425. Gotfredsen K, Karlsson U. A prospective 5-year study of fixed partial prostheses supported by implants with machined and TiO₂-blasted surface. *J Prosthodont* 2001;10(1):2-7. [Abstract](#)
426. Gotfredsen K, Lindh CH, Berglundh T. Does longstanding nicotine exposure impair bone healing and osseointegration? An experimental study in rabbits. *J Biomed Mater Res B* 2009;91(2):918-23. [Abstract](#)
427. Gotfredsen K, Nimb L, Hjorting-Hansen E. Immediate implant placement using a biodegradable barrier, polyhydroxybutyrate-hydroxyvalerate reinforced with polyglactin 910. An experimental study in dogs. *Clin Oral Implants Res* 1994;5(2):83-91. [Abstract](#)

428. Gotfredsen K, Nimb L, Hjorting-Hansen E, Jensen JS, Holmen A. Histomorphometric and removal torque analysis for TiO₂-blasted titanium implants. An experimental study on dogs. *Clin Oral Implants Res* 1992;3(2):77-84. [Abstract](#)
429. Gotfredsen K, Warrer K, Hjorting H, Karring T. Effect of membranes and porous hydroxyapatite on healing in bone defects around titanium dental implants. An experimental study in monkeys. *Clin Oral Implants Res* 1991;2(4):172-8. [Abstract](#)
430. Gotfredsen K, Wennerberg A, Johansson C, Skovgaard LT, Hjorting-Hansen E. Anchorage of TiO₂-blasted, HA-coated, and machined implants: an experimental study with rabbits. *J Biomed Mater Res* 1995;29(10):1223-31. [Abstract](#)
431. Grigoriadis A, Johansson RS, Trulsson M. Adaptability of mastication in people with implant-supported bridges. *J Clin Periodontol* 2011;38(4):395-404. [Abstract](#)
432. Grisar K, Sinha D, Schoenaers J, Dormaar T, Politis C. Retrospective analysis of dental implants placed between 2012 and 2014: Indications, risk factors, and early survival. *Int J Oral Maxillofac Implants* 2017;32(3):649-54. [Abstract](#)
433. Grobecker-Karl T, Karl M, Steiner C. Insertion torque/time integral as a measure of primary implant stability. *Biomed Tech (Berl)* 2020;E-pub Jun, doi:10.1515/bmt-2020-0039. [Abstract](#)
434. Grobecker-Karl T, Orujov K, Klar V, Karl M. Use of a dentin bonding agent for the fixation of strain gauges on bone. *J Mech Behav Biomed Mater* 2021;119:104545. [Abstract](#)
435. Guida L, Annunziata M, Esposito U, Sirignano M, Torrisi P, Cecchinato D. 6-mm-short and 11-mm-long implants compared in the full-arch rehabilitation of the edentulous mandible: A 3-year multicenter randomized controlled trial. *Clin Oral Implants Res* 2020;31(1):64-73. [Abstract](#)
436. Guida L, Annunziata M, Rocci A, Contaldo M, Rullo R, Oliva A. Biological response of human bone marrow mesenchymal stem cells to fluoride-modified titanium surfaces. *Clin Oral Implants Res* 2010;21(11):1234-41. [Abstract](#)
437. Guler B, Uraz A, Cetiner D. The chemical surface evaluation of black and white porous titanium granules and different commercial dental implants with energy-dispersive x-ray spectroscopy analysis. *Clin Implant Dent Relat Res* 2019;21(2):352-59. [Abstract](#)
438. Guler B, Uraz A, Hatipoglu H, Yalim M. Chemical evaluation of energy dispersive x-ray spectroscopy analysis of different failing dental implant surfaces: A comparative clinical trial. *Materials (Basel)* 2021;14(4). [Abstract](#)
439. Guljé F, Abrahamsson I, Chen S, Stanford C, Zadeh H, Palmer R. Implants of 6 mm vs. 11 mm lengths in the posterior maxilla and mandible: a 1-year multicenter randomized controlled trial. *Clin Oral Implants Res* 2013;24(12):1325-31. [Abstract](#)
440. Gulje F, Raghoobar GM, Ter Meulen JW, Vissink A, Meijer HJ. Mandibular overdentures supported by 6-mm dental implants: a 1-year prospective cohort study. *Clin Implant Dent Relat Res* 2012;14 Suppl 1(Supplement 1):e59-66. [Abstract](#)

441. Gulje FL, Meijer HJA, Abrahamsson I, Barwacz CA, Chen S, Palmer PJ, Zadeh H, Stanford CM. Comparison of 6-mm and 11-mm dental implants in the posterior region supporting fixed dental prostheses: 5-year results of an open multicenter randomized controlled trial. *Clin Oral Implants Res* 2021;32(1):15-22. [Abstract](#)
442. Guljé FL, Raghoobar GM, Erkens WA, Meijer HJ. Impact of crown-implant ratio of single restorations supported by 6-mm implants: A short-term case series study. *Int J Oral Maxillofac Implants* 2016;31(3):672-5. [Abstract](#)
443. Guljé FL, Raghoobar GM, Vissink A, Meijer HJ. Single crowns in the resorbed posterior maxilla supported by either 6-mm implants or by 11-mm implants combined with sinus floor elevation surgery: A 1-year randomised controlled trial. *Eur J Oral Implantol* 2014;7(3):247-55. [Abstract](#)
444. Guljé FL, Raghoobar GM, Vissink A, Meijer HJ. Single restorations in the resorbed posterior mandible supported by 6-mm implants: a 1-year prospective case series study. *Clin Implant Dent Relat Res* 2015;17 Suppl 2:e465-71. [Abstract](#)
445. Gulje FL, Raghoobar GM, Vissink A, Meijer HJA. Single crown restorations supported by 6-mm implants in the resorbed posterior mandible: A five-year prospective case series. *Clin Implant Dent Relat Res* 2019;21(5):1017-22. [Abstract](#)
446. Gulje FL, Raghoobar GM, Vissink A, Meijer HJA. Single crowns in the resorbed posterior maxilla supported by either 11-mm implants combined with sinus floor elevation or 6-mm implants: A 5-year randomised controlled trial. *Int J Oral Implantol* 2019;12(3):315-26. [Abstract](#)
447. Guncu MB, Cakan U, Aktas G, Guncu GN, Canay S. Comparison of implant versus tooth-supported zirconia-based single crowns in a split-mouth design: a 4-year clinical follow-up study. *Clin Oral Investig* 2016;20(9):2467-73. [Abstract](#)
448. Gungormus M, Erbasar GNH. Transient heat transfer in dental implants for thermal necrosis-aided implant removal: A 3D finite element analysis. *J Oral Implantol* 2019;45(3):196-201. [Abstract](#)
449. Guo J, Padilla RJ, Ambrose W, De Kok IJ, Cooper LF. The effect of hydrofluoric acid treatment of TiO₂ grit blasted titanium implants on adherent osteoblast gene expression in vitro and in vivo. *Biomaterials* 2007;28(36):5418-25. [Abstract](#)
450. Guven SS, Cabbar F, Guler N. Local and systemic factors associated with marginal bone loss around dental implants: a retrospective clinical study. *Quintessence Int* 2020;51(2):128-41. [Abstract](#)
451. Guzaitis KL, Knoernschild KL, Viana MA. Effect of repeated screw joint closing and opening cycles on implant prosthetic screw reverse torque and implant and screw thread morphology. *J Prosthet Dent* 2011;106(3):159-69. [Abstract](#)
452. Hadchiti W, Aoun G, Al Yahfoufi Z. Survival rate of implants placed in residual bone height less than 4.5 mm with or without bone grafting using Summers method. *Journal of Long-Term Effects of Medical Implants* 2022.

453. Hadzik J, Botzenhart U, Krawiec M, Gedrange T, Heinemann F, Vegh A, Dominiak M. Comparative evaluation of the effectiveness of the implantation in the lateral part of the mandible between short tissue level (TE) and bone level (BL) Implant Systems. *Ann Anat* 2017;213:78-82. [Abstract](#)
454. Hadzik J, Krawiec M, Kubasiewicz-Ross P, Prylinska-Czyzewska A, Gedrange T, Dominiak M. Short implants and conventional implants in the residual maxillary alveolar ridge: A 36-month follow-up observation. *Med Sci Monit* 2018;24:5645-52. [Abstract](#)
455. Hadzik J, Krawiec M, Slawicki K, Kunert-Keil C, Dominiak M, Gedrange T. The influence of the crown-implant ratio on the crestal bone level and implant secondary stability: 36-month clinical study. *Biomed Res Int* 2018;2018:4246874. [Abstract](#)
456. Hadzik J, Kubasiewicz-Ross P, Nawrot-Hadzik I, Gedrange T, Pitulaj A, Dominiak M. Short (6 mm) and regular dental implants in the posterior maxilla-7-years follow-up study. *J Clin Med* 2021;10(5):940. [Abstract](#)
457. Hakam AE, Vila G, Duarte PM, Mbadu MP, Ai Angary DS, Shuwaikan H, Aukhil I, Neiva R, da Silva HDP, Chang J. Effects of different antidepressant classes on dental implant failure: A retrospective clinical study. *J Periodontol* 2021;92(2):196-204. [Abstract](#)
458. Halldin A, Jimbo R, Johansson CB, Wennerberg A, Jacobsson M, Albrektsson T, Hansson S. The effect of static bone strain on implant stability and bone remodeling. *Bone* 2011;49(4):783-9. [Abstract](#)
459. Halldin A, Jimbo R, Johansson CB, Wennerberg A, Jacobsson M, Albrektsson T, Hansson S. Implant stability and bone remodeling after 3 and 13 days of implantation with an initial static strain. *Clin Implant Dent Relat Res* 2014;16(3):383-93. [Abstract](#)
460. Halldin A, Jinno Y, Galli S, Ander M, Jacobsson M, Jimbo R. Implant stability and bone remodeling up to 84 days of implantation with an initial static strain. An in vivo and theoretical investigation. *Clin Oral Implants Res* 2016;27(10):1310-16. [Abstract](#)
461. Hallman M, Mordenfeld A, Strandkvist T. A retrospective 5-year follow-up study of two different titanium implant surfaces used after interpositional bone grafting for reconstruction of the atrophic edentulous maxilla. *Clin Implant Dent Relat Res* 2005;7(3):121-6. [Abstract](#)
462. Hallstrom H, Persson GR, Lindgren S, Olofsson M, Renvert S. Systemic antibiotics and debridement of peri-implant mucositis. A randomized clinical trial. *J Clin Periodontol* 2012;39(6):574-81. [Abstract](#)
463. Hamilton A, Judge RB, Palamara JE, Evans C. Evaluation of the fit of CAD/CAM abutments. *Int J Prosthodont* 2013;26(4):370-80. [Abstract](#)
464. Han J, Tang Z, Zhang X, Meng H. A prospective, multi-center study assessing early loading with short implants in posterior regions. A 3-year post-loading follow-up study. *Clin Implant Dent Relat Res* 2018;20(1):34-42. [Abstract](#)

465. Han J, Zhang X, Tang Z, Zhang L, Shi D, Meng H. A prospective, multicenter study assessing the DENTSPLY Implants, OsseoSpeed TX, length 6 mm in the posterior maxilla and mandible: a 1-year follow-up study. *Clin Oral Implants Res* 2016;27(4):452-7. [Abstract](#)
466. Han JY, Shin SI, Herr Y, Kwon YH, Chung JH. The effects of bone grafting material and a collagen membrane in the ridge splitting technique: an experimental study in dogs. *Clin Oral Implants Res* 2011;22(12):1391-8. [Abstract](#)
467. Hansson S. The implant neck: smooth or provided with retention elements. A biomechanical approach. *Clin Oral Implants Res* 1999;10(5):394-405. [Abstract](#)
468. Hansson S. Surface roughness parameters as predictors of anchorage strength in bone: a critical analysis. *J Biomech* 2000;33(10):1297-303. [Abstract](#)
469. Hansson S. Implant-abutment interface: biomechanical study of flat top versus conical. *Clin Implant Dent Relat Res* 2000;2(1):33-41. [Abstract](#)
470. Hansson S. A conical implant-abutment interface at the level of the marginal bone improves the distribution of stresses in the supporting bone. An axisymmetric finite element analysis. *Clin Oral Implants Res* 2003;14(3):286-93. [Abstract](#)
471. Hansson S, Halldin A. Letter to the editor: re: effect of microthreads and platform switching on crestal bone stress levels: a finite element analysis. *J Periodontol* 2009;80(7):1033-5. [Abstract](#)
472. Hansson S, Löberg J, Mattisson I, Ahlberg E. Characterisation of titanium dental implants. II. Local biomechanical model. *The Open Biomaterials J* 2010;2:36-52.
473. Hansson S, Norton M. The relation between surface roughness and interfacial shear strength for bone-anchored implants. A mathematical model. *J Biomech* 1999;32(8):829-36. [Abstract](#)
474. Hansson S, Werke M. The implant thread as a retention element in cortical bone: the effect of thread size and thread profile: a finite element study. *J Biomech* 2003;36(9):1247-58. [Abstract](#)
475. Harder S, Dimaczek B, Acil Y, Terheyden H, Freitag-Wolf S, Kern M. Molecular leakage at implant-abutment connection--in vitro investigation of tightness of internal conical implant-abutment connections against endotoxin penetration. *Clin Oral Investig* 2010;14(4):427-32. [Abstract](#)
476. Hartlev J, Sandberg M, Jensen AD, Gjørup H, Norholt SE. Multidisciplinary treatment intervention in 24 patients with oligodontia: A case-cohort study. *Int J Prosthodont* 2019;32(1):20-26. [Abstract](#)
477. Harvey BV. Optimizing the esthetic potential of implant restorations through the use of immediate implants with immediate provisionals. *J Periodontol* 2007;78(4):770-6. [Abstract](#)
478. Hasanoglu Erbasar GN, Hocaoglu TP, Erbasar RC. Risk factors associated with short dental implant success: a long-term retrospective evaluation of patients followed up for up to 9 years. *Braz Oral Res* 2019;33:e030. [Abstract](#)

479. Hasturk H, Nguyen DH, Sherzai H, Song X, Soukos N, Bidlack FB, Van Dyke TE. Comparison of the impact of scaler material composition on polished titanium implant abutment surfaces. *J Dent Hyg* 2013;87(4):200-11. [Abstract](#)
480. Haupt R, Wynne J. Use of precision milling to achieve a passive fit on a lost-wax framework. *Pract Proced Aesthet Dent* 2009;21(4):233-37.
481. He X, Reichl FX, Wang Y, Michalke B, Milz S, Yang Y, Stolper P, Lindemaier G, Graw M, Hickel R, Hogg C. Analysis of titanium and other metals in human jawbones with dental implants - a case series study. *Dent Mater* 2016;32(8):1042-51. [Abstract](#)
482. Heitz-Mayfield LJ, Darby I, Heitz F, Chen S. Preservation of crestal bone by implant design. A comparative study in minipigs. *Clin Oral Implants Res* 2013;24(3):243-9. [Abstract](#)
483. Hentenaar DF, De Waal YC, Van Winkelhoff AJ, Raghoobar GM, Meijer HJ. Influence of cervical crown contour on marginal bone loss around platform-switched bone-level implants: A 5-year cross-sectional study. *Int J Prosthodont* 2020;33(4):373-79. [Abstract](#)
484. Hentenaar DFM, De Waal YCM, Van Winkelhoff AJ, Meijer HJA, Raghoobar GM. Non-surgical peri-implantitis treatment using a pocket irrigator device; clinical, microbiological, radiographical and patient-centred outcomes-A pilot study. *Int J Dent Hyg* 2020;18(4):403-12. [Abstract](#)
485. Hermes M, Lommen J, Kübler N, Lytvyniuk I, Singh D, Schorn L, Holtmann H. Influence of schneiderian membrane perforations on the prognosis and outcomes of lateral window sinus lift operations: A retrospective case series study. *J Dent Oral Disord Ther* 2018;6(2):1-9. [Abstract](#)
486. Herráez-Galindo C, Torres-Lagares D, Martínez-González A-J, Pérez-Velasco A, Torres-Carranza E. A comparison of photoelastic and finite elements analysis in internal connection and bone level dental implants. *Journals Metals* 2020;10(5). [Abstract](#)
487. Hertel M, Roh YC, Neumann K, Strietzel FP. Premature exposure of dental implant cover screws. A retrospective evaluation of risk factors and influence on marginal peri-implant bone level changes. *Clin Oral Investig* 2017;21(6):2109-22. [Abstract](#)
488. Hibi H, Ueda M. Supraperiosteal transport distraction osteogenesis for reconstructing a segmental defect of the mandible. *J Oral Maxillofac Surg* 2011;69(3):742-6. [Abstract](#)
489. Hirata R, Bonfante EA, Anchieta RB, Machado LS, Freitas G, Fardin VP, Tovar N, Coelho PG. Reliability and failure modes of narrow implant systems. *Clin Oral Investig* 2016;20(7):1505-13. [Abstract](#)
490. Hirata R, Bonfante EA, Machado LS, Tovar N, Coelho PG. Mechanical evaluation of four narrow-diameter implant systems. *Int J Prosthodont* 2014;27(4):359-62. [Abstract](#)
491. Hjalmarsson L, Smedberg JI. A 3-year retrospective study of Cresco frameworks: preload and complications. *Clin Implant Dent Relat Res* 2005;7(4):189-99. [Abstract](#)

492. Hjalmarsson L, Smedberg JI, Pettersson M, Jemt T. Implant-level prostheses in the edentulous maxilla: a comparison with conventional abutment-level prostheses after 5 years of use. *Int J Prosthodont* 2011;24(2):158-67. [Abstract](#)
493. Hjerpe J, Lassila LV, Rakkolainen T, Narhi T, Vallittu PK. Load-bearing capacity of custom-made versus prefabricated commercially available zirconia abutments. *Int J Oral Maxillofac Implants* 2011;26(1):132-8. [Abstract](#)
494. Hofstede TM, Jacob RF. Diagnostic considerations and prosthetic rehabilitation of a cocaine-induced midline destructive lesion: A clinical report. *J Prosthet Dent* 2010;103(1):1-5. [Abstract](#)
495. Hong YS, Kim MJ, Han JS, Yeo IS. Effects of hydrophilicity and fluoride surface modifications to titanium dental implants on early osseointegration: an in vivo study. *Implant Dent* 2014;23(5):529-33. [Abstract](#)
496. Hosoki M, Nishigawa K, Miyamoto Y, Ohe G, Matsuka Y. Allergic contact dermatitis caused by titanium screws and dental implants. *J Prosthodont Res* 2016;60(3):213-9. [Abstract](#)
497. Hosseini M, Gotfredsen K. A feasible, aesthetic quality evaluation of implant-supported single crowns: an analysis of validity and reliability. *Clin Oral Implants Res* 2012;23(4):453-8. [Abstract](#)
498. Hosseini M, Kleven E, Gotfredsen K. Fracture mode during cyclic loading of implant-supported single-tooth restorations. *J Prosthet Dent* 2012;108(2):74-83. [Abstract](#)
499. Hosseini M, Worsaae N, Gotfredsen K. Tissue changes at implant sites in the anterior maxilla with and without connective tissue grafting: A five-year prospective study. *Clin Oral Implants Res* 2020;31(1):18-28. [Abstract](#)
500. Hosseini M, Worsaae N, Gotfredsen K. A five-year randomised controlled trial comparing zirconia-based versus metal-based implant-supported single-tooth restorations in the premolar region. *Clin Oral Implants Res* 2022;E pub May 28, doi: 10.1111/clr.13960:1-12. [Abstract](#)
501. Hosseini M, Worsaae N, Schiodt M, Gotfredsen K. A 1-year randomised controlled trial comparing zirconia versus metal-ceramic implant supported single-tooth restorations. *Eur J Oral Implantol* 2011;4(4):347-61. [Abstract](#)
502. Hosseini M, Worsaae N, Schiodt M, Gotfredsen K. A 3-year prospective study of implant-supported, single-tooth restorations of all-ceramic and metal-ceramic materials in patients with tooth agenesis. *Clin Oral Implants Res* 2013;24(10):1078-87. [Abstract](#)
503. Hotchkiss KM, Sowers KT, Olivares-Navarrete R. Novel in vitro comparative model of osteogenic and inflammatory cell response to dental implants. *Dent Mater* 2019;35(1):176-84. [Abstract](#)
504. Hsu A, Seong WJ, Wolff R, Zhang L, Hodges J, Olin PS, Hinrichs JE. Comparison of initial implant stability of implants placed using bicortical fixation, indirect sinus elevation, and unicortical fixation. *Int J Oral Maxillofac Implants* 2016;31(2):459-68. [Abstract](#)

505. Huang B, Meng H, Piao M, Xu L, Zhang L, Zhu W. Influence of placement depth on bone remodeling around tapered internal connection implant: a clinical and radiographic study in dogs. *J Periodontol* 2012;83(9):1164-71. [Abstract](#)
506. Huang B, Meng H, Zhu W, Witek L, Tovar N, Coelho PG. Influence of placement depth on bone remodeling around tapered internal connection implants: a histologic study in dogs. *Clin Oral Implants Res* 2015;26(8):942-9. [Abstract](#)
507. Huang B, Zhang L, Xu L, Zhu W, Witek L, Tovar N, Coelho PG, Meng H. Effect of implant placement depth on the peri-implant bone defect configurations in ligature-induced peri-implantitis: An experimental study in dogs. *Med Oral Patol Oral Cir Bucal* 2018;23(1):e30-e37. [Abstract](#)
508. Huang R, Liu Y, Huang B, Zhou F, Chen Z, Li Z. Improved accuracy of digital implant impressions with newly designed scan bodies: an in vivo evaluation in beagle dogs. *BMC Oral Health* 2021;21(1):623. [Abstract](#)
509. Hudieb MI, Wakabayashi N, Kasugai S. Magnitude and direction of mechanical stress at the osseointegrated interface of the microthread implant. *J Periodontol* 2011;82(7):1061-70. [Abstract](#)
510. Huynh-Ba G, Pjetursson BE, Sanz M, Cecchinato D, Ferrus J, Lindhe J, Lang NP. Analysis of the socket bone wall dimensions in the upper maxilla in relation to immediate implant placement. *Clin Oral Implants Res* 2010;21(1):37-42. [Abstract](#)
511. Imam AY, Moshaverinia A, Chee WW, McGlumphy EA. A technique for retrieving fractured implant screws. *J Prosthet Dent* 2014;111(1):81-3. [Abstract](#)
512. Imam AY, Moshaverinia A, McGlumphy EA. Implant-abutment interface: a comparison of the ultimate force to failure among narrow-diameter implant systems. *J Prosthet Dent* 2014;112(2):136-42. [Abstract](#)
513. Ioannidis A, Heierle L, Hammerle CHF, Husler J, Jung RE, Thoma DS. Prospective randomized controlled clinical study comparing two types of two-piece dental implants supporting fixed reconstructions-Results at 5 years of loading. *Clin Oral Implants Res* 2019;30(11):1126-33. [Abstract](#)
514. Isa ZM, Schneider GB, Zaharias R, Seabold D, Stanford CM. Effects of fluoride-modified titanium surfaces on osteoblast proliferation and gene expression. *Int J Oral Maxillofac Implants* 2006;21(2):203-11. [Abstract](#)
515. Isehmed C, Svenson B, Lundberg P, Holmlund A. Surgical treatment of peri-implantitis using enamel matrix derivative, an RCT: 3- and 5-year follow-up. *J Clin Periodontol* 2018;45(6):744-53. [Abstract](#)
516. Isidor F. Loss of osseointegration caused by occlusal load of oral implants. A clinical and radiographic study in monkeys. *Clin Oral Implants Res* 1996;7(2):143-52. [Abstract](#)
517. Isidor F. Histological evaluation of peri-implant bone at implants subjected to occlusal overload or plaque accumulation. *Clin Oral Implants Res* 1997;8(1):1-9. [Abstract](#)

518. Isidor F. Clinical probing and radiographic assessment in relation to the histologic bone level at oral implants in monkeys. *Clin Oral Implants Res* 1997;8(4):255-64. [Abstract](#)
519. Isler SC, Uraz A, Kaymaz O, Cetiner D. An evaluation of the relationship between peri-implant soft tissue biotype and the severity of peri-implantitis: A cross-sectional study. *Int J Oral Maxillofac Implants* 2019;34(1):187-96. [Abstract](#)
520. Isoda Y, Imamura E, Ueno D, Akaike T, Hamada Y. Use of a trephine bur and curette for minimally invasive harvesting of particulate cancellous bone and marrow from the iliac crest: a case of alveolar ridge reconstruction. *Int J Implant Dent* 2016;2(1):1-6. [Abstract](#)
521. Iturriaga MT, Ruiz CC. Maxillary sinus reconstruction with calvarium bone grafts and endosseous implants. *J Oral Maxillofac Surg* 2004;62(3):344-7. [Abstract](#)
522. Ivanoff CJ, Hallgren C, Widmark G, Sennerby L, Wennerberg A. Histologic evaluation of the bone integration of TiO₂ blasted and turned titanium microimplants in humans. *Clin Oral Implants Res* 2001;12(2):128-34. [Abstract](#)
523. Ivanoff CJ, Lindhe J, Ellner S, Johansson KJ, Abrahamsson P. An open, randomised, multi-centre study, comparing straight and tapered apex implants design, in partially and totally edentulous maxillae. *Acta Odontol Scand* 2021;E-pub Mar 5, doi:10.1080/00016357.2021.1894352:1-7. [Abstract](#)
524. Jacobi-Gresser E, Huesker K, Schutt S. Genetic and immunological markers predict titanium implant failure: a retrospective study. *Int J Oral Maxillofac Surg* 2013;42(4):537-43. [Abstract](#)
525. Jacobs BP, Zadeh HH, De Kok I, Cooper L. A randomized controlled trial evaluating grafting the facial gap at immediately placed implants. *Int J Periodontics Restorative Dent* 2020;40(3):383-92. [Abstract](#)
526. Jacobs R, Gu Y, Quirynen M, De Mars G, Dekeyser C, van Steenberghe D, Vrombaut D, Shujaat S, Naert I. A 20-year split-mouth comparative study of two screw-shaped titanium implant systems. *Int J Oral Implantol (Berl)* 2021;14(4):421-30. [Abstract](#)
527. Jacobs R, Pittayapat P, van Steenberghe D, De Mars G, Gijbels F, Van Der Donck A, Li L, Liang X, Van Assche N, Quirynen M, Naert I. A split-mouth comparative study up to 16 years of two screw-shaped titanium implant systems. *J Clin Periodontol* 2010;37(12):119-1127. [Abstract](#)
528. James M, Roudsari RV. Prosthetic rehabilitation of a patient with X-linked hypophosphatemia using dental implants: a case report and review of the literature. *Int J Implant Dent* 2019;5(1):15. [Abstract](#)
529. Jansen VK, Conrads G, Richter EJ. Microbial leakage and marginal fit of the implant-abutment interface. *Int J Oral Maxillofac Implants* 1997;12(4):527-40. [Abstract](#)
530. Jansson L, Guan T, Modin C, Buhlin K. Radiographic peri-implant bone loss after a function time up to 15 years. *Acta Odontol Scand* 2021:1-7. [Abstract](#)

531. Jansson L, Lundmark A, Modin C, Abadji D, Yucel-Lindberg T. Intra-individual cytokine profile in peri-implantitis and periodontitis: A cross-sectional study. *Clin Oral Implants Res* 2021;32(5):559-68. [Abstract](#)
532. Jarmar T, Palmquist A, Branemark R, Hermansson L, Engqvist H, Thomsen P. Characterization of the surface properties of commercially available dental implants using scanning electron microscopy, focused ion beam, and high-resolution transmission electron microscopy. *Clin Implant Dent Relat Res* 2008;10(1):11-22. [Abstract](#)
533. Jeffrey S, Brock G, Harrison J, Butterworth C. Multidisciplinary management of maxillary regional odontodysplasia. *Orthodontics* 2019;12:8-12.
534. Jelusic D, Zirk ML, Fienitz T, Plancak D, Puhar I, Rothamel D. Monophasic ss-TCP vs. biphasic HA/ss-TCP in two-stage sinus floor augmentation procedures - a prospective randomized clinical trial. *Clin Oral Implants Res* 2017;28(10):e175-e83. [Abstract](#)
535. Jemt T. Implant survival in the edentulous jaw-30 years of experience. Part I: A retro-prospective multivariate regression analysis of overall implant failure in 4,585 consecutively treated arches. *Int J Prosthodont* 2018;31(5):425-35. [Abstract](#)
536. Jemt T, Gyzander V, Britse AO. Incidence of surgery related to problems with peri-implantitis: a retrospective study on patients followed up between 2003 and 2010 at one specialist clinic. *Clin Implant Dent Relat Res* 2015;17(2):209-20. [Abstract](#)
537. Jensen AT, Jensen SS, Worsaae N. Complications related to bone augmentation procedures of localized defects in the alveolar ridge. A retrospective clinical study. *Oral Maxillofac Surg* 2016;20(2):115-22. [Abstract](#)
538. Jensen J, Brox H, Storhaug K, Ambjornsen E, Stovne S, Bjornland T. Dental implants in patients with osteogenesis imperfecta: A retrospective and prospective study with review of the literature. *Oral Surgery* 2011;4(3):105–14. [Abstract](#)
539. Jensen JL, Storhaug K. Dental implants in patients with Ehlers-Danlos syndrome: A case series study. *Int J Prosthodont* 2012;25(1):60-2. [Abstract](#)
540. Jensen-Louwerse C, Sikma H, Cune MS, Gulje FL, Meijer HJA. Single implant-supported two-unit cantilever fixed partial dentures in the posterior region: a retrospective case series with a mean follow-up of 6.5 years. *Int J Implant Dent* 2021;7(1):78. [Abstract](#)
541. Jeong KI, Lee J, Um IW, Kim YK. Alveolar cleft restoration using autogenous tooth bone graft material for implant placement: A case report. *J Oral Implantol* 2015;41(4):487-90. [Abstract](#)
542. Jeong SM, Choi BH, Li J, Ahn KM, Lee SH, Xuan F. Bone healing around implants following flap and mini-flap surgeries: a radiographic evaluation between stage I and stage II surgery. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2008;105(3):293-6. [Abstract](#)

543. Jeong SM, Choi BH, Li J, Xuan F. A retrospective study of the effects of sinus membrane elevation on bone formation around implants placed in the maxillary sinus cavity. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2009;107(3):364-8. [Abstract](#)
544. Jimbo R, Anchieta R, Baldassarri M, Granato R, Marin C, Teixeira HS, Tovar N, Vandeweghe S, Janal MN, Coelho PG. Histomorphometry and bone mechanical property evolution around different implant systems at early healing stages: an experimental study in dogs. *Implant Dent* 2013;22(6):596-603. [Abstract](#)
545. Jo DW, Yi YJ, Kwon MJ, Kim YK. Correlation between interimplant distance and crestal bone loss in internal connection implants with platform switching. *Int J Oral Maxillofac Implants* 2014;29(2):296-302. [Abstract](#)
546. Joda T, Burki A, Bethge S, Bragger U, Zysset P. Stiffness, strength, and failure modes of implant-supported monolithic lithium disilicate crowns: influence of titanium and zirconia abutments. *Int J Oral Maxillofac Implants* 2015;30(6):1272-9. [Abstract](#)
547. Johansson CB, Gretzer C, Jimbo R, Mattisson I, Ahlberg E. Enhanced implant integration with hierarchically structured implants: a pilot study in rabbits. *Clin Oral Implants Res* 2012;23(8):943-53. [Abstract](#)
548. Jörn D, Kohorst P, Besdo S, Rucker M, Stiesch M, Borchers L. Influence of lubricant on screw preload and stresses in a finite element model for a dental implant. *J Prosthet Dent* 2014;112(2):340-8. [Abstract](#)
549. Jun CM, Yun JH. Three-dimensional bone regeneration of alveolar ridge defects using corticocancellous allogeneic block grafts: histologic and immunohistochemical analysis. *Int J Periodontics Restorative Dent* 2016;36(1):75-81. [Abstract](#)
550. Jung JH, Choi BH, Jeong SM, Li J, Lee SH, Lee HJ. A retrospective study of the effects on sinus complications of exposing dental implants to the maxillary sinus cavity. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2007;103(5):623-5. [Abstract](#)
551. Jung RE, Pjetursson BE, Glauser R, Zembic A, Zwahlen M, Lang NP. A systematic review of the 5-year survival and complication rates of implant-supported single crowns. *Clin Oral Implants Res* 2008;19(2):119-30. [Abstract](#)
552. Junker R, Dimakis A, Thoneick M, Jansen JA. Effects of implant surface coatings and composition on bone integration: a systematic review. *Clin Oral Implants Res* 2009;20 Suppl 4:185-206. [Abstract](#)
553. Kabir L, Stiesch M, Grischke J. The effect of keratinized mucosa on the severity of peri-implant mucositis differs between periodontally healthy subjects and the general population: a cross-sectional study. *Clin Oral Investig* 2021;25(3):1183-93. [Abstract](#)
554. Kahnberg KE. Immediate implant placement in fresh extraction sockets: a clinical report. *Int J Oral Maxillofac Implants* 2009;24(2):282-8. [Abstract](#)

555. Kahnberg KE, Vannas-Löfqvist L. Maxillary osteotomy with an interpositional bone graft and implants for reconstruction of the severely resorbed maxilla: a clinical report. *Int J Oral Maxillofac Implants* 2005;20(6):938-45. [Abstract](#)
556. Kahnberg KE, Vannas-Löfqvist L. Sinus lift procedure using a 2-stage surgical technique: I. Clinical and radiographic report up to 5 years. *Int J Oral Maxillofac Implants* 2008;23(5):876-84. [Abstract](#)
557. Kahnberg KE, Vannas-Löfqvist L, Hakeberg M. Early loading of Astra Tech implants in the lower jaw. I. A comparison between immediate placement of implants in fresh extraction sockets and conventional implant surgery. *Oral Surgery* 2012;5(2):51-58. [Abstract](#)
558. Kahnberg KE, Wallstrom M, Rasmusson L. Local sinus lift for single-tooth implant. I. Clinical and radiographic follow-up. *Clin Implant Dent Relat Res* 2009;13(3):231-7. [Abstract](#)
559. Kahramanoglu E, Aslan YU, Ozkan Y, Ozkan Y. The clinical and radiologic outcomes of early loaded implants after 5 years of service. *Int J Oral Maxillofac Implants* 2020;35(6):1248-56. [Abstract](#)
560. Kahramanoglu E, Kulak-Ozkan Y. The effect of different restorative and abutment materials on marginal and internal adaptation of three-unit cantilever implant-supported fixed partial dentures: an in vitro study. *J Prosthodont* 2013;22(8):608-17. [Abstract](#)
561. Kahramanoglu E, Kulak-Ozkan Y. Marginal and internal adaptation of different superstructure and abutment materials using two different implant systems for five-unit implant-supported fixed partial dentures: an in vitro study. *Int J Oral Maxillofac Implants* 2013;28(5):1207-16. [Abstract](#)
562. Kamposiora P, Papavasiliou G, Madianos P. Presentation of two cases of immediate restoration of implants in the esthetic region, using facilitate software and guides with stereolithographic model surgery prior to patient surgery. *J Prosthodont* 2012;21(2):130-7. [Abstract](#)
563. Kan JY, Roe P, Rungcharassaeng K. Effects of implant morphology on rotational stability during immediate implant placement in the esthetic zone. *Int J Oral Maxillofac Implants* 2015;30(3):667-70. [Abstract](#)
564. Kanaan Z. KISS - Keep it simple stupid. *International journal of cosmetic dentistry* 2010;1(1).
565. Kang BS, Sul YT, Oh SJ, Lee HJ, Albrektsson T. XPS, AES and SEM analysis of recent dental implants. *Acta Biomater* 2009;5(6):2222-9. [Abstract](#)
566. Kang IH, Kim CW, Lim YJ, Kim MJ. A comparative study on the initial stability of different implants placed above the bone level using resonance frequency analysis. *J Adv Prosthodont* 2011;3(4):190-5. [Abstract](#)
567. Kanno T, Milleding P, Wennerberg A. Topography, microhardness, and precision of fit on ready-made zirconia abutment before/after sintering process. *Clin Implant Dent Relat Res* 2007;9(3):156-65. [Abstract](#)

568. Kanno T, Sukegawa S, Masui M, Sukegawa-Takahashi Y, Kishimoto T, Sato A, Furuki Y. Retrospective clinical study of dental implants following sinus floor elevation: An up-to-10-year follow-up evaluation. *J Bio-Integ* 2018;8:83-93.
569. Karl M, Taylor TD. Parameters determining micromotion at the implant-abutment interface. *Int J Oral Maxillofac Implants* 2014;29(6):1338-47. [Abstract](#)
570. Karlsson K, Derks J, Hakansson J, Wennstrom JL, Molin Thoren M, Petzold M, Berglundh T. Technical complications following implant-supported restorative therapy performed in Sweden. *Clin Oral Implants Res* 2018;29(6):603-11. [Abstract](#)
571. Karlsson K, Derks J, Wennstrom JL, Petzold M, Berglundh T. Occurrence and clustering of complications in implant dentistry. *Clin Oral Implants Res* 2020;31(10):1002-09. [Abstract](#)
572. Karlsson K, Derks J, Wennstrom JL, Petzold M, Berglundh T. Health economic aspects of implant-supported restorative therapy. *Clin Oral Implants Res* 2021;E-pub Dec 9, doi:10.1111/clr.13885:1-10. [Abstract](#)
573. Karlsson U, Gotfredsen K, Olsson C. Single-tooth replacement by osseointegrated Astra Tech dental implants: a 2-year report. *Int J Prosthodont* 1997;10(4):318-24. [Abstract](#)
574. Karlsson U, Gotfredsen K, Olsson C. A 2-year report on maxillary and mandibular fixed partial dentures supported by Astra Tech dental implants. A comparison of 2 implants with different surface textures. *Clin Oral Implants Res* 1998;9(4):235-42. [Abstract](#)
575. Karring ES, Stavropoulos A, Ellegaard B, Karring T. Treatment of peri-implantitis by the vector system. *Clin Oral Implants Res* 2005;16(3):288-93. [Abstract](#)
576. Kartal Y, Ucok C, Ozgul O, Doruk Kocyigit I, Tolga Suer B. Effect of locally applied bFGF on implant stability: Biomechanical evaluation of 2 different implant surfaces in rabbits. *Implant Dent* 2014;23(4):463-70. [Abstract](#)
577. Kashani H, Hilon J, Rasoul MH, Friberg B. Influence of a single preoperative dose of antibiotics on the early implant failure rate. A randomized clinical trial. *Clin Implant Dent Relat Res* 2019;21(2):278-83. [Abstract](#)
578. Katic Z, Jukic T, Stubljar D. Effects of osteotomy lengths on the temperature rise of the crestal bone during implant site preparation. *Implant Dent* 2018;E-pub Feb 13, doi: 10.1097/ID.0000000000000732. [Abstract](#)
579. Kaufmann R, Friedli M, Hug S, Mericske-Stern R. Removable dentures with implant support in strategic positions followed for up to 8 years. *Int J Prosthodont* 2009;22(3):233-41; discussion 42. [Abstract](#)
580. Kavcic J, Bozic M. Fracture of an osseointegrated dental implant in an implant-supported mandibular overdenture. *J Case Rep Images Dent* 2021;7.

581. Kavcic J, Cbozic M. Immediate implant placement and immediate loading after dental traum. J Case Rep Images Dent 2018;4:100026Z07JK2018. [Abstract](#)
582. Kawai t, Takahashi t, Matsui K. Application of octacalcium phosphate and collagen composite for bone augmentation with sinus floor elevation in humans. Clinics in Surgery 2019;3(Article 2112).
583. Kazemi M, Rohanian A, Monzavi A, Nazari MS. Evaluation of the accuracy and related factors of the mechanical torque-limiting device for dental implants. J Dent (Tehran) 2013;10(2):112-8. [Abstract](#)
584. Kemppainen P, Eskola S, Ylipaavalniemi P. A comparative prospective clinical study of two single-tooth implants: a preliminary report of 102 implants. J Prosthet Dent 1997;77(4):382-7. [Abstract](#)
585. Kennedy KS, Jones EM, Kim DG, McGlumphy EA, Clelland NL. A prospective clinical study to evaluate early success of short implants. Int J Oral Maxillofac Implants 2013;28(1):170-7. [Abstract](#)
586. Kerstein RB, Radke J. A comparison of fabrication precision and mechanical reliability of 2 zirconia implant abutments. Int J Oral Maxillofac Implants 2008;23(6):1029-36. [Abstract](#)
587. Khademi A, Shadmehr E, Ajami M, Rismanchian M, Razavi SM. Histologic and histomorphometric assessment of implants and periapical tissues when placed in the sockets of extracted teeth, teeth with periapical lesions, and healed lesions: a canine study. J Oral Implantol 2013;39(6):709-13. [Abstract](#)
588. Khan O, Archibald A, Thomson E, Maharaj P. The role of quantitative single photon emission computerized tomography (SPECT) in the osseous integration process of dental implants. Oral Surg Oral Med Oral Pathol Oral Radiol Endod 2000;90(2):228-32. [Abstract](#)
589. Khatami AH, Toljanic JA, Kleinman A. Mandibular reconstruction with vascularized fibula flap and osseointegrated implants: a clinical report. J Oral Implantol 2010;36(5):385-90. [Abstract](#)
590. Khojasteh A, Eslaminejad MB, Nazarian H, Morad G, Dashti SG, Behnia H, Stevens M. Vertical bone augmentation with simultaneous implant placement using particulate mineralized bone and mesenchymal stem cells: a preliminary study in rabbit. J Oral Implantol 2013;39(1):3-13. [Abstract](#)
591. Khojasteh A, Hassani A, Motamedian SR, Saadat S, Alikhasi M. Cortical bone augmentation versus nerve lateralization for treatment of atrophic posterior mandible: a retrospective study and review of literature. Clin Implant Dent Relat Res 2016;18(2):342-59. [Abstract](#)
592. Khoury SB, Thomas L, Walters JD, Sheridan JF, Leblebicioglu B. Early wound healing following one-stage dental implant placement with and without antibiotic prophylaxis: A pilot study. J Periodontol 2008;79(10):1904-12. [Abstract](#)
593. Khzam N, Mattheos N, Roberts D, Bruce WL, Ivanovski S. Immediate placement and restoration of dental implants in the esthetic region: clinical case series. J Esthet Restor Dent 2014;26(5):332-44. [Abstract](#)

594. Kim A, Campbell SD, Viana MA, Knoernschild KL. Abutment material effect on peri-implant soft tissue color and perceived esthetics. *J Prosthodont* 2016;25(8):634-40. [Abstract](#)
595. Kim HW, Lim KO, Lee WP, Seo YS, Shin HI, Choi SH, Kim BO, Yu SJ. Sinus floor augmentation using mixture of mineralized cortical bone and cancellous bone allografts: Radiographic and histomorphometric evaluation. *J Dent Sci* 2020;15(3):257-64. [Abstract](#)
596. Kim JJ, Lee DW, Kim CK, Park KH, Moon IS. Effect of conical configuration of fixture on the maintenance of marginal bone level: preliminary results at 1 year of function. *Clin Oral Implants Res* 2010;21(4):439-44. [Abstract](#)
597. Kim JS, Sohn JY, Park JC, Jung UW, Kim CS, Lee JH, Shim JS, Lee KW, Choi SH. Cumulative survival rate of Astra Tech implants: a retrospective analysis. *J Periodontal Implant Sci* 2011;41(2):86-91. [Abstract](#)
598. Kim JW, Lee H, Lim HK, Kim JW, Byun SH, Choi YJ, Lee UL. Orthognathic surgery deteriorates the osseointegration of dental implants: A propensity-matched multicentre cohort study. *J Oral Rehabil* 2018;45(12):967-73. [Abstract](#)
599. Kim S, Choi H, Woo D, Park YB, Shim JS, Kim HS, Lee KW. A three-dimensional finite element analysis of short dental implants in the posterior maxilla. *Int J Oral Maxillofac Implants* 2014;29(2):e155-64. [Abstract](#)
600. Kim TH, Lee DW, Kim CK, Park KH, Moon IS. Influence of early cover screw exposure on crestal bone loss around implants: intraindividual comparison of bone level at exposed and non-exposed implants. *J Periodontol* 2009;80(6):933-9. [Abstract](#)
601. King P, Maiorana C, Luthardt RG, Sondell K, Oland J, Galindo-Moreno P, Nilsson P. Clinical and radiographic evaluation of a small-diameter dental implant used for the restoration of patients with permanent tooth agenesis (hypodontia) in the maxillary lateral incisor and mandibular incisor regions: a 36-month follow-up. *Int J Prosthodont* 2016;29(2):147-53. [Abstract](#)
602. Klär V, Karl M, Grobecker-Karl T. Bone Damage during Dental Implant Insertion: A Pilot Study Combining Strain Gauge and Histologic Analysis. *Applied Sciences* 2021;12(291). [Abstract](#)
603. Klotz MW, Taylor TD, Goldberg AJ. Wear at the titanium-zirconia implant-abutment interface: a pilot study. *Int J Oral Maxillofac Implants* 2011;26(5):970-5. [Abstract](#)
604. Knobloch LA, Larsen P, McGlumphy E, Kim DG, Gohel A, Messner R, Fogarty KJ, Fogarty MT. Prospective cohort study to evaluate narrow diameter implants for restoration of a missing lateral incisor in patients with a cleft palate: One-year results. *J Prosthet Dent* 2021;E-pub May 27, doi:10.1016/j.prosdent.2021.03.030. [Abstract](#)
605. Koch FP, Gotze E, Kumar VV, Schulz P, Wentaschek S, Wagner W. A bar-retained overdenture as an external fixator device in a three-dimensional CAD/CAM-based surgical reconstruction of the mandible. *J Craniomaxillofac Surg* 2015;43(8):1447-51. [Abstract](#)

606. Kolafova M, Stovicek J, Strnad J, Zemek J, Dybal J. In vitro bioactivity test of real dental implants according to ISO 23317. *Int J Oral Maxillofac Implants* 2017;32(6):1221-30. [Abstract](#)
607. Koldslund OC, Scheie AA, Aass AM. Prevalence of implant loss and the influence of associated factors. *J Periodontol* 2009;80(7):1069-75. [Abstract](#)
608. Koldslund OC, Scheie AA, Aass AM. Prevalence of peri-implantitis related to severity of the disease with different degrees of bone loss. *J Periodontol* 2010;81(2):231-8. [Abstract](#)
609. Koldslund OC, Wohlfahrt JC, Aass AM. Surgical treatment of peri-implantitis: Prognostic indicators of short-term results. *J Clin Periodontol* 2018;45(1):100-13. [Abstract](#)
610. Koo KT, Kim MH, Kim HY, Wikesjo UM, Yang JH, Yeo IS. Effects of implant drill wear, irrigation, and drill materials on heat generation in osteotomy sites. *J Oral Implantol* 2015;41(2):e19-23. [Abstract](#)
611. Kordbacheh Changi K, Finkelstein J, Papapanou PN. Peri-implantitis prevalence, incidence rate, and risk factors: A study of electronic health records at a U.S. dental school. *Clin Oral Implants Res* 2019;30(4):306-14. [Abstract](#)
612. Korsch M, Marten SM, Stoll D, Prechtl C, Dotsch A. Microbiological findings in early and late implant loss: an observational clinical case-controlled study. *BMC Oral Health* 2021;21(1):112. [Abstract](#)
613. Korsch M, Obst U, Walther W. Cement-associated peri-implantitis: a retrospective clinical observational study of fixed implant-supported restorations using a methacrylate cement. *Clin Oral Implants Res* 2014;25(7):797-802. [Abstract](#)
614. Korsch M, Peichl M, Bartols A. Lateral alveolar ridge augmentation with autologous dentin of periodontally compromised teeth: A retrospective study. *International Journal of Environmental Research and Public Health* 2022;19(8):4560. [Abstract](#)
615. Korsch M, Robra BP, Walther W. Predictors of excess cement and tissue response to fixed implant-supported dentures after cementation. *Clin Implant Dent Relat Res* 2015;17 Suppl 1:e45-53. [Abstract](#)
616. Korsch M, Walther W. Peri-implantitis associated with type of cement: A retrospective analysis of different types of cement and their clinical correlation to the peri-implant tissue. *Clin Implant Dent Relat Res* 2015;17 Suppl 2:e434-43. [Abstract](#)
617. Korsch M, Walther W. Retrospective analysis of loosening of cement-retained vs screw-retained fixed implant-supported reconstructions. *Quintessence Int* 2015;46(7):583-9. [Abstract](#)
618. Kotsovilis S, Fourmouis I, Karoussis IK, Bamia C. A systematic review and meta-analysis on the effect of implant length on the survival of rough-surface dental implants. *J Periodontol* 2009;80(11):1700-18. [Abstract](#)
619. Kotsovilis S, Karoussis IK, Trianti M, Fourmouis I. Therapy of peri-implantitis: a systematic review. *J Clin Periodontol* 2008;35(7):621-9. [Abstract](#)

620. Koutayas SO, Mitsias M, Wolfart S, Kern M. Influence of preparation mode and depth on the fracture strength of zirconia ceramic abutments restored with lithium disilicate crowns. *Int J Oral Maxillofac Implants* 2012;27(4):839-48. [Abstract](#)
621. Koutouzis T. Implant-abutment connection as contributing factor to peri-implant diseases. *Periodontol 2000* 2019;81(1):152-66. [Abstract](#)
622. Koutouzis T, Gadalla H, Lundgren T. Bacterial colonization of the implant-abutment interface (IAI) of dental implants with a sloped marginal design: An in-vitro study. *Clin Implant Dent Relat Res* 2016;18(1):161-7. [Abstract](#)
623. Koutouzis T, Koutouzis G, Tomasi C, Lundgren T. Immediate loading of implants placed with the osteotome technique: One-year prospective case series. *J Periodontol* 2011;82(11):1556-62. [Abstract](#)
624. Koutouzis T, Lundgren T. Crestal bone-level changes around implants placed in post-extraction sockets augmented with demineralized freeze-dried bone allograft: a retrospective radiographic study. *J Periodontol* 2010;81(10):1441-8. [Abstract](#)
625. Koutouzis T, Neiva R, Lipton D, Lundgren T. The effect of interimplant distance on peri-implant bone and soft tissue dimensional changes: a nonrandomized, prospective, 2-year follow-up study. *Int J Oral Maxillofac Implants* 2015;30(4):900-8. [Abstract](#)
626. Koutouzis T, Wennstrom JL. Bone level changes at axial- and non-axial-positioned implants supporting fixed partial dentures. A 5-year retrospective longitudinal study. *Clin Oral Implants Res* 2007;18(5):585-90. [Abstract](#)
627. Koyama K, Hasegawa T, Uchida I, Yoshida S. Simple and less invasive technique for fixation of iliac inlay bone block using dental implants in the atrophied posterior maxilla. *J Oral Maxillofac Surg Med Path* 2014;26(4):497-500. [Abstract](#)
628. Kraus RD, Epprecht A, Hammerle CHF, Sailer I, Thoma DS. Cemented vs screw-retained zirconia-based single implant reconstructions: A 3-year prospective randomized controlled clinical trial. *Clin Implant Dent Relat Res* 2019;21(4):578-85. [Abstract](#)
629. Kraus RD, Espuelas C, Hammerle CHF, Jung RE, Sailer I, Thoma DS. Five-year randomized controlled clinical study comparing cemented and screw-retained zirconia-based implant-supported single crowns. *Clin Oral Implants Res* 2022;E-pub feb 28, doi:10.1111/clr.13913. [Abstract](#)
630. Kriz P, Seydlova M, Dostalova T, Valenta Z, Chleborad K, Zvarova J, Feberova J, Hippmann R. Oral health-related quality of life and dental implants - preliminary study. *Cent Eur J Med* 2012;7(2):209-15. [Abstract](#)
631. Kriz P, Seydlova M, Dostalova T, Zdenek V, Chleborad K, Zavarova J, Feberova J, Hippmann R. Dental implants and improvement of oral health-related quality of life. *Community Dent Oral Epidemiol* 2012;40(Suppl 1):65-70. [Abstract](#)

632. Kudoh K, Fukuda N, Kasugai S, Tachikawa N, Koyano K, Matsushita Y, Ogino Y, Ishikawa K, Miyamoto Y. Maxillary sinus floor augmentation using low-crystalline carbonate apatite granules with simultaneous implant installation: first-in-human clinical trial. *J Oral Maxillofac Surg* 2019;77(5):985 e1-85 e11. [Abstract](#)
633. Kumar VV, Sagheb K, Klein MO, Al-Nawas B, Kann PH, Kammerer PW. Relation between bone quality values from ultrasound transmission velocity and implant stability parameters--an ex vivo study. *Clin Oral Implants Res* 2012;23(8):975-80. [Abstract](#)
634. Kunkel M, Wahlmann U, Reichert TE, Wegener J, Wagner W. Reconstruction of mandibular defects following tumor ablation by vertical distraction osteogenesis using intraosseous distraction devices. *Clin Oral Implants Res* 2005;16(1):89-97. [Abstract](#)
635. Kuoppala R, Napankangas R, Raustia A. Outcome of implant-supported overdenture treatment--A survey of 58 patients. *Gerodontology* 2012;29(2):e577-84. [Abstract](#)
636. Kurita H, Sakai H, Uehara S, Kurashina K. Dental rehabilitation using an implant-carrying plate system in a severely resorbed edentulous maxilla: a case report. *Int J Oral Maxillofac Implants* 2008;23(1):117-20. [Abstract](#)
637. Kutan E, Bolukbasi N, Yildirim-Ondur E, Ozdemir T. Clinical and radiographic evaluation of marginal bone changes around platform-switching implants placed in crestal or subcrestal positions: A randomized controlled clinical trial. *Clin Implant Dent Relat Res* 2015;17 Suppl 2:e364-75. [Abstract](#)
638. Kwon HJ, Lee DW, Park KH, Kim CK, Moon IS. Influence of the tooth- and implant-side marginal bone level on the interproximal papilla dimension in a single implant with a microthread, conical seal, and platform-switched design. *J Periodontol* 2009;80(9):1541-7. [Abstract](#)
639. Kwon IJ, Lee BH, Eo MY, Kim SM, Lee JH, Lee SK. Pathologic mandibular fracture after biting crab shells following ramal bone graft. *Dent Traumatol* 2016;32(5):421-4. [Abstract](#)
640. Kwon TK, Lee HJ, Min SK, Yeo IS. Evaluation of early bone response to fluoride-modified and anodically oxidized titanium implants through continuous removal torque analysis. *Implant Dent* 2012;21(5):427-32. [Abstract](#)
641. Kwon YS, Namgoong H, Kim JH, Cho IH, Kim MD, Eom TG, Koo KT. Effect of microthreads on removal torque and bone-to-implant contact: an experimental study in miniature pigs. *J Periodontal Implant Sci* 2013;43(1):41-6. [Abstract](#)
642. Kyaw PP, Pongprueksa P, Anuchitolarn W, Sirinukunwatta K, Suputtamongkol K. Ageing assessment of zirconia implant prostheses by three different quantitative assessment techniques. *J Adv Prosthodont* 2019;11(5):253-61. [Abstract](#)
643. L'Homme-Langlois E, Yilmaz B, Chien HH, McGlumphy E. Accuracy of mechanical torque-limiting devices for dental implants. *J Prosthet Dent* 2015;114(4):524-8. [Abstract](#)

644. Laass A, Sailer I, Husler J, Hammerle CH, Thoma DS. Randomized controlled clinical trial of all-ceramic single-tooth implant reconstructions using modified zirconia abutments: Results at 5 years after loading. *Int J Periodontics Restorative Dent* 2019;39(1):17-27. [Abstract](#)
645. Lambert FE, Weber HP, Susarla SM, Belser UC, Gallucci GO. Descriptive analysis of implant and prosthodontic survival rates with fixed implant-supported rehabilitations in the edentulous maxilla. *J Periodontol* 2009;80(8):1220-30. [Abstract](#)
646. Lamolle SF, Monjo M, Rubert M, Haugen HJ, Lyngstadaas SP, Ellingsen JE. The effect of hydrofluoric acid treatment of titanium surface on nanostructural and chemical changes and the growth of MC3T3-E1 cells. *Biomaterials* 2009;30(5):736-42. [Abstract](#)
647. Lang NP, Pun L, Lau KY, Li KY, Wong MC. A systematic review on survival and success rates of implants placed immediately into fresh extraction sockets after at least 1 year. *Clin Oral Implants Res* 2012;23(Suppl 5):39-66. [Abstract](#)
648. Larsson C, Vult von Steyern P. Five-year follow-up of implant-supported Y-TZP and ZTA fixed dental prostheses. A randomized, prospective clinical trial comparing two different material systems. *Int J Prosthodont* 2010;23(6):555-61. [Abstract](#)
649. Larsson C, Vult Von Steyern P. Implant-supported full-arch zirconia-based mandibular fixed dental prostheses. Eight-year results from a clinical pilot study. *Acta Odontol Scand* 2013;71(5):1118-22. [Abstract](#)
650. Larsson C, Vult von Steyern P, Nilner K. A prospective study of implant-supported full-arch yttria-stabilized tetragonal zirconia polycrystal mandibular fixed dental prostheses: three-year results. *Int J Prosthodont* 2010;23(4):364-9. [Abstract](#)
651. Larsson C, Vult von Steyern P, Sunzel B, Nilner K. All-ceramic two- to five-unit implant-supported reconstructions. A randomized, prospective clinical trial. *Swed Dent J* 2006;30(2):45-53. [Abstract](#)
652. Laurell L, Lundgren D. Marginal bone level changes at dental implants after 5 years in function: a meta-analysis. *Clin Implant Dent Relat Res* 2011;13(1):19-28. [Abstract](#)
653. Lavery DP, Addison O, Newsum D, Bateman G. Prosthodontic complications during implant-based oral rehabilitation of patients with head and neck cancer. *J Prosthet Dent* 2021;E-pub Jul 28, doi:10.1016/j.prosdent.2021.06.026. [Abstract](#)
654. Lavery DP, Addison O, Wubie BA, Heo G, Parmar S, Martin T, Praveen P, Pearson D, Newsum D, Murphy M, Bateman G. Outcomes of implant-based oral rehabilitation in head and neck oncology patients-a retrospective evaluation of a large, single regional service cohort. *Int J Implant Dent* 2019;5(1):8. [Abstract](#)
655. Lavrentiadis G, Yousef H, Luke A, Flinton R. Changes in abutment screw dimensions after off-axis loading of implant-supported crowns: a pilot study. *Implant Dent* 2009;18(5):447-53. [Abstract](#)

656. Le BT, Borzabadi-Farahani A, Pluemsakunthai W. Is buccolingual angulation of maxillary anterior implants associated with the crestal labial soft tissue thickness? *Int J Oral Maxillofac Surg* 2014;43(7):874-8. [Abstract](#)
657. Le BT, Follmar T, Borzabadi-Farahani A. Assessment of short dental implants restored with single-unit nonsplinted restorations. *Implant Dent* 2013;22(5):499-502. [Abstract](#)
658. Le Thieu MK, Homayouni A, Haeren LR, Tiainen H, Verket A, Ellingsen JE, Ronold HJ, Wohlfahrt JC, Cantalapedra AG, Munoz FMG, Mendana MP, Lyngstadaas SP, Haugen HJ. Impact of simultaneous placement of implant and block bone graft substitute: an in vivo peri-implant defect model. *Biomater Res* 2021;25(1):43. [Abstract](#)
659. Lee DJ, Harlow RE, Yuan JC, Sukotjo C, Knoernschild KL, Campbell SD. Three-year clinical outcomes of implant treatments provided at a predoctoral implant program. *Int J Prosthodont* 2011;24(1):71-6. [Abstract](#)
660. Lee DW, Choi YS, Park KH, Kim CS, Moon IS. Effect of microthread on the maintenance of marginal bone level: a 3-year prospective study. *Clin Oral Implants Res* 2007;18(4):465-70. [Abstract](#)
661. Lee DW, Huh JK, Park KH, Chai JK, Kim CK, Moon IS. Comparison of interproximal soft tissue height for single implants and contra-lateral natural teeth. *Clin Oral Implants Res* 2009;20(12):1320-25. [Abstract](#)
662. Lee DW, Kim NH, Lee Y, Oh YA, Lee JH, You HK. Implant fracture failure rate and potential associated risk indicators: An up to 12-year retrospective study of implants in 5,124 patients. *Clin Oral Implants Res* 2019;30(3):206-17. [Abstract](#)
663. Lee DW, Lee DW, Park KH, Moon IS. The effects of off-axial loading on periimplant marginal bone loss in a single implant. *J Prosthet Dent* 2014;112(3):501-7. [Abstract](#)
664. Lee DW, Park KH, Moon IS. Dimension of interproximal soft tissue between adjacent implants in two distinctive implant systems. *J Periodontol* 2006;77(6):1080-4. [Abstract](#)
665. Lee JH, Kim YT, Jeong SN, Kim NH, Lee DW. Incidence and pattern of implant fractures: A long-term follow-up multicenter study. *Clin Implant Dent Relat Res* 2018;20(4):463-69. [Abstract](#)
666. Lee JI, Lee Y, Kim YL, Cho HW. Effect of implant number and distribution on load transfer in implant-supported partial fixed dental prostheses for the anterior maxilla: A photoelastic stress analysis study. *J Prosthet Dent* 2016;115(2):161-9. [Abstract](#)
667. Lee KJ, Cha JK, Sanz-Martin I, Sanz M, Jung UW. A retrospective case series evaluating the outcome of implants with low primary stability. *Clin Oral Implants Res* 2019;30(9):861-71. [Abstract](#)
668. Lee PK, Siu AS. A two-year evaluation of a sloped marginal contour implant system placed in healed sites. *Int J Oral Maxillofac Implants* 2016;31(6):1423-28. [Abstract](#)

669. Lefever D, Van Assche N, Temmerman A, Teughels W, Quirynen M. Aetiology, microbiology and therapy of periapical lesions around oral implants: a retrospective analysis. *J Clin Periodontol* 2013;40(3):296-302. [Abstract](#)
670. Lehmann KM, Kammerer PW, Karbach J, Scheller H, Al-Nawas B, Wagner W. Long-term effect of overdenture bar design on peri-implant tissues. *Int J Oral Maxillofac Implants* 2013;28(4):1126-31. [Abstract](#)
671. Lenssen O, Barbier L, De Clercq C. Immediate functional loading of provisional implants in the reconstructed atrophic maxilla: preliminary results of a prospective study after 6 months of loading with a provisional bridge. *Int J Oral Maxillofac Surg* 2011;40(9):907-15. [Abstract](#)
672. Leutert CR, Stawarczyk B, Truninger TC, Hammerle CH, Sailer I. Bending moments and types of failure of zirconia and titanium abutments with internal implant-abutment connections: a laboratory study. *Int J Oral Maxillofac Implants* 2012;27(3):505-12. [Abstract](#)
673. Levin BP. A team approach to cost-effective, full-arch immediate loading. *Compend Contin Educ Dent* 2013;34(7):530-2. [Abstract](#)
674. Levin BP. The dual function of a dermal allograft in immediate implant therapy. *Int J Periodontics Restorative Dent* 2015;35(4):507-13. [Abstract](#)
675. Levin BP, Wilk BL. Immediate provisionalization of immediate implants in the esthetic zone: a prospective case series evaluating implant survival, esthetics, and bone maintenance. *Compend Contin Educ Dent* 2013;34(5):352-61. [Abstract](#)
676. Li X, Wu B, Cheng X, Li Y, Xie X, Deng F. Esthetic evaluation of implant-supported single crowns: The implant restoration esthetic index and patient perception. *J Prosthodont* 2019;28(1):e51-e58. [Abstract](#)
677. Liaje A, Ozkan YK, Ozkan Y, Vanlioglu B. Stability and marginal bone loss with three types of early loaded implants during the first year after loading. *Int J Oral Maxillofac Implants* 2012;27(1):162-72. [Abstract](#)
678. Lim HC, Wiedemeier DB, Hammerle CHF, Thoma DS. The amount of keratinized mucosa may not influence peri-implant health in compliant patients: A retrospective 5-year analysis. *J Clin Periodontol* 2019;46(3):354-62. [Abstract](#)
679. Limbert G, van Lierde C, Muraru OL, Walboomers XF, Frank M, Hansson S, Middleton J, Jacques S. Trabecular bone strains around a dental implant and associated micromotions--a micro-CT-based three-dimensional finite element study. *J Biomech* 2010;43(7):1251-61. [Abstract](#)
680. Limmer B, Sanders AE, Reside G, Cooper LF. Complications and patient-centered outcomes with an implant-supported monolithic zirconia fixed dental prosthesis: 1 year results. *J Prosthodont* 2014;23(4):267-75. [Abstract](#)

681. Lin X, Zhou Z, Li S, Gao Y, Zheng X. Digital guides to facilitate retained root removal and simultaneous implant placement. *Int J Oral Maxillofac Surg* 2021;E-pub Dec 16, doi:10.1016/j.ijom.2021.12.002. [Abstract](#)
682. Lindhe J, Bressan E, Cecchinato D, Corra E, Toia M, Liljenberg B. Bone tissue in different parts of the edentulous maxilla and mandible. *Clin Oral Implants Res* 2013;24(4):372-7. [Abstract](#)
683. Lindhe J, Cecchinato D, Donati M, Tomasi C, Liljenberg B. Ridge preservation with the use of deproteinized bovine bone mineral. *Clin Oral Implants Res* 2014;25(7):786-90. [Abstract](#)
684. Liu J, Huang Q, Wang X, Li Y, Zhou J, Zeng D, Jiang X, Zhao K, Zhou Y. Early loading of splinted implants in posterior mandible: three-year results of a prospective multicenter study. *Clin Oral Implants Res* 2019;30(10):1049-58. [Abstract](#)
685. Liu R, Lei T, Dusevich V, Yao X, Liu Y, Walker MP, Wang Y, Ye L. Surface characteristics and cell adhesion: a comparative study of four commercial dental implants. *J Prosthodont* 2013;22(8):641-51. [Abstract](#)
686. Löberg J, Mattisson I, Ahlberg E. Integrated biomechanical and topographical surface characterization (IBTSC). *Applied Surface Science* 2014;290:215-22. [Abstract](#)
687. Löberg J, Mattisson I, Hansson S, Ahlberg E. Characterisation of titanium dental implants I: Critical assessment of surface roughness parameters. *The Open Biomaterials J* 2010;2:18-35.
688. Lops D, Bressan E, Chiapasco M, Rossi A, Romeo E. Zirconia and titanium implant abutments for single-tooth implant prostheses after 5 years of function in posterior regions. *Int J Oral Maxillofac Implants* 2013;28(1):281-7. [Abstract](#)
689. Lops D, Bressan E, Parpaiola A, Sbricoli L, Cecchinato D, Romeo E. Soft tissues stability of cad-cam and stock abutments in anterior regions: 2-year prospective multicentric cohort study. *Clin Oral Implants Res* 2015;26(12):1436-42. [Abstract](#)
690. Lops D, Chiapasco M, Rossi A, Bressan E, Romeo E. Incidence of inter-proximal papilla between a tooth and an adjacent immediate implant placed into a fresh extraction socket: 1-year prospective study. *Clin Oral Implants Res* 2008;19(11):1135-40. [Abstract](#)
691. Lops D, Mosca D, Muller A, Rossi A, Rozza R, Romeo E. Management of peri-implant soft tissues between tooth and adjacent immediate implant placed into fresh extraction single socket: a one-year prospective study on two different types of implant-abutment connection design. *Minerva Stomatol* 2011;60(9):403-15. [Abstract](#)
692. Lops D, Parpaiola A, Paniz G, Sbricoli L, Magaz VR, Venezzes AC, Bressan E, Stellini E. Interproximal papilla stability around CAD/CAM and stock abutments in anterior regions: A 2-year prospective multicenter cohort study. *Int J Periodontics Restorative Dent* 2017;37(5):657-65. [Abstract](#)
693. Lozano-Carrascal N, Salomo-Coll O, Gilabert-Cerda M, Farre-Pages N, Gargallo-Albiol J, Hernandez-Alfaro F. Effect of implant macro-design on primary stability: A prospective clinical study. *Med Oral Patol Oral Cir Bucal* 2016;21(2):e214-21. [Abstract](#)

694. Lutz R, Berger-Fink S, Stockmann P, Neukam FW, Schlegel KA. Sinus floor augmentation with autogenous bone vs. a bovine-derived xenograft - a 5-year retrospective study. *Clin Oral Implants Res* 2015;26(6):644-8. [Abstract](#)
695. Lyngstadaas SP, Verket A, Pinholt EM, Mertens C, Haanaes HR, Wall G, Wallstrom M, Rasmusson L. Titanium granules for augmentation of the maxillary sinus - a multicenter study. *Clin Implant Dent Relat Res* 2015;17 Suppl 2:e594-600. [Abstract](#)
696. Mahendran K, Coleman O, Menhadji P, Kwok J. Survival rates of dental implants in patients with head and neck pathologies: 12-year single-operator study. *Oral Surg Oral Med Oral Pathol Oral Radiol* 2021;E-pub Dec, doi:10.1016/j.oooo.2021.12.003:1-23.
697. Mailoa J, Fu JH, Chan HL, Khoshkam V, Li J, Wang HL. The effect of vertical implant position in relation to adjacent teeth on marginal bone loss in posterior arches: a retrospective study. *Int J Oral Maxillofac Implants* 2015;30(4):931-6. [Abstract](#)
698. Maiorana C, King P, Quaas S, Sondell K, Worsaae N, Galindo-Moreno P. Clinical and radiographic evaluation of early loaded narrow-diameter implants: 3 years follow-up. *Clin Oral Implants Res* 2015;26(1):77-82. [Abstract](#)
699. Makkonen TA, Holmberg S, Niemi L, Olsson C, Tammisalo T, Peltola J. A 5-year prospective clinical study of Astra Tech dental implants supporting fixed bridges or overdentures in the edentulous mandible. *Clin Oral Implants Res* 1997;8(6):469-75. [Abstract](#)
700. Malmstrom H, Gupta B, Ghanem A, Cacciato R, Ren Y, Romanos GE. Success rate of short dental implants supporting single crowns and fixed bridges. *Clin Oral Implants Res* 2016;27(9):1093-8. [Abstract](#)
701. Manzoor B, Suleiman M, Palmer RM. The effects of simulated bone loss on the implant-abutment assembly and likelihood of fracture: an in vitro study. *Int J Oral Maxillofac Implants* 2013;28(3):729-38. [Abstract](#)
702. Marcelis K, Vercruyssen M, Naert I, Teughels W, Quirynen M. Model-based guided implant insertion for solitary tooth replacement: a pilot study. *Clin Oral Implants Res* 2012;23(8):999-1003. [Abstract](#)
703. Marinis A, Afshari FS, Yuan JC, Lee DJ, Syros G, Knoernschild KL, Campbell SD, Sukotjo C. Retrospective analysis of implant overdenture treatment in the advanced prosthodontic clinic at the University of Illinois at Chicago. *J Oral Implantol* 2016;42(1):46-53. [Abstract](#)
704. Martin R. Astra Tech OsseoSpeed™ 3.0S implant. *Inside Dentistry* 2010;6(4):2-4.
705. Martin-Ares M, Barona-Dorado C, Guisado-Moya B, Martinez-Rodriguez N, Cortes-Breton-Brinkmann J, Martinez-Gonzalez JM. Prosthetic hygiene and functional efficacy in completely edentulous patients: satisfaction and quality of life during a 5-year follow-up. *Clin Oral Implants Res* 2016;27(12):1500-05. [Abstract](#)

706. Masaki C, Schneider GB, Zaharias R, Seabold D, Stanford C. Effects of implant surface microtopography on osteoblast gene expression. *Clin Oral Implants Res* 2005;16(6):650-6. [Abstract](#)
707. Masuda T, Salvi GE, Offenbacher S, Felton DA, Cooper LF. Cell and matrix reactions at titanium implants in surgically prepared rat tibiae. *Int J Oral Maxillofac Implants* 1997;12(4):472-85. [Abstract](#)
708. Matsuo A, Chiba H, Takahashi H, Toyoda J, Abukawa H. Clinical application of a custom-made bioresorbable raw particulate hydroxyapatite/poly-L-lactide mesh tray for mandibular reconstruction. *Odontology* 2010;98(1):85-8. [Abstract](#)
709. Matsuo A, Hamada H, Oba H, Shibata K. Virtual reality head-mounted display for endoscopically-assisted implant surgery. *Br J Oral Maxillofac Surg* 2018;56(7):636-37. [Abstract](#)
710. Matsuo A, Hamada H, Takahashi H, Chikazu D. Long-term structural changes and outcomes of implants in particulate cellular bone and marrow reconstructed jawbone. *Clin Implant Dent Relat Res* 2019;21(2):360-68. [Abstract](#)
711. Matthys C, De Vijlder W, Besseler J, Glibert M, De Bruyn H. Cost-effectiveness analysis of two attachment systems for mandibular overdenture. *Clin Oral Implants Res* 2020;31(7):615-24. [Abstract](#)
712. Matthys C, Vervaeke S, Besseler J, De Bruyn H. Five-year study of mandibular overdentures on stud abutments: Clinical outcome, patient satisfaction and prosthetic maintenance-Influence of bone resorption and implant position. *Clin Oral Implants Res* 2019;30(9):940-51. [Abstract](#)
713. Mattisson I, Gretzer C, Ahlberg E. Surface characterization, electrochemical properties and in vitro testing of hierarchically structured titanium surfaces. *Mater Res Bulletin* 2013;48(2):389-98. [Abstract](#)
714. McGuire MK, Scheyer T, Ho DK, Stanford CM, Feine JS, Cooper LF. Esthetic outcomes in relation to implant-abutment interface design following a standardized treatment protocol in a multicenter randomized controlled trial- A cohort of 12 cases at 1-year follow-up. *Int J Periodontics Restorative Dent* 2015;35(2):149-59. [Abstract](#)
715. Meirelles L, Currie F, Jacobsson M, Albrektsson T, Wennerberg A. The effect of chemical and nanotopographical modifications on the early stages of osseointegration. *Int J Oral Maxillofac Implants* 2008;23(4):641-7. [Abstract](#)
716. Memon S, Weltman RL, Katancik JA. Oral bisphosphonates: early endosseous dental implant success and crestal bone changes. A retrospective study. *Int J Oral Maxillofac Implants* 2012;27(5):1216-22. [Abstract](#)
717. Menassa M, de Grandmont P, Audy N, Durand R, Rompre P, Emami E. Patients' expectations, satisfaction, and quality of life with immediate loading protocol. *Clin Oral Implants Res* 2016;27(1):83-9. [Abstract](#)

718. Mendes R. Computer assisted implant planning - A case report involving severely atrophic edentulous maxillary regions. *J Chin Clin Med* 2010;5(11):665-7.
719. Mendonca G, Mendonca DB, Aragao FJ, Cooper LF. Advancing dental implant surface technology - from micron- to nanotopography. *Biomaterials* 2008;29(28):3822-35. [Abstract](#)
720. Mengel R, Peleska B. A double-crown concept for restorations in patients with generalized aggressive periodontitis: Two case reports with 22- and 25-year follow-ups. *Int J Periodontics Restorative Dent* 2019;39(2):203-11. [Abstract](#)
721. Merheb J, Temmerman A, Rasmusson L, Kubler A, Thor A, Quirynen M. Influence of skeletal and local bone density on dental implant stability in patients with osteoporosis. *Clin Implant Dent Relat Res* 2016;18(2):253-60. [Abstract](#)
722. Merheb J, Vercruyssen M, Coucke W, Beckers L, Teughels W, Quirynen M. The fate of buccal bone around dental implants. A 12-month postloading follow-up study. *Clin Oral Implants Res* 2017;28(1):103-08. [Abstract](#)
723. Merheb J, Vercruyssen M, Coucke W, Quirynen M. Relationship of implant stability and bone density derived from computerized tomography images. *Clin Implant Dent Relat Res* 2018;20(1):50-57. [Abstract](#)
724. MERIC G, ERKMEEN E, KURT A, ESER A, OZDEN AU. Biomechanical effects of two different collar implant structures on stress distribution under cantilever fixed partial dentures. *Acta Odontol Scand* 2011;69(6):374-84. [Abstract](#)
725. MERIC G, ERKMEEN E, KURT A, ESER A, OZDEN AU. Biomechanical comparison of two different collar structured implants supporting 3-unit fixed partial denture: a 3-D FEM study. *Acta Odontol Scand* 2012;70(1):61-71. [Abstract](#)
726. Mertens C, de San Jose Gonzalez J, Freudlsperger C, Bodem J, Krisam J, Hoffmann J, Engel M. Implant-prosthetic rehabilitation of hemimaxillectomy defects with CAD/CAM suprastructures. *J Craniomaxillofac Surg* 2016;44(11):1812-18. [Abstract](#)
727. Mertens C, Decker C, Engel M, Sander A, Hoffmann J, Freier K. Early bone resorption of free microvascular reanastomized bone grafts for mandibular reconstruction - A comparison of iliac crest and fibula grafts. *J Craniomaxillofac Surg* 2014;42(5):e217-23. [Abstract](#)
728. Mertens C, Decker C, Seeberger R, Hoffmann J, Sander A, Freier K. Early bone resorption after vertical bone augmentation - a comparison of calvarial and iliac grafts. *Clin Oral Implants Res* 2013;24(7):820-5. [Abstract](#)
729. Mertens C, Freier K, Engel M, Krisam J, Hoffmann J, Freudlsperger C. Reconstruction of the severely atrophic edentulous maxillae with calvarial bone grafts. *Clin Oral Implants Res* 2017;28(6):749-56. [Abstract](#)

730. Mertens C, Freudlsperger C, Bodem J, Engel M, Hoffmann J, Freier K. Reconstruction of the maxilla following hemimaxillectomy defects with scapular tip grafts and dental implants. *J Craniomaxillofac Surg* 2016;44(11):1806-11. [Abstract](#)
731. Mertens C, Lowenheim H, Hoffmann J. Image data based reconstruction of the midface using a patient-specific implant in combination with a vascularized osteomyocutaneous scapular flap. *J Craniomaxillofac Surg* 2013;41(3):219-25. [Abstract](#)
732. Mertens C, Meyer-Baumer A, Kappel H, Hoffmann J, Steveling HG. Use of 8-mm and 9-mm implants in atrophic alveolar ridges: 10-year results. *Int J Oral Maxillofac Implants* 2012;27(6):1501-8. [Abstract](#)
733. Mertens C, Steveling HG. Implant-supported fixed prostheses in the edentulous maxilla: 8-year prospective results. *Clin Oral Implants Res* 2010;22(5):464-72. [Abstract](#)
734. Mertens C, Steveling HG. Early and immediate loading of titanium implants with fluoride-modified surfaces: results of 5-year prospective study. *Clin Oral Implants Res* 2011;22(12):1354-60. [Abstract](#)
735. Mertens C, Steveling HG, Seeberger R, Hoffmann J, Freier K. Reconstruction of severely atrophied alveolar ridges with calvarial onlay bone grafts and dental implants. *Clin Implant Dent Relat Res* 2013;15(5):673-83. [Abstract](#)
736. Mertens C, Steveling HG, Stucke K, Pretzl B, Meyer-Baumer A. Fixed implant-retained rehabilitation of the edentulous maxilla: 11-year results of a prospective study. *Clin Implant Dent Relat Res* 2012;14(6):816-27. [Abstract](#)
737. Mertens C, Wiens D, Steveling HG, Sander A, Freier K. Maxillary sinus-floor elevation with nanoporous biphasic bone graft material for early implant placement. *Clin Implant Dent Relat Res* 2014;16(3):365-73. [Abstract](#)
738. Mesimaki K, Lindroos B, Tornwall J, Mauno J, Lindqvist C, Kontio R, Miettinen S, Suuronen R. Novel maxillary reconstruction with ectopic bone formation by GMP adipose stem cells. *Int J Oral Maxillofac Surg* 2009;38(3):201-9. [Abstract](#)
739. Michaud PL, Patel A. Hereditary gingival fibromatosis with extreme ridge thickness and insufficient interarch distance: A clinical report of surgical and prosthetic management. *J Prosthet Dent* 2016;116(1):15-20. [Abstract](#)
740. Michelinakis G, Barclay CW, Smith PW. The influence of interimplant distance and attachment type on the retention characteristics of mandibular overdentures on 2 implants: initial retention values. *Int J Prosthodont* 2006;19(5):507-12. [Abstract](#)
741. Milleding P, Carlen A, Wennerberg A, Karlsson S. Protein characterisation of salivary and plasma biofilms formed in vitro on non-corroded and corroded dental ceramic materials. *Biomaterials* 2001;22(18):2545-55. [Abstract](#)

742. Millen CS, Reuben RL, Ibbetson RJ. The effect of coping/veneer thickness on the fracture toughness and residual stress of implant supported, cement retained zirconia and metal-ceramic crowns. *Dent Mater* 2012;28(10):e250-8. [Abstract](#)
743. Min G-S, Chung C-H, Kim H-J. Fit analysis of CAD-CAM custom abutment using micro-CT. *The Journal of Korean Academy of Prosthodontics* 2016;54(4):370-78. [Abstract](#)
744. Mir-Mari J, Benic GI, Valmaseda-Castellon E, Hammerle CHF, Jung RE. Influence of wound closure on the volume stability of particulate and non-particulate GBR materials: an in vitro cone-beam computed tomographic examination. Part II. *Clin Oral Implants Res* 2017;28(6):631-39. [Abstract](#)
745. Mir-Mari J, Wui H, Jung RE, Hammerle CH, Benic GI. Influence of blinded wound closure on the volume stability of different GBR materials: an in vitro cone-beam computed tomographic examination. *Clin Oral Implants Res* 2016;27(2):258-65. [Abstract](#)
746. Misch C, Wang HL. Clinical application of recombinant human bone morphogenetic protein-2 for bone augmentation before dental implant placement. *Clin Adv Periodontics* 2011;1(2):118-30. [Abstract](#)
747. Misch CM. The use of recombinant human bone morphogenetic protein-2 for the repair of extraction socket defects: a technical modification and case series report. *Int J Oral Maxillofac Implants* 2010;25(6):1246-52. [Abstract](#)
748. Misch CM. Bone augmentation of the atrophic posterior mandible for dental implants using rhBMP-2 and titanium mesh: clinical technique and early results. *Int J Periodontics Restorative Dent* 2011;31(6):581-9. [Abstract](#)
749. Mitsias M, Koutayas SO, Wolfart S, Kern M. Influence of zirconia abutment preparation on the fracture strength of single implant lithium disilicate crowns after chewing simulation. *Clin Oral Implants Res* 2014;25(6):675-82. [Abstract](#)
750. Mitsias ME, Silva NR, Pines M, Stappert C, Thompson VP. Reliability and fatigue damage modes of zirconia and titanium abutments. *Int J Prosthodont* 2010;23(1):56-9. [Abstract](#)
751. Mitsias ME, Thompson VP, Pines M, Silva NR. Reliability and failure modes of two Y-TZP abutment designs. *Int J Prosthodont* 2015;28(1):75-8. [Abstract](#)
752. Miura KI, Sasaki M, Ohba S, Noda S, Sumi M, Kamakura S, Takahashi T, Asahina I. Long-term clinical and radiographic evaluation after maxillary sinus floor augmentation with octacalcium phosphate-collagen composite: A retrospective case series study. *J Tissue Eng Regen Med* 2022;E-pub Mar 28, doi:10.1002/term.3301:1-13. [Abstract](#)
753. Miyamoto I, Tsuboi Y, Wada E, Suwa H, Iizuka T. Influence of cortical bone thickness and implant length on implant stability at the time of surgery--clinical, prospective, biomechanical, and imaging study. *Bone* 2005;37(6):776-80. [Abstract](#)
754. Mizumoto RM, Malamis D, Mascarenhas F, Tatakis DN, Lee DJ. Titanium implant wear from a zirconia custom abutment: A clinical report. *J Prosthet Dent* 2020;123(2):201-05. [Abstract](#)

755. Mo A, Hjortsjo C, Olsen-Bergem H, Jokstad A. Maxillary 3-implant removable prostheses without palatal coverage on Locator abutments - a case series. *Clin Oral Implants Res* 2016;27(10):1193-99. [Abstract](#)
756. Mohajerani H, Roozbayani R, Taherian S, Tabrizi R. The risk factors in early failure of dental implants: A retrospective study. *J Dent (Shiraz)* 2017;18(4):298-303. [Abstract](#)
757. Momand P, Becktor JP, Naimi-Akbar A, Tobin G, Gotrick B. Effect of antibiotic prophylaxis in dental implant surgery: A multicenter placebo-controlled double-blinded randomized clinical trial. *Clin Implant Dent Relat Res* 2022;E-pub, doi:10.1111/cid.13068. [Abstract](#)
758. Monje A, Pons R, Insua A, Nart J, Wang HL, Schwarz F. Morphology and severity of peri-implantitis bone defects. *Clin Implant Dent Relat Res* 2019;21(4):635-43. [Abstract](#)
759. Monjo M, Lamolle SF, Lyngstadaas SP, Rönöld HJ, Ellingsen JE. In vivo expression of osteogenic markers and bone mineral density at the surface of fluoride-modified titanium implants. *Biomaterials* 2008;29(28):3771-80. [Abstract](#)
760. Monjo M, Petzold C, Ramis JM, Lyngstadaas SP, Ellingsen JE. In vitro osteogenic properties of two dental implant surfaces. *Int J Biomater* 2012;2012:181024. [Abstract](#)
761. Moon IS, Berglundh T, Abrahamsson I, Linder E, Lindhe J. The barrier between the keratinized mucosa and the dental implant. An experimental study in the dog. *J Clin Periodontol* 1999;26(10):658-63. [Abstract](#)
762. Mordenfeld A, Aludden H, Starch-Jensen T. Lateral ridge augmentation with two different ratios of deproteinized bovine bone and autogenous bone: A 2-year follow-up of a randomized and controlled trial. *Clin Implant Dent Relat Res* 2017;19(5):884-94. [Abstract](#)
763. Moscovitch M. Molar restorations supported by 2 implants: an alternative to wide implants. *J Can Dent Assoc* 2001;67(9):535-9. [Abstract](#)
764. Moshaverinia A, Kar K, Aalam AA, Takanashi K, Kim JW, Chee WW. A multidisciplinary approach for the rehabilitation of a patient with an excessively worn dentition: a clinical report. *J Prosthet Dent* 2014;111(4):259-63. [Abstract](#)
765. Mouchref Hamasni F, El Hajj F, Abdallah R. Single sitting surgical treatment of generalized aggressive periodontitis using GTR technique and immediate implant placement with 10-year follow-up. *Case Rep Dent* 2018;2018:6194042. [Abstract](#)
766. Mu TJ, Lee DW, Park KH, Moon IS. Changes in the fractal dimension of peri-implant trabecular bone after loading: a retrospective study. *J Periodontal Implant Sci* 2013;43(5):209-14. [Abstract](#)
767. Muhlemann S, Truninger TC, Stawarczyk B, Hammerle CH, Sailer I. Bending moments of zirconia and titanium implant abutments supporting all-ceramic crowns after aging. *Clin Oral Implants Res* 2014;25(1):74-81. [Abstract](#)

768. Mumcu E, Bilhan H, Cekici A. Marginal bone loss around implants supporting fixed restorations. *J Oral Implantol* 2011;37(5):549-58. [Abstract](#)
769. Mumcu E, Bilhan H, Geckili O. The effect of attachment type and implant number on satisfaction and quality of life of mandibular implant-retained overdenture wearers. *Gerodontology* 2012;29(2):e618-23. [Abstract](#)
770. Mumcu E, Bilhan H, Geckili O. The influence of healing type on marginal bone levels of implants supporting mandibular overdentures: A randomized clinical study. *Indian J Dent Res* 2012;23(4):514-8. [Abstract](#)
771. Mumcu E, Dereci O. Assessment of the effect of clinical independent risk factors on marginal bone loss in 2-implant-supported locator-retained mandibular overdentures. *J Oral Implantol* 2019;45(3):207-12. [Abstract](#)
772. Murphy WM, Absi EG, Gregory MC, Williams KR. A prospective 5-year study of two cast framework alloys for fixed implant-supported mandibular prostheses. *Int J Prosthodont* 2002;15(2):133-8. [Abstract](#)
773. Murphy WM, Barker GR, Gregory MC, Scott J. Experience with the Astra dental implant system. *Dental Update* 1992;19(4):143-6. [Abstract](#)
774. Mustafa K, Silva Lopez B, Hultenby K, Wennerberg A, Arvidson K. Attachment and proliferation of human oral fibroblasts to titanium surfaces blasted with TiO₂ particles. A scanning electron microscopic and histomorphometric analysis. *Clin Oral Implants Res* 1998;9(3):195-207. [Abstract](#)
775. Naenni N, Berner T, Waller T, Huesler J, Hammerle CHF, Thoma DS. Influence of wound closure on volume stability with the application of different GBR materials: an in vitro cone-beam computed tomographic study. *J Periodontal Implant Sci* 2019;49(1):14-24. [Abstract](#)
776. Naenni N, Schneider D, Jung RE, Husler J, Hammerle CHF, Thoma DS. Randomized clinical study assessing two membranes for guided bone regeneration of peri-implant bone defects: clinical and histological outcomes at 6 months. *Clin Oral Implants Res* 2017;28(10):1309-17. [Abstract](#)
777. Naenni N, Stucki L, Husler J, Schneider D, Hammerle CHF, Jung RE, Thoma DS. Implants sites with concomitant bone regeneration using a resorbable or non-resorbable membrane result in stable marginal bone levels and similar profilometric outcomes over 5 years. *Clin Oral Implants Res* 2021;E-pub May 13, doi:10.1111/clr.13764. [Abstract](#)
778. Nakano H, Nakajima Y, Kato-Kogoe N. Evaluation of short implants installed in atrophic jaws. *J Oral Tissue Engin* 2020;18(1):29-34.
779. Nakata H, Kuroda S, Tachikawa N, Okada E, Akatsuka M, Kasugai S, Kondo H. Histological and micro-computed tomographic observations after maxillary sinus augmentation with porous hydroxyapatite alloplasts: a clinical case series. *Springerplus* 2016;5(1):260. [Abstract](#)

780. Nappo A, Rengo C, Pantaleo G, Spagnuolo G, Ferrari M. Influence of implant dimensions and position on implant stability: A prospective clinical study in maxilla using resonance frequency analysis. *Applied Sciences* 2019;9(5). [Abstract](#)
781. Narvekar A, Valverde Estepa A, Naqvi A, Nares S. Used dental implant healing abutments elicit immune responses: A comparative analysis of detoxification strategies. *Clin Implant Dent Relat Res* 2020. [Abstract](#)
782. NCT00646113. Study Evaluating OsseoSpeed™ Narrow Implant in the Upper and Lower Anterior Jaw. *ClinicalTrials.gov* 2019.
783. NCT01211288. Longitudinal Study of Dental Implant Therapy in HIV Positive Patients. *ClinicalTrials.gov* 2020.
784. NCT01346683. Study on OsseoSpeed™ TX Implants in a Chinese Population. *ClinicalTrials.gov* 2019.
785. NCT01346696. Study on OsseoSpeed™ TX Short Implants in a Chinese Population. *ClinicalTrials.gov* 2019.
786. NCT01389245. Study on OsseoSpeed™ TX Implants in the Upper Jaw in a Chinese Population. *ClinicalTrials.gov* 2020.
787. NCT01389258. Study on OsseoSpeed TX Narrow Implants in the Upper Jaw in a Chinese Population. *ClinicalTrials.gov* 2019.
788. NCT01473355. Study on OsseoSpeed™ TX Narrow Implants in the Lower Jaw in a Chinese Population. *ClinicalTrials.gov* 2019.
789. Nejatidanesh F, Shakibamehr AH, Savabi O. Comparison of marginal and internal adaptation of cad/cam and conventional cement retained implant-supported single crowns. *Implant Dent* 2016;25(1):103-8. [Abstract](#)
790. Neldam CA, Lauridsen T, Rack A, Lefolii TT, Jorgensen NR, Feidenhans'l R, Pinholt EM. Application of high resolution synchrotron micro-CT radiation in dental implant osseointegration. *J Craniomaxillofac Surg* 2015;43(5):682-7. [Abstract](#)
791. Neldam CA, Sporning J, Rack A, Lauridsen T, Hauge EM, Jorgensen HL, Jorgensen NR, Feidenhansl R, Pinholt EM. Synchrotron radiation muCT and histology evaluation of bone-to-implant contact. *J Craniomaxillofac Surg* 2017;45(9):1448-57. [Abstract](#)
792. Nelson K, Schmelzeisen R, Taylor TD, Zabler S, Wiest W, Fretwurst T. The impact of force transmission on narrow-body dental implants made of commercially pure titanium and titanium zirconia alloy with a conical implant-abutment connection: An experimental pilot study. *Int J Oral Maxillofac Implants* 2016;31(5):1066-71. [Abstract](#)
793. Neumeier TT, Reddy M, Geurs N, Hill J, Neumeier H. Longitudinal Study of Dental Implants in HIV Positive Patients. *J Prosthodont* 2021;E-pub Sep 9, doi:10.1111/jopr.13421. [Abstract](#)

794. Nguyen CT, Hofstede TM. Prosthodontic treatment and medical considerations for a patient with Turner syndrome: a clinical report. *J Prosthodont* 2012;21(7):552-5. [Abstract](#)
795. Nguyen R, Soldatos N, Tran D, Stylianou P, Angelov N, Weltman R. Survival of dental implants replacing previously failed implants: A retrospective study in a university setting. *Int J Oral Maxillofac Implants* 2018;33(6):1312-19. [Abstract](#)
796. Nicolas-Silvente AI, Velasco-Ortega E, Ortiz-Garcia I, Monsalve-Guil L, Gil J, Jimenez-Guerra A. Influence of the titanium implant surface treatment on the surface roughness and chemical composition. *Materials (Basel)* 2020;13(2). [Abstract](#)
797. Nikzad S, Azari A. Custom-made radiographic template, computed tomography, and computer-assisted flapless surgery for treatment planning in partial edentulous patients: a prospective 12-month study. *J Oral Maxillofac Surg* 2010;68(6):1353-9. [Abstract](#)
798. Nisapakultorn K, Suphanantachat S, Silkosessak O, Rattanamongkolgul S. Factors affecting soft tissue level around anterior maxillary single-tooth implants. *Clin Oral Implants Res* 2010;21(6):662-70. [Abstract](#)
799. Nkenke E, Stelzle F. Clinical outcomes of sinus floor augmentation for implant placement using autogenous bone or bone substitutes: a systematic review. *Clin Oral Implants Res* 2009;20 Suppl 4:124-33. [Abstract](#)
800. Noelken R, Donati M, Fiorellini J, Gellrich NC, Parker W, Wada K, Berglundh T. Soft and hard tissue alterations around implants placed in an alveolar ridge with a sloped configuration. *Clin Oral Implants Res* 2014;25(1):3-9. [Abstract](#)
801. Noelken R, Geier J, Kunkel M, Jepsen S, Wagner W. Influence of soft tissue grafting, orofacial implant position, and angulation on facial hard and soft tissue thickness at immediately inserted and provisionalized implants in the anterior maxilla. *Clin Implant Dent Relat Res* 2018;20(5):674-82. [Abstract](#)
802. Noelken R, Moergel M, Kunkel M, Wagner W. Immediate and flapless implant insertion and provisionalization using autogenous bone grafts in the esthetic zone: 5-year results. *Clin Oral Implants Res* 2018;29(3):320-27. [Abstract](#)
803. Noelken R, Moergel M, Pausch T, Kunkel M, Wagner W. Clinical and esthetic outcome with immediate insertion and provisionalization with or without connective tissue grafting in presence of mucogingival recessions: A retrospective analysis with follow-up between 1 and 8 years. *Clin Implant Dent Relat Res* 2018;20(3):285-93. [Abstract](#)
804. Noelken R, Neffe BA, Kunkel M, Wagner W. Maintenance of marginal bone support and soft tissue esthetics at immediately provisionalized OsseoSpeed implants placed into extraction sites: 2-year results. *Clin Oral Implants Res* 2014;25(2):214-20. [Abstract](#)

805. Noelken R, Oberhansl F, Kunkel M, Wagner W. Immediately provisionalized OsseoSpeed() Profile implants inserted into extraction sockets: 3-year results. Clin Oral Implants Res 2016;27(6):744-9. [Abstract](#)
806. Noelken R, Pausch T, Al-Nawas B, Wagner W. Long-term results of immediately inserted and provisionalized OsseoSpeed Profile implants in the esthetic zone (P15602). Clin Oral Implants Res 2019;30(S19):408-08. [Abstract](#)
807. Noelken R, Schiegnitz E, Al-Nawas B, Wagner W. Marginal Bone and Keratinized Mucosa Alterations Around Sloped Implants Placed in Healed Sloped Crests: A Long-Term Cohort Study. Int J Periodontics Restorative Dent 2021;41(5):733-41. [Abstract](#)
808. Noelken R, Schiegnitz E, Berglundh T, Wagner W. Functional hard and soft tissue regeneration around Profile implants placed in sloped alveolar ridges - 10-year results (P15600). Clin Oral Implants Res 2019;30(Supplement S19):19-19.
809. Nordin T, Jonsson G, Nelvig P, Rasmusson L. The use of a conical fixture design for fixed partial prostheses. A preliminary report. Clin Oral Implants Res 1998;9(5):343-7. [Abstract](#)
810. Norton MR. An in vitro evaluation of the strength of an internal conical interface compared to a butt joint interface in implant design. Clin Oral Implants Res 1997;8(4):290-8. [Abstract](#)
811. Norton MR. The Astra Tech single-tooth implant system: a report on 27 consecutively placed and restored implants. Int J Periodontics Restorative Dent 1997;17(6):574-83. [Abstract](#)
812. Norton MR. Marginal bone levels at single tooth implants with a conical fixture design. The influence of surface macro- and microstructure. Clin Oral Implants Res 1998;9(2):91-9. [Abstract](#)
813. Norton MR. Assessment of cold welding properties of the internal conical interface of two commercially available implant systems. J Prosthet Dent 1999;81(2):159-66. [Abstract](#)
814. Norton MR. An in vitro evaluation of the strength of a 1-piece and 2-piece conical abutment joint in implant design. Clin Oral Implants Res 2000;11(5):458-64. [Abstract](#)
815. Norton MR. In vitro evaluation of the strength of the conical implant-to-abutment joint in two commercially available implant systems. J Prosthet Dent 2000;83(5):567-71. [Abstract](#)
816. Norton MR. Biologic and mechanical stability of single-tooth implants: 4- to 7-year follow-up. Clin Implant Dent Relat Res 2001;3(4):214-20. [Abstract](#)
817. Norton MR. A short-term clinical evaluation of immediately restored maxillary TiOblast single-tooth implants. Int J Oral Maxillofac Implants 2004;19(2):274-81. [Abstract](#)
818. Norton MR. Multiple single-tooth implant restorations in the posterior jaws: maintenance of marginal bone levels with reference to the implant-abutment microgap. Int J Oral Maxillofac Implants 2006;21(5):777-84. [Abstract](#)

819. Norton MR. The influence of insertion torque on the survival of immediately placed and restored single-tooth implants. *Int J Oral Maxillofac Implants* 2011;26(6):1333-43. [Abstract](#)
820. Norton MR, Astrom M. The influence of implant surface on maintenance of marginal bone levels for three premium implant brands: A systematic review and meta-analysis. *Int J Oral Maxillofac Implants* 2020;35(6):1099-111. [Abstract](#)
821. Norton MR, Ferber C. The nonresilient hybrid removable prosthesis: treatment of choice for the atrophic maxilla. *Int J Periodontics Restorative Dent* 1999;19(2):189-97. [Abstract](#)
822. Norton MR, Wilson J. Dental implants placed in extraction sites implanted with bioactive glass: human histology and clinical outcome. *Int J Oral Maxillofac Implants* 2002;17(2):249-57. [Abstract](#)
823. Nothdurft FP, Doppler KE, Erdelt KJ, Knauber AW, Pospiech PR. Influence of artificial aging on the load-bearing capability of straight or angulated zirconia abutments in implant/tooth-supported fixed partial dentures. *Int J Oral Maxillofac Implants* 2010;25(5):991-8. [Abstract](#)
824. Nothdurft FP, Doppler KE, Erdelt KJ, Knauber AW, Pospiech PR. Fracture behavior of straight or angulated zirconia implant abutments supporting anterior single crowns. *Clin Oral Investig* 2011;15(2):157-63. [Abstract](#)
825. Nyberg J, Hertzman S, Svensson B, Johansson CB. Osseointegration of implants in irradiated bone with and without hyperbaric oxygen treatment: an experimental study in rat Tibiae. *Int J Oral Maxillofac Implants* 2013;28(3):739-46. [Abstract](#)
826. O'Sullivan D, Sennerby L, Meredith N. Measurements comparing the initial stability of five designs of dental implants: a human cadaver study. *Clin Implant Dent Relat Res* 2000;2(2):85-92. [Abstract](#)
827. Ocelik V, Schepke U, Rasoul HH, Cune MS, De Hosson JTM. On the bulk degradation of yttria-stabilized nanocrystalline zirconia dental implant abutments: an electron backscatter diffraction study. *J Mater Sci Mater Med* 2017;28(8):121. [Abstract](#)
828. Offermanns V. Comparing SLActive™, OsseoSpeed™ and a novel strontium releasing surface (Ti–Sr–O) in early osseointegration stages in a rabbit femur model. *Int J Oral Maxillofac Implants* 2015;44(Supplement):e118.
829. Oguz Y, Cinar D, Bayram B. Removal of fractured implants and replacement with new ones. *J Oral Implantol* 2015;41(1):85-7. [Abstract](#)
830. Ohba S, Shido R, Asahina I. Application of hydroxyapatite/collagen composite material for maxillary sinus floor augmentation. *J Oral Sci* 2021;63(3):295-97. [Abstract](#)
831. Okkan GS, Kucukkurt S, Therzioglu H, Mooaoglu N. Biomechanical behavior of the dental implant macrodesign in mandibular implant-supported overdentures. *Journal of Osseointegration* 2021;13(4):234-41.
832. Olefjord I, Hansson S. Surface analysis of four dental implant systems. *Int J Oral Maxillofac Implants* 1993;8(1):32-40. [Abstract](#)

833. Oliveros-Lopez LG, Castillo-de-Oyagüe R, Serrera-Figallo MA. Bone loss in bruxist patients wearing dental implant prostheses: A finite element analysis. *Metals* 2020;E-pub Sep, doi:10.3390/met10091132 [Abstract](#)
834. Onclin P, Slot W, Vissink A, Raghoobar GM, Meijer HJA. Incidence of peri-implant mucositis and peri-implantitis in patients with a maxillary overdenture: A sub-analysis of two prospective studies with a 10-year follow-up period. *Clin Implant Dent Relat Res* 2022;E-pub Feb 8, doi:10.1111/cid.13071:1-8. [Abstract](#)
835. Ongun S, Kurtulmus-Yilmaz S, Meriç G, Ulusoy M. A comparative study on the mechanical properties of a polymer-infiltrated ceramic-network material used for the fabrication of hybrid abutment. *Materials* 2018;11(9):1681. [Abstract](#)
836. Onur MA, Cehreli MC, Tas Z, Sahin S. Effects of machined/turned, TiO₂-blasted and sandblasted/acid-etched titanium oral implant surfaces on nerve conduction: a study on isolated rat sciatic nerves. *J Biomed Mater Res B* 2003;67(2):772-8. [Abstract](#)
837. Orentlicher G, Horowitz A, Goldsmith D, Delgado-Ruiz R, Abboud M. Cumulative survival rate of implants placed "fully guided" using CT-guided surgery: A 7-year retrospective study. *Compend Contin Educ Dent* 2014;35(8):590-7. [Abstract](#)
838. Orsini G, Stacchi C, Visintini E, Di Iorio D, Putignano A, Breschi L, Di Lenarda R. Clinical and histologic evaluation of fresh frozen human bone grafts for horizontal reconstruction of maxillary alveolar ridges. *Int J Periodontics Restorative Dent* 2011;31(5):535-44. [Abstract](#)
839. Ortegon SM, Thompson GA, Agar JR, Taylor TD, Perdakis D. Retention forces of spherical attachments as a function of implant and matrix angulation in mandibular overdentures: an in vitro study. *J Prosthet Dent* 2009;101(4):231-8. [Abstract](#)
840. Örtorp A. Three tumor patients with total maxillectomy rehabilitated with implant-supported frameworks and maxillary obturators: a follow-up report. *Clin Implant Dent Relat Res* 2009;12(4):315-23. [Abstract](#)
841. Oxby G, Oxby F, Oxby J, Saltvik T, Nilsson P. Early loading of fluoridated implants placed in fresh extraction sockets and healed bone: A 3- to 5-year clinical and radiographic follow-up study of 39 consecutive patients. *Clin Implant Dent Relat Res* 2015;17(5):898-907. [Abstract](#)
842. Ozan O, Ramoglu S. Effect of implant height differences on different attachment types and peri-implant bone in mandibular two-implant overdentures: 3D finite element study. *J Oral Implantol* 2015;41(3):e50-9. [Abstract](#)
843. Ozan O, Seker E, Cakmak G, Guo X, Yilmaz B. Effect of guide sleeve material, region, diameter, and number of times drills were used on the material loss from sleeves and drills used for surgical guides: An in vitro study. *J Prosthet Dent* 2021;E-pub Apr 5, doi:10.1016/j.prosdent.2020.12.036. [Abstract](#)

844. Ozdemir E, Lin WS, Erkut S. Management of interproximal soft tissue with a resin-bonded prosthesis after immediate implant placement: a clinical report. *J Prosthet Dent* 2012;107(1):7-10. [Abstract](#)
845. Ozkir SE, Terzioglu H. Macro design effects on stress distribution around implants: A photoelastic stress analysis. *Indian J Dent Res* 2012;23(5):603-7. [Abstract](#)
846. Özkurt Z, Duygu G, Canpolat C, Kazazoglu E. Reconstruction of edentulous maxillary and mandibular arches with implant-supported fixed restorations using a digital treatment planning technique: a clinical report. *J Oral Implantol* 2008;34(3):161-8. [Abstract](#)
847. Pabst AM, Walter C, Ehbauer S, Zwiener I, Ziebart T, Al-Nawas B, Klein MO. Analysis of implant-failure predictors in the posterior maxilla: A retrospective study of 1395 implants. *J Craniomaxillofac Surg* 2015;43(3):414-20. [Abstract](#)
848. Packer M, Nikitin V, Coward T, Davis DM, Fiske J. The potential benefits of dental implants on the oral health quality of life of people with Parkinson's disease. *Gerodontology* 2009;26(1):11-8. [Abstract](#)
849. Palaska I, Tsaousoglou P, Vouros I, Konstantinidis A, Menexes G. Influence of placement depth and abutment connection pattern on bone remodeling around 1-stage implants: a prospective randomized controlled clinical trial. *Clin Oral Implants Res* 2016;27(2):e47-56. [Abstract](#)
850. Palmer RM, Farkondeh N, Palmer PJ, Wilson RF. Astra Tech single-tooth implants: an audit of patient satisfaction and soft tissue form. *J Clin Periodontol* 2007;34(7):633-8. [Abstract](#)
851. Palmer RM, Howe LC, Palmer PJ. A prospective 3-year study of fixed bridges linking Astra Tech ST implants to natural teeth. *Clin Oral Implants Res* 2005;16(3):302-7. [Abstract](#)
852. Palmer RM, Howe LC, Palmer PJ, Wilson R. A prospective clinical trial of single Astra Tech 4.0 or 5.0 diameter implants used to support two-unit cantilever bridges: results after 3 years. *Clin Oral Implants Res* 2012;23(1):35-40. [Abstract](#)
853. Palmer RM, Palmer PJ, Smith BJ. A 5-year prospective study of Astra single tooth implants. *Clin Oral Implants Res* 2000;11(2):179-82. [Abstract](#)
854. Palmer RM, Smith BJ, Palmer PJ, Floyd PD. A prospective study of Astra single tooth implants. *Clin Oral Implants Res* 1997;8(3):173-9. [Abstract](#)
855. Pan MC, Zhuang HB, Chen CS, Wu JW, Lee SY. A noncontact resonance frequency detection technique for the assessment of the interfacial bone defect around a dental implant. *Med Eng Phys* 2013;35(12):1825-30. [Abstract](#)
856. Paniz G, Bressan E, Stellini E, Romeo E, Lops D. Correlation between subjective and objective evaluation of peri-implant soft tissue color. *Clin Oral Implants Res* 2014;25(8):992-6. [Abstract](#)
857. Paranque AR, Steve M, Vazquez L, Bolleyn A, Roze-Pellat MA, Dohan Ehrenfest D. Esthetic and functional reconstruction of the post-tumoral interrupted mandible with double-barrel fibular

free flap graft: rationale for a prosthodontic approach. *J Oral Implantol* 2011;37(5):571-77. [Abstract](#)

858. Parbo N, Murra NT, Andersen K, Buhl J, Kiil B, Norholt SE. Outcome of partial mandibular reconstruction with fibula grafts and implant-supported prostheses. *Int J Oral Maxillofac Surg* 2013;42(11):1403-8. [Abstract](#)
859. Park C, Raigrodski AJ, Rosen J, Spiekerman C, London RM. Accuracy of implant placement using precision surgical guides with varying occlusogingival heights: an in vitro study. *J Prosthet Dent* 2009;101(6):372-81. [Abstract](#)
860. Parpaiola A, Cecchinato D, Toia M, Bressan E, Speroni S, Lindhe J. Dimensions of the healthy gingiva and peri-implant mucosa. *Clin Oral Implants Res* 2015;26(6):657-62. [Abstract](#)
861. Parpaiola A, Norton MR, Cecchinato D, Bressan E, Toia M. Virtual abutment design: a concept for delivery of CAD/CAM customized abutments-- report of a retrospective cohort. *Int J Periodontics Restorative Dent* 2013;33(1):51-8. [Abstract](#)
862. Parpaiola A, Toia M, Norton M, Cecchinato D, Bressan E, Lops D. CAD/CAM implant abutments: Peri-implant hard and soft tissue response with up to 4 years of follow-up- A retrospective cohort study evaluation. *Int J Periodontics Restorative Dent* 2020;40(2):193-201. [Abstract](#)
863. Passos SP, Linke B, Larjava H, French D. Performance of zirconia abutments for implant-supported single-tooth crowns in esthetic areas: a retrospective study up to 12-year follow-up. *Clin Oral Implants Res* 2016;27(1):47-54. [Abstract](#)
864. Patel J, Nixon P. Chronic idiopathic pain following implant placement in the anterior maxilla: A case series. *Dental Update* 2019;45:1043-47.
865. Patel RD, Kan JY, Jonsson LB, Rungcharassaeng K. The use of a dental surgical microscope to aid retrieval of a fractured implant abutment screw: a clinical report. *J Prosthodont* 2010;19(8):630-3. [Abstract](#)
866. Patel S, Lee D, Shiffler K, Aghaloo T, Moy P, Pi-Anfruns J. Resonance frequency analysis of sinus augmentation by osteotome sinus floor elevation and lateral window technique. *J Oral Maxillofac Surg* 2015;73(10):1920-5. [Abstract](#)
867. Patil VA. Retrospective study of risk factors affecting early dental implant survival. *Journal of Dental and Medical Science* 2021;20(5):34-37.
868. Peng M, Fei W, Hosseini M, Gotfredsen K. Influence of implant position on clinical crown length and peri-implant soft tissue dimensions at implant-supported single crowns replacing maxillary central incisors. *Int J Periodontics Restorative Dent* 2013;33(6):785-93. [Abstract](#)
869. Perez RA, Gargallo J, Altuna P, Herrero-Climent M, Gil FJ. Fatigue of narrow dental implants: Influence of the hardening method. *Materials (Basel)* 2020;13(6). [Abstract](#)

870. Petersson IU, Löberg JE, Fredriksson AS, Ahlberg EK. Semi-conducting properties of titanium dioxide surfaces on titanium implants. *Biomaterials* 2009;30(27):4471-79. [Abstract](#)
871. Philip J, Laine ML, Wismeijer D. Adjunctive effect of mouthrinse on treatment of peri-implant mucositis using mechanical debridement: A randomized clinical trial. *J Clin Periodontol* 2020;47(7):883-91. [Abstract](#)
872. Pieri F, Aldini NN, Fini M, Marchetti C, Corinaldesi G. Immediate fixed implant rehabilitation of the atrophic edentulous maxilla after bilateral sinus floor augmentation: a 12-month pilot study. *Clin Implant Dent Relat Res* 2012;14(Suppl 1):e67-82. [Abstract](#)
873. Pieri F, Aldini NN, Fini M, Marchetti C, Corinaldesi G. Preliminary 2-year report on treatment outcomes for 6-mm-long implants in posterior atrophic mandibles. *Int J Prosthodont* 2012;25(3):279-89. [Abstract](#)
874. Pieri F, Aldini NN, Marchetti C, Corinaldesi G. Esthetic outcome and tissue stability of maxillary anterior single-tooth implants following reconstruction with mandibular block grafts: a 5-year prospective study. *Int J Oral Maxillofac Implants* 2013;28(1):270-80. [Abstract](#)
875. Pieri F, Caselli E, Forlivesi C, Corinaldesi G. Rehabilitation of the atrophic posterior maxilla using splinted short implants or sinus augmentation with standard-length implants: A retrospective cohort study. *Int J Oral Maxillofac Implants* 2016;31(5):1179-88. [Abstract](#)
876. Pieri F, Forlivesi C, Caselli E, Corinaldesi G. Short implants (6mm) vs. vertical bone augmentation and standard-length implants (≥ 9 mm) in atrophic posterior mandibles: a 5-year retrospective study. *Int J Oral Maxillofac Surg* 2017;46(12):1607-14. [Abstract](#)
877. Pieri F, Siroli L, Forlivesi C, Corinaldesi G. Clinical, esthetic, and radiographic evaluation of small-diameter (3.0-mm) implants supporting single crowns in the anterior region: a 3-year prospective study. *Int J Periodontics Restorative Dent* 2014;34(6):825-32. [Abstract](#)
878. Piermatti J, Yousef H, Luke A, Mahevich R, Weiner S. An in vitro analysis of implant screw torque loss with external hex and internal connection implant systems. *Implant Dent* 2006;15(4):427-35. [Abstract](#)
879. Piero B, Mario V, Niccolo N, Marco F. Implant placement in combination with sinus membrane elevation without biomaterials: A 1-year study on 15 patients. *Clin Implant Dent Relat Res* 2012;14(5):682-9. [Abstract](#)
880. Pjetursson BE, Bragger U, Lang NP, Zwahlen M. Comparison of survival and complication rates of tooth-supported fixed dental prostheses (FDPs) and implant-supported FDPs and single crowns (SCs). *Clin Oral Implants Res* 2007;18 Suppl 3:97-113. [Abstract](#)
881. Pjetursson BE, Tan K, Lang NP, Bragger U, Egger M, Zwahlen M. A systematic review of the survival and complication rates of fixed partial dentures (FPDs) after an observation period of at least 5 years. *Clin Oral Implants Res* 2004;15(6):667-76. [Abstract](#)

882. Pohl V, Pohl S, Sulzbacher I, Fuerhauser R, Mailath-Pokorny G, Haas R. Alveolar ridge augmentation using dystopic autogenous yooth: 2-year results of an open prospective study. *Int J Oral Maxillofac Implants* 2017;32(4):870-79. [Abstract](#)
883. Pohl V, Thoma DS, Sporniak-Tutak K, Garcia-Garcia A, Taylor TD, Haas R, Hammerle CH. Short dental implants (6 mm) versus long dental implants (11-15 mm) in combination with sinus floor elevation procedures: 3-year results from a multicentre, randomized, controlled clinical trial. *J Clin Periodontol* 2017;44(4):438-45. [Abstract](#)
884. Pons R, Carreno M, Amerio E, Gargallo-Albiol J, Nart J, Monje A. Hard tissue dimensional changes following implant removal due to peri-implantitis: A retrospective study. *Clin Implant Dent Relat Res* 2021;E-pub May 4, doi:10.1111/cid.13004. [Abstract](#)
885. Ponsi J, Lahti S, Rissanen H, Oikarinen K. Change in subjective oral health after single dental implant treatment. *Int J Oral Maxillofac Implants* 2011;26(3):571-7. [Abstract](#)
886. Prasad R, Al-Kheraif AA. Three-dimensional accuracy of CAD/CAM titanium and ceramic superstructures for implant abutments using spiral scan microtomography. *Int J Prosthodont* 2013;26(5):451-7. [Abstract](#)
887. Prasad S, Hambrook C, Reigle E, Sherman K, Bansal N, Hefti A. Implant treatment in the predoctoral clinic: A retrospective database study of 1091 patients. *J Prosthodont* 2016;26(6):559-67. [Abstract](#)
888. Prieto-Barrio P, Khoury-Ribas L, Rovira-Lastra B, Ayuso-Montero R, Martinez-Gomis J. Variation in dental occlusal schemes two years after placement of single-implant posterior crowns. A preliminary study. *J Oral Implantol* 2021;E-pub Mar 13, doi:10.1563/aaid-joi-D-19-00239. [Abstract](#)
889. Printzell L, Reseland JE, Edin NFJ, Ellingsen JE. Effects of ionizing irradiation and interface backscatter on human mesenchymal stem cells cultured on titanium surfaces. *Eur J Oral Sci* 2019;127(6):500-07. [Abstract](#)
890. Puchades-Roman L, Palmer RM, Palmer PJ, Howe LC, Ide M, Wilson RF. A clinical, radiographic, and microbiologic comparison of Astra Tech and Brånemark single tooth implants. *Clin Implant Dent Relat Res* 2000;2(2):78-84. [Abstract](#)
891. Pumnil S, Rungsiyakull P, Rungsiyakull C, Elsaka S. Effect of different customized abutment types on stress distribution in implant-supported single crown: A 3D finite element analysis. *J Prosthodont* 2022;E pub May 3, doi:10.1111/jopr.13530:1-30. [Abstract](#)
892. Quirynen M, Bollen CM, Willems G, van Steenberghe D. Comparison of surface characteristics of six commercially pure titanium abutments. *Int J Oral Maxillofac Implants* 1994;9(1):71-6. [Abstract](#)
893. Rabbani S, Juszczak AS, Clark RK, Radford DR. Investigation of retentive force reduction and wear of the locator attachment system with different implant angulations. *Int J Oral Maxillofac Implants* 2015;30(3):556-63. [Abstract](#)

894. Raes F, Cooper LF, Tarrida LG, Vandromme H, De Bruyn H. A case-control study assessing oral-health-related quality of life after immediately loaded single implants in healed alveolar ridges or extraction sockets. *Clin Oral Implants Res* 2012;23(5):602-8. [Abstract](#)
895. Raes F, Cosyn J, Crommelinck E, Coessens P, De Bruyn H. Immediate and conventional single implant treatment in the anterior maxilla: 1-year results of a case series on hard and soft tissue response and aesthetics. *J Clin Periodontol* 2011;38(4):385-94. [Abstract](#)
896. Raes F, Cosyn J, De Bruyn H. Clinical, aesthetic, and patient-related outcome of immediately loaded single implants in the anterior maxilla: A prospective study in extraction sockets, healed ridges, and grafted sites. *Clin Implant Dent Relat Res* 2013;15(6):819-35. [Abstract](#)
897. Raes F, Renckens L, Aps J, Cosyn J, De Bruyn H. Reliability of circumferential bone level assessment around single implants in healed ridges and extraction sockets using cone beam CT. *Clin Implant Dent Relat Res* 2013;15(5):661-72. [Abstract](#)
898. Raes S, Cosyn J, Noyelle A, Raes F, De Bruyn H. Clinical outcome after 8 to 10 years of immediately restored single implants placed in extraction sockets and healed ridges. *Int J Periodontics Restorative Dent* 2018;38(3):337-45. [Abstract](#)
899. Raes S, Eghbali A, Chappuis V, Raes F, De Bruyn H, Cosyn J. A long-term prospective cohort study on immediately restored single tooth implants inserted in extraction sockets and healed ridges: CBCT analyses, soft tissue alterations, aesthetic ratings, and patient-reported outcomes. *Clin Implant Dent Relat Res* 2018;20(4):522-30. [Abstract](#)
900. Raes S, Raes F, Cooper L, Giner Tarrida L, Vervaeke S, Cosyn J, De Bruyn H. Oral health-related quality of life changes after placement of immediately loaded single implants in healed alveolar ridges or extraction sockets: a 5-year prospective follow-up study. *Clin Oral Implants Res* 2017;28(6):662-67. [Abstract](#)
901. Raes S, Rocci A, Raes F, Cooper L, De Bruyn H, Cosyn J. A prospective cohort study on the impact of smoking on soft tissue alterations around single implants. *Clin Oral Implants Res* 2015;26(9):1086-90. [Abstract](#)
902. Rakasevic D, Lazic Z, Soldatovic I, Scepanovic M, Gabric D. Influence of titanium implant macrodesign on peri-implantitis occurrence: a cross-sectional study. *Clin Oral Investig* 2022;E pub Apr 23, doi:10.1007/s00784-022-04492-z. [Abstract](#)
903. Raoufi-Danner S, Carl S, Jahan A. Oral rehabilitation of patients with ameloblastoma of the mandible. Clinical results in three patients with different bone reconstruction techniques. *The Open Dentistry Journal* 2018;12(1):1107-12. [Abstract](#)
904. Rashedi B, Cooper L. Immediate loading of implants in edentulous mandible maintaining vertical dimension: A clinical report. *J Prosthet Dent* 2004;91(2):114-8. [Abstract](#)

905. Rasmusson L, Kahnberg KE, Tan A. Effects of implant design and surface on bone regeneration and implant stability: an experimental study in the dog mandible. *Clin Implant Dent Relat Res* 2001;3(1):2-8. [Abstract](#)
906. Rasmusson L, Roos J, Bystedt H. A 10-year follow-up study of titanium dioxide-blasted implants. *Clin Implant Dent Relat Res* 2005;7(1):36-42. [Abstract](#)
907. Rasmusson L, Thor A, Sennerby L. Stability evaluation of implants integrated in grafted and nongrafted maxillary bone: a clinical study from implant placement to abutment connection. *Clin Implant Dent Relat Res* 2012;14(1):61-6. [Abstract](#)
908. Ravald N, Dahlgren S, Teiwik A, Grondahl K. Long-term evaluation of Astra Tech and Branemark implants in patients treated with full-arch bridges. Results after 12-15 years. *Clin Oral Implants Res* 2013;24(10):1144-51. [Abstract](#)
909. Razavi T, Palmer RM, Davies J, Wilson R, Palmer PJ. Accuracy of measuring the cortical bone thickness adjacent to dental implants using cone beam computed tomography. *Clin Oral Implants Res* 2010;21(7):718-25. [Abstract](#)
910. Real-Osuna J, Almendros-Marques N, Gay-Escoda C. Prevalence of complications after the oral rehabilitation with implant-supported hybrid prostheses. *Med Oral Patol Oral Cir Bucal* 2012;17(1):e116-21. [Abstract](#)
911. Renvert S, Aghazadeh A, Hallstrom H, Persson GR. Factors related to peri-implantitis - A retrospective study. *Clin Oral Implants Res* 2014;25(4):522-9. [Abstract](#)
912. Renvert S, Lindahl C, Persson RG. The incidence of peri-implantitis for two different implant systems over a period of thirteen years. *J Clin Periodontol* 2012;39(12):1191-7. [Abstract](#)
913. Renvert S, Lindahl C, Renvert H, Persson GR. Clinical and microbiological analysis of subjects treated with Brånemark or AstraTech implants: a 7-year follow-up study. *Clin Oral Implants Res* 2008;19(4):342-7. [Abstract](#)
914. Renvert S, Polyzois I, Claffey N. How do implant surface characteristics influence peri-implant disease? *J Clin Periodontol* 2011;38 Suppl 11:214-22. [Abstract](#)
915. Renvert S, Roos-Jansaker AM, Persson GR. Surgical treatment of peri-implantitis lesions with or without the use of a bone substitute-a randomized clinical trial. *J Clin Periodontol* 2018;45(10):1266-74. [Abstract](#)
916. Repesa M, Sofic A, Jakupovic S, Tosum S, Kazazic L, Dervisevic A. Comparison of results of measurement of dimensions of the placed dental implants on cone beam computed tomography with dimensions of the producers of the implants. *Acta Inform Med* 2017;25(2):116-20. [Abstract](#)
917. Riben C, Thor A. Follow-up of the sinus membrane elevation technique for maxillary sinus implants without the use of graft material. *Clin Implant Dent Relat Res* 2016;18(5):895-905. [Abstract](#)

918. Ricciardi MT, Pizzi P. High-risk esthetically driven restoration: begin with the end in mind. *Compend Contin Educ Dent* 2013;34(3):206-10. [Abstract](#)
919. Ringeling J, Parvini P, Weinbach C, Nentwig GH, Nickles K, Eickholz P. Discomfort/pain due to pocket probing at teeth and endosseous implants: A cross-sectional study. *Clin Oral Implants Res* 2016;27(8):1005-9. [Abstract](#)
920. Rismanchian M, Fazel A, Rakhshan V, Eblaghian G. One-year clinical and radiographic assessment of fluoride-enhanced implants on immediate non-functional loading in posterior maxilla and mandible: a pilot prospective clinical series study. *Clin Oral Implants Res* 2011;22(12):1440-5. [Abstract](#)
921. Rocci A, Calcaterra R, M DIG, Rocci M, Rocci C, Baggi L. The influence of micro and macro-geometry in term of bone-implant interface in two implant systems: An histomorphometrical study. *Oral Implantol (Rome)* 2015;8(4):87-95. [Abstract](#)
922. Rocci A, Calcaterra R, Rocci M, Rocci C, M DIG, Baggi L. Different performance of platform switching in equicrestal position implant: An histological study. *Oral Implantol (Rome)* 2016;9(1):11-16. [Abstract](#)
923. Rocci M, Rocci A, Martignoni M, Albrektsson T, Barlattani A, Gargari M. Comparing the TiOblast and Osseospeed surfaces. Histomorphometric and histological analysis in humans. *Oral Implantol (Rome)* 2008;1(1):34-42. [Abstract](#)
924. Rocuzzo A, Jensen SS, Worsaae N, Gotfredsen K. Implant-supported 2-unit cantilevers compared with single crowns on adjacent implants: A comparative retrospective case series. *J Prosthet Dent* 2020;123(5):717-23. [Abstract](#)
925. Rodriguez-Argueta OF, Figueiredo R, Valmaseda-Castellon E, Gay-Escoda C. Postoperative complications in smoking patients treated with implants: A retrospective study. *J Oral Maxillofac Surg* 2011;69(8):2152-7. [Abstract](#)
926. Roe P, Kan JY, Rungcharassaeng K, Caruso JM, Zimmerman G, Mesquida J. Horizontal and vertical dimensional changes of peri-implant facial bone following immediate placement and provisionalization of maxillary anterior single implants: A 1-Year cone beam computed tomography study. *Int J Oral Maxillofac Implants* 2012;27(2):393-400. [Abstract](#)
927. Roe P, Kan JY, Rungcharassaeng K, Lozada JL. Immediate loading of unsplinted implants in the anterior mandible for overdentures: 3-year results. *Int J Oral Maxillofac Implants* 2011;26(6):1296-302. [Abstract](#)
928. Roe P, Kan JY, Rungcharassaeng K, Lozada JL, Kleinman AS, Goodacre CJ, Chen JW. Immediate loading of unsplinted implants in the anterior mandible for overdentures: a case series. *Int J Oral Maxillofac Implants* 2010;25(5):1028-35. [Abstract](#)

929. Rojas-Vizcaya F. Full zirconia fixed detachable implant-retained restorations manufactured from monolithic zirconia: clinical report after two years in service. *J Prosthodont* 2011;20(7):570-6. [Abstract](#)
930. Rojas-Vizcaya F. Rehabilitation of the maxillary arch with implant-supported fixed restorations guided by the most apical buccal bone level in the esthetic zone: a clinical report. *J Prosthet Dent* 2012;107(4):213-20. [Abstract](#)
931. Rojas-Vizcaya F. Biological aspects as a rule for single implant placement. The 3A-2B rule: a clinical report. *J Prosthodont* 2013;22(7):575-80. [Abstract](#)
932. Rojas-Vizcaya F, Zadeh HH. Minimizing the discrepancy between implant platform and alveolar bone for tilted implants with a sloped implant platform: A clinical report. *J Prosthet Dent* 2018;119(3):319-24. [Abstract](#)
933. Rokn A, Aslroosta H, Akbari S, Najafi H, Zayeri F, Hashemi K. Prevalence of peri-implantitis in patients not participating in well-designed supportive periodontal treatments: A cross-sectional study. *Clin Oral Implants Res* 2017;28(3):314-19. [Abstract](#)
934. Romandini M, Lima C, Pedrinaci I, Araoz A, Costanza Soldini M, Sanz M. Clinical signs, symptoms, perceptions, and impact on quality of life in patients suffering from peri-implant diseases: A university-representative cross-sectional study. *Clin Oral Implants Res* 2021;32(1):100-11. [Abstract](#)
935. Romandini M, Lima C, Pedrinaci I, Araoz A, Soldini MC, Sanz M. Prevalence and risk/protective indicators of peri-implant diseases: A university-representative cross-sectional study. *Clin Oral Implants Res* 2021;32(1):112-22. [Abstract](#)
936. Romanos G, Damouras M, Veis AA, Hess P, Schwarz F, Brandt S. Comparison of histomorphometry and microradiography of different implant designs to assess primary implant stability. *Clin Implant Dent Relat Res* 2020;22(3):373-79. [Abstract](#)
937. Romanos GE, Bastardi DJ, Kakar A, Moore R, Delgado-Ruiz RA, Javed F. In vitro comparison of resonance frequency analysis devices to evaluate implant stability of narrow diameter implants at varying drilling speeds in dense artificial bone blocks. *Clin Implant Dent Relat Res* 2019;21(5):1023-27. [Abstract](#)
938. Romanos GE, Delgado-Ruiz R. Macroscopic evidence of surface changes of dental implants after insertion and removal in dense bone: In vitro study. *Int J Oral Maxillofac Implants* 2022;37(2):e41-e49. [Abstract](#)
939. Rönöld HJ, Ellingsen JE. Effect of micro-roughness produced by TiO₂ blasting--tensile testing of bone attachment by using coin-shaped implants. *Biomaterials* 2002;23(21):4211-9. [Abstract](#)
940. Rönöld HJ, Ellingsen JE. The use of a coin shaped implant for direct in situ measurement of attachment strength for osseointegrating biomaterial surfaces. *Biomaterials* 2002;23(10):2201-9. [Abstract](#)

941. Roos-Jansaker AM, Almhojd US, Jansson H. Treatment of peri-implantitis: clinical outcome of chloramine as an adjunctive to non-surgical therapy, a randomized clinical trial. *Clin Oral Implants Res* 2017;28(1):43-48. [Abstract](#)
942. Roos-Jansåker AM, Persson GR, Lindahl C, Renvert S. Surgical treatment of peri-implantitis using a bone substitute with or without a resorbable membrane: a 5-year follow-up. *J Clin Periodontol* 2014;41(11):1108-14. [Abstract](#)
943. Roos-Jansåker AM, Renvert H, Lindahl C, Renvert S. Surgical treatment of peri-implantitis using a bone substitute with or without a resorbable membrane: a prospective cohort study. *J Clin Periodontol* 2007;34(7):625-32. [Abstract](#)
944. Rossi AL, Palombo D, Clivio A, Chiapasco M. Three year randomized split mouth clinical trial comparing marginal bone loss around implants with a conical or straight collar design. *Global Journal of Oral Science* 2020;6:16-24.
945. Rostetter C, Abazi J, Gander T, Bredell M, Rucker M, Studer S, Zweifel D. Precision of 30 guided implants in complex tumour situations. *Br J Oral Maxillofac Surg* 2020;58(9):e62-e66. [Abstract](#)
946. Rotenberg SA, Tatakis DN. Recombinant human bone morphogenetic protein-2 for peri-implant bone regeneration: a case report. *J Periodontol* 2011;82(8):1212-8. [Abstract](#)
947. Rupp F, Scheideler L, Eichler M, Geis-Gerstorfer J. Wetting behavior of dental implants. *Int J Oral Maxillofac Implants* 2011;26(6):1256-66. [Abstract](#)
948. Saab XE, Griggs JA, Powers JM, Engelmeier RL. Effect of abutment angulation on the strain on the bone around an implant in the anterior maxilla: a finite element study. *J Prosthet Dent* 2007;97(2):85-92. [Abstract](#)
949. Saaby M, Karring E, Schou S, Isidor F. Factors influencing severity of peri-implantitis. *Clin Oral Implants Res* 2016;27(1):7-12. [Abstract](#)
950. Sabbah A, Hicks J, MacNeill B, Arbona A, Aguilera A, Liu Q, Gelfond J, Gardner W. A retrospective analysis of dental implant survival in HIV patients. *J Clin Periodontol* 2019;46(3):363-72. [Abstract](#)
951. Saboury A, Sadr SJ, Fayaz A, Mahshid M. The effect of aging on the accuracy of new friction-style mechanical torque limiting devices for dental implants. *J Dent (Tehran)* 2013;10(1):41-50. [Abstract](#)
952. Sagheb K, Kumar VV, Azaripour A, Walter C, Al-Nawas B, Kammerer PW. Comparison of conventional twist drill protocol and piezosurgery for implant insertion: an ex vivo study on different bone types. *Clin Oral Implants Res* 2017;28(2):207-13. [Abstract](#)
953. Saghiri MA, Ghasemi M, Moayer AR, Sheibani N, Garcia-Godoy F, Asatourian A, Aslroosta H. A novel method to evaluate the neurocompatibility of dental implants. *Int J Oral Maxillofac Implants* 2014;29(1):41-50. [Abstract](#)

954. Sakka S, Al-ani Z, Kasioumis T, Worthington H, Coulthard P. Inter-examiner and intra-examiner reliability of the measurement of marginal bone loss around oral implants. *Implant Dent* 2005;14(4):386-8. [Abstract](#)
955. Sakkas A, Schramm A, Karsten W, Gellrich NC, Wilde F. A clinical study of the outcomes and complications associated with zygomatic buttress block bone graft for limited preimplant augmentation procedures. *J Craniomaxillofac Surg* 2016;44(3):249-56. [Abstract](#)
956. Salman A, Thacker S, Rubin S, Dhingra A, Ioannidou E, Schincaglia GP. Immediate versus delayed loading of mandibular implant-retained overdentures: A 60-month follow-up of a randomized clinical trial. *J Clin Periodontol* 2019;46(8):863-71. [Abstract](#)
957. Salomo-Coll O, Lozano-Carrascal N, Lazaro-Abdulkarim A, Hernandez-Alfaro F, Gargallo-Albiol J, Satorres-Nieto M. Do penicillin-allergic patients present a higher rate of implant failure? *Int J Oral Maxillofac Implants* 2018;33(6):1390-95. [Abstract](#)
958. Sambrook RJ, Judge RB. The cross-pin retained implant supported restoration: a study of gasket placement and leakage. *Aust Dent J* 2012;57(4):415-20. [Abstract](#)
959. Sampatanukul T, Serichetaphongse P, Pimkhaokham A. Histological evaluations and inflammatory responses of different dental implant abutment materials: A human histology pilot study. *Clin Implant Dent Relat Res* 2017;20(2):160-69. [Abstract](#)
960. Sancho-Puchades M, Cramer D, Ozcan M, Sailer I, Jung RE, Hammerle CHF, Thoma DS. The influence of the emergence profile on the amount of undetected cement excess after delivery of cement-retained implant reconstructions. *Clin Oral Implants Res* 2017;28(12):1515-22. [Abstract](#)
961. Sani E, Veltri M, Cagidiaco MC, Balleri P, Ferrari M. Sinus membrane elevation in combination with placement of blasted implants: A 3-year case report of sinus augmentation without grafting material. *Int J Oral Maxillofac Surg* 2008;37(10):966-69. [Abstract](#)
962. Sanz M, Cecchinato D, Ferrus J, Pjetursson EB, Lang NP, Lindhe J. A prospective, randomized-controlled clinical trial to evaluate bone preservation using implants with different geometry placed into extraction sockets in the maxilla. *Clin Oral Implants Res* 2010;21(1):13-21. [Abstract](#)
963. Sanz M, Cecchinato D, Ferrus J, Salvi GE, Ramseier C, Lang NP, Lindhe J. Implants placed in fresh extraction sockets in the maxilla: clinical and radiographic outcomes from a 3-year follow-up examination. *Clin Oral Implants Res* 2014;25(3):321-7. [Abstract](#)
964. Sanz M, Lindhe J, Alcaraz J, Sanz-Sanchez I, Cecchinato D. The effect of placing a bone replacement graft in the gap at immediately placed implants: a randomized clinical trial. *Clin Oral Implants Res* 2016;28(8):902-10. [Abstract](#)
965. Sanz-Martin I, Paeng K, Park H, Cha JK, Jung UW, Sanz M. Significance of implant design on the efficacy of different peri-implantitis decontamination protocols. *Clin Oral Investig* 2021;25(6):3589-97. [Abstract](#)

966. Sawase T, Wennerberg A, Hallgren C, Albrektsson T, Baba K. Chemical and topographical surface analysis of five different implant abutments. *Clin Oral Implants Res* 2000;11(1):44-50. [Abstract](#)
967. Sawase T, Wennerberg A, Hallgren C, Miyamoto I, Albrektsson T. Atomic force microscopic study of commercially available implant abutments. *Clin Implant Dent Relat Res* 1999;1(2):92-7. [Abstract](#)
968. Schepke U, Gresnigt MMM, Browne WR, Abdolazadeh S, Nijkamp J, Cune MS. Phase transformation and fracture load of stock and CAD/CAM-customized zirconia abutments after 1 year of clinical function. *Clin Oral Implants Res* 2019;30(6):559-69. [Abstract](#)
969. Schepke U, Lohbauer U, Meijer HJ, Cune MS. Adhesive failure of Lava Ultimate and lithium disilicate crowns bonded to zirconia abutments: A prospective within-patient comparison. *Int J Prosthodont* 2018;31(3):208-10. [Abstract](#)
970. Schepke U, Meijer HJ, Kerdijk W, Cune MS. Digital versus analog complete-arch impressions for single-unit premolar implant crowns: Operating time and patient preference. *J Prosthet Dent* 2015;114(3):403-6 e1. [Abstract](#)
971. Schepke U, Meijer HJ, Kerdijk W, Raghoobar GM, Cune M. Stock versus CAD/CAM customized zirconia implant abutments - clinical and patient-based outcomes in a randomized controlled clinical trial. *Clin Implant Dent Relat Res* 2017;19(1):74-84. [Abstract](#)
972. Schepke U, Meijer HJ, Vermeulen KM, Raghoobar GM, Cune MS. Clinical bonding of resin nano ceramic restorations to zirconia abutments: A case series within a randomized clinical trial. *Clin Implant Dent Relat Res* 2016;18(5):984-92. [Abstract](#)
973. Schiegnitz E, Noelken R, Moergel M, Berres M, Wagner W. Survival and tissue maintenance of an implant with a sloped configured shoulder in the posterior mandible-a prospective multicenter study. *Clin Oral Implants Res* 2017;28(6):721-26. [Abstract](#)
974. Schincaglia GP, Rubin S, Thacker S, Dhingra A, Trombelli L, Ioannidou E. Marginal bone response around immediate- and delayed-loading implants supporting a locator-retained mandibular overdenture: a randomized controlled study. *Int J Oral Maxillofac Implants* 2016;31(2):448-58. [Abstract](#)
975. Schincaglia GP, Thoma DS, Haas R, Tutak M, Garcia A, Taylor TD, Hammerle CH. Randomized controlled multicenter study comparing short dental implants (6 mm) versus longer dental implants (11-15 mm) in combination with sinus floor elevation procedures. Part 2: clinical and radiographic outcomes at 1 year of loading. *J Clin Periodontol* 2015;42(11):1042-51. [Abstract](#)
976. Schliephake H, Rodiger M, Phillips K, McGlumphy EA, Chacon GE, Larsen P. Early loading of surface modified implants in the posterior mandible - 5 year results of an open prospective non-controlled study. *J Clin Periodontol* 2012;39(2):188-95. [Abstract](#)

977. Schmidt P, Goedicke-Padligur G, Schulte AG, Benz K, Jackowski J. Implant-supported prosthetic rehabilitation of a senescent patient with Down syndrome. *Quintessence Int* 2020;51(2):170-77. [Abstract](#)
978. Schneider D, Marquardt P, Zwahlen M, Jung RE. A systematic review on the accuracy and the clinical outcome of computer-guided template-based implant dentistry. *Clin Oral Implants Res* 2009;20 Suppl 4:73-86. [Abstract](#)
979. Schneider D, Sancho-Puchades M, Benic GI, Hammerle CH, Jung RE. A randomized controlled clinical trial comparing conventional and computer-assisted implant planning and placement in partially edentulous patients. Part 1: clinician-related outcome measures. *Int J Periodontics Restorative Dent* 2018;38(Suppl):s49-s57. [Abstract](#)
980. Schneider D, Sax C, Sancho-Puchades M, Hammerle C, Jung RE. Accuracy of computer-assisted, template guided implant placement compared to conventional implant placement by hand - an in vitro study. *Clin Oral Implants Res* 2021;E-pub Jun 28, doi:10.1111/clr.13799. [Abstract](#)
981. Schou S. Implant treatment in periodontitis-susceptible patients: a systematic review. *J Oral Rehabil* 2008;35 Suppl 1:9-22. [Abstract](#)
982. Schou S, Holmstrup P, Stoltze K, Hjorting-Hansen E, Fiehn NE, Skovgaard LT. Probing around implants and teeth with healthy or inflamed peri-implant mucosa/gingiva. A histologic comparison in cynomolgus monkeys (*Macaca fascicularis*). *Clin Oral Implants Res* 2002;13(2):113-26. [Abstract](#)
983. Schrottenboer J, Tsao YP, Kinariwala V, Wang HL. Effect of microthreads and platform switching on crestal bone stress levels: a finite element analysis. *J Periodontol* 2008;79(11):2166-72. [Abstract](#)
984. Schwarz F, Hegewald A, John G, Sahm N, Becker J. Four-year follow-up of combined surgical therapy of advanced peri-implantitis evaluating two methods of surface decontamination. *J Clin Periodontol* 2013;40(10):962-7. [Abstract](#)
985. Schwarz F, John G, Schmucker A, Sahm N, Becker J. Combined surgical therapy of advanced peri-implantitis evaluating two methods of surface decontamination: A 7-year follow-up observation. *J Clin Periodontol* 2017;44(3):337-42. [Abstract](#)
986. Schwarz F, Sahm N, Iglhaut G, Becker J. Impact of the method of surface debridement and decontamination on the clinical outcome following combined surgical therapy of peri-implantitis: a randomized controlled clinical study. *J Clin Periodontol* 2011;38(3):276-84. [Abstract](#)
987. Seki K, Hagiwara Y. Implant treatment with 12-year follow-up in a patient with severe chronic periodontitis: A case report and literature review. *Case Rep Dent* 2019;2019:3715159. [Abstract](#)
988. Seki K, Ikeda T, Urata K, Shiratsuchi H, Kamimoto A, Hagiwara Y. Correlations between implant success rate and personality types in the older people: A preliminary case control study. *J Dental Sciences* 2021;E-pub dec 7, doi:10.1016/j.jds.2021.11.014.

989. Seki K, Namaki S, Kamimoto A, Hagiwara Y. Medication-related osteonecrosis of the jaw subsequent to peri-implantitis: A case report and literature review. *J Oral Implantol* 2020;E-pub Dec 4, doi:10.1563/aaid-joi-D-19-00385. [Abstract](#)
990. Semper W, Heberer S, Mehrhof J, Schink T, Nelson K. Effects of repeated manual disassembly and reassembly on the positional stability of various implant-abutment complexes: an experimental study. *Int J Oral Maxillofac Implants* 2010;25(1):86-94. [Abstract](#)
991. Semper W, Kraft S, Kruger T, Nelson K. Theoretical optimum of implant positional index design. *J Dent Res* 2009;88(8):731-5. [Abstract](#)
992. Semper W, Kraft S, Kruger T, Nelson K. Theoretical considerations: implant positional index design. *J Dent Res* 2009;88(8):725-30. [Abstract](#)
993. Semper W, Kraft S, Mehrhof J, Nelson K. Impact of abutment rotation and angulation on marginal fit: theoretical considerations. *Int J Oral Maxillofac Implants* 2010;25(4):752-8. [Abstract](#)
994. Senna P, Antoninha Del Bel Cury A, Kates S, Meirelles L. Surface damage on dental implants with release of loose particles after insertion into bone. *Clin Implant Dent Relat Res* 2015;17(4):681-92. [Abstract](#)
995. Serino G, Turri A. Outcome of surgical treatment of peri-implantitis: results from a 2-year prospective clinical study in humans. *Clin Oral Implants Res* 2011;22(11):1214-20. [Abstract](#)
996. Serino G, Turri A, Lang NP. Probing at implants with peri-implantitis and its relation to clinical peri-implant bone loss. *Clin Oral Implants Res* 2013;24(1):91-5. [Abstract](#)
997. Serino G, Wada M. Non-surgical mechanical treatment of peri-implant mucositis: the effect of sub-mucosal mechanical instrumentation following supra-mucosal plaque removal. A 7-month prospective single cohort study. *Eur J Oral Implantol* 2018;11(4):455-66. [Abstract](#)
998. Serino G, Wada M, Mameno T, Renvert S. Two- and ten-year follow-up of patients responding and non-responding to the surgical treatment of peri-implantitis: A retrospective evaluation. *Clin Oral Implants Res* 2021;32(4):410-21. [Abstract](#)
999. Sewerin IP, Gotfredsen K, Stoltze K. Accuracy of radiographic diagnosis of peri-implant radiolucencies--an in vitro experiment. *Clin Oral Implants Res* 1997;8(4):299-304. [Abstract](#)
1000. Shen X, Yang S, Xu Y, Xu J, Feng Y, He F. Analysis of implant loss risk factors after simultaneous guidedbone regeneration: A retrospective study of 5404 dentalimplants. *Clin Implant Dent Relat Res* 2022;E pub April 8, doi:org/10.1111/cid.13087:1-11. [Abstract](#)
1001. Shi Y, Tong Z, Zhang Y, Si M, He F. Microbial profiles of peri-implant mucositis and peri-implantitis: Submucosal microbial dysbiosis correlates with disease severity. *Clin Oral Implants Res* 2021;E-pub Nov 22, doi:10.1111/clr.13880. [Abstract](#)

1002. Shin SI, Lee EK, Kim JH, Lee JH, Kim SH, Kwon YH, Herr Y, Chung JH. The effect of Er:YAG laser irradiation on hydroxyapatite-coated implants and fluoride-modified TiO₂-blasted implant surfaces: a microstructural analysis. *Lasers Med Sci* 2013;28(3):823-31. [Abstract](#)
1003. Simmons DE, Maney P, Teitelbaum AG, Billiot S, Popat LJ, Palaiologou AA. Comparative evaluation of the stability of two different dental implant designs and surgical protocols—a pilot study. *Int J Implant Dent* 2017;3(1):16. [Abstract](#)
1004. Simonpieri A, Choukroun J, Del Corso M, Sammartino G, Dohan Ehrenfest DM. Simultaneous sinus-lift and implantation using microthreaded implants and leukocyte- and platelet-rich fibrin as sole grafting material: a six-year experience. *Implant Dent* 2011;20(1):2-12. [Abstract](#)
1005. Simonpieri A, Del Corso M, Sammartino G, Dohan Ehrenfest DM. The relevance of Choukroun's platelet-rich fibrin and metronidazole during complex maxillary rehabilitations using bone allograft. Part II: implant surgery, prosthodontics, and survival. *Implant Dent* 2009;18(3):220-9. [Abstract](#)
1006. Simonpieri A, Del Corso M, Vervelle A, Jimbo R, Inchingolo F, Sammartino G, Dohan Ehrenfest DM. Current knowledge and perspectives for the use of platelet-rich plasma (PRP) and platelet-rich fibrin (PRF) in oral and maxillofacial surgery part 2: Bone graft, implant and reconstructive surgery. *Curr Pharm Biotechnol* 2012;13(7):1231-56. [Abstract](#)
1007. Singer LD. The importance of immediate bone block autograft to successfully restore function and aesthetics of the anterior alveolar process and teeth. *J Oral Implantol* 2015;41(6):684-91. [Abstract](#)
1008. Sirin Y, Horasan S, Yaman D, Basegmez C, Tanyel C, Aral A, Guven K. Detection of crestal radiolucencies around dental implants: an in vitro experimental study. *J Oral Maxillofac Surg* 2012;70(7):1540-50. [Abstract](#)
1009. Sivoilella S, Bressan E, Gnocco E, Berengo M, Favero GA. Maxillary sinus augmentation with bovine bone and simultaneous dental implant placement in conditions of severe alveolar atrophy: a retrospective analysis of a consecutively treated case series. *Quintessence Int* 2011;42(10):851-62. [Abstract](#)
1010. Slot W, Raghoobar GM, Cune MS, Vissink A, Meijer HJ. Maxillary overdentures supported by four or six implants in the anterior region: 5-year results from a randomized controlled trial. *J Clin Periodontol* 2016;43(12):1180-87. [Abstract](#)
1011. Slot W, Raghoobar GM, Vissink A, Meijer HJ. Maxillary overdentures supported by four or six implants in the anterior region; 1-year results from a randomized controlled trial. *J Clin Periodontol* 2013;40(3):303-10. [Abstract](#)
1012. Slot W, Raghoobar GM, Vissink A, Meijer HJ. Maxillary overdentures supported by anteriorly or posteriorly placed implants opposed by a natural dentition in the mandible: a 1-year prospective case series study. *Clin Implant Dent Relat Res* 2014;16(1):51-61. [Abstract](#)

1013. Smolka W, Smolka K. Tertiary bone grafting using calvarial bone transplants in patients with cleft lip and alveolus. *Oral Surgery* 2011;4(3):135–9. [Abstract](#)
1014. Snyder MB. Treatment of a large postextraction buccal wall defect with mineralized allograft, beta-TCP, and rhPDGF-BB: a growth factor-mediated bone regenerative approach. *Int J Periodontics Restorative Dent* 2012;32(6):705-11. [Abstract](#)
1015. Solakoglu O, Ofluoglu D, Schwarzenbach H, Heydecke G, Reissmann D, Ergun S, Gotz W. A 3-year prospective randomized clinical trial of alveolar bone crest response and clinical parameters through 1, 2, and 3 years of clinical function of implants placed 4 months after alveolar ridge preservation using two different allogeneic bone-grafting materials. *Int J Implant Dent* 2022;8(1):1-16. [Abstract](#)
1016. Soldatos N, Nelson-Rabe L, Palanker N, Angelov N, Romanos G, Weltman R. Temperature changes during implant osteotomy preparations in fresh human cadaver tibiae, comparing straight with tapered drills. *Materials* 2022;E pub, March 4, doi:10.3390/ma15072369:1-13.
1017. Solow RA. Channel retention for fixed implant superstructures: A clinical report. *J Prosthet Dent* 2015;114(3):323-7. [Abstract](#)
1018. Soncini M, Rodriguez y Baena R, Pietrabissa R, Quaglini V, Rizzo S, Zaffe D. Experimental procedure for the evaluation of the mechanical properties of the bone surrounding dental implants. *Biomaterials* 2002;23(1):9-17. [Abstract](#)
1019. Soo SY, Satterthwaite JD, Ashley M. Initial management and long-term follow up after the rehabilitation of a patient with severe dentoalveolar trauma: A case report. *Dent Traumatol* 2020;36(1):84-88. [Abstract](#)
1020. Soo SY, Silikas N, Satterthwaite J. Measurement of fracture strength of zirconia dental implant abutments with internal and external connections using acoustic emission. *Materials (Basel)* 2019;12(12). [Abstract](#)
1021. Spyrou P, Papaioannou S, Hampson G, Brady K, Palmer RM, McDonald F. Cytokine release by osteoblast-like cells cultured on implant discs of varying alloy compositions. *Clin Oral Implants Res* 2002;13(6):623-30. [Abstract](#)
1022. Staedt H, Palarie V, Staedt A, Wolf JM, Lehmann KM, Ottl P, Kammerer PW. Primary stability of cylindrical and conical dental implants in relation to insertion torque-a comparative ex vivo evaluation. *Implant Dent* 2017;26(2):250-55. [Abstract](#)
1023. Stanford CM, Wagner W, Rodriguez YBR, Norton M, McGlumphy E, Schmidt J. Evaluation of the effectiveness of dental implant therapy in a practice-based network (FOCUS). *Int J Oral Maxillofac Implants* 2010;25(2):367-73. [Abstract](#)
1024. Stavroullakis A, Brito C, Chen HY, Bajenova E, Prakki A, Nogueira-Filho G. Dental implant surface treatments may modulate cytokine secretion in *Porphyromonas gingivalis*-stimulated human gingival fibroblasts: a comparative study. *J Biomed Mater Res A* 2015;103(3):1131-40. [Abstract](#)

1025. Steiner C, Karl M, Grobecker-Karl T. Insertion and loading characteristics of three different bone-level implants. *Int J Oral Maxillofac Implants* 2020;35(3):560-65. [Abstract](#)
1026. Steveling H, Roos J, Rasmusson L. Maxillary implants loaded at 3 months after insertion: results with Astra Tech implants after up to 5 years. *Clin Implant Dent Relat Res* 2001;3(3):120-4. [Abstract](#)
1027. Støre G, Heyden A, Walaas L. Osseointegration surgery and implant stability in irradiated mandibles. *Oral Surgery* 2011;4:no-no. [Abstract](#)
1028. Streckbein P, Streckbein RG, Wilbrand JF, Malik CY, Schaaf H, Howaldt HP, Flach M. Non-linear 3D evaluation of different oral implant-abutment connections. *J Dent Res* 2012;91(12):1184-9. [Abstract](#)
1029. Strenzke R, Ratka-Krueger P, Frisch E. Therapy for peri-implantitis: Significant radiographic bone fill after keratinized mucosa augmentation surgery with supportive implant therapy (SIT): A novel approach. *J Oral Implantol* 2020;E-pub, doi:10.1563/aaid-joi-D-20-00197. [Abstract](#)
1030. Stubinger S, Buitrago-Tellez C, Cantelmi G. Deviations between placed and planned implant positions: an accuracy pilot study of skeletally supported stereolithographic surgical templates. *Clin Implant Dent Relat Res* 2014;16(4):540-51. [Abstract](#)
1031. Suarez-Lopez Del Amo F, Rudek I, Wagner VP, Martins MD, O'Valle F, Galindo-Moreno P, Giannobile WV, Wang HL, Castilho RM. Titanium activates the DNA damage response pathway in oral epithelial cells: A pilot study. *Int J Oral Maxillofac Implants* 2017;32(6):1413-20. [Abstract](#)
1032. Sui H, Tang Z, Zhang X, Wei D, Meng H, Han J. A prospective, multicentre study of 6-mm short implants in posterior alveolar bone supporting splinted crowns: A 5-year follow-up study. *J Clin Periodontol* 2022;E-pub Mar 4, doi:10.1111/jcpe.13610:1-10. [Abstract](#)
1033. Suk-Arj P, Wongchuensoontorn C, Taebunpakul P. Evaluation of bone formation following the osteotome sinus floor elevation technique without grafting using cone beam computed tomography: a preliminary study. *Int J Implant Dent* 2019;5(1):27. [Abstract](#)
1034. Sul YT, Jonsson J, Yoon GS, Johansson C. Resonance frequency measurements in vivo and related surface properties of magnesium-incorporated, micropatterned and magnesium-incorporated TiUnite, Osseotite, SLA and TiOblast implants. *Clin Oral Implants Res* 2009;20(10):1146-55. [Abstract](#)
1035. Sultana N, Bartlett DW, Suleiman M. Retention of implant-supported overdentures at different implant angulations: comparing Locator and ball attachments. *Clin Oral Implants Res* 2017;28(11):1406-10. [Abstract](#)
1036. Sumi T, Braian M, Shimada A, Shibata N, Takeshita K, Vandeweghe S, Coelho PG, Wennerberg A, Jimbo R. Characteristics of implant-CAD/CAM abutment connections of two different internal connection systems. *J Oral Rehabil* 2012;39(5):391-8. [Abstract](#)

1037. Sun SP, Moon IS, Park KH, Lee DW. Effect of crown to implant ratio and anatomical crown length on clinical conditions in a single implant: A retrospective cohort study. *Clin Implant Dent Relat Res* 2015;17(4):724-31. [Abstract](#)
1038. Svanborg LM, Andersson M, Wennerberg A. Surface characterization of commercial oral implants on the nanometer level. *J Biomed Mater Res B* 2010;92(2):462-9. [Abstract](#)
1039. Tabrizi R, Arabion H, Aliabadi E, Hasanzadeh F. Does increasing the number of short implants reduce marginal bone loss in the posterior mandible? A prospective study. *Br J Oral Maxillofac Surg* 2016;54(7):731-5. [Abstract](#)
1040. Tabrizi R, Pourdanesh F, Zare S, Daneste H, Zeini N. Do angulated implants increase the amount of bone loss around implants in the anterior maxilla? *J Oral Maxillofac Surg* 2013;71(2):272-7. [Abstract](#)
1041. Takahashi T, Fukuda M, Aiba T, Funaki K, Ohnuki T, Kondoh T. Distraction osteogenesis for reconstruction after mandibular segmental resection. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2002;93(1):21-6. [Abstract](#)
1042. Takahashi T, Funaki K, Shintani H, Haruoka T. Use of horizontal alveolar distraction osteogenesis for implant placement in a narrow alveolar ridge: a case report. *Int J Oral Maxillofac Implants* 2004;19(2):291-4. [Abstract](#)
1043. Takeichi K, Kasugai S. Single crown restoration with an implant in posterior molar regions: Comparison with short and standard-length implants after 3 years. *Journal of Interdisciplinary Clinical Dentistry* 2021;Aug 28(2).
1044. Tanaka K, Sailer I, Iwama R, Yamauchi K, Nogami S, Yoda N, Takahashi T. Relationship between cortical bone thickness and implant stability at the time of surgery and secondary stability after osseointegration measured using resonance frequency analysis. *J Periodontal Implant Sci* 2018;48(6):360-72. [Abstract](#)
1045. Tanaka T, Matsui C, Kim YM, Nishimura T, Imai T, Saijo H. Three cases of successful dental implant insertion using the split crest method after free scapular flap mandibular reconstruction. *Journal of Oral and Maxillofacial Surgery, Medicine, and Pathology* 2022:1-9. [Abstract](#)
1046. Tanimura R. Widened implant indications. *EDI* 2010;1:90-2.
1047. Tarica DY, Alvarado VM, Truong ST. Survey of United States dental schools on cementation protocols for implant crown restorations. *J Prosthet Dent* 2010;103(2):68-79. [Abstract](#)
1048. Tarnow DP, Emtiaz S, Classi A. Immediate loading of threaded implants at stage 1 surgery in edentulous arches: ten consecutive case reports with 1- to 5-year data. *Int J Oral Maxillofac Implants* 1997;12(3):319-24. [Abstract](#)
1049. Taylor TD, Klotz MW, Lawton RA. Titanium tattooing associated with zirconia implant abutments: a clinical report of two cases. *Int J Oral Maxillofac Implants* 2014;29(4):958-60. [Abstract](#)

1050. Tchinda AP, Pierson G, Kouitat-Njiwa R, Bravetti P. The surface conditions and composition of titanium alloys in implantology: A comparative study of dental implants of different brands. *Materials (Basel)* 2022;15(3):1-22. [Abstract](#)
1051. Teigen K, Jokstad A. Dental implant suprastructures using cobalt-chromium alloy compared with gold alloy framework veneered with ceramic or acrylic resin: a retrospective cohort study up to 18 years. *Clin Oral Implants Res* 2012;23(7):853-60. [Abstract](#)
1052. Temmerman A, Keestra JA, Coucke W, Teughels W, Quirynen M. The outcome of oral implants placed in bone with limited bucco-oral dimensions: a 3-year follow-up study. *J Clin Periodontol* 2015;42(3):311-8. [Abstract](#)
1053. Temmerman A, Rasmusson L, Kubler A, Thor A, Merheb J, Quirynen M. A prospective, controlled, multicenter study to evaluate the clinical outcome of implant treatment in women with osteoporosis/osteopenia: 5-year results. *J Dent Res* 2019;98(1):84-90. [Abstract](#)
1054. Temmerman A, Rasmusson L, Kubler A, Thor A, Quirynen M. An open, prospective, non-randomized, controlled, multicentre study to evaluate the clinical outcome of implant treatment in women over 60 years of age with osteoporosis/osteopenia: 1-year results. *Clin Oral Implants Res* 2017;28(1):95-102. [Abstract](#)
1055. Temmerman A, Van Dessel J, Cortellini S, Jacobs R, Teughels W, Quirynen M. Volumetric changes of grafted volumes and the Schneiderian membrane after transcresal and lateral sinus floor elevation procedures: A clinical, pilot study. *J Clin Periodontol* 2017;44(6):660-71. [Abstract](#)
1056. Tercanli Alkis H, Turker N. Retrospective evaluation of marginal bone loss around implants in a mandibular locator-retained denture using panoramic radiographic images and finite element analysis: A pilot study. *Clin Implant Dent Relat Res* 2019;21(6):1199-205. [Abstract](#)
1057. Teughels W, Merheb J, Quirynen M. Critical horizontal dimensions of interproximal and buccal bone around implants for optimal aesthetic outcomes: a systematic review. *Clin Oral Implants Res* 2009;20 Suppl 4:134-45. [Abstract](#)
1058. Thalji G, Cooper LF, Nares S. Gene expression profiles of early implant adherent cells in smokers and non-smokers. *J Oral Implantol* 2015;41(6):640-5. [Abstract](#)
1059. Thalji G, Gretzer C, Cooper LF. Comparative molecular assessment of early osseointegration in implant-adherent cells. *Bone* 2013;52(1):444-53. [Abstract](#)
1060. Thalji GN, Nares S, Cooper LF. Early molecular assessment of osseointegration in humans. *Clin Oral Implants Res* 2014;25(11):1273-85. [Abstract](#)
1061. Theoharidou A, Petridis HP, Tzannas K, Garefis P. Abutment screw loosening in single-implant restorations: a systematic review. *Int J Oral Maxillofac Implants* 2008;23(4):681-90. [Abstract](#)
1062. Thoma DS, Bienz SP, Payer M, Husler J, Schmidlin PR, Hammerle CHF, Jakse N, Jung RE. Randomized clinical study using xenograft blocks loaded with bone morphogenetic protein-2 or

autogenous bone blocks for ridge augmentation - A three-dimensional analysis. Clin Oral Implants Res 2019;30(9):872-81. [Abstract](#)

1063. Thoma DS, Brandenberg F, Fehmer V, Büchi DL, Hammerle CH, Sailer I. Randomized controlled clinical trial of all-ceramic single tooth implant reconstructions using modified zirconia abutments: Radiographic and prosthetic results at 1 year of loading. Clin Implant Dent Relat Res 2016;18(3):462-72. [Abstract](#)
1064. Thoma DS, Brandenberg F, Fehmer V, Knechtle N, Hammerle CH, Sailer I. The esthetic effect of veneered zirconia abutments for single-tooth implant reconstructions: A randomized controlled clinical trial. Clin Implant Dent Relat Res 2016;18(6):1210-17. [Abstract](#)
1065. Thoma DS, Cha JK, Sapata VM, Jung RE, Husler J, Jung UW. Localized bone regeneration around dental implants using recombinant bone morphogenetic protein-2 and platelet-derived growth factor-BB in the canine. Clin Oral Implants Res 2017;28(11):1334-41. [Abstract](#)
1066. Thoma DS, Haas R, Sporniak-Tutak K, Garcia A, Taylor TD, Hammerle CHF. Randomized controlled multicentre study comparing short dental implants (6 mm) versus longer dental implants (11-15 mm) in combination with sinus floor elevation procedures: 5-Year data. J Clin Periodontol 2018;45(12):1465-74. [Abstract](#)
1067. Thoma DS, Haas R, Tutak M, Garcia A, Schincaglia GP, Hammerle CH. Randomized controlled multicentre study comparing short dental implants (6 mm) versus longer dental implants (11-15 mm) in combination with sinus floor elevation procedures. Part 1: demographics and patient-reported outcomes at 1 year of loading. J Clin Periodontol 2015;42(1):72-80. [Abstract](#)
1068. Thoma DS, Payer M, Jakse N, Bienz SP, Husler J, Schmidlin PR, Jung UW, Hammerle CHF, Jung RE. Randomized, controlled clinical two-centre study using xenogeneic block grafts loaded with recombinant human bone morphogenetic protein-2 or autogenous bone blocks for lateral ridge augmentation. J Clin Periodontol 2018;45(2):265-76. [Abstract](#)
1069. Thoma DS, Sailer I, Muhlemann S, Gil A, Jung RE, Hammerle CHF. Randomized controlled clinical study of veneered zirconia abutments for single implant crowns: Clinical, histological, and microbiological outcomes. Clin Implant Dent Relat Res 2018;20(6):988-96. [Abstract](#)
1070. Thor A. Reconstruction of the anterior maxilla with platelet gel, autogenous bone, and titanium mesh: a case report. Clin Implant Dent Relat Res 2002;4(3):150-5. [Abstract](#)
1071. Thor A, Ekstrand K, Baer RA, Toljanic JA. Three-year follow-up of immediately loaded implants in the edentulous atrophic maxilla: A study in patients with poor bone quantity and quality. Int J Oral Maxillofac Implants 2014;29(3):642-9. [Abstract](#)
1072. Thor A, Franke-Stenport V, Johansson CB, Rasmusson L. Early bone formation in human bone grafts treated with platelet-rich plasma: preliminary histomorphometric results. Int J Oral Maxillofac Surg 2007;36(12):1164-71. [Abstract](#)

1073. Thor A, Rasmusson L, Wennerberg A, Thomsen P, Hirsch JM, Nilsson B, Hong J. The role of whole blood in thrombin generation in contact with various titanium surfaces. *Biomaterials* 2007;28(6):966-74. [Abstract](#)
1074. Thor A, Sennerby L, Hirsch JM, Rasmusson L. Bone formation at the maxillary sinus floor following simultaneous elevation of the mucosal lining and implant installation without graft material: an evaluation of 20 patients treated with 44 Astra Tech implants. *J Oral Maxillofac Surg* 2007;65(7 Suppl 1):64-72. [Abstract](#)
1075. Thor A, Wannfors K, Sennerby L, Rasmusson L. Reconstruction of the severely resorbed maxilla with autogenous bone, platelet-rich plasma, and implants: 1-year results of a controlled prospective 5-year study. *Clin Implant Dent Relat Res* 2005;7(4):209-20. [Abstract](#)
1076. Thor A, Warfvinge G, Fernandes R. The course of a long-standing glandular odontogenic cyst: marginal resection and reconstruction with particulated bone graft, platelet-rich plasma, and additional vertical alveolar distraction. *J Oral Maxillofac Surg* 2006;64(7):1121-8. [Abstract](#)
1077. Thor AL, Hong J, Kjeller G, Sennerby L, Rasmusson L. Correlation of platelet growth factor release in jawbone defect repair--a study in the dog mandible. *Clin Implant Dent Relat Res* 2013;15(5):759-68. [Abstract](#)
1078. Toia M, Stocchero M, Corra E, Becktor JP, Wennerberg A, Cecchinato D. Fixed full-arch maxillary prostheses supported by four versus six implants with a titanium CAD/CAM milled framework: 3-year multicentre RCT. *Clin Oral Implants Res* 2021;32(1):44-59. [Abstract](#)
1079. Toia M, Stocchero M, Jinno Y, Wennerberg A, Becktor JP, Jimbo R, Halldin A. Effect of misfit at implant-level framework and supporting bone on internal connection implants: Mechanical and finite element analysis. *Int J Oral Maxillofac Implants* 2019;34(2):320-28. [Abstract](#)
1080. Toljanic JA, Baer RA, Ekstrand K, Thor A. Implant rehabilitation of the atrophic edentulous maxilla including immediate fixed provisional restoration without the use of bone grafting: a review of 1-year outcome data from a long-term prospective clinical trial. *Int J Oral Maxillofac Implants* 2009;24(3):518-26. [Abstract](#)
1081. Toljanic JA, Ekstrand K, Baer RA, Thor A. Immediate loading of implants in the edentulous maxilla with a fixed provisional restoration without bone augmentation: A report on 5-year outcomes data obtained from a prospective clinical trial. *Int J Oral Maxillofac Implants* 2016;31(5):1164-70. [Abstract](#)
1082. Toljanic JA, Ekstrand K, Baer RA, Thor A. Immediate loading of tilted and axial posterior implants in the edentulous maxillary arch: A retrospective comparison of 5-year outcomes. *Int J Oral Maxillofac Implants* 2018;33(2):433-38. [Abstract](#)
1083. Toljanic JA, Thor A, Baer R, Ekstrand K. Immediate fixed restoration of implants in the atrophic edentulous maxilla. *Dent Today* 2008;27(6):56, 58, 60 passim; quiz 63. [Abstract](#)

1084. Tomasi C, Sanz M, Cecchinato D, Pjetursson B, Ferrus J, Lang NP, Lindhe J. Bone dimensional variations at implants placed in fresh extraction sockets: a multilevel multivariate analysis. *Clin Oral Implants Res* 2010;21(1):30-6. [Abstract](#)
1085. Tomasi C, Tessarolo F, Caola I, Piccoli F, Wennstrom JL, Nollo G, Berglundh T. Early healing of peri-implant mucosa in man. *J Clin Periodontol* 2016;43(10):816-24. [Abstract](#)
1086. Tomasi C, Tessarolo F, Caola I, Wennstrom J, Nollo G, Berglundh T. Morphogenesis of peri-implant mucosa revisited: an experimental study in humans. *Clin Oral Implants Res* 2014;25(9):997-1003. [Abstract](#)
1087. Tomasi C, Wennstrom JL, Berglundh T. Longevity of teeth and implants - A systematic review. *J Oral Rehabil* 2008;35 Suppl 1:23-32. [Abstract](#)
1088. Tomson PL, Butterworth CJ, Walmsley AD. Management of peri-implant bone loss using guided bone regeneration: a clinical report. *J Prosthet Dent* 2004;92(1):12-6. [Abstract](#)
1089. Torkzaban P, Ziaei N, Tootiaee B, Khoshhal M, Vafae F, Panahandeh N. Effect of implant-abutment connection type on stress distribution in peri-implant bone and abutment micromovement: A three-dimensional finite element analysis. *J Long Term Eff Med Implants* 2019;29(2):113-24. [Abstract](#)
1090. Torrecillas-Martinez L, Galindo-Moreno P, Avila-Ortiz G, Ortega-Oller I, Monje A, Hernandez-Cortes P, Aguilar D, O'Valle F. Significance of the immunohistochemical expression of bone morphogenetic protein-4 in bone maturation after maxillary sinus grafting in humans. *Clin Implant Dent Relat Res* 2016;18(4):717-24. [Abstract](#)
1091. Torsten J. Data on implant failures will show different results depending on how patients are compiled and analyzed: A retrospective study on 3902 individual patients treated either with one single implant or implants in the edentulous upper jaw. *Clin Implant Dent Relat Res* 2020;22(2):226-36. [Abstract](#)
1092. Trbakovic A, Toljanic JA, Kumar VV, Thor A. Eight to eleven-year follow-up of immediately loaded implants placed in edentulous maxillae with compromised bone volume and poor bone quality: A prospective cohort study. *Clin Implant Dent Relat Res* 2020;22(1):69-76. [Abstract](#)
1093. Troeltzsch M, Troeltzsch V, Brodine AH, Frankenberger R, Messlinger K. Clinical performance and peri-implant parameters of 132 implants supporting Locator-retained overdentures: A case series of 33 patients. *Int J Oral Maxillofac Implants* 2013;28(4):1132-9. [Abstract](#)
1094. Troiano G, Luongo R, Romano DC, Galli M, Ravida A, Wang HL, Laino L. Comparison of immediate versus delayed implant placement in a failed implant site: A retrospective analysis of early implant survival. *Int J Oral Implantol (Berl)* 2021;14(1):67-76. [Abstract](#)
1095. Trombelli L, Minenna P, Franceschetti G, Minenna L, Farina R. Transcrestal sinus floor elevation with a minimally invasive technique. *J Periodontol* 2010;81(1):158-66. [Abstract](#)

1096. Tsigarida A, Chochlidakis K, Fraser D, Lampraki E, Einarsdottir ER, Barmak AB, Papaspyridakos P, Ercoli C. Peri-implant diseases and biologic complications at implant-supported fixed dental prostheses in partially edentulous patients. *J Prosthodont* 2020;29(5):429-35. [Abstract](#)
1097. Tsoukaki M, Kalpidis CD, Sakellari D, Tsalikis L, Mikrogiorgis G, Konstantinidis A. Clinical, radiographic, microbiological, and immunological outcomes of flapped vs. flapless dental implants: a prospective randomized controlled clinical trial. *Clin Oral Implants Res* 2013;24(9):969-76. [Abstract](#)
1098. Tsuda H, Rungcharassaeng K, Kan JY, Roe P, Lozada JL, Zimmerman G. Peri-implant tissue response following connective tissue and bone grafting in conjunction with immediate single-tooth replacement in the esthetic zone: A case series. *Int J Oral Maxillofac Implants* 2011;26(2):427-36. [Abstract](#)
1099. Turker N, Alkis HT, Sadowsky SJ, Sebnem Buyukkaplan U. Effects of occlusal scheme on all-on-four abutments, screws, and prostheses: A three-dimensional finite element study. *J Oral Implantol* 2021;47(1):18-24. [Abstract](#)
1100. Turker N, Buyukkaplan US, Sadowsky SJ, Ozarslan MM. Finite element stress analysis of applied forces to implants and supporting tissues using the "All-on-Four" concept with different occlusal schemes. *J Prosthodont* 2019;28(2):185-94. [Abstract](#)
1101. Turkyilmaz I. One-year clinical outcome of dental implants placed in patients with type 2 diabetes mellitus: a case series. *Implant Dent* 2010;19(4):323-9. [Abstract](#)
1102. Turkyilmaz I, Patel NS, McGlumphy EA. Oral rehabilitation of a severely resorbed edentulous maxilla with screwed-retained hybrid denture using Cresco system: a case report. *Eur J Dent* 2008;2(3):220-3. [Abstract](#)
1103. Turkyilmaz I, Suarez JC. An alternative method for flapless implant placement and an immediate provisional crown: a case report. *J Contemp Dent Pract* 2009;10(3):89-95. [Abstract](#)
1104. Turunen T, Peltola J, Makkonen T, Helenius H, Yli-Urpo A. Bioactive glass granules and polytetrafluoroethylene membrane in the repair of bone defects adjacent to titanium and bioactive glass implants. *J Mater Sci Mater Med* 1998;9(7):403-7. [Abstract](#)
1105. Ueda M, Yamada Y, Ozawa R, Okazaki Y. Clinical case reports of injectable tissue-engineered bone for alveolar augmentation with simultaneous implant placement. *Int J Periodontics Restorative Dent* 2005;25(2):129-37. [Abstract](#)
1106. Umanjec-Korac S, Wu G, Hassan B, Liu Y, Wismeijer D. A retrospective analysis of the resorption rate of deproteinized bovine bone as maxillary sinus graft material on cone beam computed tomography. *Clin Oral Implants Res* 2014;25(7):781-5. [Abstract](#)
1107. Urban T, Wenzel A. Discomfort experienced after immediate implant placement associated with three different regenerative techniques. *Clin Oral Implants Res* 2010;21(11):1271-7. [Abstract](#)

1108. Uribarri A, Bilbao E, Marichalar-Mendia X, Martinez-Conde R, Aguirre JM, Verdugo F. Bone remodeling around implants placed in augmented sinuses in patients with and without history of periodontitis. *Clin Implant Dent Relat Res* 2017;19(2):268-79. [Abstract](#)
1109. Uribarri A, Bilbao-Uriarte E, Seguroola A, Ugarte D, Verdugo F. Marginal and internal fit of CAD/CAM frameworks in multiple implant-supported restorations: Scanning and milling error analysis. *Clin Implant Dent Relat Res* 2019;21(5):1062-72. [Abstract](#)
1110. Ursomanno BL, Cohen RE, Levine MJ, Yerke LM. Effect of proton pump inhibitors on bone loss at dental implants. *Int J Oral Maxillofac Implants* 2020;35(1):130-34. [Abstract](#)
1111. Ustun O, Akar T, Kirmali O. A comparative study of laser irradiation versus sandblasting in improving the bond strength of titanium abutments. *Photobiomodul Photomed Laser Surg* 2019;37(8):465-72. [Abstract](#)
1112. Valencia S, Gretzer C, Cooper LF. Surface nanofeature effects on titanium-adherent human mesenchymal stem cells. *Int J Oral Maxillofac Implants* 2009;24(1):38-46. [Abstract](#)
1113. Valentini P, Abensur D, Albertini JF, Rocchesani M. Immediate provisionalization of single extraction-site implants in the esthetic zone: a clinical evaluation. *Int J Periodontics Restorative Dent* 2010;30(1):41-51. [Abstract](#)
1114. Vallee MC, Conrad HJ, Basu S, Seong WJ. Accuracy of friction-style and spring-style mechanical torque limiting devices for dental implants. *J Prosthet Dent* 2008;100(2):86-92. [Abstract](#)
1115. Van Assche N, Collaert B, Coucke W, Quirynen M. Correlation between early perforation of cover screws and marginal bone loss: a retrospective study. *J Clin Periodontol* 2008;35(1):76-9. [Abstract](#)
1116. Van Assche N, Pittayapat P, Jacobs R, Pauwels M, Teughels W, Quirynen M. Microbiological outcome of two screw-shaped titanium implant systems placed following a split-mouth randomised protocol, at the 12th year of follow-up after loading. *Eur J Oral Implantol* 2011;4(2):103-16. [Abstract](#)
1117. van Brakel R, Cune MS, Van Winkelhoff AJ, De Putter C, Verhoeven JW, Van Der Reijden W. Early bacterial colonization and soft tissue health around zirconia and titanium abutments: an in vivo study in man. *Clin Oral Implants Res* 2011;22(6):571-7. [Abstract](#)
1118. van Brakel R, Meijer GJ, Verhoeven JW, Jansen J, de Putter C, Cune MS. Soft tissue response to zirconia and titanium implant abutments: An in vivo within-subject comparison. *J Clin Periodontol* 2012;39(10):995-1001. [Abstract](#)
1119. van Brakel R, Noordmans HJ, Frenken J, de Roode R, de Wit GC, Cune MS. The effect of zirconia and titanium implant abutments on light reflection of the supporting soft tissues. *Clin Oral Implants Res* 2011;22(10):1172-8. [Abstract](#)
1120. Van de Velde T, Collaert B, Sennerby L, De Bruyn H. Effect of implant design on preservation of marginal bone in the mandible. *Clin Implant Dent Relat Res* 2010;12(2):134-41. [Abstract](#)

1121. Van de Wiele G, Teughels W, Vercruyssen M, Coucke W, Temmerman A, Quirynen M. The accuracy of guided surgery via mucosa-supported stereolithographic surgical templates in the hands of surgeons with little experience. *Clin Oral Implants Res* 2015;26(12):1489-94. [Abstract](#)
1122. van der Mark EL, Bierenbroodspot F, Baas EM, de Lange J. Reconstruction of an atrophic maxilla: comparison of two methods. *Br J Oral Maxillofac Surg* 2011;49(3):198-202. [Abstract](#)
1123. Van Lierde K, Browaeyts H, Corthals P, Mussche P, E VANK, H DEB. Comparison of speech intelligibility, articulation and oromyofunctional behaviour in subjects with single-tooth implants, fixed implant prosthetics or conventional removable prostheses. *J Oral Rehabil* 2012;39(4):285-93. [Abstract](#)
1124. Van Lierde KM, Corthals P, Browaeyts H, Mussche P, Van Kerckhove E, De Bruyn H. Impact of anterior single-tooth implants on quality of life, articulation and oromyofunctional behaviour: a pilot study. *J Oral Rehabil* 2011;38(3):170-5. [Abstract](#)
1125. van Steenberghe D, De Mars G, Quirynen M, Jacobs R, Naert I. A prospective split-mouth comparative study of two screw-shaped self-tapping pure titanium implant systems. *Clin Oral Implants Res* 2000;11(3):202-9. [Abstract](#)
1126. Vandamme K, Thevissen K, Mesquita MF, Coropciuc RG, Agbaje J, Thevissen P, da Silva WJ, Vleugels J, De Cremer K, Gerits E, Martens JA, Michiels J, Cammue BPA, Braem A. Implant functionalization with mesoporous silica: A promising antibacterial strategy, but does such an implant osseointegrate? *Clin Exp Dent Res* 2020;E-pub Jan 1, doi:10.1002/cre2.389. [Abstract](#)
1127. Vanlioglu BA, Ozkan Y, Evren B, Ozkan YK. Experimental custom-made zirconia abutments for narrow implants in esthetically demanding regions: A 5-year follow-up. *Int J Oral Maxillofac Implants* 2012;27(5):1239-42. [Abstract](#)
1128. Vazquez Alvarez R, Perez Sayans M, Gayoso Diz P, Garcia Garcia A. Factors affecting peri-implant bone loss: a post-five-year retrospective study. *Clin Oral Implants Res* 2015;26(9):1006-14. [Abstract](#)
1129. Vazquez-Delgado E, Viaplana-Gutierrez M, Figueiredo R, Renton T, Gay-Escoda C, Valmaseda-Castellon E. Prevalence of neuropathic pain and sensory alterations after dental implant placement in a university-based oral surgery department: A retrospective cohort study. *Gerodontology* 2018;35(2):117-22. [Abstract](#)
1130. Veltri M, Ekestubbe A, Abrahamsson I, Wennstrom JL. Three-Dimensional buccal bone anatomy and aesthetic outcome of single dental implants replacing maxillary incisors. *Clin Oral Implants Res* 2016;27(8):956-63. [Abstract](#)
1131. Veltri M, Ferrari M, Balleri P. One-year outcome of narrow diameter blasted implants for rehabilitation of maxillas with knife-edge resorption. *Clin Oral Implants Res* 2008;19(10):1069-73. [Abstract](#)

1132. Veltri M, Ferrari M, Balleri P. Stability values of titanium dioxide-blasted dental implants in edentulous maxillas: a 3-year pilot study. *J Oral Rehabil* 2010;37(1):63-8. [Abstract](#)
1133. Vera C, De Kok IJ, Chen W, Reside G, Tyndall D, Cooper LF. Evaluation of post-implant buccal bone resorption using cone beam computed tomography: a clinical pilot study. *Int J Oral Maxillofac Implants* 2012;27(5):1249-57. [Abstract](#)
1134. Vercaigne S, Wolke JG, Naert I, Jansen JA. A histological evaluation of TiO₂-gritblasted and Ca-P magnetron sputter coated implants placed into the trabecular bone of the goat: Part 2. *Clin Oral Implants Res* 2000;11(4):314-24. [Abstract](#)
1135. Vercaigne S, Wolke JG, Naert I, Jansen JA. A mechanical evaluation of TiO₂-gritblasted and Ca-P magnetron sputter coated implants placed into the trabecular bone of the goat: Part 1. *Clin Oral Implants Res* 2000;11(4):305-13. [Abstract](#)
1136. Vercellotti T, Stacchi C, Russo C, Rebaudi A, Vincenzi G, Pratella U, Baldi D, Mozzati M, Monagheddu C, Sentineri R, Cuneo T, Di Alberti L, Carossa S, Schierano G. Ultrasonic implant site preparation using piezosurgery: A multicenter case series study analyzing 3,579 implants with a 1- to 3-year follow-up. *Int J Periodontics Restorative Dent* 2014;34(1):11-8. [Abstract](#)
1137. Vercruyssen M, Coucke W, Naert I, Jacobs R, Teughels W, Quirynen M. Depth and lateral deviations in guided implant surgery: an RCT comparing guided surgery with mental navigation or the use of a pilot-drill template. *Clin Oral Implants Res* 2015;26(11):1315-20. [Abstract](#)
1138. Vercruyssen M, Cox C, Coucke W, Naert I, Jacobs R, Quirynen M. A randomized clinical trial comparing guided implant surgery (bone- or mucosa-supported) with mental navigation or the use of a pilot-drill template. *J Clin Periodontol* 2014;41(7):717-23. [Abstract](#)
1139. Vercruyssen M, van de Wiele G, Teughels W, Naert I, Jacobs R, Quirynen M. Implant- and patient-centred outcomes of guided surgery, a 1-year follow-up: An RCT comparing guided surgery with conventional implant placement. *J Clin Periodontol* 2014;41(12):1154-60. [Abstract](#)
1140. Verket A, Lyngstadaas SP, Rasmusson L, Haanaes HR, Wallstrom M, Wall G, Wohlfahrt JC. Maxillary sinus augmentation with porous titanium granules: A microcomputed tomography and histologic evaluation of human biopsy specimens. *Int J Oral Maxillofac Implants* 2013;28(3):721-8. [Abstract](#)
1141. Vervaeke S, Collaert B, Cosyn J, De Bruyn H. A 9-year prospective case series using multivariate analyses to identify predictors of early and late peri-implant bone loss. *Clin Implant Dent Relat Res* 2016;18(1):30-9. [Abstract](#)
1142. Vervaeke S, Collaert B, Cosyn J, Deschepper E, De Bruyn H. A multifactorial analysis to identify predictors of implant failure and peri-implant bone loss. *Clin Implant Dent Relat Res* 2015;17 Suppl 1:e298-307. [Abstract](#)
1143. Vervaeke S, Collaert B, De Bruyn H. Immediate loading of implants in the maxilla: survival and bone loss after at least 2 years in function. *Int J Oral Maxillofac Implants* 2013;28(1):216-21. [Abstract](#)

1144. Vervaeke S, Collaert B, De Bruyn H. The effect of implant surface modifications on survival and bone loss of immediately loaded implants in the edentulous mandible. *Int J Oral Maxillofac Implants* 2013;28(5):1352-7. [Abstract](#)
1145. Vervaeke S, Collaert B, Vandeweghe S, Cosyn J, Deschepper E, De Bruyn H. The effect of smoking on survival and bone loss of implants with a fluoride-modified surface: a 2-year retrospective analysis of 1106 implants placed in daily practice. *Clin Oral Implants Res* 2012;23(6):758-66. [Abstract](#)
1146. Vervaeke S, Dierens M, Besseler J, De Bruyn H. The influence of initial soft tissue thickness on peri-implant bone remodeling. *Clin Implant Dent Relat Res* 2014;16(2):238-47. [Abstract](#)
1147. Vervaeke S, Matthys C, Nassar R, Christiaens V, Cosyn J, De Bruyn H. Adapting the vertical position of implants with a conical connection in relation to soft tissue thickness prevents early implant surface exposure: A 2-year prospective intra-subject comparison. *J Clin Periodontol* 2018;45(5):605-12. [Abstract](#)
1148. Vignoletti F, Discepoli N, Muller A, de Sanctis M, Munoz F, Sanz M. Bone modelling at fresh extraction sockets: immediate implant placement versus spontaneous healing. An experimental study in the beagle dog. *J Clin Periodontol* 2012;39(1):91-7. [Abstract](#)
1149. Vigolo P, Gracis S, Carboncini F, Mutinelli S. Internal- vs external-connection single implants: A retrospective study in an Italian population treated by certified prosthodontists. *Int J Oral Maxillofac Implants* 2016;31(6):1385-96. [Abstract](#)
1150. Vilhjálmsson VH, Klock KS, Storksen K, Bardsen A. Aesthetics of implant-supported single anterior maxillary crowns evaluated by objective indices and participants' perceptions. *Clin Oral Implants Res* 2011;22(12):1399-403. [Abstract](#)
1151. Vilhjálmsson VH, Klock KS, Storksen K, Bardsen A. Radiological evaluation of single implants in maxillary anterior sites with special emphasis on their relation to adjacent teeth - a 3-year follow-up study. *Dent Traumatol* 2013;29(1):66-72. [Abstract](#)
1152. Viscioni A, Franco M, Rigo L, Guidi R, Brunelli G, Carinci F. Implants inserted into homografts bearing fixed restorations. *Int J Prosthodont* 2009;22(2):148-54. [Abstract](#)
1153. Vivan Cardoso M, Vandamme K, Chaudhari A, De Rycker J, Van Meerbeek B, Naert I, Duyck J. Dental implant macro-design features can impact the dynamics of osseointegration. *Clin Implant Dent Relat Res* 2015;17(4):639-45. [Abstract](#)
1154. von Wowern N, Gotfredsen K. Implant-supported overdentures, a prevention of bone loss in edentulous mandibles? A 5-year follow-up study. *Clin Oral Implants Res* 2001;12(1):19-25. [Abstract](#)
1155. Vroom MG, Sipos P, de Lange GL, Grundemann LJ, Timmerman MF, Loos BG, van der Velden U. Effect of surface topography of screw-shaped titanium implants in humans on clinical and

- radiographic parameters: a 12-year prospective study. *Clin Oral Implants Res* 2009;20(11):1231-39. [Abstract](#)
1156. Wahlstrom M, Sagulin GB, Jansson LE. Clinical follow-up of unilateral, fixed dental prosthesis on maxillary implants. *Clin Oral Implants Res* 2010;21(11):1294-300. [Abstract](#)
1157. Walmsley AD, Brady CL, Smith PL, Frame JW. Magnet retained overdentures using the Astra dental implant system. *Br Dent J* 1993;174(11):399-404. [Abstract](#)
1158. Walmsley AD, Frame JW. Implant supported overdentures - the Birmingham experience. *J Dent* 1997;25 Suppl 1:43-7. [Abstract](#)
1159. Walter P, Pirc M, Ioannidis A, Husler J, Jung RE, Hammerle CHF, Thoma DS. Randomized controlled clinical study comparing two types of two-piece dental implants supporting fixed restorations- Results at 8 years of loading. *Clin Oral Implants Res* 2022;E-pub Jan 21
doi:0.1111/clr.13893:1-9. [Abstract](#)
1160. Wang SC, Wang JC, Chang CJ, Yuan K. Interdisciplinary treatment with implant-supported two-unit cantilever prosthesis for a patient with hypodontia: A clinical report. *J Prosthet Dent* 2021;E-pub Sep 8, doi:10.1016/j.prosdent.2021.07.023. [Abstract](#)
1161. Wannfors K, Johansson C, Donath K. Augmentation of the mandible via a "tent-pole" procedure and implant treatment in a patient with type III osteogenesis imperfecta: clinical and histologic considerations. *Int J Oral Maxillofac Implants* 2009;24(6):1144-8. [Abstract](#)
1162. Warren P, Chaffee N, Felton DA, Cooper LF. A retrospective radiographic analysis of bone loss following placement of TiO₂ grit-blasted implants in the posterior maxilla and mandible. *Int J Oral Maxillofac Implants* 2002;17(3):399-404. [Abstract](#)
1163. Warrer L, Gotfredsen K, Hjorting-Hansen E, Karring T. Guided tissue regeneration ensures osseointegration of dental implants placed into extraction sockets. An experimental study in monkeys. *Clin Oral Implants Res* 1991;2(4):166-71. [Abstract](#)
1164. Wasiluk G, Chomik E, Gehrke P, Pietruska M, Skurska A, Pietruski J. Incidence of undetected cement on CAD/CAM monolithic zirconia crowns and customized CAD/CAM implant abutments. A prospective case series. *Clin Oral Implants Res* 2017;28(7):774-78. [Abstract](#)
1165. Weibrich G, Buch RS, Wegener J, Wagner W. Five-year prospective follow-up report of the Astra Tech standard dental implant in clinical treatment. *Int J Oral Maxillofac Implants* 2001;16(4):557-62. [Abstract](#)
1166. Welander M, Abrahamsson I, Berglundh T. The mucosal barrier at implant abutments of different materials. *Clin Oral Implants Res* 2008;19(7):635-41. [Abstract](#)
1167. Welander M, Abrahamsson I, Berglundh T. Placement of two-part implants in sites with different buccal and lingual bone heights. *J Periodontol* 2009;80(2):324-9. [Abstract](#)

1168. Welander M, Abrahamsson I, Berglundh T. Subcrestal placement of two-part implants. *Clin Oral Implants Res* 2009;20(3):226-31. [Abstract](#)
1169. Wennerberg A, Albrektsson T. On implant surfaces: a review of current knowledge and opinions. *Int J Oral Maxillofac Implants* 2010;25(1):63-74. [Abstract](#)
1170. Wennerberg A, Albrektsson T. Current challenges in successful rehabilitation with oral implants. *J Oral Rehabil* 2011;38(4):286-94. [Abstract](#)
1171. Wennström J, Zurdo J, Karlsson S, Ekestubbe A, Gröndahl K, Lindhe J. Bone level change at implant-supported fixed partial dentures with and without cantilever extension after 5 years in function. *J Clin Periodontol* 2004;31(12):1077-83. [Abstract](#)
1172. Wennström JL, Ekestubbe A, Gröndahl K, Karlsson S, Lindhe J. Oral rehabilitation with implant-supported fixed partial dentures in periodontitis-susceptible subjects. A 5-year prospective study. *J Clin Periodontol* 2004;31(9):713-24. [Abstract](#)
1173. Wennström JL, Ekestubbe A, Gröndahl K, Karlsson S, Lindhe J. Implant-supported single-tooth restorations: a 5-year prospective study. *J Clin Periodontol* 2005;32(6):567-74. [Abstract](#)
1174. Wetzels JG, Meijer GJ, Koole R, Adang EM, Merckx MA, Speksnijder CM. Costs and clinical outcomes of implant placement during ablative surgery and postponed implant placement in curative oral oncology: A five-year retrospective cohort study. *Clin Oral Implants Res* 2017;28(11):1433-42. [Abstract](#)
1175. Wetzels JW, Koole R, Meijer GJ, de Haan AF, Merckx MA, Speksnijder CM. Functional benefits of implants placed during ablative surgery: A 5-year prospective study on the prosthodontic rehabilitation of 56 edentulous oral cancer patients. *Head Neck* 2016;38 Suppl 1:E2103-11. [Abstract](#)
1176. Wiest W, Zabler S, Rack A, Fella C, Balles A, Nelson K, Schmelzeisen R, Hanke R. In situ microradiography and microtomography of fatigue-loaded dental two-piece implants. *J Synchrotron Rad* 2015;22(6):1492-97. [Abstract](#)
1177. Wilhelm R, Hasan I, Keilig L, Heinemann F, Stark H, Bourauel C. Biomechanical investigations of the secondary stability of commercial short dental implants in porcine ribs. *Biomed Tech (Berl)* 2014;59(6):507-13. [Abstract](#)
1178. Wiltfang J, Jatschmann N, Hedderich J, Neukam FW, Schlegel KA, Gierloff M. Effect of deproteinized bovine bone matrix coverage on the resorption of iliac cortico-spongy bone grafts - a prospective study of two cohorts. *Clin Oral Implants Res* 2014;25(2):e127-32. [Abstract](#)
1179. Windael S, Collaert B, De Buyser S, De Bruyn H, Vervaeke S. Early peri-implant bone loss as a predictor for peri-implantitis: A 10-year prospective cohort study. *Clin Implant Dent Relat Res* 2021;E-pub Jun 3, doi: 10.1111/cid.13000. [Abstract](#)

1180. Windael S, Vervaeke S, De Buyser S, De Bruyn H, Collaert B. The long-term effect of smoking on 10 years' survival and success of dental Implants: A prospective analysis of 453 implants in a non-university setting. *J Clin Med* 2020;9(4). [Abstract](#)
1181. Windael S, Vervaeke S, Wijnen L, Jacquet W, De Bruyn H, Collaert B. Ten-year follow-up of dental implants used for immediate loading in the edentulous mandible: A prospective clinical study. *Clin Implant Dent Relat Res* 2018;20(4):515-21. [Abstract](#)
1182. Wohlfahrt JC, Aass AM, Koldsland OC. Treatment of peri-implant mucositis with a chitosan brush-A pilot randomized clinical trial. *Int J Dent Hyg* 2019;17(2):170-76. [Abstract](#)
1183. Wolf F, Spoerl S, Gottsauner M, Klingelhofer C, Spanier G, Kolbeck C, Reichert TE, Hautmann MG, Ettl T. Significance of site-specific radiation dose and technique for success of implant-based prosthetic rehabilitation in irradiated head and neck cancer patients-A cohort study. *Clin Implant Dent Relat Res* 2021;E-pub May 6, doi: 10.1111/cid.13005. [Abstract](#)
1184. Wolff J, Narra, Antalainen AK, Valášek J, Kaiser J, Sándor GK, Marcián P. Finite element analysis of bone loss around failing implants. *Materials & Design* 2014;61:177-84. [Abstract](#)
1185. Wolff R, Hsu A, Heo Y, Zhang L, Evans MD, Seong W. Two-year follow-up comparison of three surgical techniques for implant placement in posterior maxilla with limited alveolar bone height. *Int J Oral Maxillofac Implants* 2022;37(1):171-80. [Abstract](#)
1186. Wong HH, Pow EH, Choi WW. Management of mandibular rotation after a mandibulectomy: a clinical report. *J Prosthet Dent* 2013;110(6):532-7. [Abstract](#)
1187. Wong JL, Tan KBC, Teoh KH, Sim CPC. Spectrophotometric and visual evaluation of maxillary anterior implant crowns and peri-implant soft tissues: A retrospective study. *Int J Prosthodont* 2020;33(3):277-84. [Abstract](#)
1188. Worsaae N, Jensen BN, Holm B, Holsko J. Treatment of severe hypodontia-oligodontia--an interdisciplinary concept. *Int J Oral Maxillofac Surg* 2007;36(6):473-80. [Abstract](#)
1189. Wuwei Y, Yong Y, Zhenzhen W, Pei C, Zinan Y, Zekun G, Tengfei Z, Mianyan Z, Hongxing C, Mingdeng R. Influence of implant cover screw loosening on early peri-implant marginal bone loss: a retrospective evaluation of risk factors. *Research Square* 2021;E-pub Mar 9, doi:10.21203/rs.3.rs-223040/v1. [Abstract](#)
1190. Xie C, Fang T, Wang Y, Yu H. A digital workflow for the fabrication of an immediate implant-supported interim restoration. *J Prosthet Dent* 2022;E pub, Mar 9, doi:10.1016/j.prosdent.2021.12.018:1-7. [Abstract](#)
1191. Yalcin S, Aktas I, Emes Y, Kaya G, Aybar B, Atalay B. A technique for atraumatic extraction of teeth before immediate implant placement using implant drills. *Implant Dent* 2009;18(6):464-72. [Abstract](#)

1192. Yamada Y, Nakamura S, Ueda M, Ito K. Osteotome technique with injectable tissue-engineered bone and simultaneous implant placement by cell therapy. *Clin Oral Implants Res* 2013;24(4):468-74. [Abstract](#)
1193. Yamauchi K, Takahashi T, Funaki K, Miyamoto I, Yamashita Y. Implant placement for periosteal expansion osteogenesis using beta-tricalcium phosphate block: an experimental study in dogs. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2009;108(6):861-6. [Abstract](#)
1194. Yamauchi K, Takahashi T, Nogami S, Kataoka Y, Miyamoto I, Funaki K. Horizontal alveolar distraction osteogenesis for dental implant: long-term results. *Clin Oral Implants Res* 2013;24(5):563-8. [Abstract](#)
1195. Yamazaki M, Kanzaki S, Tominaga K, Miyamoto I, Yamauchi K, Fukuda M, Takahashi T. Evaluation of secondary bone grafting of the alveolar cleft in adult cleft lip and palate patients. *J Oral Maxillofac Surg Med Path* 2012;24:86-89. [Abstract](#)
1196. Yi SW, Ericsson I, Kim CK, Carlsson GE, Nilner K. Implant-supported fixed prostheses for the rehabilitation of periodontally compromised dentitions: a 3-year prospective clinical study. *Clin Implant Dent Relat Res* 2001;3(3):125-34. [Abstract](#)
1197. Yilmaz B, L'Homme-Langlois E, Beck FM, McGlumphy E. Accuracy of mechanical torque-limiting devices for dental implants after clinical service. *J Prosthet Dent* 2015;114(3):378-82. [Abstract](#)
1198. Yilmaz B, L'Homme-Langlois E, Beck FM, McGlumphy E. Effect of long-term steam autoclaving on changes in torque delivery of spring- and friction-type torque wrenches. *J Prosthet Dent* 2016;115(6):718-21. [Abstract](#)
1199. Yilmaz B, McGlumphy E, Purcell B. An alternative direct technique for the fabrication of an implant-supported, screw-retained fixed interim restoration. *J Prosthet Dent* 2012;107(2):137-9. [Abstract](#)
1200. Yilmaz B, McGlumphy E, Turkyilmaz I. A technique to modify the length of an implant healing abutment. *J Oral Implantol* 2009;35(4):201-3. [Abstract](#)
1201. Yilmaz B, Mess J, Seidt J, Clelland NL. Strain comparisons for splinted and nonsplinted cement-retained implant crowns. *Int J Prosthodont* 2013;26(3):235-8. [Abstract](#)
1202. Yilmaz B, Seidt JD, Clelland NL. Displacement of screw-retained splinted and nonsplinted restorations into implants with conical internal connections. *Int J Oral Maxillofac Implants* 2014;29(6):1289-92. [Abstract](#)
1203. Yilmaz B, Seidt JD, McGlumphy EA, Clelland NL. Comparison of strains for splinted and nonsplinted screw-retained prostheses on short implants. *Int J Oral Maxillofac Implants* 2011;26(6):1176-82. [Abstract](#)
1204. Yilmaz B, Seidt JD, McGlumphy EA, Clelland NL. Displacement of screw-retained single crowns into implants with conical internal connections. *Int J Oral Maxillofac Implants* 2013;28(3):803-6. [Abstract](#)

1205. Yoda N, Zheng K, Chen J, Li W, Swain M, Sasaki K, Li Q. Bone morphological effects on post-implantation remodeling of maxillary anterior buccal bone: A clinical and biomechanical study. *J Prosthodont Res* 2017;61(4):393-402. [Abstract](#)
1206. Yoon WJ, Jeong KI, You JS, Oh JS, Kim SG. Survival rate of Astra Tech implants with maxillary sinus lift. *J Korean Assoc Oral Maxillofac Surg* 2014;40(1):17-20. [Abstract](#)
1207. Yusuf H, Ratra N. Observations on 25 patients treated with ball-retained overdentures using the Astra Tech implant system. *Eur J Prosth Rest Dent* 1996;4(4):181-3. [Abstract](#)
1208. Zabler S, Rack T, Rack A, Nelson K. Fatigue induced deformation of taper connections in dental titanium implants. *International Journal of Materials Research* 2012;103(2):207-16. [Abstract](#)
1209. Zadeh HH, Gulje F, Palmer PJ, Abrahamsson I, Chen S, Mahallati R, Stanford CM. Marginal bone level and survival of short and standard-length implants after 3 years: An Open Multi-Center Randomized Controlled Clinical Trial. *Clin Oral Implants Res* 2018;29(8):894-906. [Abstract](#)
1210. Zaffe D, Rodriguez Y, Baena R, Rizzo S, Brusotti C, Soncini M, Pietrabissa R, Cavani F, Quaglini V. Behavior of the bone-titanium interface after push-in testing: A morphological study. *J Biomed Mater Res A* 2003;64(2):365-71. [Abstract](#)
1211. Zekiy AO, Makurdumyan DA, capital Em CaCEA, Bogatov EA, Kaliants TV. Antiseptic sealant and a nanocoated implant-abutment interface improve the results of dental implantation. *Clin Implant Dent Relat Res* 2019;21(5):938-45. [Abstract](#)
1212. Zeza B, Farina R, Pilloni A, Mongardini C. Clinical outcomes of experimental gingivitis and peri-implant mucositis treatment with professionally administered plaque removal and photodynamic therapy. *Int J Dent Hyg* 2017;16(2):e58-e64. [Abstract](#)
1213. Zheng K, Yoda N, Chen J, Liao Z, Zhong J, Koyama S, Peck C, Swain M, Sasaki K, Li Q. Effects of buccal thickness augmentation on bone remodeling after maxillary anterior implantation. *Biomech Model Mechanobiol* 2020;19(1):133-45. [Abstract](#)
1214. Zhou J, Huang Q, Wang X, Peng D, Li Y, Zhang L, Liu J, Zhang S, Zhao K, Jiang X, Zhou Y. Early loading of splinted implants in the posterior mandible: A prospective multicentre case series. *J Clin Periodontol* 2016;43(3):298-304. [Abstract](#)
1215. Zhuang H-B, Tu W-S, Pan M-C, Wu J-W, Chen C-S, Lee S-Y, Yang Y-C. Non-contact vibro-acoustic detection technique for dental osseointegration examination. *J Med Biol Eng* 2013;33(1):35-44. [Abstract](#)
1216. Zipprich H, Miatke S, Hmaidouch R, Lauer HC. A new experimental design for bacterial microleakage investigation at the implant-abutment interface: an in vitro study. *Int J Oral Maxillofac Implants* 2016;31(1):37-44. [Abstract](#)
1217. Zipprich H, Weigl P, Lauer H-C, Lange B. Micro-movements at the implant-abutment interface: measurements, causes and consequences. *Implantologie* 2007;15:31-45.

1218. Zipprich H, Weigl P, Ratka C, Lange B, Lauer HC. The micromechanical behavior of implant-abutment connections under a dynamic load protocol. *Clin Implant Dent Relat Res* 2018;20(5):814-23. [Abstract](#)
1219. Zuffetti F, Capelli M, Galli F, Del Fabbro M, Testori T. Post-extraction implant placement into infected versus non-infected sites: A multicenter retrospective clinical study. *Clin Implant Dent Relat Res* 2017;19(5):833-40. [Abstract](#)
1220. Zurdo J, Romao C, Wennstrom JL. Survival and complication rates of implant-supported fixed partial dentures with cantilevers: a systematic review. *Clin Oral Implants Res* 2009;20 Suppl 4:59-66. [Abstract](#)
1221. Zweifel D, Bredell MG, Lanzer M, Rostetter C, Rucker M, Studer S. Precision of simultaneous guided dental implantation in microvascular fibular flap reconstructions with and without additional guiding splints. *J Oral Maxillofac Surg* 2019;77(5):971-76. [Abstract](#)

1.3. Astra Tech Implant Systems EV

1. Al Amri MD, Al-Johany SS, Al-Qarni MN, Al-Bakri AS, Al-Maflehi NS, Abualsaud HS. Influence of space size of abutment screw access channel on the amount of extruded excess cement and marginal accuracy of cement-retained single implant restorations. *J Prosthet Dent* 2018;119(2):263-69. [Abstract](#)
2. Almasri MA. A 5-year satisfaction outcome study of patients receiving six-implant-supported fixed prosthesis. *Clin Pract* 2021;11(4):827-34. [Abstract](#)
3. Almohandes A, Abrahamsson I, Dionigi C, Berglundh T. Surgical treatment of experimental peri-implantitis using mechanical and chemical decontamination procedures: A pre-clinical in vivo study. *J Clin Periodontol* 2022;E-pub Feb 21, doi: 10.1111/jcpe.13607:1-8. [Abstract](#)
4. Almohandes A, Carcuac O, Abrahamsson I, Lund H, Berglundh T. Re-osseointegration following reconstructive surgical therapy of experimental peri-implantitis. A pre-clinical in vivo study. *Clin Oral Implants Res* 2019;30(5):447-56. [Abstract](#)
5. Almohandes A, Lund H, Carcuac O, Petzold M, Berglundh T, Abrahamsson I. Accuracy of bone-level assessments following reconstructive surgical treatment of experimental peri-implantitis. *Clin Oral Implants Res* 2022;E-pub Feb 11, doi:10.1111/clr.13903:1-8. [Abstract](#)
6. Alqahtani AR, Gufran K, Silva F, Rocha MG, Chang J. A clinical case report of a potential acute allergic reaction with titanium dental implant. *Case Rep Dent* 2021;2021:5592934. [Abstract](#)

7. Alshiddi IF, Habib SR, Zafar MS, Bajunaid S, Labban N, Alsarhan M. Fracture load of CAD/CAM fabricated cantilever implant-supported zirconia framework: An in vitro study. *Molecules* 2021;26(8):2259. [Abstract](#)
8. Attanasio F, Pacifici A, Giudice A, Polimeni A, Pacifici L. Horizontal ridge augmentation and contextual implant placement with a resorbable membrane and particulated anorganic bovine bone-derived mineral. *Case Rep Dent* 2019;2019:6710340. [Abstract](#)
9. Barbier L, Pottel L, De Ceulaer J, Lamoral P, Duyck J, Jacobs R, Abeloos J. Evaluation of quality of life after mandibular reconstruction using a novel fixed implant-supported dental prosthesis concept: A pilot study. *Int J Prosthodont* 2019;32(2):162-73. [Abstract](#)
10. Benic GI, Eisner BM, Jung RE, Basler T, Schneider D, Hammerle CHF. Hard tissue changes after guided bone regeneration of peri-implant defects comparing block versus particulate bone substitutes: 6-month results of a randomized controlled clinical trial. *Clin Oral Implants Res* 2019;30(10):1016-26. [Abstract](#)
11. Block MS, Goldenberg BS. Preliminary results using a friction-fit crown to abutment connection. *Int J Periodontics Restorative Dent* 2021;41(5146):217-24. [Abstract](#)
12. Borges T, Fernandes D, Almeida B, Pereira M, Martins D, Azevedo L, Marques T. Correlation between alveolar bone morphology and volumetric dimensional changes in immediate maxillary implant placement: A 1-year prospective cohort study. *J Periodontol* 2020;91(9):1167-76. [Abstract](#)
13. Borges T, Leitao B, Pereira M, Carvalho A, Galindo-Moreno P. Influence of the abutment height and connection timing in early peri-implant marginal bone changes: A prospective randomized clinical trial. *Clin Oral Implants Res* 2018;29(9):907-14. [Abstract](#)
14. Borges T, Montero J, Leitao B, Pereira M, Galindo-Moreno P. Periimplant bone changes in different abutment heights and insertion timing in posterior mandibular areas: Three-year results from a randomized prospective clinical trial. *Clin Oral Implants Res* 2021;32(2):203-11. [Abstract](#)
15. Chen JT. A novel application of dynamic navigation system in socket shield technique. *J Oral Implantol* 2019;45(5):409-15. [Abstract](#)
16. Cortellini S, Castro AB, Temmerman A, Van Dessel J, Pinto N, Jacobs R, Quirynen M. Leucocyte- and platelet-rich fibrin block for bone augmentation procedure: A proof-of-concept study. *J Clin Periodontol* 2018;45(5):624-34. [Abstract](#)
17. Dahlström M, Hellqvist J. Feasibility testing of a new abutment design (P323). *Clin Oral Implants Res* 2013;24((Supplement 9)):158.
18. Degidi M, Daprile G, Piattelli A. Influence of stepped osteotomy on primary stability of implants inserted in low-density bone sites: An in vitro study. *Int J Oral Maxillofac Implants* 2017;32(1):37-41. [Abstract](#)
19. Donker VJJ, Raghoobar GM, Jensen-Louwerse C, Vissink A, Meijer HJA. Monolithic zirconia single tooth implant-supported restorations with CAD/CAM titanium abutments in the posterior region:

- A 1-year prospective case series study. *Clin Implant Dent Relat Res* 2022;E-pub Jan 24, doi:10.1111/cid.13069. [Abstract](#)
20. Duddeck DU, Albrektsson T, Wennerberg A, Larsson C, Beuer F. On the cleanliness of different oral implant systems: A pilot study. *J Clin Med* 2019;8(9). [Abstract](#)
 21. Durand R, Kersheh I, Marcotte S, Boudrias P, Schmittbuhl M, Cresson T, Rei N, Rompre PH, Voyer R. Do Postoperative Antibiotics Influence One-year Peri-implant Crestal Bone Remodeling and Morbidity? A Double-blinded Randomized Clinical Trial. *Clin Oral Implants Res* 2021;E-pub Sep 9, doi:10.1111/clr.13832. [Abstract](#)
 22. Esteve-Pardo G, Esteve-Colomina L, Fernandez E. A new inertial navigation system for guiding implant placement. An in-vitro proof-of-concept study. *PLoS One* 2021;16(10):e0255481. [Abstract](#)
 23. Fernandes D, Nunes S, al. e. Effect of customized healing abutments on the peri-implant linear and volumetric tissue changes at maxillary immediate implant sites: A 1-year prospective randomized clinical trial. *Clin Impl Dent Rel Res* 2021;E-pub Aug, doi:10.1111/cid.13044. [Abstract](#)
 24. Galindo-Moreno P, Abril-Garcia D, Carrillo-Galvez AB, Zurita F, Martin-Morales N, O'Valle F, Padial-Molina M. Maxillary sinus floor augmentation comparing bovine versus porcine bone xenografts mixed with autogenous bone graft. A split-mouth randomized controlled trial. *Clin Oral Implants Res* 2022;E-pub Feb 27, doi:10.1111/clr.13912. [Abstract](#)
 25. Gehrke P, Burg S, Peters U, Beikler T, Fischer C, Rupp F, Schweizer E, Weigl P, Sader R, Smeets R, Schafer S. Bacterial translocation and microgap formation at a novel conical indexed implant abutment system for single crowns. *Clin Oral Investig* 2021;E-pub Aug 16, doi:10.1007/s00784-021-04112-2. [Abstract](#)
 26. Gonzalez D, Cabello G, Olmos G, Lopez Hernandez E, Ninoles CL. The three-layer technique for immediate implants on teeth without a buccal bone wall: a case report. *Int J Esthet Dent* 2018;13(3):358-76. [Abstract](#)
 27. Gonzalez D, Olmos G, Cabello G, Saavedra C, Garcia-Adamez R. Extraction of a malpositioned maxillary anterior implant and simultaneous flapless ridge augmentation: a case report. *Int J Esthet Dent* 2020;15(1):68-91. [Abstract](#)
 28. Iatrou P, Chamilos C, Nickles K, Ratka C, Eickholz P, Petsos H. In vitro efficacy of three different nonsurgical implant surface decontamination methods in three different defect configurations. *Int J Oral Maxillofac Implants* 2021;36(2):271-80. [Abstract](#)
 29. Jacobs N, Seghi R, Johnston WM, Yilmaz B. Displacement and performance of abutments in narrow-diameter implants with different internal connections. *J Prosthet Dent* 2021;E-pub Jan 9, doi:10.1016/j.prosdent.2020.11.008. [Abstract](#)
 30. Janyaphadungpong R, Serichetaphongse P, Pimkhaokham A. A clinical resonance frequency analysis of Implants placed at dehiscence-type defects with simultaneous guided bone regeneration during early healing. *Int J Oral Maxillofac Implants* 2019;34(3):772-77. [Abstract](#)

31. Johansson H, Hellqvist J. Functionality of a further developed implant system: Mechanical integrity (P339). *Clin Oral Implants Res* 2013;24((Supplement 9)):166.
32. Johansson H, Hellqvist J, Johansson S. Credibility of an up-dated implant system: implant abutment leakage testing (P340). *Clin Oral Implants Res* 2013;24((Supplement 9)):166-67.
33. Jonas Lorenz RS, Sarah Al-Maawi, Anna Tanneberger, Robert Sader, Shahram Ghanaatia. Einfluss des Augmentationsmaterials bei „Socket Preservation“ auf den klinischen Implantaterfolg Ergebnisse einer prospektiven randomisierten Studie mit zweijährigem Nachbeobachtungszeitraum. *Implantologie* 2021;29(4):1-15.
34. Kalluri L, Seale B, Satpathy M, Esquivel-Upshaw JF, Duan Y. Three-dimensional finite element analysis of the veneer—framework thickness in an all-ceramic implant supported fixed partial denture. *Ceramics* 2021;4(2):199-207. [Abstract](#)
35. Karasan D, Guncu MB, Ersu B, Canay S. Biomechanical behavior of implants with a sloped marginal configuration. *Int J Prosthodont* 2018;31(6):587-90. [Abstract](#)
36. Karl M, Irastorza-Landa A. Does implant design affect primary stability in extraction sites? *Quintessence Int* 2017;48(3):219-24. [Abstract](#)
37. Ketabi AR, Kastner E, Brenner M, Lauer HC, Schulz MC. Implant insertion using an orientation template and a full-guiding template - A prospective model analysis in a cohort of dentists participating in an implantology curriculum. *Ann Anat* 2021;236:151716. [Abstract](#)
38. Kochanowski M, Barankiewicz A, Sadowska P, Dejak B. Implantoprosthodontic treatment based on Simplant Software and Azeno System. *Prosthodontics* 2022;72(1):76-83.
39. Kofron MD, Carstens M, Fu C, Wen HB. In vitro assessment of connection strength and stability of internal implant-abutment connections. *Clin Biomech (Bristol, Avon)* 2019;65:92-99. [Abstract](#)
40. Kongkiatkamon S, Rokaya D. Full digital workflow in the esthetic dental restoration. *Case Reports in Dentistry* 2022;E-pub June 18, doi:10.1155/2022/8836068:1-6. [Abstract](#)
41. Korsch M. Tooth shell technique: A proof of concept with the use of autogenous dentin block grafts. *Aust Dent J* 2021;66(2):159-68. [Abstract](#)
42. Laass A, Eisner BM, Hammerle CHF, Jung RE, Thoma DS, Benic GI. Histologic outcomes after guided bone regeneration of peri-implant defects comparing individually shaped block versus particulate bone substitutes. *Int J Periodontics Restorative Dent* 2020;40(4):519-27. [Abstract](#)
43. Levin BP. The dermal apron technique for immediate implant socket management: A novel technique. *J Esthet Restor Dent* 2016;28(1):18-28. [Abstract](#)
44. Levin BP. The correlation between immediate implant insertion torque and implant stability quotient. *Int J Periodontics Restorative Dent* 2016;36(6):833-40. [Abstract](#)

45. Levin BP, Chu SJ. Changes in peri-implant soft tissue thickness with bone grafting and Dermis Allograft: A case series of 15 consecutive patients. *Int J Periodontics Restorative Dent* 2018;38(5):719-27. [Abstract](#)
46. Levin BP, Rubinstein S. Simultaneous crestal sinus elevation and implant placement using a ribose cross-linked, collagen bone graft material: Case series of 28 consecutive patients. *Compend Contin Educ Dent* 2020;41(3):156-63. [Abstract](#)
47. Levin BP, Saito H, Reynolds MA, Chu SJ. Changes in peri-implant soft tissue thickness with bone grafting and dermis allograft. Part II: A comparative retrospective case series using a subcrestal angle correction implant Design. *Int J Periodontics Restorative Dent* 2020;40(4):539-47. [Abstract](#)
48. Levin BP, Wilk BL. The teamwork approach to esthetic tooth replacement with immediate implant placement and immediate temporization. *Compend Contin Educ Dent* 2015;36(9):682-8. [Abstract](#)
49. Li-Rodriguez JK, Diaz-Durany M, Romeo-Rubio M, Paz Salido M, Pradies G. Accuracy of a guided implant system with milled surgical templates. *J Oral Sci* 2022;64(2):145-50. [Abstract](#)
50. Malmqvist S, Liljeborg A, Qadri T, Johannsen G, Johannsen A. Using 445 nm and 970 nm lasers on dental implants-An in vitro study on change in temperature and surface alterations. *Materials (Basel)* 2019;12(23):1-12. [Abstract](#)
51. Mandelaris GA, Stefanelli LV, DeGroot BS. Dynamic navigation for surgical implant placement: Overview of technology, key concepts, and a case report. *Compend Contin Educ Dent* 2018;39(9):614-21; quiz 22. [Abstract](#)
52. Michaud PL, Fokam FY, Kryshtalskyj E, Hamdan N. Comparison of the torque transferred to the implant-bone interface when tightening abutment screws and when torque testing implants: An in vitro study. *J Prosthet Dent* 2021;E-pub Nov 29, doi:10.1016/j.prosdent.2021.10.023. [Abstract](#)
53. NCT01030523. Study on Astra Tech implant system, short implants (OsseoSpeed™) compared to standard length implants (OsseoSpeed™) with bone substitution. *ClinicalTrials.gov* 2020.
54. NCT01528215. Multicenter Study Comparing OsseoSpeed TX with OsseoSpeed EV.
55. NCT04243421. Marginal Bone and Soft Tissue Alterations After Use of OsseoSpeed EV Profile Implants. 2021.
56. Neiva R, Eliezer M. Correction of a buccal ridge deficiency at a second stage implant surgery using a sugar cross-linked collagen scaffold #428. 2019;Abstract at Osteology 2019,.
57. Nielsen HB, Schou S, Bruun NH, Starch-Jensen T. Single-crown restorations supported by short implants (6 mm) compared with standard-length implants (13 mm) in conjunction with maxillary sinus floor augmentation: a randomized, controlled clinical trial. *Int J Implant Dent* 2021;7(1):66. [Abstract](#)
58. Nielsen HB, Schou S, Bruun NH, Starch-Jensen T. Professional and patient-reported outcomes of two surgical approaches for implant-supported single-crown restoration: 1-year results of a

randomized controlled clinical trial. Clin Oral Implants Res 2021;E-pub Dec 06, doi: 10.1111/clr.13883. [Abstract](#)

59. Noelken R. Immediate implant placement in the aesthetic zone using the OsseoSpeed® Profile EV implant. Australasian Dental Practice 2017;28(4):170-74.
60. Noelken R, Pausch T, Wagner W, Al-Nawas B. Peri-implant defect grafting with autogenous bone or bone graft material in immediate implant placement in molar extraction sites-1- to 3-year results of a prospective randomized study. Clin Oral Implants Res 2020;31(11):1138-48. [Abstract](#)
61. Norton MR. The influence of low insertion torque on primary stability, implant survival, and maintenance of marginal bone levels: A closed-cohort prospective study. Int J Oral Maxillofac Implants 2017;32(4):849-57. [Abstract](#)
62. Norton MR. Resonance frequency analysis: Agreement and correlation of implant stability quotients between three commercially available instruments. Int J Oral Maxillofac Implants 2018;E-pub Oct 4, doi:[Abstract](#). [Abstract](#)
63. Pan Y, Heng C, Wu ZJ, Tam J, Hsung RT, Pow EH, Lam WY. Comparison of the virtual techniques in registering single implant position with a universal-coordinate system: An in vitro study. J Dent 2022;117:103925. [Abstract](#)
64. Patel J, Antov H, Nixon P. Implant-supported oral rehabilitation in oncology patients: A retrospective cohort study. Br J Oral Maxillofac Surg 2020;58(8):1003-07. [Abstract](#)
65. Ramirez A. Smile without fear: SmartFix® concept for oral rehabilitation. Compend Contin Educ Dent 2018;39(3):8-10.
66. Rebeeah HA, Yilmaz B, Seidt JD, McGlumphy E, Clelland N, Brantley W. Comparison of 3D displacements of screw-retained zirconia implant crowns into implants with different internal connections with respect to screw tightening. J Prosthet Dent 2018;119(1):132-37. [Abstract](#)
67. Revell G, Simon B, Mennito A, Evans ZP, Renne W, Ludlow M, Vag J. Evaluation of complete-arch implant scanning with 5 different intraoral scanners in terms of trueness and operator experience. J Prosthet Dent 2021;E-pub Apr10, doi:10.1016/j.prosdent.2021.01.013. [Abstract](#)
68. Romanos GE, Bastardi DJ, Moore R, Kakar A, Herin Y, Delgado-Ruiz RA. In vitro effect of drilling speed on the primary stability of narrow diameter implants with varying thread designs placed in different qualities of simulated bone. Materials (Basel) 2019;12(8). [Abstract](#)
69. Rosen A. Implant success: planning and impression material selection are key. Compend Contin Educ Dent 2018;39(3):12-14.
70. Sears LM, Wadhvani CPK, Schoenbaum TR, Chung KH, Cagna DR. Biologic debris retention in implant impression copings, scan bodies, and laboratory analogs. Int J Oral Maxillofac Implants 2020;35(1):135-40. [Abstract](#)

71. Serichetaphongse P, Chengprapakorn W, Thongmeearkom S, Pimkhaokham A. Immunohistochemical assessment of the peri-implant soft tissue around different abutment materials: A human study. *Clin Implant Dent Relat Res* 2020;22(5):638-46. [Abstract](#)
72. Sittikornpaiboon P, Arunjaroenusuk S, Kaboosaya B, Subbalekha K, Mattheos N, Pimkhaokham A. Comparison of the accuracy of implant placement using different drilling systems for static computer-assisted implant surgery: A simulation-based experimental study. *Clin Implant Dent Relat Res* 2021;E-pub Jul 22, doi:19. doi: 10.1111/cid.13032. [Abstract](#)
73. Skjerven H, Riis UH, Herlofsson BB, Ellingsen JE. In vivo accuracy of implant placement using a full digital planning modality and stereolithographic guides. *Int J Oral Maxillofac Implants* 2019;34(1):124-32. [Abstract](#)
74. Smielak B, Andruch I. Multistage implantology-orthodontic-prosthetic treatment: A case report. *J Am Dent Assoc* 2018;149(9):787-93 e3. [Abstract](#)
75. Soldatos N, Al Ramli R, Nelson-Rabe L, Ferguson B, Soldatos K, Weltman R. Vertical ridge augmentation (VRA) with the use of a cross-linked resorbable membrane, tenting screws, and a combination grafting technique: a report of three cases. *Quintessence Int* 2021;0(0):328-39. [Abstract](#)
76. Sondergaard K, Hosseini M, Jensen SS, Spin-Neto R, Gotfredsen K. Fully- versus conventionally guided implant placement by dental students. A randomized controlled trial. *Clin Oral Implants Res* 2021;E-pub Jun 28, doi: 10.1111/clr.13802. [Abstract](#)
77. Stanford CM, Barwacz C, Raes S, De Bruyn H, Cecchinato D, Bittner N, Brandt J. Multicenter clinical randomized controlled trial evaluation of an implant system designed for enhanced primary stability. *Int J Oral Maxillofac Implants* 2016;31(4):906-15. [Abstract](#)
78. Starch-Jensen T, Ahmad M, Bruun NH, Becktor JP. Patient's perception of recovery after maxillary sinus floor augmentation with autogenous bone graft compared with composite grafts: a single-blinded randomized controlled trial. *Int J Implant Dent* 2021;7(1):1-15. [Abstract](#)
79. Starch-Jensen T, Bruun NH. Patient's perception of recovery after osteotome-mediated sinus floor elevation with Bio-Oss collagen compared with no grafting material: a randomized single-blinded controlled trial. *Int J Implant Dent* 2021;7(1):20. [Abstract](#)
80. Starch-Jensen T, Bruun NH. Patient's perception of recovery after sinus membrane elevation and blood coagulum compared with 1:1 mixture of autogenous bone graft and deproteinized porcine bone mineral. Secondary outcomes from a single-blinded randomized controlled trial. *Clin Oral Implants Res* 2021;E-pub Oct 6, doi:10.1111/clr.13866. [Abstract](#)
81. Stocchero M, Jinno Y, Toia M, Jimbo R, Lee C, Yamaguchi S, Imazato S, Becktor JP. In silico multi-scale analysis of remodeling peri-implant cortical bone: a comparison of two types of bone structures following an undersized and non-undersized technique. *J Mech Behav Biomed Mater* 2020;103:103598. [Abstract](#)

82. Stocchero M, Toia M, Jinno Y, Cecchinato F, Becktor JP, Naito Y, Halldin A, Jimbo R. Influence of different drilling preparation on cortical bone: A biomechanical, histological, and micro-CT study on sheep. *Clin Oral Implants Res* 2018;29(7):707-15. [Abstract](#)
83. Strauss FJ, Hammerle CHF, Thoma DS. Short communication: Cemented implant reconstructions are associated with less marginal bone loss than screw-retained reconstructions at 3 and 5 years of loading. *Clin Oral Implants Res* 2021;32(5):651-56. [Abstract](#)
84. Su YH, Peng BY, Wang PD, Feng SW. Evaluation of the implant stability and the marginal bone level changes during the first three months of dental implant healing process: A prospective clinical study. *J Mech Behav Biomed Mater* 2020;110:103899. [Abstract](#)
85. Sukegawa S, Yoshii K, Hara T, Yamashita K, Nakano K, Yamamoto N, Nagatsuka H, Furuki Y. Deep neural networks for dental implant system classification. *Biomolecules* 2020;10(7). [Abstract](#)
86. Tak On Tse R. Facial analysis for the digital planning of a full-mouth implant rehabilitation. *Compend Contin Educ Dent* 2021;42(2):e10-e13. [Abstract](#)
87. Teich S, Bocklet M, Evans Z, Gutmacher Z, Renne W. 3D printed implant surgical guides with internally routed irrigation for temperature reduction during osteotomy preparation: A pilot study. *J Esthet Restor Dent* 2021;E-pub Nov 27, doi: 10.1111/jerd.12847. [Abstract](#)
88. Toia M, Galli S, Cecchinato D, Wennerberg A, Jimbo R. Clinical evidence of osseospeed EV implants: A retrospective study and characterization of the newly introduced system. *Int J Periodontics Restorative Dent* 2019;39(6):863-74. [Abstract](#)
89. Toia M, Stocchero M, Becktor JP, Chrcanovic B, Wennerberg A. Implant vs abutment level connection in implant supported screw-retained fixed partial dentures with cobalt-chrome framework: 1-year interim results of a randomized clinical study. *Clin Implant Dent Relat Res* 2019;21(2):238-46. [Abstract](#)
90. Toia M, Stocchero M, Cecchinato F, Corra E, Jimbo R, Cecchinato D. Clinical considerations of adapted drilling protocol by bone quality perception. *Int J Oral Maxillofac Implants* 2017;32(6):1288-95. [Abstract](#)
91. Toia M, Stocchero M, Galli S, Papia E, Wennerberg A, Becktor JP. The use of implant-level connection in screw-retained fixed partial dentures: A 3-year randomised clinical trial. *Clin Oral Implants Res* 2022;E-pub Oct 8, doi:10.1111/clr.13867:78-93. [Abstract](#)
92. Toia M, Wennerberg A, Torrisi P, Farina V, Corra E, Cecchinato D. Patient satisfaction and clinical outcomes in implant-supported overdentures retained by milled bars: Two-year follow-up. *J Oral Rehabil* 2019;46(7):624-33. [Abstract](#)
93. Tu CC, Wang SH, Hu CY, Chen MH, Hsieh O, Chang PC. Comparison of regular- and slope-configured dental implants placed in the edentulous ridge with height discrepancy: A pilot randomized controlled trial. *J Formos Med Assoc* 2021;120(6):1386-93. [Abstract](#)

94. Vanderstuyft T, Tarce M, Sanaan B, Jacobs R, de Faria Vasconcelos K, Quiryne M. Inaccuracy of buccal bone thickness estimation on cone-beam CT due to implant blooming: An ex-vivo study. *J Clin Periodontol* 2019;46(11):1134-43. [Abstract](#)
95. Wessels R, Vervaeke S, Seyssens L, Eghbali A, Cosyn J. A 5-year cohort study on early implant placement with guided bone regeneration or alveolar ridge preservation with connective tissue graft. *Clin Implant Dent Relat Res* 2020;22(6):697-705. [Abstract](#)
96. Wilk BL. Intraoral digital impressioning for dental implant restorations versus traditional implant impression techniques. *Compend Contin Educ Dent* 2015;36(7):529-33. [Abstract](#)
97. Yilmaz B, Cakmak G, Batak B, Johnston WM. Screw stability of CAD-CAM titanium and zirconia abutments on different implants: An in vitro study. *Clin Implant Dent Relat Res* 2021;E-pub May 4, doi:0.1111/cid.13001. [Abstract](#)
98. Yilmaz B, Hashemzadeh S, Seidt JD, Clelland NL. Displacement comparison of CAD-CAM titanium and zirconia abutments to implants with different conical connections. *J Prosthodont Res* 2018;62(2):200-03. [Abstract](#)
99. Younes F, Cosyn J, De Bruyckere T, Cleymaet R, Bouckaert E, Eghbali A. A randomized controlled study on the accuracy of free-handed, pilot-drill guided and fully guided implant surgery in partially edentulous patients. *J Clin Periodontol* 2018;45(6):721-32. [Abstract](#)
100. Younes F, Cosyn J, De Bruyckere T, Cleymaet R, Eghbali A. A 2-year prospective case series on volumetric changes, PROMs, and clinical outcomes following sinus floor elevation using deproteinized bovine bone mineral as filling material. *Clin Implant Dent Relat Res* 2019;21(2):301-09. [Abstract](#)
101. Younes F, Eghbali A, De Bruyckere T, Cleymaet R, Cosyn J. A randomized controlled trial on the efficiency of free-handed, pilot-drill guided and fully guided implant surgery in partially edentulous patients. *Clin Oral Implants Res* 2019;30(2):131-38. [Abstract](#)
102. Zeller S, Guichet D, Kontogiorgos E, Nagy WW. Accuracy of three digital workflows for implant abutment and crown fabrication using a digital measuring technique. *J Prosthet Dent* 2019;121(2):276-84. [Abstract](#)

1.4. Xive

1. Eins für alles? - 15 Jahre XiVE. *Implantologie-Journal* 2016;20(12). [Abstract](#)
2. Abdulghani AS, Elhag SB. Shortened dental arch as a solution for maxillary sinus proximity in dental implant restoration. *Clin Case Rep* 2017;5(6):782-86. [Abstract](#)

3. Abu Karaky A. Influence of flap type on early outcomes of dental implants. *J Med J* 2018;52(4):195-202.
4. Acil Y, Sievers J, Gulses A, Ayna M, Wiltfang J, Terheyden H. Correlation between resonance frequency, insertion torque and bone-implant contact in self-cutting threaded implants. *Odontology* 2017;105(3):347-53. [Abstract](#)
5. Ahuja V, Shrivastava S, Shukla A. Immediate dental implant in hypertensive patient. *Guident* 2018;11(7):10-12.
6. Alhammadi SH, Burnside G, Milosevic A. Clinical outcomes of single implant supported crowns versus 3-unit implant-supported fixed dental prostheses in Dubai Health Authority: a retrospective study. *BMC Oral Health* 2021;21(1):171. [Abstract](#)
7. Alqutaidi AY. CAD-CAM surgically-guided oral implant site expansion and implant placement in severely atrophic mxilla. *J Taibah Univ Med Sci* 2020;15(2):153-59. [Abstract](#)
8. Amet EM. Management of unscheduled anterior tooth or prosthesis loss with extraction and immediate implant placement: a clinical report. *J Oral Implantol* 2010;36(3):209-17. [Abstract](#)
9. Antalainen AK, Helminen M, Forss H, Sandor GK, Wolff J. Assessment of removed dental implants in Finland from 1994 to 2012. *Int J Oral Maxillofac Implants* 2013;28(6):1612-8. [Abstract](#)
10. Arat Bilhan S, Geckili O, Cilingir A, Bozdog E, Bilhan H. Evaluation of two interforaminal implants and implant-assisted removable dentures on stress distribution: an in vitro study. *J Korean Assoc Oral Maxillofac Surg* 2019;45(4):199-206. [Abstract](#)
11. Arisan V, Bolukbasi N, Ersanli S, Ozdemir T. Evaluation of 316 narrow diameter implants followed for 5-10 years: a clinical and radiographic retrospective study. *Clin Oral Implants Res* 2010;21(3):296-307. [Abstract](#)
12. Arisan V, Bolukbasi N, Oksuz L. Computer-assisted flapless implant placement reduces the incidence of surgery-related bacteremia. *Clin Oral Investig* 2013;17(9):1985-93. [Abstract](#)
13. Arisan V, Karabuda CZ, Mumcu E, Ozdemir T. Implant positioning errors in freehand and computer-aided placement methods: a single-blind clinical comparative study. *Int J Oral Maxillofac Implants* 2013;28(1):190-204. [Abstract](#)
14. Arisan V, Karabuda CZ, Ozdemir T. Implant surgery using bone- and mucosa-supported stereolithographic guides in totally edentulous jaws: surgical and post-operative outcomes of computer-aided vs. standard techniques. *Clin Oral Implants Res* 2010;21(9):980-8. [Abstract](#)
15. Arisan V, Karabuda ZC, Ozdemir T. Accuracy of two stereolithographic guide systems for computer-aided implant placement: a computed tomography-based clinical comparative study. *J Periodontol* 2010;81(1):43-51. [Abstract](#)
16. Arnetzl GV, Payer M, Falkensammer F, Arnetzl G. Effect of double conical abutment screw on implant preload. *Clin Oral Implants Res* 2016;27(5):553-7. [Abstract](#)

17. Arshad M, Shirani G, Mahgoli HA, Vaziri N. Rehabilitation of a patient with amelogenesis imperfecta and severe open bite: A multidisciplinary approach. *Clin Case Rep* 2019;7(2):275-83. [Abstract](#)
18. Arvidsson A, Sater BA, Wennerberg A. The role of functional parameters for topographical characterization of bone-anchored implants. *Clin Implant Dent Relat Res* 2006;8(2):70-6. [Abstract](#)
19. Attia S, Narberhaus C, Schaaf H, Streckbein P, Pons-Kuhnemann J, Schmitt C, Neukam FW, Howaldt HP, Bottger S. Long-term influence of platelet-rich plasma (PRP) on dental implants after maxillary augmentation: Retrospective clinical and radiological outcomes of a randomized controlled clinical trial. *J Clin Med* 2020;9(2):355. [Abstract](#)
20. Attia S, Schaaf H, El Khassawna T, Malhan D, Mausbach K, Howaldt HP, Streckbein P. Oral rehabilitation of hypodontia patients using an endosseous dental implant: Functional and aesthetic results. *J Clin Med* 2019;8(10). [Abstract](#)
21. Attia S, Schaper E, Schaaf H, Pons-Kuhnemann J, Schlenz MA, Streckbein P, Bottger S, Howaldt HP, Wilbrand JF. Evaluation of implant success in patients with dental aplasia. *Biomed Res Int* 2019;2019:1680158. [Abstract](#)
22. Attia S, Wiltfang J, Streckbein P, Wilbrand JF, El Khassawna T, Mausbach K, Howaldt HP, Schaaf H. Functional and aesthetic treatment outcomes after immediate jaw reconstruction using a fibula flap and dental implants. *J Craniomaxillofac Surg* 2019;47(5):786-91. [Abstract](#)
23. Ausiello P, Tribst JPM, Ventre M, Salvati E, di Lauro AE, Martorelli M, Lanzotti A, Watts DC. The role of cortical zone level and prosthetic platform angle in dental implant mechanical response: A 3D finite element analysis. *Dent Mater* 2021;E-pub Sep 10, doi:10.1016/j.dental.2021.08.022. [Abstract](#)
24. Baggi L, Di Girolamo M, Mirisola C, Calcaterra R. Microbiological evaluation of bacterial and mycotic seal in implant systems with different implant-abutment interfaces and closing torque values. *Implant Dent* 2013;22(4):344-50. [Abstract](#)
25. Baqain ZH, Moqbel WY, Sawair FA. Early dental implant failure: risk factors. *Br J Oral Maxillofac Surg* 2012;50(3):239-43. [Abstract](#)
26. Barclay C, Foster-Thomas E. Peri-implantitis: an unusual presentation. *Dental Update* 2020;47(February):115-20.
27. Bataineh AB, Al-Dakes AM. The influence of length of implant on primary stability: An in vitro study using resonance frequency analysis. *J Clin Exp Dent* 2017;9(1):e1-e6. [Abstract](#)
28. Bateli M, Woerner W, Att W. Tilted implants to support a maxillary removable dental prosthesis: a case report. *Quintessence Int* 2012;43(3):191-5. [Abstract](#)
29. Bäumer A, Toekan S, Saure D, Korner G. Survival and success of implants in a private periodontal practice: a 10 year retrospective study. *BMC Oral Health* 2020;20(1):92. [Abstract](#)

30. Baumgarten S. Sinus grafting with mineralized allograft and staged implant placement. *Quintessence Int* 2010;41(3):197-202. [Abstract](#)
31. Bhandari S, Aggarwal N, Bakshi S. Ultrasonic oscillations for conservative retrieval of a rare fracture of implant healing abutment. *J Oral Implantol* 2013;39(4):475-8. [Abstract](#)
32. Bilhan H, Mumcu E, Geckili O, Atalay B. The evaluation of the success of immediately placed single implants: a retrospective clinical study. *Implant Dent* 2011;20(3):215-25. [Abstract](#)
33. Blume O, Donkiewicz P, Palkovics D, Gotz W, Windisch P. Volumetric changes of a customized allogeneic bone block measured by two image matching tools: Introduction of a novel assessment technique for graft resorption. *Acta Stomatol Croat* 2021;55(4):406-17. [Abstract](#)
34. Bountaniotis F, Tzerbos F, Tosios K, Melakopoulos I. Reactive fibrous hyperplasia of peri-implant mucosa. *J Oral Implantol* 2017;43(5):378-79. [Abstract](#)
35. Brandtner C, Borumandi F, Krenkel C, Gaggi A. A new technique for sandwich osteoplasty with interpositional bone grafts for fixation. *Int J Oral Maxillofac Implants* 2014;29(5):1164-9. [Abstract](#)
36. Burtcher D, Norer B, Dalla Torre D, Beier U, Schubert K, Grunert I. A 7-year prospective radiographic evaluation of marginal bone level around two different implant systems: a randomized clinical trial. *Clin Oral Implants Res* 2015;26(11):1244-9. [Abstract](#)
37. Cano J, Campo J, Ewers R. Expansion of the alveolar bone crest in two stages: two clinical cases. *Oral Surgery* 2011;4(1):30-34. [Abstract](#)
38. Canullo L, Penarrocha-Oltra D, Covani U, Botticelli D, Serino G, Penarrocha M. Clinical and microbiological findings in patients with peri-implantitis: a cross-sectional study. *Clin Oral Implants Res* 2016;27(3):376-82. [Abstract](#)
39. Cha JK, Kim C, Pae HC, Lee JS, Jung UW, Choi SH. Maxillary sinus augmentation using biphasic calcium phosphate: dimensional stability results after 3-6 years. *J Periodontal Implant Sci* 2019;49(1):47-57. [Abstract](#)
40. Chang H-S, Hsieh Y-D, Hsu M-L. Long-term survival rate of implant-supported overdentures with various attachment systems: A 20-year retrospective study. *J Dent Sci* 2015;10(1):55-60. [Abstract](#)
41. Chee Y. Vertical ridge augmentation with mandibular ramus block bone for implant surgery. *The Korean Academy of Oral and Maxillofacial Implantology* 2021;25(1):22-36. [Abstract](#)
42. Chen L, Cha J. An 8-year retrospective study: 1,100 patients receiving 1,557 implants using the minimally invasive hydraulic sinus condensing technique. *J Periodontol* 2005;76(3):482-91. [Abstract](#)
43. Chesterman J, Durey K, Chan M. Use of xenograft bone block for staged ridge augmentation prior to dental implant placement in trauma patients. *Faculty Dental Journal* 2020;11(3):96-101. [Abstract](#)

44. Chiapasco M, Colletti G, Coggiola A, Di Martino G, Anello T, Romeo E. Clinical outcome of the use of fresh frozen allogeneic bone grafts for the reconstruction of severely resorbed alveolar ridges: preliminary results of a prospective study. *Int J Oral Maxillofac Implants* 2015;30(2):450-60. [Abstract](#)
45. Chrcanovic BR, Kisch J, Albrektsson T, Wennerberg A. Factors influencing early dental implant failures. *J Dent Res* 2016;95(9):995-1002. [Abstract](#)
46. Chrcanovic BR, Kisch J, Albrektsson T, Wennerberg A. Impact of different surgeons on dental implant failure. *Int J Prosthodont* 2017;30(5):445-54. [Abstract](#)
47. Chrcanovic BR, Kisch J, Albrektsson T, Wennerberg A. Is the intake of selective serotonin reuptake inhibitors associated with an increased risk of dental implant failure? *Int J Oral Maxillofac Surg* 2017;46(6):782-88. [Abstract](#)
48. Chrcanovic BR, Kisch J, Albrektsson T, Wennerberg A. Factors influencing the fracture of dental implants. *Clin Implant Dent Relat Res* 2018;20(1):58-67. [Abstract](#)
49. Chrcanovic BR, Kisch J, Larsson C. Retrospective clinical evaluation of implant-supported single crowns: Mean follow-up of 15 years. *Clin Oral Implants Res* 2019;30(7):691-701. [Abstract](#)
50. Cicciu M, Beretta M, Risitano G, Maiorana C. Cemented-retained vs screw-retained implant restorations: an investigation on 1939 dental implants. *Minerva Stomatol* 2008;57(4):167-79. [Abstract](#)
51. Conserva E, Lanuti A, Menini M. Cell behavior related to implant surfaces with different microstructure and chemical composition: an in vitro analysis. *Int J Oral Maxillofac Implants* 2010;25(6):1099-107. [Abstract](#)
52. Corsalini M, Di Venere D, Stefanachi G, Muci G, Palminteri A, Laforgia A, Pettini F. Maxillary overdenture retained with an implant support CAD-CAM bar: A 4 years follow up case. *Open Dent J* 2017;11:247-56. [Abstract](#)
53. Cortes AR, Cortes DN. Nontraumatic bone expansion for immediate dental implant placement: an analysis of 21 cases. *Implant Dent* 2010;19(2):92-7. [Abstract](#)
54. Cortes AR, Cortes DN, Arita ES. Correction of buccal dehiscence at the time of implant placement without barrier membranes: a retrospective cone beam computed tomographic study. *Int J Oral Maxillofac Implants* 2013;28(6):1564-9. [Abstract](#)
55. Cortes AR, Cortes DN, No-Cortes J, Arita ES. Transition from failing dentition to full-arch fixed implant-supported prosthesis with a staged approach using removable partial dentures: A case series. *J Prosthodont* 2014;23(4):328-32. [Abstract](#)
56. Cortes AR, Pinheiro LR, Cavalcanti MG, Arita ES, Tamimi F. Sinus floor bone failures in maxillary sinus floor augmentation: A case-control study. *Clin Implant Dent Relat Res* 2015;17(2):335-42. [Abstract](#)

57. Cortes AR, Pinheiro LR, Umetsubo OS, Arita ES, Cavalcanti MG. Assessment of implant-related treatment with edited three-dimensional reconstructed images from cone-beam computerized tomography: a technical note. *J Oral Implantol* 2014;40(6):729-32. [Abstract](#)
58. Cosyn J, Vandenbulcke E, Browaeys H, Van Maele G, De Bruyn H. Factors associated with failure of surface-modified implants up to four years of function. *Clin Implant Dent Relat Res* 2012;14(3):347-58. [Abstract](#)
59. Creton M, Cune M, Verhoeven W, Muradin M, Wismeijer D, Meijer G. Implant treatment in patients with severe hypodontia: A retrospective evaluation. *J Oral Maxillofac Surg* 2010;68(3):530-8. [Abstract](#)
60. Dai Y, Han XH, Hu LH, Wu HW, Huang SY, Lu YP. Efficacy of concentrated growth factors combined with mineralized collagen on quality of life and bone reconstruction of guided bone regeneration. *Regen Biomater* 2020;7(3):313-20. [Abstract](#)
61. Dai Y, Xu J, Han XH, Cui FZ, Zhang DS, Huang SY. Clinical efficacy of mineralized collagen (MC) versus anorganic bovine bone (Bio-Oss) for immediate implant placement in esthetic area: a single-center retrospective study. *BMC Oral Health* 2021;21(1):390. [Abstract](#)
62. de Barros RR, Novaes AB, Jr., Korn P, Queiroz A, de Almeida AL, Hintze V, Scharnweber D, Bierbaum S, Stadlinger B. Bone formation in a local defect around dental implants coated with extracellular matrix components. *Clin Implant Dent Relat Res* 2015;17(4):742-57. [Abstract](#)
63. de Oliveira RR, Novaes AB, Jr., Taba M, Jr., de Souza SL, Papalexiou V. The effect of bone condensation and crestal preparation on the bone response to implants designed for immediate loading: a histomorphometric study in dogs. *Int J Oral Maxillofac Implants* 2007;22(1):63-71. [Abstract](#)
64. De Stavola L, Fincato A, Albiero AM. A computer-guided bone block harvesting procedure: a proof-of-principle case report and technical notes. *Int J Oral Maxillofac Implants* 2015;30(6):1409-13. [Abstract](#)
65. De Stavola L, Tunkel J. Results of vertical bone augmentation with autogenous bone block grafts and the tunnel technique: a clinical prospective study of 10 consecutively treated patients. *Int J Periodontics Restorative Dent* 2013;33(5):651-9. [Abstract](#)
66. De Stavola L, Tunkel J. A new approach to maintenance of regenerated autogenous bone volume: delayed relining with xenograft and resorbable membrane. *Int J Oral Maxillofac Implants* 2013;28(4):1062-7. [Abstract](#)
67. Degidi M, Artese L, Franceschini N, Sulpizio S, Piattelli A, Piccirilli M, Perrotti V, Iezzi G. Matrix metalloproteinases 2, 3, 8, 9, and 13 in the peri-implant soft tissues around titanium and zirconium oxide healing caps. *Int J Oral Maxillofac Implants* 2013;28(6):1546-51. [Abstract](#)
68. Degidi M, Artese L, Piattelli A, Scarano A, Shibli JA, Piccirilli M, Perrotti V, Iezzi G. Histological and immunohistochemical evaluation of the peri-implant soft tissues around machined and acid-

- etched titanium healing abutments: a prospective randomised study. *Clin Oral Investig* 2012;16(3):857-66. [Abstract](#)
69. Degidi M, Artese L, Rubini C, Perrotti V, Iezzi G, Piattelli A. Microvessel density in sinus augmentation procedures using anorganic bovine bone and autologous bone: 3 months results. *Implant Dent* 2007;16(3):317-25. [Abstract](#)
70. Degidi M, Artese L, Scarano A, Perrotti V, Gehrke P, Piattelli A. Inflammatory infiltrate, microvessel density, nitric oxide synthase expression, vascular endothelial growth factor expression, and proliferative activity in peri-implant soft tissues around titanium and zirconium oxide healing caps. *J Periodontol* 2006;77(1):73-80. [Abstract](#)
71. Degidi M, Daprile G, Piattelli A. RFA values of implants placed in sinus grafted and nongrafted sites after 6 and 12 months. *Clin Implant Dent Relat Res* 2009;11(3):178-82. [Abstract](#)
72. Degidi M, Daprile G, Piattelli A. Determination of primary stability: a comparison of the surgeon's perception and objective measurements. *Int J Oral Maxillofac Implants* 2010;25(3):558-61. [Abstract](#)
73. Degidi M, Daprile G, Piattelli A. Implants inserted with low insertion torque values for intraoral welded full-arch prosthesis: 1-year follow-up. *Clin Implant Dent Relat Res* 2012;14 Suppl 1(Supplement 1):e39-45. [Abstract](#)
74. Degidi M, Daprile G, Piattelli A. Primary stability determination by means of insertion torque and RFA in a sample of 4,135 implants. *Clin Implant Dent Relat Res* 2012;14(4):501-07. [Abstract](#)
75. Degidi M, Daprile G, Piattelli A. Primary stability determination of implants inserted in sinus augmented sites: 1-step versus 2-step procedure. *Implant Dent* 2013;22(5):530-3. [Abstract](#)
76. Degidi M, Daprile G, Piattelli A. Influence of underpreparation on primary stability of implants inserted in poor quality bone sites: an in vitro study. *J Oral Maxillofac Surg* 2015;73(6):1084-8. [Abstract](#)
77. Degidi M, Daprile G, Piattelli A, Carinci F. Evaluation of factors influencing resonance frequency analysis values, at insertion surgery, of implants placed in sinus-augmented and nongrafted sites. *Clin Implant Dent Relat Res* 2007;9(3):144-9. [Abstract](#)
78. Degidi M, Daprile G, Piattelli A, Iezzi G. Development of a new implant primary stability parameter: insertion torque revisited. *Clin Implant Dent Relat Res* 2013;15(5):637-44. [Abstract](#)
79. Degidi M, Gehrke P, Spanel A, Piattelli A. Syncrystallization: a technique for temporization of immediately loaded implants with metal-reinforced acrylic resin restorations. *Clin Implant Dent Relat Res* 2006;8(3):123-34. [Abstract](#)
80. Degidi M, Iezzi G, Scarano A, Piattelli A. Immediately loaded titanium implant with a tissue-stabilizing/maintaining design ('beyond platform switch') retrieved from man after 4 weeks: a histological and histomorphometrical evaluation. A case report. *Clin Oral Implants Res* 2008;19(3):276-82. [Abstract](#)

81. Degidi M, Nardi D, Piattelli A. Peri-implant tissue and radiographic bone levels in the immediately restored single-tooth implant: a retrospective analysis. *J Periodontol* 2008;79(2):252-9. [Abstract](#)
82. Degidi M, Nardi D, Piattelli A. Immediate loading of the edentulous maxilla with a final restoration supported by an intraoral welded titanium bar: a case series of 20 consecutive cases. *J Periodontol* 2008;79(11):2207-13. [Abstract](#)
83. Degidi M, Nardi D, Piattelli A. Immediate rehabilitation of the edentulous mandible with a definitive prosthesis supported by an intraorally welded titanium bar. *Int J Oral Maxillofac Implants* 2009;24(2):342-7. [Abstract](#)
84. Degidi M, Nardi D, Piattelli A. Immediate versus one-stage restoration of small-diameter implants for a single missing maxillary lateral incisor: a 3-year randomized clinical trial. *J Periodontol* 2009;80(9):1393-8. [Abstract](#)
85. Degidi M, Nardi D, Piattelli A. Immediate restoration of small-diameter implants in cases of partial posterior edentulism: a 4-year case series. *J Periodontol* 2009;80(6):1006-12. [Abstract](#)
86. Degidi M, Nardi D, Piattelli A. Immediate definitive rehabilitation of the edentulous patient using an intraorally welded titanium framework: a 3-year prospective study. *Quintessence Int* 2010;41(8):651-9. [Abstract](#)
87. Degidi M, Nardi D, Piattelli A. A comparison between immediate loading and immediate restoration in cases of partial posterior mandibular edentulism: a 3-year randomized clinical trial. *Clin Oral Implants Res* 2010;21(7):682-7. [Abstract](#)
88. Degidi M, Nardi D, Piattelli A. Immediate loading of the edentulous maxilla with a definitive restoration supported by an intraorally welded titanium bar and tilted implants. *Int J Oral Maxillofac Implants* 2010;25(6):1175-82. [Abstract](#)
89. Degidi M, Nardi D, Piattelli A. Prospective five-year follow-up of immediate definitive rehabilitation of the edentulous patient using an intraoral welded titanium framework. *Z Zahnärztl Impl* 2012;28(4):326-37.
90. Degidi M, Nardi D, Piattelli A. A six-year follow-up of full-arch immediate restorations fabricated with an intraoral welding technique. *Implant Dent* 2013;22(3):224-31. [Abstract](#)
91. Degidi M, Nardi D, Piattelli A. 10-year prospective cohort follow-up of immediately restored XiVE implants. *Clin Oral Implants Res* 2016;27(6):694-700. [Abstract](#)
92. Degidi M, Nardi D, Piattelli A, Malevez C. Immediate loading of zygomatic implants using the intraoral welding technique: a 12-month case series. *Int J Periodontics Restorative Dent* 2012;32(5):e154-61. [Abstract](#)
93. Degidi M, Nardi D, Sighinolfi G, Merla A, Piattelli A. In vitro infrared thermography assessment of temperature peaks during the intra-oral welding of titanium abutments. *Infrared Phys Technol* 2012;55:279-83.

94. Degidi M, Novaes AB, Jr., Nardi D, Piattelli A. Outcome analysis of immediately placed, immediately restored implants in the esthetic area: the clinical relevance of different interimplant distances. *J Periodontol* 2008;79(6):1056-61. [Abstract](#)
95. Degidi M, Perrotti V, Piattelli A, Iezzi G. Mineralized bone-implant contact and implant stability quotient in 16 human implants retrieved after early healing periods: a histologic and histomorphometric evaluation. *Int J Oral Maxillofac Implants* 2010;25(1):45-8. [Abstract](#)
96. Degidi M, Perrotti V, Strocchi R, Piattelli A, Iezzi G. Is insertion torque correlated to bone-implant contact percentage in the early healing period? A histological and histomorphometrical evaluation of 17 human-retrieved dental implants. *Clin Oral Implants Res* 2009;20(8):778-81. [Abstract](#)
97. Degidi M, Petrone G, Iezzi G, Piattelli A. Histologic evaluation of 2 human immediately loaded and 1 titanium implants inserted in the posterior mandible and submerged retrieved after 6 months. *J Oral Implantol* 2003;29(5):223-9. [Abstract](#)
98. Degidi M, Piattelli A. Comparative analysis study of 702 dental implants subjected to immediate functional loading and immediate nonfunctional loading to traditional healing periods with a follow-up of up to 24 months. *Int J Oral Maxillofac Implants* 2005;20(1):99-107. [Abstract](#)
99. Degidi M, Piattelli A, Carinci F. Parallel screw cylinder implants: comparative analysis between immediate loading and two-stage healing of 1,005 dental implants with a 2-year follow up. *Clin Implant Dent Relat Res* 2006;8(3):151-60. [Abstract](#)
100. Degidi M, Piattelli A, Carinci F. Immediate loaded dental implants: comparison between fixtures inserted in postextractive and healed bone sites. *J Craniofac Surg* 2007;18(4):965-71. [Abstract](#)
101. Degidi M, Piattelli A, Carinci F. Clinical outcome of narrow diameter implants: a retrospective study of 510 implants. *J Periodontol* 2008;79(1):49-54. [Abstract](#)
102. Degidi M, Piattelli A, Felice P, Carinci F. Immediate functional loading of edentulous maxilla: a 5-year retrospective study of 388 titanium implants. *J Periodontol* 2005;76(6):1016-24. [Abstract](#)
103. Degidi M, Piattelli A, Gehrke P, Carinci F. Clinical outcome of 802 immediately loaded 2-stage submerged implants with a new grit-blasted and acid-etched surface: 12-month follow-up. *Int J Oral Maxillofac Implants* 2006;21(5):763-8. [Abstract](#)
104. Degidi M, Piattelli A, Gehrke P, Felice P, Carinci F. Five-year outcome of 111 immediate nonfunctional single restorations. *J Oral Implantol* 2006;32(6):277-85. [Abstract](#)
105. Degidi M, Piattelli A, Iezzi G, Carinci F. Retrospective study of 200 immediately loaded implants retaining 50 mandibular overdentures. *Quintessence Int* 2007;38(4):281-8. [Abstract](#)
106. Degidi M, Piattelli A, Iezzi G, Carinci F. Do longer implants improve clinical outcome in immediate loading? *Int J Oral Maxillofac Surg* 2007;36(12):1172-6. [Abstract](#)
107. Degidi M, Piattelli A, Iezzi G, Carinci F. Wide-diameter implants: analysis of clinical outcome of 304 fixtures. *J Periodontol* 2007;78(1):52-8. [Abstract](#)

108. Degidi M, Piattelli A, Iezzi G, Carinci F. Immediately loaded short implants: analysis of a case series of 133 implants. *Quintessence Int* 2007;38(3):193-201. [Abstract](#)
109. Degidi M, Piattelli A, Shibli JA, Perrotti V, Iezzi G. Early bone formation around immediately restored implants with and without occlusal contact: a human histologic and histomorphometric evaluation. Case report. *Int J Oral Maxillofac Implants* 2009;24(4):734-9. [Abstract](#)
110. Degidi M, Piattelli M, Scarano A, Iezzi G, Piattelli A. Maxillary sinus augmentation with a synthetic cell-binding peptide: histological and histomorphometrical results in humans. *J Oral Implantol* 2004;30(6):376-83. [Abstract](#)
111. Degidi M, Scarano A, Iezzi G, Piattelli A. Histologic and histomorphometric analysis of an immediately loaded implant retrieved from man after 14 months of loading. *J Long Term Eff Med Implants* 2005;15(5):489-98. [Abstract](#)
112. Degidi M, Scarano A, Iezzi G, Piattelli A. Histologic analysis of an immediately loaded implant retrieved after 2 months. *J Oral Implantol* 2005;31(5):247-54. [Abstract](#)
113. Degidi M, Scarano A, Piattelli M, Perrotti V, Piattelli A. Bone remodeling in immediately loaded and unloaded titanium dental implants: a histologic and histomorphometric study in humans. *J Oral Implantol* 2005;31(1):18-24. [Abstract](#)
114. Deppe H, Ahrens M, Behr AV, Marr C, Sculean A, Mela P, Ritschl LM. Thermal effect of a 445 nm diode laser on five dental implant systems: an in vitro study. *Sci Rep* 2021;11(1):20174. [Abstract](#)
115. Dhattrak P, Girme V, Shirsat U, Sumanth S, Deshmukh V. Significance of orthotropic material models to predict stress around bone-implant interface using numerical simulation. *Bio Nano Sci* 2019;E-pub Jun 27, doi:10.1007/s12668-019-00649-5. [Abstract](#)
116. Dhattrak P, Shirsat U, Sumanth S, Deshmukh V. Influence of cutting flutes on stress distribution for selected dental implants: Numerical studies. *Materials Today: Proceedings* 2021;38:2680-86. [Abstract](#)
117. Di Stefano DA, Greco G, Gherlone E. A preshaped titanium mesh for guided bone regeneration with an equine-derived bone graft in a posterior mandibular bone defect: A case report. *Dent J (Basel)* 2019;7(3). [Abstract](#)
118. Di Stefano DA, Vinci R, Cappare P, Gherlone EF. A retrospective preliminary histomorphometric and clinical investigation on sinus augmentation using enzyme-deantigenic, collagen-preserving equine bone granules and plasma rich in growth factors. *Int J Implant Dent* 2021;7(1):60. [Abstract](#)
119. Dimililer G, Kucukkurt S, Cetiner S. Biomechanical effects of implant number and diameter on stress distributions in maxillary implant-supported overdentures. *J Prosthet Dent* 2018;119(2):244-49 e6. [Abstract](#)
120. Dinh A, Sheets CG, Earthman JC. Analysis of percussion response of dental implants: an in vitro study. *Mater Sci Eng C Mater Biol Appl* 2013;33(5):2657-63. [Abstract](#)

121. Durrani F, Shukla A, Painuly H. Implant therapy in patients with chronic periodontitis: A short follow-up with a successful outcome. *J Adv Periodontal Implant Dent* 2019;11(1):39-45. [Abstract](#)
122. Elemek E, Urgancioglu A, Dincer J, Cilingir A. Does implant-abutment interface affect marginal bone levels around implants? *Eur J Dent* 2019;13(1):47-52. [Abstract](#)
123. Enislidis G, Wittwer G, Ewers R. Preliminary report on a staged ridge splitting technique for implant placement in the mandible: a technical note. *Int J Oral Maxillofac Implants* 2006;21(3):445-9. [Abstract](#)
124. Evian CI, Al-Momani A, Rosenberg ES, Sanavi F. Therapeutic management for immediate implant placement in sites with periapical deficiencies where coronal bone is present: technique and case report. *Int J Oral Maxillofac Implants* 2006;21(3):476-80. [Abstract](#)
125. Ewers R. Maxilla sinus grafting with marine algae derived bone forming material: a clinical report of long-term results. *J Oral Maxillofac Surg* 2005;63(12):1712-23. [Abstract](#)
126. Fazel A, Aalai S, Rismanchian M. Effect of macro-design of immediately loaded implants on micromotion and stress distribution in surrounding bone using finite element analysis. *Implant Dent* 2009;18(4):345-52. [Abstract](#)
127. Fazel A, Aalai S, Rismanchian M, Sadr-Eshkevari P. Micromotion and stress distribution of immediate loaded implants: a finite element analysis. *Clin Implant Dent Relat Res* 2009;11(4):267-71. [Abstract](#)
128. Felice P, Corinaldesi G, Lizio G, Piattelli A, Iezzi G, Marchetti C. Implant prosthetic rehabilitation of posterior mandible after tumor ablation with inferior alveolar nerve mobilization and inlay bone grafting: a case report. *J Oral Maxillofac Surg* 2009;67(5):1104-12. [Abstract](#)
129. Felice P, Marchetti C, Iezzi G, Piattelli A, Worthington H, Pellegrino G, Esposito M. Vertical ridge augmentation of the atrophic posterior mandible with interpositional bloc grafts: bone from the iliac crest vs. bovine anorganic bone. Clinical and histological results up to one year after loading from a randomized-controlled clinical trial. *Clin Oral Implants Res* 2009;20(12):1386-93. [Abstract](#)
130. Felice P, Marchetti C, Piattelli A, Pellegrino G, Checchi V, Worthington H, Esposito M. Vertical ridge augmentation of the atrophic posterior mandible with interpositional block grafts: bone from the iliac crest versus bovine anorganic bone. *Eur J Oral Implantol* 2008;1(3):183-98. [Abstract](#)
131. Feng SW, Chang WJ, Lin CT, Lee SY, Teng NC, Huang HM. Modal damping factor detected with an impulse-forced vibration method provides additional information on osseointegration during dental implant healing. *Int J Oral Maxillofac Implants* 2015;30(6):1333-40. [Abstract](#)
132. Fenner M, Vairaktaris E, Fischer K, Schlegel KA, Neukam FW, Nkenke E. Influence of residual alveolar bone height on osseointegration of implants in the maxilla: a pilot study. *Clin Oral Implants Res* 2009;20(6):555-9. [Abstract](#)

133. Fenner M, Vairaktaris E, Stockmann P, Schlegel KA, Neukam FW, Nkenke E. Influence of residual alveolar bone height on implant stability in the maxilla: an experimental animal study. *Clin Oral Implants Res* 2009;20(8):751-5. [Abstract](#)
134. Furtsev T, Zeer G. Efficiency of cleaning the various types of dental implants' surfaces (Tiu-Nite, Sla, Rbm) using the air-flow erythritol method. *Journal of International Dental and Medical Research* 2020;13(2):448-52.
135. Furtsev TV, Zeer GM, Zelenkova EG. Study of the structure of the implant surface and the effectiveness of various methods of implant treatment with peri-implantitis. *Journal of International Dental and Medical Research* 2021;14(3):910-18.
136. Galibourg A, Dumoncel J, Cormary J, Maret D. Volume of unsupported peri-implant soft tissue over time: A cross-sectional observation study. *J Prosthet Dent* 2021;125(6):883-89. [Abstract](#)
137. Galli S, Jimbo R, Andersson M, Bryington M, Albrektsson T. Surface characterization and clinical review of two commercially available implants. *Implant Dent* 2013;22(5):507-18. [Abstract](#)
138. Garcia-Morales JM, Tortamano-Neto P, Todescan FF, de Andrade JC, Jr., Marotti J, Zezell DM. Stability of dental implants after irradiation with an 830-nm low-level laser: a double-blind randomized clinical study. *Lasers Med Sci* 2012;27(4):703-11. [Abstract](#)
139. Garlini G, Chierichetti V, D'Amato S, Redemagni M. A long term follow-up of single-tooth Xive implant: 15 year results. *Dental, Oral and Craniofacial Research* 2016;3(1). [Abstract](#)
140. Garlini G, Redemagni M, Canciani E, Dellavia C. Maxillary sinus floor augmentation with vegetal hydroxyapatite "versus" demineralized bovine bone: A randomized clinical study with a split-mouth design. *Journal of Dental Implants* 2014;4(2):118-25. [Abstract](#)
141. Garlini G, Redemagni M, Donini M, Maiorana C. Maxillary sinus elevation with an alloplastic material and implants: 11 years of clinical and radiologic follow-up. *J Oral Maxillofac Surg* 2010;68(5):1152-7. [Abstract](#)
142. Geckili O, Bilhan H, Geckili E, Cilingir A, Mumcu E, Bural C. Evaluation of possible prognostic factors for the success, survival, and failure of dental implants. *Implant Dent* 2014;23(1):44-50. [Abstract](#)
143. Geckili O, Mumcu E, Bilhan H. Radiographic evaluation of narrow diameter implants after 5 years of clinical function: a retrospective study. *J Oral Implantol* 2011;39(S1):273-79. [Abstract](#)
144. Gehrke P, Alius J, Fischer C, Erdelt KJ, Beuer F. Retentive strength of two-piece CAD/CAM zirconia implant abutments. *Clin Implant Dent Relat Res* 2014;16(6):920-5. [Abstract](#)
145. Gehrke P, Burg S, Peters U, Beikler T, Fischer C, Rupp F, Schweizer E, Weigl P, Sader R, Smeets R, Schafer S. Bacterial translocation and microgap formation at a novel conical indexed implant abutment system for single crowns. *Clin Oral Investig* 2021;E-pub Aug 16, doi:10.1007/s00784-021-04112-2. [Abstract](#)

146. Gehrke P, Degidi M, Lulay-Saad Z, Dhom G. Reproducibility of the implant crown aesthetic index--rating aesthetics of single-implant crowns and adjacent soft tissues with regard to observer dental specialization. *Clin Implant Dent Relat Res* 2009;11(3):201-13. [Abstract](#)
147. Gehrke P, Dhom G, Brunner J, Wolf D, Degidi M, Piattelli A. Zirconium implant abutments: fracture strength and influence of cyclic loading on retaining-screw loosening. *Quintessence Int* 2006;37(1):19-26. [Abstract](#)
148. Gehrke P, Hartjen P, Smeets R, Gosau M, Peters U, Beikler T, Fischer C, Stolzer C, Geis-Gerstorfer J, Weigl P, Schafer S. Marginal adaptation and microbial leakage at conometric prosthetic connections for implant-supported single crowns: An in vitro investigation. *Int J Mol Sci* 2021;22(2). [Abstract](#)
149. Gehrke P, Jansen R, Euisenmann E, Dhom G, Neugebauer J. A two-year follow-up. *EDI* 2005;1(4).
150. Gehrke P, Johannson D, Fischer C, Stawarczyk B, Beuer F. In vitro fatigue and fracture resistance of one- and two-piece CAD/CAM zirconia implant abutments. *Int J Oral Maxillofac Implants* 2015;30(3):546-54. [Abstract](#)
151. Gehrke P, Lobert M, Dhom G. Reproducibility of the pink esthetic score--rating soft tissue esthetics around single-implant restorations with regard to dental observer specialization. *J Esthet Restor Dent* 2008;20(6):375-84; discussion 85. [Abstract](#)
152. Gierthmuehlen PC, Berger L, Spitznagel FA. Monolithic screw-retained lithium disilicate implant crowns: Preliminary data of a prospective cohort study. *Int J Prosthodont* 2020;33(3):272-76. [Abstract](#)
153. Gjølvd B, Chrcanovic BR, Bagewitz IC, Kisch J, Albrektsson T, Wennerberg A. Esthetic and patient-centered outcomes of single implants: A retrospective study. *Int J Oral Maxillofac Implants* 2017;32(5):1065-73. [Abstract](#)
154. Guler B, Uraz A, Cetiner D. The chemical surface evaluation of black and white porous titanium granules and different commercial dental implants with energy-dispersive x-ray spectroscopy analysis. *Clin Implant Dent Relat Res* 2019;21(2):352-59. [Abstract](#)
155. Guler B, Uraz A, Hatipoglu H, Yalim M. Chemical evaluation of energy dispersive x-ray spectroscopy analysis of different failing dental implant surfaces: A comparative clinical trial. *Materials (Basel)* 2021;14(4). [Abstract](#)
156. Guler B, Uraz A, Yalim M, Bozkaya S. The comparison of porous titanium granule and xenograft in the surgical treatment of peri-implantitis: A prospective clinical study. *Clin Implant Dent Relat Res* 2017;19(2):316-27. [Abstract](#)
157. Hadi A, Saboury A. Full mouth reconstruction of a patient with worn dentition: A clinical report. *J Dent Sch* 2016;34(3):192-201.

158. Hanser T, Khoury F. Extraction site management in the esthetic zone using autogenous hard and soft tissue grafts: a 5-year consecutive clinical study. *Int J Periodontics Restorative Dent* 2014;34(3):305-12. [Abstract](#)
159. Hanser T, Khoury F. Alveolar ridge contouring with free connective tissue graft at implant placement: A 5-year consecutive clinical study. *Int J Periodontics Restorative Dent* 2016;36(4):465-73. [Abstract](#)
160. Happe A, Kunz A. Complex fixed implant-supported restoration in a site compromised by periodontitis: A case report. *Int J Esthet Dent* 2016;11(2):186-202. [Abstract](#)
161. Happe A, Schulte-Mattler V, Fickl S, Naumann M, Zoller JE, Rothamel D. Spectrophotometric assessment of peri-implant mucosa after restoration with zirconia abutments veneered with fluorescent ceramic: a controlled, retrospective clinical study. *Clin Oral Implants Res* 2013;24 Suppl A100:28-33. [Abstract](#)
162. Happe A, von Glasser GS, Neugebauer J, Strick K, Smeets R, Rutkowski R. Clinical performance of zirconia implant abutments luted to a titanium base - a retrospective cross-sectional study. *Int J Comput Dent* 2022;25(1):37-45. [Abstract](#)
163. Henningsen A, Smeets R, Koppen K, Sehner S, Kornmann F, Grobe A, Heiland M, Gerlach T. Immediate loading of subcrestally placed dental implants in anterior and premolar sites. *J Craniomaxillofac Surg* 2017;45(11):1898-905. [Abstract](#)
164. Hermes M, Lommen J, Kübler N, Lytvyniuk I, Singh D, Schorn L, Holtmann H. Influence of schneiderian membrane perforations on the prognosis and outcomes of lateral window sinus lift operations: A retrospective case series study. *J Dent Oral Disord Ther* 2018;6(2):1-9. [Abstract](#)
165. Heschl A, Payer M, Clar V, Stopper M, Wegscheider W, Lorenzoni M. Overdentures in the edentulous mandible supported by implants and retained by a Dolder bar: a 5-year prospective study. *Clin Implant Dent Relat Res* 2013;15(4):589-99. [Abstract](#)
166. Heschl A, Payer M, Platzer S, Wegscheider W, Pertl C, Lorenzoni M. Immediate rehabilitation of the edentulous mandible with screw type implants: results after up to 10 years of clinical function. *Clin Oral Implants Res* 2012;23(10):1217-23. [Abstract](#)
167. Hessling SA, Wehrhan F, Schmitt CM, Weber M, Schlittenbauer T, Scheer M. Implant-based rehabilitation in oncology patients can be performed with high long-term success. *J Oral Maxillofac Surg* 2015;73(5):889-96. [Abstract](#)
168. Hjerpe J, Lassila LV, Rakkolainen T, Narhi T, Vallittu PK. Load-bearing capacity of custom-made versus prefabricated commercially available zirconia abutments. *Int J Oral Maxillofac Implants* 2011;26(1):132-8. [Abstract](#)
169. Ho KN, Salamanca E, Lin HK, Lee SY, Chang WJ. Marginal bone level evaluation after functional loading around two different dental implant designs. *Biomed Res Int* 2016;2016:1472090. [Abstract](#)

170. Hsu KW, Shen YF, Wei PC. Compatible cad-cam titanium abutments for posterior single-implant tooth replacement: A retrospective case series. *J Prosthet Dent* 2017;117(3):363-66. [Abstract](#)
171. Hua N, Xu Y, Tang X, Shang G, Shen Y, Wang R. Effect of estrogen deficiency on implant osseointegration in dogs. *Int J Oral Maxillofac Implants* 2014;29(5):1204-7. [Abstract](#)
172. Ibrahim TO, Ibrahim RO. Evaluation of two treatment modalities for patients with combination syndrome suffering from narrow anterior maxilla. *Life Science Journal* 2013;10(2):2199-210.
173. Iezzi G, Degidi M, Scarano A, Perrotti V, Piattelli A. Bone response to submerged, unloaded implants inserted in poor bone sites: a histological and histomorphometrical study of 8 titanium implants retrieved from man. *J Oral Implantol* 2005;31(5):225-33. [Abstract](#)
174. Isler SC, Uraz A, Kaymaz O, Cetiner D. An evaluation of the relationship between peri-implant soft tissue biotype and the severity of peri-implantitis: A cross-sectional study. *Int J Oral Maxillofac Implants* 2019;34(1):187-96. [Abstract](#)
175. Ismaiel MD, Elhadry AA. Influence of platform switching concept on marginal bone alteration around dental implant. *J Am Sci* 2012;8(11):546-52.
176. Jayme SJ, Muglia VA, de Oliveira RR, Novaes AB. Optimization in multi-implant placement for immediate loading in edentulous arches using a modified surgical template and prototyping: a case report. *Int J Oral Maxillofac Implants* 2008;23(4):759-62. [Abstract](#)
177. Ji TJ, Kan JY, Rungcharassaeng K, Roe P, Lozada JL. Immediate loading of maxillary and mandibular implant-supported fixed complete dentures: a 1- to 10-year retrospective study. *J Oral Implantol* 2012;38 Spec No:469-76. [Abstract](#)
178. Kadkhodazadeh M, Moscowchi A, Zamani Z, Amid R. Clinical and radiographic outcomes of a novel transalveolar sinus floor elevation technique. *J Oral Maxillofac Surg* 2020;E-pub Aug 27, doi:10.1007/s12663-020-01439-3. [Abstract](#)
179. Kalt G, Gehrke P. Transfer precision of three-dimensional implant planning with CT assisted offline navigation. *Int J Comput Dent* 2008;11(3-4):213-25. [Abstract](#)
180. Karabuda C, Arisan V, Ozyuvaci H. Effects of sinus membrane perforations on the success of dental implants placed in the augmented sinus. *J Periodontol* 2006;77(12):1991-7. [Abstract](#)
181. Karaky AE, Sawair FA, Al-Karadsheh OA, Eimar HA, Algarugly SA, Baqain ZH. Antibiotic prophylaxis and early dental implant failure: a quasi-random controlled clinical trial. *Eur J Oral Implantol* 2011;4(1):31-8. [Abstract](#)
182. Kastel I, de Quincey G, Neugebauer J, Sader R, Gehrke P. Does the manual insertion torque of smartpegs affect the outcome of implant stability quotients (ISQ) during resonance frequency analysis (RFA)? *Int J Implant Dent* 2019;5(1):42. [Abstract](#)

183. Kataoka T, Amemiya K, Ugdagawa G, Akagi Y, Kagawa C, Okamoto T. Reconstruction of aesthetic stomatognathic function after a high-energy maxillo-orofacial fracture: A case report. *Eu J Medical Research* 2020;E-pub Dec 28, doi:10.21203/rs.3.rs-133150/v1. [Abstract](#)
184. Katic Z, Jukic T, Stubljar D. Effects of osteotomy lengths on the temperature rise of the crestal bone during implant site preparation. *Implant Dent* 2018;E-pub Feb 13, doi: 10.1097/ID.0000000000000732. [Abstract](#)
185. Kazemi M, Geramipناه F, Negahdari R, Rakhshan V. Active tactile sensibility of single-tooth implants versus natural dentition: a split-mouth double-blind randomized clinical trial. *Clin Implant Dent Relat Res* 2014;16(6):947-55. [Abstract](#)
186. Keeve PL, Khoury F. Long-term results of peri-implant conditions in periodontally compromised patients following lateral bone augmentation. *Int J Oral Maxillofac Implants* 2017;32(1):137-46. [Abstract](#)
187. Khojasteh A, Hassani A, Motamedian SR, Saadat S, Alikhasi M. Cortical bone augmentation versus nerve lateralization for treatment of atrophic posterior mandible: a retrospective study and review of literature. *Clin Implant Dent Relat Res* 2016;18(2):342-59. [Abstract](#)
188. Khojasteh A, Motamedian SR, Sharifzadeh N, Zadeh HH. The influence of initial alveolar ridge defect morphology on the outcome of implants in augmented atrophic posterior mandible: an exploratory retrospective study. *Clin Oral Implants Res* 2017;28(10):e208-e17. [Abstract](#)
189. Khoury F, Doliveux R. The bone core technique for the augmentation of limited bony defects: Five-year prospective study with a new minimally invasive technique. *Int J Periodontics Restorative Dent* 2018;38(2):199-207. [Abstract](#)
190. Khoury F, Hanser T. Three-dimensional vertical alveolar ridge augmentation in the posterior maxilla: A 10-year clinical study. *Int J Oral Maxillofac Implants* 2019;34(2):471-80. [Abstract](#)
191. Khoury F, Hidajat H. Extensive autogenous bone augmentation and implantation in patients under bisphosphonate treatment: A 15-case series. *Int J Periodontics Restorative Dent* 2016;36(1):9-18. [Abstract](#)
192. Khoury F, Keller P, Keeve PL. Stability of grafted implant placement sites after sinus floor elevation using a layering technique: 10-year clinical and radiographic results. *Int J Oral Maxillofac Implants* 2017;32(5):1086-96. [Abstract](#)
193. Kim BC, Yoon JH, Choi B, Lee J. Mandibular reconstruction with autologous human bone marrow stem cells and autogenous bone graft in a patient with plexiform ameloblastoma. *J Craniofac Surg* 2013;24(4):e409-11. [Abstract](#)
194. Kim S, Jung U-W, Lee Y-K, Choi S-H. The effect of calcium phosphate bone substitute on defect resolution around a rough-surfaced dental implants in dogs. *J Biomed Mater Res B* 2011;99B(1):21-26. [Abstract](#)

195. Kim S, Jung UW, Lee YK, Choi SH. Effects of biphasic calcium phosphate bone substitute on circumferential bone defects around dental implants in dogs. *Int J Oral Maxillofac Implants* 2011;26(2):265-73. [Abstract](#)
196. Kim YK, Yun PY, Kim SG, Oh DS. In vitro scanning electron microscopic comparison of inner surface of exposed and unexposed nonresorbable membranes. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2009;107(6):e5-e11. [Abstract](#)
197. Kirmeier R, Payer M, Wehrsuetz M, Jakse N, Platzer S, Lorenzoni M. Evaluation of three-dimensional changes after sinus floor augmentation with different grafting materials. *Clin Oral Implants Res* 2008;19(4):366-72. [Abstract](#)
198. Koike H, Kawahara D, Kawahara H. Clinical characterization of several bone grafting materials as a dental implant supporting tissue. *Adv Sci Techn* 2006;49:300-05. [Abstract](#)
199. Kolbeck C, Behr M, Rosentritt M, Handel G. Fracture force of tooth-tooth- and implant-tooth-supported all-ceramic fixed partial dentures using titanium vs. customised zirconia implant abutments. *Clin Oral Implants Res* 2008;19(10):1049-53. [Abstract](#)
200. Komuro A, Yamada Y, Uesugi S, Terashima H, Kimura M, Kishimoto H, Iida T, Sakamoto K, Okuda K, Kusano K, Baba S, Sakamoto T. Accuracy and dimensional reproducibility by model scanning, intraoral scanning, and CBCT imaging for digital implant dentistry. *Int J Implant Dent* 2021;7(1):63. [Abstract](#)
201. Konstantinidis IK, Kotsakis GA, Gerdes S, Walter MH. Cross-sectional study on the prevalence and risk indicators of peri-implant diseases. *Eur J Oral Implantol* 2015;8(1):75-88. [Abstract](#)
202. Konstantinidis IK, Siormpas KD, Kotsiotou-Siormpa E, Mitsias ME, Kotsakis GA. Long-term esthetic evaluation of the roll flap technique in the implant rehabilitation of patients with agenesis of maxillary lateral incisors: 10-year follow-up. *Int J Oral Maxillofac Implants* 2016;31(4):820-6. [Abstract](#)
203. Kontogiorgos ED, Gharpure P, Iheanacho EO, Gonzales CJ, Opperman LA. Preclinical evaluation of a crown-splinted custom root-shaped implant. *Int J Oral Maxillofac Implants* 2017;32(5):1023-32. [Abstract](#)
204. Korpi JT, Kainulainen VT, Sandor GK, Oikarinen KS. Long-term follow-up of severely resorbed mandibles reconstructed using tent pole technique without platelet-rich plasma. *J Oral Maxillofac Surg* 2012;70(11):2543-8. [Abstract](#)
205. Korpi JT, Kainulainen VT, Sandor GK, Oikarinen KS. Tent-pole approach to treat severely atrophic fractured mandibles using immediate or delayed protocols: preliminary case series. *J Oral Maxillofac Surg* 2013;71(1):83-9. [Abstract](#)
206. Kournetas N, Spintzyk S, Schweizer E, Sawada T, Said F, Schmid P, Geis-Gerstorfer J, Eliades G, Rupp F. Comparative evaluation of topographical data of dental implant surfaces applying optical interferometry and scanning electron microscopy. *Dent Mater* 2017;33(8):e317-e27. [Abstract](#)

207. Kourtis S, Kokkinos K, Roussou V. Predicting the final result in implant-supported fixed restorations for completely edentulous patients. *J Esthet Restor Dent* 2014;26(1):40-7. [Abstract](#)
208. Kouveliotis G, Tasopoulos T, Karoussis I, Silva NR, Zoidis P. Complete denture digital workflow: Combining basic principles with a CAD-CAM approach. *J Prosthet Dent* 2021;E-pub Feb 8, doi:10.1016/j.prosdent.2020.12.024. [Abstract](#)
209. Krennmair G, Krainhofner M, Waldenberger O, Piehslinger E. Dental implants as strategic supplementary abutments for implant-tooth-supported telescopic crown-retained maxillary dentures: a retrospective follow-up study for up to 9 years. *Int J Prosthodont* 2007;20(6):617-22. [Abstract](#)
210. Kunkel M, Wahlmann U, Reichert TE, Wegener J, Wagner W. Reconstruction of mandibular defects following tumor ablation by vertical distraction osteogenesis using intraosseous distraction devices. *Clin Oral Implants Res* 2005;16(1):89-97. [Abstract](#)
211. Kuoppala R, Kainulainen VT, Korpi JT, Sandor GK, Oikarinen KS, Raustia A. Outcome of treatment of implant-retained overdenture in patients with extreme mandibular bone resorption treated with bone grafts using a modified tent pole technique. *J Oral Maxillofac Surg* 2013;71(11):1843-51. [Abstract](#)
212. Kusek ER. Immediate implant placement into infected sites: bacterial studies of the hydroacoustic effects of the YSGG laser. *J Oral Implantol* 2011;37 Spec No:205-11. [Abstract](#)
213. Kwon JH, Han CH, Kim SJ, Chang JS. The change of rotational freedom following different insertion torques in three implant systems with implant driver. *J Adv Prosthodont* 2009;1(1):37-40. [Abstract](#)
214. Lee HW, Lin WS, Morton D. A retrospective study of complications associated with 100 consecutive maxillary sinus augmentations via the lateral window approach. *Int J Oral Maxillofac Implants* 2013;28(3):860-8. [Abstract](#)
215. Lee JS, Kim HM, Kim CS, Choi SH, Chai JK, Jung UW. Long-term retrospective study of narrow implants for fixed dental prostheses. *Clin Oral Implants Res* 2013;24(8):847-52. [Abstract](#)
216. Lin YT, Shen YF, Wei PC, Hsu KW. Clinical evaluation of two-piece zirconia abutments with bonded titanium inserts for implant-supported restorations. *J Prosthet Dent* 2020;123(3):449-54. [Abstract](#)
217. Lizio G, Corinaldesi G, Pieri F, Marchetti C. Problems with dental implants that were placed on vertically distracted fibular free flaps after resection: a report of six cases. *Br J Oral Maxillofac Surg* 2009;47(6):455-60. [Abstract](#)
218. Lizio G, Mazzone N, Corinaldesi G, Marchetti C. Reconstruction of extended and morphologically varied alveolar ridge defects with the titanium mesh technique: Clinical and dental implants outcomes. *Int J Periodontics Restorative Dent* 2016;36(5):689-97. [Abstract](#)
219. Lu SY, Huang CC. Resolution of an active peri-implantitis in a chronic steroid user by bone augmentation with PepGen P-15 and a barrier membrane. *J Oral Implantol* 2007;33(5):280-7. [Abstract](#)

220. Luo Z, Zeng R, Chen Z. Single implants in the esthetic zone: analysis of recent peri-implant soft tissue alterations and patient satisfaction. A photographic study. *Int J Oral Maxillofac Implants* 2011;26(3):578-86. [Abstract](#)
221. Marchetti C, Trasarti S, Corinaldesi G, Felice P. Interpositional bone grafts in the posterior mandibular region: a report on six patients. *Int J Periodontics Restorative Dent* 2007;27(6):547-55. [Abstract](#)
222. Maridati PC, Cremonesi S, Fontana F, Cicciu M, Maiorana C. Management of d-PTFE membrane exposure for having final clinical success. *J Oral Implantol* 2016;42(3):289-91. [Abstract](#)
223. Markazi N, Akhondi N, Montazeri M. Long-term results of immediate implantation in the maxillary molar area with simultaneous sinus floor elevation by the crestal approach and early loading protocol: A retrospective case series follow-up study. *J Adv Periodontal Implant Dent* 2018;10(2):68-76. [Abstract](#)
224. Massoumi F, Taheri M, Mohammadi A, Amelirad O. Evaluation of the effect of buccolingual and apicocoronal positions of dental implants on stress and strain in alveolar bone by finite element analysis. *J Dent (Tehran)* 2018;15(1):10-19. [Abstract](#)
225. Merli M, Lombardini F, Esposito M. Vertical ridge augmentation with autogenous bone grafts 3 years after loading: resorbable barriers versus titanium-reinforced barriers. A randomized controlled clinical trial. *Int J Oral Maxillofac Implants* 2010;25(4):801-7. [Abstract](#)
226. Merli M, Migani M, Esposito M. Vertical ridge augmentation with autogenous bone grafts: resorbable barriers supported by osteosynthesis plates versus titanium-reinforced barriers. A preliminary report of a blinded, randomized controlled clinical trial. *Int J Oral Maxillofac Implants* 2007;22(3):373-82. [Abstract](#)
227. Merli M, Moscatelli M, Mariotti G, Rotundo R, Bernardelli F, Nieri M. Bone level variation after vertical ridge augmentation: resorbable barriers versus titanium-reinforced barriers. A 6-year double-blind randomized clinical trial. *Int J Oral Maxillofac Implants* 2014;29(4):905-13. [Abstract](#)
228. Moeintaghavi A, Radvar M, Arab H, Boostani H, Ghiami E. Evaluation of 3- to 8-year treatment outcomes and success rates with six implant brands in partially edentulous patients. *J Oral Implantol* 2012;38(s1):441-48. [Abstract](#)
229. Naumann M, Hohmann C, Happe A, Beuer F, Frankenberger R, Seemann R, Rosentritt M. Are implants more reliable than severely compromised endodontically treated teeth as abutments for zirconia-based FPDs? : In vitro results of long-term preclinical load simulation. *Clin Oral Investig* 2013;17(7):1685-92. [Abstract](#)
230. Neugebauer J. Modified technique for stage 1 indexing using the XiVE system. *Dent Implantol Update* 2003;14(10):73-9. [Abstract](#)

231. Neugebauer J, Iezzi G, Perrotti V, Fischer JH, Khoury F, Piattelli A, Zoeller JE. Experimental immediate loading of dental implants in conjunction with grafting procedures. *J Biomed Mater Res B* 2009;91(2):604-12. [Abstract](#)
232. Neugebauer J, Kistler F, Kistler S, Zudorf G, Freyer D, Ritter L, Dreiseidler T, Kusch J, Zoller JE. CAD/CAM-produced surgical guides: Optimizing the treatment workflow. *Int J Comput Dent* 2011;14(2):93-103. [Abstract](#)
233. Neugebauer J, Traini T, Thams U, Piattelli A, Zoller JE. Peri-implant bone organization under immediate loading state. Circularly polarized light analyses: a minipig study. *J Periodontol* 2006;77(2):152-60. [Abstract](#)
234. Neugebauer J, Weinlander M, Lekovic V, von Berg KH, Zoeller JE. Mechanical stability of immediately loaded implants with various surfaces and designs: a pilot study in dogs. *Int J Oral Maxillofac Implants* 2009;24(6):1083-92. [Abstract](#)
235. Nkenke E, Fenner M, Vairaktaris EG, Neukam FW, Radespiel-Troger M. Immediate versus delayed loading of dental implants in the maxillae of minipigs. Part II: histomorphometric analysis. *Int J Oral Maxillofac Implants* 2005;20(4):540-6. [Abstract](#)
236. Nkenke E, Lehner B, Fenner M, Roman FS, Thams U, Neukam FW, Radespiel-Troger M. Immediate versus delayed loading of dental implants in the maxillae of minipigs: Follow-up of implant stability and implant failures. *Int J Oral Maxillofac Implants* 2005;20(1):39-47. [Abstract](#)
237. Nkenke E, Lehner B, Weinzierl K, Thams U, Neugebauer J, Steveling H, Radespiel-Troger M, Neukam FW. Bone contact, growth, and density around immediately loaded implants in the mandible of mini pigs. *Clin Oral Implants Res* 2003;14(3):312-21. [Abstract](#)
238. Nkenke E, Stelzle F. Clinical outcomes of sinus floor augmentation for implant placement using autogenous bone or bone substitutes: a systematic review. *Clin Oral Implants Res* 2009;20 Suppl 4:124-33. [Abstract](#)
239. Nonhoff J, Moest T, Schmitt CM, Weisel T, Bauer S, Schlegel KA. Establishment of a new pull-out strength testing method to quantify early osseointegration-an experimental pilot study. *J Craniomaxillofac Surg* 2015;43(10):1966-73. [Abstract](#)
240. Nothdurft F, Pospiech P. Prefabricated zirconium dioxide implant abutments for single-tooth replacement in the posterior region: evaluation of peri-implant tissues and superstructures after 12 months of function. *Clin Oral Implants Res* 2010;21(8):857-65. [Abstract](#)
241. Nothdurft FP. All-ceramic zirconium dioxide implant abutments for single-tooth replacement in the posterior region: A 5-year outcome report. *Int J Prosthodont* 2019;32(2):177-81. [Abstract](#)
242. Nothdurft FP, Merker S, Pospiech PR. Fracture behaviour of implant-implant- and implant-tooth-supported all-ceramic fixed dental prostheses utilising zirconium dioxide implant abutments. *Clin Oral Investig* 2011;15(1):89-97. [Abstract](#)

243. Nothdurft FP, Nonhoff J, Pospiech PR. Pre-fabricated zirconium dioxide implant abutments for single-tooth replacement in the posterior region: success and failure after 3 years of function. *Acta Odontol Scand* 2014;72(5):392-400. [Abstract](#)
244. Nothdurft FP, Pospiech PR. Zirconium dioxide implant abutments for posterior single-tooth replacement: first results. *J Periodontol* 2009;80(12):2065-72. [Abstract](#)
245. Novaes AB, Jr., de Oliveira RR, Taba Junior M, de Souza SL, Palioto DB, Grisi MF, Papalexiou V. Crestal bone loss minimized when following the crestal preparation protocol: a histomorphometric study in dogs. *J Oral Implantol* 2005;31(6):276-82. [Abstract](#)
246. Okada T, Kawana H. Two-step procedure for the treatment of a maxillary sinus with complex sinus septa: A highly predictive method for sinus floor augmentation after perforation of the maxillary sinus membrane. *Int J Periodontics Restorative Dent* 2019;39(5):e175-e80. [Abstract](#)
247. Oyama K, Kan JY, Rungcharassaeng K, Lozada J. Immediate provisionalization of 3.0-mm-diameter implants replacing single missing maxillary and mandibular incisors: 1-year prospective study. *Int J Oral Maxillofac Implants* 2012;27(1):173-80. [Abstract](#)
248. Ozden Yuce M, Gunbay T, Guniz Baksi B, Comlekoglu M, Mert A. Clinical benefits and effectiveness of static computer-aided implant surgery compared with conventional freehand method for single-tooth implant placement. *J Stomatol Oral Maxillofac Surg* 2020;121(5):534-38. [Abstract](#)
249. Papadopoulos I, Pozidi G, Goussias H, Kourtis S. Transferring the emergence profile from the provisional to the final restoration. *J Esthet Restor Dent* 2014;26(3):154-61. [Abstract](#)
250. Papavassiliou H, Kourtis S, Katerelou J, Chronopoulos V. Radiographical evaluation of the gap at the implant-abutment interface. *J Esthet Restor Dent* 2010;22(4):235-50. [Abstract](#)
251. Papazoglou E, Wee AG, Carr AB, Urban I, Margaritis V. Accuracy of complete-arch implant impression made with occlusal registration material. *J Prosthet Dent* 2020;123(1):143-48. [Abstract](#)
252. Pappalardo M, Tsao CK, Tsang ML, Zheng J, Chang YM, Tsai CY. Long-term outcome of patients with or without osseointegrated implants after resection of mandibular ameloblastoma and reconstruction with vascularized bone graft: Functional assessment and quality of life. *J Plast Reconstr Aesthet Surg* 2018;71(7):1076-85. [Abstract](#)
253. Park JW, Kim HK, Kim YJ, An CH, Hanawa T. Enhanced osteoconductivity of micro-structured titanium implants (XiVE S CELLplus) by addition of surface calcium chemistry: a histomorphometric study in the rabbit femur. *Clin Oral Implants Res* 2009;20(7):684-90. [Abstract](#)
254. Park SJ, Lee SW, Leesungbok R, Ahn SJ. Influence of the connection design and titanium grades of the implant complex on resistance under static loading. *J Adv Prosthodont* 2016;8(5):388-95. [Abstract](#)

255. Payer M, Heschl A, Wimmer G, Wegscheider W, Kirmeier R, Lorenzoni M. Immediate provisional restoration of screw-type implants in the posterior mandible: results after 5 years of clinical function. *Clin Oral Implants Res* 2010;21(8):815-21. [Abstract](#)
256. Payer M, Kirmeier R, Jakse N, Pertl C, Wegscheider W, Lorenzoni M. Surgical factors influencing mesiodistal implant angulation. *Clin Oral Implants Res* 2008;19(3):265-70. [Abstract](#)
257. Payer M, Kirmeier R, Jakse N, Wimmer G, Wegscheider W, Lorenzoni M. Immediate provisional restoration of XiVE screw-type implants in the posterior mandible. *Clin Oral Implants Res* 2008;19(2):160-5. [Abstract](#)
258. Philippart P, Daubie V, Pochet R. Sinus grafting using recombinant human tissue factor, platelet-rich plasma gel, autologous bone, and anorganic bovine bone mineral xenograft: histologic analysis and case reports. *Int J Oral Maxillofac Implants* 2005;20(2):274-81. [Abstract](#)
259. Pieralli S, Gintaute A, Beuer F, Spies BC. Digital and orthodontically driven implant planning: A multidisciplinary case history report. *Int J Prosthodont* 2019;32(32):214-16. [Abstract](#)
260. Pieri F, Aldini NN, Marchetti C, Corinaldesi G. Esthetic outcome and tissue stability of maxillary anterior single-tooth implants following reconstruction with mandibular block grafts: a 5-year prospective study. *Int J Oral Maxillofac Implants* 2013;28(1):270-80. [Abstract](#)
261. Pieri F, Lucarelli E, Corinaldesi G, Iezzi G, Piattelli A, Giardino R, Bassi M, Donati D, Marchetti C. Mesenchymal stem cells and platelet-rich plasma enhance bone formation in sinus grafting: a histomorphometric study in minipigs. *J Clin Periodontol* 2008;35(6):539-46. [Abstract](#)
262. Podhorsky A, Biscopio S, Rehmann P, Streckbein P, Domann E, Wostmann B. Transfer of bacteria into the internal cavity of dental implants after application of disinfectant or sealant agents in vitro. *Int J Oral Maxillofac Implants* 2016;31(3):563-70. [Abstract](#)
263. Redemagni M, Cremonesi S, Garlini G, Maiorana C. Soft tissue stability with immediate implants and concave abutments. *Eur J Esthet Dent* 2009;4(4):328-37. [Abstract](#)
264. Redemagni M, Garlini G, Mascetti T. Post-extractive immediate implant placement and immediate provisionalization at sites requiring buccal bone regeneration: A clinical case series. *EC Dental Science* 2019;18(6).
265. Restoy-Lozano A, Dominguez-Mompell JL, Infante-Cossio P, Lara-Chao J, Lopez-Pizarro V. Calvarial bone grafting for three-dimensional reconstruction of severe maxillary defects: a case series. *Int J Oral Maxillofac Implants* 2015;30(4):880-90. [Abstract](#)
266. Rinke S, Ziebolz D. Fabrication of an implant-supported overdenture using CAD/CAM technology: A clinical report. *Quintessence Int* 2013;44(2):127-34. [Abstract](#)
267. Rismanchian M, Movahedian B, Khalighinejad N, Badrian H, Mohammad Razavi S, Nekouie A. Comparative evaluation of two types of immediately loaded implants using biomechanical and histomorphometric tests: an animal case study. *ISRN Dent* 2012;2012:328945. [Abstract](#)

268. Rokn A, Aslroosta H, Akbari S, Najafi H, Zayeri F, Hashemi K. Prevalence of peri-implantitis in patients not participating in well-designed supportive periodontal treatments: A cross-sectional study. *Clin Oral Implants Res* 2017;28(3):314-19. [Abstract](#)
269. Romanos G, Damouras M, Veis AA, Hess P, Schwarz F, Brandt S. Comparison of histomorphometry and microradiography of different implant designs to assess primary implant stability. *Clin Implant Dent Relat Res* 2020;22(3):373-79. [Abstract](#)
270. Romanos GE, Testori T, Degidi M, Piattelli A. Histologic and histomorphometric findings from retrieved, immediately occlusally loaded implants in humans. *J Periodontol* 2005;76(11):1823-32. [Abstract](#)
271. Rugani P, Kirnbauer B, Acham S, Truschnegg A, Jakse N. Implant placement adjacent to successfully treated bisphosphonate-related osteonecrosis of the jaw (BRONJ). *J Oral Implantol* 2015;41 Suppl 1:377-81. [Abstract](#)
272. Rupp F, Scheideler L, Eichler M, Geis-Gerstorfer J. Wetting behavior of dental implants. *Int J Oral Maxillofac Implants* 2011;26(6):1256-66. [Abstract](#)
273. Rupp F, Scheideler L, Rehbein D, Axmann D, Geis-Gerstorfer J. Roughness induced dynamic changes of wettability of acid etched titanium implant modifications. *Biomaterials* 2004;25(7-8):1429-38. [Abstract](#)
274. Saboury A, Hadi A. A new, simple implant-level impression technique for dental implants in limited interproximal space. *J Prosthodont* 2012;21(4):328-30. [Abstract](#)
275. Saboury A, Neshandar Asli H, Vaziri S. The effect of repeated torque in small diameter implants with machined and premachined abutments. *Clin Implant Dent Relat Res* 2012;14 Suppl 1:e224-30. [Abstract](#)
276. Sagirkaya E, Kucukekenci AS, Karasoy D, Akca K, Eckert SE, Cehreli MC. Comparative assessments, meta-analysis, and recommended guidelines for reporting studies on histomorphometric bone-implant contact in humans. *Int J Oral Maxillofac Implants* 2013;28(5):1243-53. [Abstract](#)
277. Sahabi M, Adibrad M, Mirhashemi FS, Habibzadeh S. Biomechanical effects of platform switching in two different implant systems: a three-dimensional finite element analysis. *J Dent (Tehran)* 2013;10(4):338-50. [Abstract](#)
278. Scarano A, Degidi M, Iezzi G, Petrone G, Piattelli A. Correlation between implant stability quotient and bone-implant contact: a retrospective histological and histomorphometrical study of seven titanium implants retrieved from humans. *Clin Implant Dent Relat Res* 2006;8(4):218-22. [Abstract](#)
279. Scarano A, Degidi M, Perrotti V, Piattelli A, Iezzi G. Sinus augmentation with phycogene hydroxyapatite: histological and histomorphometrical results after 6 months in humans. A case series. *Oral Maxillofac Surg* 2012;16(1):41-5. [Abstract](#)

280. Schicho K, Kastner J, Klingsberger R, Seemann R, Enislidis G, Undt G, Wanschitz F, Figl M, Wagner A, Ewers R. Surface area analysis of dental implants using micro-computed tomography. *Clin Oral Implants Res* 2007;18(4):459-64. [Abstract](#)
281. Schmage P, Thielemann J, Nergiz I, Scorziello TM, Pfeiffer P. Effects of 10 cleaning instruments on four different implant surfaces. *Int J Oral Maxillofac Implants* 2012;27(2):308-17. [Abstract](#)
282. Schulz MC, Hofmann F, Range U, Lauer G, Haim D. Pilot-drill guided vs. full-guided implant insertion in artificial mandibles-a prospective laboratory study in fifth-year dental students. *Int J Implant Dent* 2019;5(1):23. [Abstract](#)
283. Schulz MC, Rittmann L, Range U, Lauer G, Haim D. The use of orientation templates and free-hand implant insertion in artificial mandibles-An experimental laboratory examination in fifth-year dental students. *Dent J (Basel)* 2018;6(3). [Abstract](#)
284. Schwarz F, Hegewald A, John G, Sahm N, Becker J. Four-year follow-up of combined surgical therapy of advanced peri-implantitis evaluating two methods of surface decontamination. *J Clin Periodontol* 2013;40(10):962-7. [Abstract](#)
285. Schwarz F, John G, Schmucker A, Sahm N, Becker J. Combined surgical therapy of advanced peri-implantitis evaluating two methods of surface decontamination: A 7-year follow-up observation. *J Clin Periodontol* 2017;44(3):337-42. [Abstract](#)
286. Schwarz F, Sahm N, Iglhaut G, Becker J. Impact of the method of surface debridement and decontamination on the clinical outcome following combined surgical therapy of peri-implantitis: a randomized controlled clinical study. *J Clin Periodontol* 2011;38(3):276-84. [Abstract](#)
287. Sears LM, Wadhvani CPK, Schoenbaum TR, Chung KH, Cagna DR. Biologic debris retention in implant impression copings, scan bodies, and laboratory analogs. *Int J Oral Maxillofac Implants* 2020;35(1):135-40. [Abstract](#)
288. Sethi A, Kaus T, Cawood JI, Plaha H, Boscoe M, Sochor P. Onlay bone grafts from iliac crest: A retrospective analysis. *Int J Oral Maxillofac Surg* 2020;49(2):264-71. [Abstract](#)
289. Shabanpour R, Mousavi N, Ghodsi S, Alikhasi M. Comparative evaluation of fracture resistance and mode of failure of zirconia and titanium abutments with different diameters. *J Contemp Dent Pract* 2015;16(8):613-8. [Abstract](#)
290. Shahab N, Sar C, Sarac M, Erverdi N. Reconstruction of premaxilla with alveolar distraction osteogenesis in a patient with complete cleft lip and palate: A case report. *Cleft Palate Craniofac J* 2019;56(4):534-37. [Abstract](#)
291. Shivaraman, Visalakshi. Flapless implant placement A clinical case report. *Clin Dent* 2018;12(11):33-38.
292. Sivoletta S, Brunello G, Berengo M, De Biagi M, Bacci C. Rehabilitation with implants after bone lid surgery in the posterior mandible. *J Oral Maxillofac Surg* 2015;73(8):1485-92. [Abstract](#)

293. Stadlinger B, Bierbaum S, Grimmer S, Schulz MC, Kuhlisch E, Scharnweber D, Eckelt U, Mai R. Increased bone formation around coated implants. *J Clin Periodontol* 2009;36(8):698-704. [Abstract](#)
294. Stadlinger B, Hintze V, Bierbaum S, Moller S, Schulz MC, Mai R, Kuhlisch E, Heinemann S, Scharnweber D, Schnabelrauch M, Eckelt U. Biological functionalization of dental implants with collagen and glycosaminoglycans-A comparative study. *J Biomed Mater Res B Appl Biomater* 2012;100(2):331-41. [Abstract](#)
295. Stadlinger B, Pilling E, Mai R, Bierbaum S, Berhardt R, Scharnweber D, Eckelt U. Effect of biological implant surface coatings on bone formation, applying collagen, proteoglycans, glycosaminoglycans and growth factors. *J Mater Sci Mater Med* 2008;19(3):1043-9. [Abstract](#)
296. Starr CB, Maksoud MA. Implant treatment in an urban general dentistry residency program: a 7-year retrospective study. *J Oral Implantol* 2006;32(3):142-7. [Abstract](#)
297. Stern JK, Hansen T, Frankel J, Evian C. Implant-supported fixed prosthesis in a hypohidrotic ectodermal dysplasia patient: a case report with 3 years follow-up and review of the literature. *Implant Dent* 2014;23(4):394-400. [Abstract](#)
298. Streckbein P, Kleis W, Buch RS, Hansen T, Weibrich G. Bone healing with or without platelet-rich plasma around four different dental implant surfaces in beagle dogs. *Clin Implant Dent Relat Res* 2014;16(4):479-86. [Abstract](#)
299. Streckbein P, Streckbein RG, Wilbrand JF, Malik CY, Schaaf H, Howaldt HP, Flach M. Non-linear 3D evaluation of different oral implant-abutment connections. *J Dent Res* 2012;91(12):1184-9. [Abstract](#)
300. Tabrizi R, Pourdanesh F, Zare S, Daneste H, Zeini N. Do angulated implants increase the amount of bone loss around implants in the anterior maxilla? *J Oral Maxillofac Surg* 2013;71(2):272-7. [Abstract](#)
301. Titz S, Celikkol O, Ates P, Aras A, Erverdi N. Multidisciplinary treatment of two patients with cleft lip and palate using archwise distraction: A case report. *J Stomatol Oral Maxillofac Surg* 2019;120(1):61-66. [Abstract](#)
302. Traini T, Caputi S, Gherlone E, Degidi M, Piattelli A. Fibrin clot extension on zirconia surface for dental implants: a quantitative in vitro study. *Clin Implant Dent Relat Res* 2014;16(5):718-27. [Abstract](#)
303. Traini T, Degidi M, Caputi S, Strocchi R, Di Iorio D, Piattelli A. Collagen fiber orientation in human peri-implant bone around immediately loaded and unloaded titanium dental implants. *J Periodontol* 2005;76(1):83-9. [Abstract](#)
304. Traini T, Degidi M, Iezzi G, Artese L, Piattelli A. Comparative evaluation of the peri-implant bone tissue mineral density around unloaded titanium dental implants. *J Dent* 2007;35(1):84-92. [Abstract](#)

305. Traini T, Degidi M, Strocchi R, Caputi S, Piattelli A. Collagen fiber orientation near dental implants in human bone: do their organization reflect differences in loading? *J Biomed Mater Res B* 2005;74(1):538-46. [Abstract](#)
306. Traini T, Neugebauer J, Thams U, Zoller JE, Caputi S, Piattelli A. Peri-implant bone organization under immediate loading conditions: collagen fiber orientation and mineral density analyses in the minipig model. *Clin Implant Dent Relat Res* 2009;11(1):41-51. [Abstract](#)
307. Tunkel J, de Stavola L, Khoury F. Changes in soft tissue dimensions following three different techniques of stage-two surgery: a case series report. *Int J Periodontics Restorative Dent* 2013;33(4):411-8. [Abstract](#)
308. Turk AG, Ulusoy M, Toksavul S, Guneri P, Koca H. Marginal bone loss of two implant systems with three different superstructure materials: a randomised clinical trial. *J Oral Rehabil* 2013;40(6):457-63. [Abstract](#)
309. Ugurel CS, Steiner M, Isik-Ozkol G, Kutay O, Kern M. Mechanical resistance of screwless Morse taper and screw-retained implant-abutment connections. *Clin Oral Implants Res* 2015;26(2):137-42. [Abstract](#)
310. Uraz A, Isler SC, Cula S, Tunc S, Yalim M, Cetiner D. Platform-switched implants vs platform-matched implants placed in different implant-abutment interface positions: A prospective randomized clinical and microbiological study. *Clin Implant Dent Relat Res* 2020;22(1):59-68. [Abstract](#)
311. Viswambaran M, Arora V, Tripathi RC, Dhiman RK. Clinical evaluation of immediate implants using different types of bone augmentation materials. *Med J Armed Forces India* 2014;70(2):154-62. [Abstract](#)
312. Viswambaran M, Kamal V. Assessment of primary stability of immediate implants placed in the maxillary and mandibular anterior region using resonance frequency analysis. *CHRISMED Journal of Health and Research*, Vol 7, Iss 2, Pp 122- 2020;129. [Abstract](#)
313. Viswambaran M, Thiruvalluvan N. Prosthodontic rehabilitation protocols for immediate implants. *Med J Armed Forces India* 2015;71(Suppl 2):S440-3. [Abstract](#)
314. Vogl S, Stopper M, Hof M, Theisen K, Wegscheider WA, Lorenzoni M. Immediate occlusal vs nonocclusal loading of implants: A randomized prospective clinical pilot study and patient centered outcome after 36 months. *Clin Implant Dent Relat Res* 2019;21(4):766-74. [Abstract](#)
315. Vogl S, Stopper M, Hof M, Wegscheider WA, Lorenzoni M. Immediate occlusal versus non-occlusal loading of implants: A randomized clinical pilot study. *Clin Implant Dent Relat Res* 2015;17(3):589-97. [Abstract](#)
316. Vyas N, Grewal M, Kuehne SA, Sammons RL, Walmsley AD. High speed imaging of biofilm removal from a dental implant model using ultrasonic cavitation. *Dent Mater* 2020;36(6):733-43. [Abstract](#)

317. Wang Y, Baumer D, Ozga AK, Korner G, Baumer A. Patient satisfaction and oral health-related quality of life 10 years after implant placement. BMC Oral Health 2021;21(1):30. [Abstract](#)
318. Weibrich G, Kleis W, Buch RS, Hansen T, Streckbein P. Bone remodeling around dental implant surfaces. Z Zahnärztl Impl 2009;25(3):238-49.
319. Wildburger A, Payer M, Jakse N, Strunk D, Etchard-Liechtenstein N, Sauerbier S. Impact of autogenous concentrated bone marrow aspirate on bone regeneration after sinus floor augmentation with a bovine bone substitute--a split-mouth pilot study. Clin Oral Implants Res 2014;25(10):1175-81. [Abstract](#)
320. Wostmann B, Rehmann P, Balkenhol M. Influence of impression technique and material on the accuracy of multiple implant impressions. Int J Prosthodont 2008;21(4):299-301. [Abstract](#)
321. Wu S, Wu X, Shrestha R, Lin J, Feng Z, Liu Y, Shi Y, Huang B, Li Z, Liu Q, Zhang X, Hu M, Chen Z. Clinical and radiologic outcomes of submerged and nonsubmerged bone-level implants with internal hexagonal connections in immediate implantation: A 5-year retrospective study. J Prosthodont 2018;27(2):101-07. [Abstract](#)
322. Yadav DD, al. e. Comparative evaluation of hard and soft tissue parameters by using short and standard dental implants for prosthetic rehabilitation of posterior mandible: a split mouth study. J Osseointegration 2019;11(1):38-44. [Abstract](#)
323. Yamurkova N, Ivanov S, Mukhametshin R, Trubushkina E, Kutsenko A. Sinus lifting surgery with simultaneous sanitation of the lower sections of the maxillary sinus. Int Journal of Innovative Medicine 2022;1:23-27.
324. Yerit KC, Posch M, Seemann M, Hainich S, Dortbudak O, Turhani D, Ozyuvaci H, Watzinger F, Ewers R. Implant survival in mandibles of irradiated oral cancer patients. Clin Oral Implants Res 2006;17(3):337-44. [Abstract](#)
325. Yeung R. Surgical management of the partially edentulous atrophic mandibular ridge using a modified sandwich osteotomy: a case report. Int J Oral Maxillofac Implants 2005;20(5):799-803. [Abstract](#)
326. Yin X, Dai S. Observation of the effect on immediate mandibular implant-supported overdenture of micro implant system of Italy. Bioscience Journal, Vol 36, Iss 2020;6. [Abstract](#)
327. Youngdeok C. Implant placement using alveolar ridge split in atrophic maxillary alveolar bone. Implantology 2020;20(4):193-202. [Abstract](#)
328. Zaghloul HH, Younis JF. Marginal fit of implant-supported all-ceramic zirconia frameworks. J Oral Implantol 2013;39(4):417-24. [Abstract](#)
329. Zarandi A, Novin M. Marginal bone loss around platform-switched and non-platform switched implants after two years of placement: A clinical trial. J Dent Res Dent Clin Dent Prospects 2017;11(1):26-29. [Abstract](#)

330. Zeytinoglu M, Ilhan B, Dundar N, Boyacioglu H. Fractal analysis for the assessment of trabecular peri-implant alveolar bone using panoramic radiographs. Clin Oral Investig 2015;19(2):519-24. [Abstract](#)
331. Zipprich H, Miatke S, Hmaidouch R, Lauer HC. A new experimental design for bacterial microleakage investigation at the implant-abutment interface: an in vitro study. Int J Oral Maxillofac Implants 2016;31(1):37-44. [Abstract](#)
332. Zipprich H, Weigl P, Lauer H-C, Lange B. Micro-movements at the implant-abutment interface: measurements, causes and consequences. Implantologie 2007;15:31-45.
333. Zipprich H, Weigl P, Ratka C, Lange B, Lauer HC. The micromechanical behavior of implant-abutment connections under a dynamic load protocol. Clin Implant Dent Relat Res 2018;20(5):814-23. [Abstract](#)

2. Digital Implant Solutions

2.1. Atlantis

1. Adams MW. Computer-designed and milled patient-specific implant abutments. Dent Today 2005;24(6):80-3. [Abstract](#)
2. Ahmed WM, Troczynski T, Stojkova BJ, McCullagh AP, Wyatt CC, Carvalho RM. Dimensional changes of yttria-stabilized zirconia under different preparation designs and sintering protocols. J Prosthodont 2020;29(8):699-706. [Abstract](#)
3. Al-Ardah AJ, Alqahtani F, Lozada JL. Three-year follow-up of a single immediate implant placed in an infected area: a new approach for harvesting autogenous symphysis graft. J Oral Implantol 2014;40(2):211-6. [Abstract](#)
4. Alhashim A, Kamel M, Brackett WW. Four-year follow-up of the rehabilitation of a mandibular arch with a cementable zirconia-reinforced fixed dental prosthesis: a clinical report. J Prosthet Dent 2012;108(3):138-42. [Abstract](#)
5. Alqahtani F. Full-mouth rehabilitation of severely worn dentition due to soda swishing: a clinical report. J Prosthodont 2014;23(1):50-7. [Abstract](#)
6. Alsayed HD, Alqahtani NM, Levon JA, Morton D. Prosthodontic rehabilitation of an ectodermal dysplasia patient with implant telescopic crown attachments. J Prosthodont 2017;26(7):622-27. [Abstract](#)

7. Aparicio T, D. L. Using Compartis ISUS in conjunction with ANKYLOS. CAD/CAM technology increases predictability in implant prosthetics. *Inside Dentistry* 2011;7(5).
8. Apicella D, Veltri M, Chieffi N, Polimeni A, Giovannetti A, Ferrari M. Implant adaptation of stock abutments versus CAD/CAM abutments: a radiographic and Scanning Electron Microscopy study. *Ann Stomatol (Roma)* 2010;1(3-4):9-13. [Abstract](#)
9. Baldassarri M, Hjerpe J, Romeo D, Fickl S, Thompson VP, Stappert CF. Marginal accuracy of three implant-ceramic abutment configurations. *Int J Oral Maxillofac Implants* 2012;27(3):537-43. [Abstract](#)
10. Barbier L, Abeloos J, De Clercq C, Jacobs R. Peri-implant bone changes following tooth extraction, immediate placement and loading of implants in the edentulous maxilla. *Clin Oral Investig* 2012;16(4):1061-70. [Abstract](#)
11. Barrero CH, Bencharit S, Petrola F. Case report: Screw-retained zirconia implant restoration. *J Oral Implantol* 2016;42(4):359-62. [Abstract](#)
12. Barwacz C, Hernandez MM. Direct extrinsic characterization maximizing esthetics of fixed interim restorations. *J Cosmetic Dentistry* 2013;29(1):122-31.
13. Barwacz CA, Shah KC, Bittner N, Parker W, Neumeier TT, Thalji GN, De Kok IJ. A retrospective, multicenter, cross-sectional case series study evaluating outcomes of CAD/CAM abutments on implants from four manufacturers: 4-Year mean follow-up. *Int J Oral Maxillofac Implants* 2021;36(5):966-76. [Abstract](#)
14. Barwacz CA, Stanford CM, Diehl UA, Cooper LF, Feine J, McGuire M, Scheyer ET. Pink esthetic score outcomes around three implant-abutment configurations: 3-year results. *Int J Oral Maxillofac Implants* 2018;33(5):1126-35. [Abstract](#)
15. Barwacz CA, Stanford CM, Diehl UA, Qian F, Cooper LF, Feine J, McGuire M. Electronic assessment of peri-implant mucosal esthetics around three implant-abutment configurations: a randomized clinical trial. *Clin Oral Implants Res* 2016;27(6):707-15. [Abstract](#)
16. Bencharit S, Allen RK, Whitley D, 3rd. Utilization of demineralized bone matrix to restore missing buccal bone during single implant placement: Clinical report. *J Oral Implantol* 2016;42(6):490-97. [Abstract](#)
17. Bencharit S, Border MB, Mack CR, Byrd WC, Wright JT. Full-mouth rehabilitation for a patient with dentinogenesis imperfecta: a clinical report. *J Oral Implantol* 2014;40(5):593-600. [Abstract](#)
18. Bergstresser J. Implant abutment tissue strategies. *J Dent Technol* 2009;August/September:34-36.
19. Bompolaki D, Punj A, Fellows C, Truong C, Ferracane JL. Clinical performance of CAD/CAM monolithic lithium disilicate implant-supported single crowns using solid or predrilled blocks in

- a fully digital workflow: A retrospective cohort study with up to 33 months of follow up. *J Prosthodont* 2021;E-pub Apr 12, doi: 10.1111/jopr.13364. [Abstract](#)
20. Boon L, De Mars G, Favril C, Duyck J, Quirynen M, Vandamme K. Esthetic evaluation of single implant restorations, adjacent single implant restorations, and implant-supported fixed partial dentures: A 1-year prospective study. *Clin Implant Dent Relat Res* 2020;22(1):128-37. [Abstract](#)
 21. Borges T, Lima T, Carvalho A, Dourado C, Carvalho V. The influence of customized abutments and custom metal abutments on the presence of the interproximal papilla at implants inserted in single-unit gaps: a 1-year prospective clinical study. *Clin Oral Implants Res* 2014;25(11):1222-7. [Abstract](#)
 22. Borges T, Lima T, Carvalho AC, Carvalho V. Clinical outcome of inter-proximal papilla between a tooth and a single implant treated with CAD/CAM abutments: a cross-sectional study. *J Oral Maxillofac Res* 2012;3(3). [Abstract](#)
 23. Brandenberg FD, Sailer I, Fehmer V, Büchi DL, Hammerle CH, Thoma DS. Randomized controlled clinical pilot study of all-ceramic single-tooth implant reconstructions: clinical and microbiological outcomes at one year of loading. *Clin Oral Implants Res* 2017;28(4):406-13. [Abstract](#)
 24. Bressan E, Venezze AC, Magaz VR, Lops D, Ghensi P. Fixed conometric retention with CAD/CAM conic coupling abutments and prefabricated syncone caps: A case series. *Int J Periodontics Restorative Dent* 2018;38(2):277-80. [Abstract](#)
 25. Büchi DL, Sailer I, Fehmer V, Hammerle CH, Thoma DS. All-ceramic single-tooth implant reconstructions using modified zirconia abutments: a prospective randomized controlled clinical trial of the effect of pink veneering ceramic on the esthetic outcomes. *Int J Periodontics Restorative Dent* 2014;34(1):29-37. [Abstract](#)
 26. Cardo VA, Jr., Koschitzki E, Augenbaum N, Polinsky JL. Replacement of an implant and prosthesis in the premaxilla due to a malposition and prosthetic failure: a clinical case letter. *J Oral Implantol* 2014;40(6):751-4. [Abstract](#)
 27. Cash J, R. A. Implant suprastructures for the completely edentulous. *J Dent Technol* 2011;May.
 28. Cooper LF, Reside G, DeKok I, Stanford C, Barwacz C, Feine J, Nader SA, Scheyer T, McGuire M. A 5-year esthetic RCT assessment of anterior maxillary single-tooth implants with different abutment interfaces. *Int J Oral Maxillofac Implants* 2021;36(1):165-76. [Abstract](#)
 29. Cooper LF, Reside G, Stanford C, Barwacz C, Feine J, Abi Nader S, Scheyer ET, McGuire M. A multicenter randomized comparative trial of implants with different abutment interfaces to replace anterior maxillary single teeth. *Int J Oral Maxillofac Implants* 2015;30(3):622-32. [Abstract](#)

30. Cooper LF, Reside G, Stanford C, Barwacz C, Feine J, Nader SA, Scheyer T, McGuire M. Three-year prospective randomized comparative assessment of anterior maxillary single implants with different abutment interfaces. *Int J Oral Maxillofac Implants* 2019;34(1):150-58. [Abstract](#)
31. Cooper LF, Stanford C, Feine J, McGuire M. Prospective assessment of CAD/CAM zirconia abutment and lithium disilicate crown restorations: 2.4 year results. *J Prosthet Dent* 2016;116(1):33-9. [Abstract](#)
32. Corsalini M, Di Venere D, Stefanachi G, Muci G, Palminteri A, Laforgia A, Pettini F. Maxillary overdenture retained with an implant support CAD-CAM bar: A 4 years follow up case. *Open Dent J* 2017;11:247-56. [Abstract](#)
33. De Kok IJ, Thalji G, Bryington M, Cooper LF. Radiographic stents: integrating treatment planning and implant placement. *Dent Clin North Am* 2014;58(1):181-92. [Abstract](#)
34. Degidi M, Caligiana G, Francia D, Liverani A, Olmi G, Tornabene F. Strain gauge analysis of implant-supported, screw-retained metal frameworks: Comparison between different manufacturing technologies. *Proc Inst Mech Eng H* 2016;230(9):840-46. [Abstract](#)
35. Dhingra A, Weiner S, Luke AC, Ricci JL. Analysis of dimensional changes in the screw and the surface topography at the interface of a titanium screw and a zirconia abutment under cyclic loading: an in vitro study. *Int J Oral Maxillofac Implants* 2013;28(3):661-9. [Abstract](#)
36. Donker VJJ, Raghoobar GM, Jensen-Louwerse C, Vissink A, Meijer HJA. Monolithic zirconia single tooth implant-supported restorations with CAD/CAM titanium abutments in the posterior region: A 1-year prospective case series study. *Clin Implant Dent Relat Res* 2022;E-pub Jan 24, doi:10.1111/cid.13069. [Abstract](#)
37. Eisner B, Naenni N, Husler J, Hammerle C, Thoma D, Sailer I. Three-year results of a randomized controlled clinical trial using submucosally veneered and unveneered zirconia abutments supporting all-ceramic single-implant crowns. *Int J Periodontics Restorative Dent* 2018;38(5):645-52. [Abstract](#)
38. Esquivel-Upshaw J, Mehler A, Clark A, Neal D, Gonzaga L, Anusavice K. Peri-implant complications for posterior endosteal implants. *Clin Oral Implants Res* 2015;26(12):1390-6. [Abstract](#)
39. Esquivel-Upshaw JF, Clark AE, Shuster JJ, Anusavice KJ. Randomized clinical trial of implant-supported ceramic-ceramic and metal-ceramic fixed dental prostheses: preliminary results. *J Prosthodont* 2014;23(2):73-82. [Abstract](#)
40. Esquivel-Upshaw JF, Mecholsky JJ, Jr., Clark AE, Jenkins R, Hsu SM, Neal D, Ren F. Factors influencing the survival of implant-supported ceramic-ceramic prostheses: A randomized, controlled clinical trial. *J Dent* 2020;103S:100017. [Abstract](#)
41. Esquivel-Upshaw JF, Mehler A, Clark AE, Neal D, Anusavice KJ. Fracture analysis of randomized implant-supported fixed dental prostheses. *J Dent* 2014;42(10):1335-42. [Abstract](#)

42. Fabbri G, Fradeani M, Dellificorelli G, De Lorenzi M, Zarone F, Sorrentino R. Clinical evaluation of the influence of connection type and restoration height on the reliability of zirconia abutments: A retrospective study on 965 abutments with a mean 6-year follow-up. *Int J Periodontics Restorative Dent* 2017;37(1):19-31. [Abstract](#)
43. Farahani A, Zadeh HH. Adjunctive orthodontic applications in dental implantology. *J Oral Implantol* 2015;41(4):501-8. [Abstract](#)
44. Fernandes D, Nunes S, al. e. Effect of customized healing abutments on the peri-implant linear and volumetric tissue changes at maxillary immediate implant sites: A 1-year prospective randomized clinical trial. *Clin Impl Dent Rel Res* 2021;E-pub Aug, doi:10.1111/cid.13044. [Abstract](#)
45. Ferrari M, Cagidiaco MC, Garcia-Godoy F, Goracci C, Cairo F. Effect of different prosthetic abutments on peri-implant soft tissue. A randomized controlled clinical trial. *Am J Dent* 2015;28(2):85-9. [Abstract](#)
46. Ferrari M, Carrabba M, Vichi A, Goracci C, Cagidiaco MC. Influence of abutment color and mucosal thickness on soft tissue color. *Int J Oral Maxillofac Implants* 2017;32(2):393-99. [Abstract](#)
47. Ferrari M, Tricarico MG, Cagidiaco MC, Vichi A, Gherlone EF, Zarone F, Sorrentino R. 3-year randomized controlled prospective clinical trial on different CAD-CAM implant abutments. *Clin Implant Dent Relat Res* 2016;18(6):1134-41. [Abstract](#)
48. Fokas G, Ma L, Chronopoulos V, Janda M, Mattheos N. Differences in micromorphology of the implant-abutment junction for original and third-party abutments on a representative dental implant. *J Prosthet Dent* 2019;121(1):143-50. [Abstract](#)
49. Fuster-Torres MA, Albalat-Estela S, Alcaniz-Raya M, Penarrocha-Diago M. CAD/CAM dental systems in implant dentistry: update. *Med Oral Patol Oral Cir Bucal* 2009;14(3):E141-5. [Abstract](#)
50. Ganz S. Computer-milled patient-specific abutments: incredibly quality with unprecedented simplicity. *Implantology* 2003 2003:37-44.
51. Ganz S. Finally, a 'win-win' solution: Increasing accuracy while saving time, money with computer-milled abutments. *Dental Economics* 2005;95:64-68.
52. Ganz SD. Use of stereolithographic models as diagnostic and restorative aids for predictable immediate loading of implants. *Pract Proced Aesthet Dent* 2003;15(10):763-71. [Abstract](#)
53. Ganz SD. CT-derived model-based surgery for immediate loading of maxillary anterior implants. *Pract Proced Aesthet Dent* 2007;19(5):311-8. [Abstract](#)
54. Ganz SD. Defining new paradigms for assessment of implant receptor sites. The use of CT/CBCT and interactive virtual treatment planning for congenitally missing lateral incisors. *Compend Contin Educ Dent* 2008;29(5):256-8, 60-2, 64-7. [Abstract](#)

55. Ganz SD. Defining new paradigms for assessment of implant receptor sites. The use of CT/CBCT and interactive virtual treatment planning for congenitally missing lateral incisors. *Inside Dentistry* 2009;Nov/Dec:2-9. [Abstract](#)
56. Ganz SD, Desai N, Weiner S. Marginal integrity of direct and indirect castings for implant abutments. *Int J Oral Maxillofac Implants* 2006;21(4):593-9. [Abstract](#)
57. Garg AK. The Atlantis components abutment: simplifying the tooth implant procedure. *Dent Implantol Update* 2002;13(9):65-70. [Abstract](#)
58. Gehrke P, Dinkel J, Fischer C, Schmenger K, Sader R. Surface roughness and necessity of manual refinishing requirements of CAD/CAM-manufactured titanium and cobalt-chrome bars – A pilot study. *The Open Dentistry Journal* 2019;13(1):316-26. [Abstract](#)
59. Gehrke P, Spanos E, Fischer C, Storck H, Tebbel F, Duddeck D. Influence of scaling procedures on the integrity of titanium nitride coated CAD/CAM abutments. *J Adv Prosthodont* 2018;10(3):197-204. [Abstract](#)
60. Gehrke P, Tabellion A, Fischer C. Microscopical and chemical surface characterization of CAD/CAM zircona abutments after different cleaning procedures. A qualitative analysis. *J Adv Prosthodont* 2015;7(2):151-9. [Abstract](#)
61. Gigandet M, Bigolin G, Faoro F, Burgin W, Bragger U. Implants with original and non-original abutment connections. *Clin Implant Dent Relat Res* 2014;16(2):303-11. [Abstract](#)
62. Gil MS, Ishikawa-Nagai S, Elani HW, Da Silva JD, Kim DM, Tarnow D, Schulze-Spate U, Bittner N. A prospective clinical trial to assess the optical efficacy of pink neck implants and pink abutments on soft tissue esthetics. *J Esthet Restor Dent* 2017;29(6):409-15. [Abstract](#)
63. Gilbert AB, Yilmaz B, Seidt JD, McGlumphy EA, Clelland NL, Chien HH. Three-dimensional displacement of nine different abutments for an implant with an internal hexagon platform. *Int J Oral Maxillofac Implants* 2015;30(4):781-8. [Abstract](#)
64. Guljé FL, Raghoobar GM, Erkens WA, Meijer HJ. Impact of crown-implant ratio of single restorations supported by 6-mm implants: A short-term case series study. *Int J Oral Maxillofac Implants* 2016;31(3):672-5. [Abstract](#)
65. Guljé FL, Raghoobar GM, Vissink A, Meijer HJ. Single crowns in the resorbed posterior maxilla supported by either 6-mm implants or by 11-mm implants combined with sinus floor elevation surgery: A 1-year randomised controlled trial. *Eur J Oral Implantol* 2014;7(3):247-55. [Abstract](#)
66. Guljé FL, Raghoobar GM, Vissink A, Meijer HJ. Single restorations in the resorbed posterior mandible supported by 6-mm implants: a 1-year prospective case series study. *Clin Implant Dent Relat Res* 2015;17 Suppl 2:e465-71. [Abstract](#)
67. Gulje FL, Raghoobar GM, Vissink A, Meijer HJA. Single crowns in the resorbed posterior maxilla supported by either 11-mm implants combined with sinus floor elevation or 6-mm implants:A 5-year randomised controlled trial. *Int J Oral Implantol* 2019;12(3):315-26. [Abstract](#)

68. Happe A, Kunz A. Complex fixed implant-supported restoration in a site compromised by periodontitis: A case report. *Int J Esthet Dent* 2016;11(2):186-202. [Abstract](#)
69. Hosseini B, Byrd WC, Preisser JS, Khan A, Duggan D, Bencharit S. Effects of antibiotics on bone and soft-tissue healing following immediate single-tooth implant placement into sites with apical pathology. *J Oral Implantol* 2015;41(5):e202-11. [Abstract](#)
70. Ioannidis A, Cathomen E, Jung RE, Fehmer V, Husler J, Thoma DS. Discoloration of the mucosa caused by different restorative materials - a spectrophotometric in vitro study. *Clin Oral Implants Res* 2017;28(9):1133-38. [Abstract](#)
71. Jackson BJ, Slavin MR. Treatment of congenitally missing maxillary lateral incisors: An interdisciplinary approach. *J Oral Implantol* 2013;39(2):187-92. [Abstract](#)
72. Jacobs BP, Zadeh HH, De Kok I, Cooper L. A randomized controlled trial evaluating grafting the facial gap at immediately placed implants. *Int J Periodontics Restorative Dent* 2020;40(3):383-92. [Abstract](#)
73. Jarman JM, Hamalian T, Randi AP. Comparing the fracture resistance of alternatively engineered zirconia abutments with original equipment manufactured abutments with different implant connection designs. *Int J Oral Maxillofac Implants* 2017;32(5):992-1000. [Abstract](#)
74. Jensen-Louwerse C, Sikma H, Cune MS, Gulje FL, Meijer HJA. Single implant-supported two-unit cantilever fixed partial dentures in the posterior region: a retrospective case series with a mean follow-up of 6.5 years. *Int J Implant Dent* 2021;7(1):78. [Abstract](#)
75. Joda T, Burki A, Bethge S, Bragger U, Zysset P. Stiffness, strength, and failure modes of implant-supported monolithic lithium disilicate crowns: influence of titanium and zirconia abutments. *Int J Oral Maxillofac Implants* 2015;30(6):1272-9. [Abstract](#)
76. Jones G. Treatment of the edentulous patient using angled implants: Diagnosis to delivery. *Australasian Dental Practice* 2016;27(4):p170-71.
77. Karl M, Irastorza-Landa A. In vitro characterization of original and nonoriginal implant abutments. *Int J Oral Maxillofac Implants* 2018;33(6):1229-39. [Abstract](#)
78. Keith JD, Jr. Localized ridge augmentation with a block allograft followed by secondary implant placement: a case report. *Int J Periodontics Restorative Dent* 2004;24(1):11-7. [Abstract](#)
79. Kelly JR, Rungruanganunt P. Fatigue behavior of computer-aided design/computer-assisted manufacture ceramic abutments as a function of design and ceramics processing. *Int J Oral Maxillofac Implants* 2016;31(3):601-9. [Abstract](#)
80. Kerstein RB, Castellucci F, Osorio J. Ideal gingival form with computer-generated permanent healing abutments. *Compend Contin Educ Dent* 2000;21(10):793-7, 800-1. [Abstract](#)

81. Kerstein RB, Osorio J. Utilizing computer-generated duplicate titanium custom abutments to facilitate intraoral and laboratory implant prosthesis fabrication. *Pract Proced Aesthet Dent* 2003;15(4):311-4. [Abstract](#)
82. Kerstein RB, Radke J. A comparison of fabrication precision and mechanical reliability of 2 zirconia implant abutments. *Int J Oral Maxillofac Implants* 2008;23(6):1029-36. [Abstract](#)
83. Kim A, Campbell SD, Viana MA, Knoernschild KL. Abutment material effect on peri-implant soft tissue color and perceived esthetics. *J Prosthodont* 2016;25(8):634-40. [Abstract](#)
84. Knobloch LA, Larsen P, McGlumphy E, Kim DG, Gohel A, Messner R, Fogarty KJ, Fogarty MT. Prospective cohort study to evaluate narrow diameter implants for restoration of a missing lateral incisor in patients with a cleft palate: One-year results. *J Prosthet Dent* 2021;E-pub May 27, doi:10.1016/j.prosdent.2021.03.030. [Abstract](#)
85. Koch FP, Gotze E, Kumar VV, Schulz P, Wentaschek S, Wagner W. A bar-retained overdenture as an external fixator device in a three-dimensional CAD/CAM-based surgical reconstruction of the mandible. *J Craniomaxillofac Surg* 2015;43(8):1447-51. [Abstract](#)
86. Kochanowski M, Barankiewicz A, Sadowska P, Dejak B. Implantoprosthodontic treatment based on Simplant Software and Azeno System. *Prosthodontics* 2022;72(1):76-83.
87. Kois JC, Kan JY. Predictable peri-implant gingival aesthetics: surgical and prosthodontic rationales. *Pract Proced Aesthet Dent* 2001;13(9):691-8. [Abstract](#)
88. Koutouzis T, Adeinat B, Ali A. The influence of abutment macro-design on clinical and radiographic peri-implant tissue changes for guided, placed, and restored implants: A 1-year randomized controlled trial. *Clin Oral Implants Res* 2019;30(9):882-91. [Abstract](#)
89. Kraus RD, Epprecht A, Hammerle CHF, Sailer I, Thoma DS. Cemented vs screw-retained zirconia-based single implant reconstructions: A 3-year prospective randomized controlled clinical trial. *Clin Implant Dent Relat Res* 2019;21(4):578-85. [Abstract](#)
90. Kraus RD, Espuelas C, Hammerle CHF, Jung RE, Sailer I, Thoma DS. Five-year randomized controlled clinical study comparing cemented and screw-retained zirconia-based implant-supported single crowns. *Clin Oral Implants Res* 2022;E-pub feb 28, doi:10.1111/clr.13913. [Abstract](#)
91. Laass A, Sailer I, Husler J, Hammerle CH, Thoma DS. Randomized controlled clinical trial of all-ceramic single-tooth implant reconstructions using modified zirconia abutments: Results at 5 years after loading. *Int J Periodontics Restorative Dent* 2019;39(1):17-27. [Abstract](#)
92. Levin BP. The dual function of a dermal allograft in immediate implant therapy. *Int J Periodontics Restorative Dent* 2015;35(4):507-13. [Abstract](#)
93. Levin BP. Framing the restorative result: How tissue augmentation and preservation maximizes implant therapy outcomes. *Compend Contin Educ Dent* 2018;39(7):458-66. [Abstract](#)

94. Levin BP, Chu SJ. Changes in peri-implant soft tissue thickness with bone grafting and Dermis Allograft: A case series of 15 consecutive patients. *Int J Periodontics Restorative Dent* 2018;38(5):719-27. [Abstract](#)
95. Levin BP, Wilk BL. Immediate provisionalization of immediate implants in the esthetic zone: a prospective case series evaluating implant survival, esthetics, and bone maintenance. *Compend Contin Educ Dent* 2013;34(5):352-61. [Abstract](#)
96. Levin BP, Wilk BL. The teamwork approach to esthetic tooth replacement with immediate implant placement and immediate temporization. *Compend Contin Educ Dent* 2015;36(9):682-8. [Abstract](#)
97. Lops D, Bressan E, Parpaiola A, Sbricoli L, Cecchinato D, Romeo E. Soft tissues stability of cad-cam and stock abutments in anterior regions: 2-year prospective multicentric cohort study. *Clin Oral Implants Res* 2015;26(12):1436-42. [Abstract](#)
98. Lops D, Parpaiola A, Paniz G, Sbricoli L, Magaz VR, Venezzes AC, Bressan E, Stellini E. Interproximal papilla stability around CAD/CAM and stock abutments in anterior regions: A 2-year prospective multicenter cohort study. *Int J Periodontics Restorative Dent* 2017;37(5):657-65. [Abstract](#)
99. Maiorana C, King P, Quaas S, Sondell K, Worsaae N, Galindo-Moreno P. Clinical and radiographic evaluation of early loaded narrow-diameter implants: 3 years follow-up. *Clin Oral Implants Res* 2015;26(1):77-82. [Abstract](#)
100. Mandelaris GA, Vlck SD. Guided implant surgery with placement of a presurgical CAD/CAM patient-specific abutment and provisional in the esthetic zone. *Compend Contin Educ Dent* 2014;35(7):494-504. [Abstract](#)
101. Maridati PC, Cremonesi S, Fontana F, Cicciu M, Maiorana C. Management of d-PTFE membrane exposure for having final clinical success. *J Oral Implantol* 2016;42(3):289-91. [Abstract](#)
102. Martin R. Astra Tech OsseoSpeed™ 3.0S implant. *Inside Dentistry* 2010;6(4):2-4.
103. McGuire MK, Scheyer T, Ho DK, Stanford CM, Feine JS, Cooper LF. Esthetic outcomes in relation to implant-abutment interface design following a standardized treatment protocol in a multicenter randomized controlled trial- A cohort of 12 cases at 1-year follow-up. *Int J Periodontics Restorative Dent* 2015;35(2):149-59. [Abstract](#)
104. Mertens C, de San Jose Gonzalez J, Freudlsperger C, Bodem J, Krisam J, Hoffmann J, Engel M. Implant-prosthetic rehabilitation of hemimaxillectomy defects with CAD/CAM suprastructures. *J Craniomaxillofac Surg* 2016;44(11):1812-18. [Abstract](#)
105. Millen CS, Reuben RL, Ibbetson RJ. The effect of coping/veneer thickness on the fracture toughness and residual stress of implant supported, cement retained zirconia and metal-ceramic crowns. *Dent Mater* 2012;28(10):e250-8. [Abstract](#)

106. Mirzakhani C, Esken J, Schlegel M, Heydecke G. Treatment of the edentulous mandible with a fixed bridge supported by 4 mm short implants in the molar region – a case report. *Deutsche Zahnärztliche Zeitschrift International* | 2022;77.
107. Mizumoto RM, Malamis D, Mascarenhas F, Tatakis DN, Lee DJ. Titanium implant wear from a zirconia custom abutment: A clinical report. *J Prosthet Dent* 2020;123(2):201-05. [Abstract](#)
108. Mizumoto RM, Yilmaz B, McGlumphy EA, Jr., Seidt J, Johnston WM. Accuracy of different digital scanning techniques and scan bodies for complete-arch implant-supported prostheses. *J Prosthet Dent* 2020;123(1):96-104. [Abstract](#)
109. Montana M. Treatment options for the edentulous arch. *Implants* 2015;3:4-10.
110. Muhlemann S, Truninger TC, Stawarczyk B, Hammerle CH, Sailer I. Bending moments of zirconia and titanium implant abutments supporting all-ceramic crowns after aging. *Clin Oral Implants Res* 2014;25(1):74-81. [Abstract](#)
111. Nazarian A. Easier implant restoration: CAD/CAM generated implant abutments. *Contemporary Esthetics* 2007;5:44-48.
112. Neumeier TT, Reddy M, Geurs N, Hill J, Neumeier H. Longitudinal Study of Dental Implants in HIV Positive Patients. *J Prosthodont* 2021;E-pub Sep 9, doi:10.1111/jopr.13421. [Abstract](#)
113. Noelken R. Immediate implant placement in the aesthetic zone using the OsseoSpeed® Profile EV implant. *Australasian Dental Practice* 2017;28(4):170-74.
114. Noelken R, Geier J, Kunkel M, Jepsen S, Wagner W. Influence of soft tissue grafting, orofacial implant position, and angulation on facial hard and soft tissue thickness at immediately inserted and provisionalized implants in the anterior maxilla. *Clin Implant Dent Relat Res* 2018;20(5):674-82. [Abstract](#)
115. Noelken R, Moergel M, Kunkel M, Wagner W. Immediate and flapless implant insertion and provisionalization using autogenous bone grafts in the esthetic zone: 5-year results. *Clin Oral Implants Res* 2018;29(3):320-27. [Abstract](#)
116. Noelken R, Moergel M, Pausch T, Kunkel M, Wagner W. Clinical and esthetic outcome with immediate insertion and provisionalization with or without connective tissue grafting in presence of mucogingival recessions: A retrospective analysis with follow-up between 1 and 8 years. *Clin Implant Dent Relat Res* 2018;20(3):285-93. [Abstract](#)
117. Noelken R, Neffe BA, Kunkel M, Wagner W. Maintenance of marginal bone support and soft tissue esthetics at immediately provisionalized OsseoSpeed implants placed into extraction sites: 2-year results. *Clin Oral Implants Res* 2014;25(2):214-20. [Abstract](#)
118. Noelken R, Pausch T, Wagner W, Al-Nawas B. Peri-implant defect grafting with autogenous bone or bone graft material in immediate implant placement in molar extraction sites-1- to 3-year results of a prospective randomized study. *Clin Oral Implants Res* 2020;31(11):1138-48. [Abstract](#)

119. Norton MR. The influence of low insertion torque on primary stability, implant survival, and maintenance of marginal bone levels: A closed-cohort prospective study. *Int J Oral Maxillofac Implants* 2017;32(4):849-57. [Abstract](#)
120. Ocelik V, Schepke U, Rasoul HH, Cune MS, De Hosson JTM. On the bulk degradation of yttria-stabilized nanocrystalline zirconia dental implant abutments: an electron backscatter diffraction study. *J Mater Sci Mater Med* 2017;28(8):121. [Abstract](#)
121. Osorio J. Use of the Atlantis abutment in restorative practice speeds time to function and aesthetics. [Interview]. *Dent Implantol Update* 2000;11(8):57-62. [Abstract](#)
122. Pan Y, Heng C, Wu ZJ, Tam J, Hsung RT, Pow EH, Lam WY. Comparison of the virtual techniques in registering single implant position with a universal-coordinate system: An in vitro study. *J Dent* 2022;117:103925. [Abstract](#)
123. Paniz G, Stellini E, Meneghello R, Cerardi A, Gobbato EA, Bressan E. The precision of fit of cast and milled full-arch implant-supported restorations. *Int J Oral Maxillofac Implants* 2013;28(3):687-93. [Abstract](#)
124. Parpaiola A, Norton MR, Cecchinato D, Bressan E, Toia M. Virtual abutment design: a concept for delivery of CAD/CAM customized abutments-- report of a retrospective cohort. *Int J Periodontics Restorative Dent* 2013;33(1):51-8. [Abstract](#)
125. Parpaiola A, Toia M, Norton M, Cecchinato D, Bressan E, Lops D. CAD/CAM implant abutments: Peri-implant hard and soft tissue response with up to 4 years of follow-up- A retrospective cohort study evaluation. *Int J Periodontics Restorative Dent* 2020;40(2):193-201. [Abstract](#)
126. Petrungaro P, Smilanich M, Jimenez E. Use of ceramic abutments in the esthetic zone to enhance implant esthetics. *Inside Dentistry* 2007;Feb:2-5.
127. Priest G. Virtual-designed and computer-milled implant abutments. *J Oral Maxillofac Surg* 2005;63(9 Suppl 2):22-32. [Abstract](#)
128. Quirynen T, Quirynen M, Duyck J. Prevention of distal extension cantilever fracture in mandibular overdentures. *J Dent* 2015;43(9):1140-7. [Abstract](#)
129. Raigrodski AJ, Schwedhelm ER, Chen YW. A simplified technique for recording an implant-supported ovate pontic site in the esthetic zone. *J Prosthet Dent* 2014;111(2):154-8. [Abstract](#)
130. Rebeeah HA, Yilmaz B, Seidt JD, McGlumphy E, Clelland N, Brantley W. Comparison of 3D displacements of screw-retained zirconia implant crowns into implants with different internal connections with respect to screw tightening. *J Prosthet Dent* 2018;119(1):132-37. [Abstract](#)
131. Revell G, Simon B, Mennito A, Evans ZP, Renne W, Ludlow M, Vag J. Evaluation of complete-arch implant scanning with 5 different intraoral scanners in terms of trueness and operator experience. *J Prosthet Dent* 2021;E-pub Apr10, doi:10.1016/j.prosdent.2021.01.013. [Abstract](#)

132. Revilla-Leon M, Sanchez-Rubio JL, Perez-Lopez J, Rubenstein J, Ozcan M. Discrepancy at the implant abutment-prosthesis interface of complete-arch cobalt-chromium implant frameworks fabricated by additive and subtractive technologies before and after ceramic veneering. *J Prosthet Dent* 2021;125(5):795-803. [Abstract](#)
133. Rinke S, Ziebolz D. Fabrication of an implant-supported overdenture using CAD/CAM technology: A clinical report. *Quintessence Int* 2013;44(2):127-34. [Abstract](#)
134. Rojas-Vizcaya F. Rehabilitation of the maxillary arch with implant-supported fixed restorations guided by the most apical buccal bone level in the esthetic zone: a clinical report. *J Prosthet Dent* 2012;107(4):213-20. [Abstract](#)
135. Rosen A. Implant success: planning and impression material selection are key. *Compend Contin Educ Dent* 2018;39(3):12-14.
136. Salaita LG, Yilmaz B, Seidt JD, Clelland NL, Chien HH, McGlumphy EA. Strain analysis of 9 different abutments for cement-retained crowns on an internal hexagonal implant. *J Prosthet Dent* 2017;118(2):166-71. [Abstract](#)
137. Sancho-Puchades M, Crameri D, Ozcan M, Sailer I, Jung RE, Hammerle CHF, Thoma DS. The influence of the emergence profile on the amount of undetected cement excess after delivery of cement-retained implant reconstructions. *Clin Oral Implants Res* 2017;28(12):1515-22. [Abstract](#)
138. Schepke U, Gresnigt MMM, Browne WR, Abdolazadeh S, Nijkamp J, Cune MS. Phase transformation and fracture load of stock and CAD/CAM-customized zirconia abutments after 1 year of clinical function. *Clin Oral Implants Res* 2019;30(6):559-69. [Abstract](#)
139. Schepke U, Lohbauer U, Meijer HJ, Cune MS. Adhesive failure of Lava Ultimate and lithium disilicate crowns bonded to zirconia abutments: A prospective within-patient comparison. *Int J Prosthodont* 2018;31(3):208-10. [Abstract](#)
140. Schepke U, Meijer HJ, Kerdijk W, Raghoobar GM, Cune M. Stock versus CAD/CAM customized zirconia implant abutments - clinical and patient-based outcomes in a randomized controlled clinical trial. *Clin Implant Dent Relat Res* 2017;19(1):74-84. [Abstract](#)
141. Schepke U, Meijer HJ, Vermeulen KM, Raghoobar GM, Cune MS. Clinical bonding of resin nano ceramic restorations to zirconia abutments: A case series within a randomized clinical trial. *Clin Implant Dent Relat Res* 2016;18(5):984-92. [Abstract](#)
142. Schmidt P, Goedicke-Padligur G, Schulte AG, Benz K, Jackowski J. Implant-supported prosthetic rehabilitation of a senescent patient with Down syndrome. *Quintessence Int* 2020;51(2):170-77. [Abstract](#)
143. Schneider A, Kurtzman GM. Computerized milled solid implant abutments utilized at second stage surgery. *Gen Dent* 2001;49(4):416-20. [Abstract](#)

144. Serag M, Ismail H, Zichella J. Correction of a class III malocclusion with all-on-4 concept implant supported full mouth rehabilitation: Clinical case report. *J Oral Implantol* 2020;E-pub Nov 19, doi:10.1563/aaid-joi-D-20-00231. [Abstract](#)
145. Silva F, Neiva R. LASSO GBR for lingual alveolar ridge augmentation. *SVOA Dentistry* 2021;2(1):10-14.
146. Starch-Jensen T, Bruun NH. Patient's perception of recovery after sinus membrane elevation and blood coagulum compared with 1:1 mixture of autogenous bone graft and deproteinized porcine bone mineral. Secondary outcomes from a single-blinded randomized controlled trial. *Clin Oral Implants Res* 2021;E-pub Oct 6, doi:10.1111/clr.13866. [Abstract](#)
147. Steveling H, Gonzales JR. Immediate implant placement in extraction socket with an adapted implant the new astra tech implant EV in routine clinical practice. *International Journal of Dentistry and Oral Health* 2020;6(E-pub May, 11 10.16966/2378-7090.324):1-9.
148. Sumi T, Braian M, Shimada A, Shibata N, Takeshita K, Vandeweghe S, Coelho PG, Wennerberg A, Jimbo R. Characteristics of implant-CAD/CAM abutment connections of two different internal connection systems. *J Oral Rehabil* 2012;39(5):391-8. [Abstract](#)
149. Svanborg P, Eliasson A, Stenport V. Additively manufactured titanium and cobalt-chromium implant frameworks: Fit and effect of ceramic veneering. *Int J Oral Maxillofac Implants* 2018;33(3):590-96. [Abstract](#)
150. Svanborg P, Stenport V, Eliasson A. Fit of cobalt-chromium implant frameworks before and after ceramic veneering in comparison with CNC-milled titanium frameworks. *Clin Exp Dent Res* 2015;1(2):49-56. [Abstract](#)
151. Tahmaseb A, De Clerck R, Wismeijer D. Computer-guided implant placement: 3D planning software, fixed intraoral reference points, and CAD/CAM technology. A case report. *Int J Oral Maxillofac Implants* 2009;24(3):541-6. [Abstract](#)
152. Taylor TD, Klotz MW, Lawton RA. Titanium tattooing associated with zirconia implant abutments: a clinical report of two cases. *Int J Oral Maxillofac Implants* 2014;29(4):958-60. [Abstract](#)
153. Thoma DS, Brandenburg F, Fehmer V, Büchi DL, Hammerle CH, Sailer I. Randomized controlled clinical trial of all-ceramic single tooth implant reconstructions using modified zirconia abutments: Radiographic and prosthetic results at 1 year of loading. *Clin Implant Dent Relat Res* 2016;18(3):462-72. [Abstract](#)
154. Thoma DS, Brandenburg F, Fehmer V, Knechtle N, Hammerle CH, Sailer I. The esthetic effect of veneered zirconia abutments for single-tooth implant reconstructions: A randomized controlled clinical trial. *Clin Implant Dent Relat Res* 2016;18(6):1210-17. [Abstract](#)

155. Thoma DS, Sailer I, Muhlemann S, Gil A, Jung RE, Hammerle CHF. Randomized controlled clinical study of veneered zirconia abutments for single implant crowns: Clinical, histological, and microbiological outcomes. *Clin Implant Dent Relat Res* 2018;20(6):988-96. [Abstract](#)
156. Toia M, Galli S, Cecchinato D, Wennerberg A, Jimbo R. Clinical evidence of osseospeed EV implants: A retrospective study and characterization of the newly introduced system. *Int J Periodontics Restorative Dent* 2019;39(6):863-74. [Abstract](#)
157. Toia M, Stocchero M, Becktor JP, Chrcanovic B, Wennerberg A. Implant vs abutment level connection in implant supported screw-retained fixed partial dentures with cobalt-chrome framework: 1-year interim results of a randomized clinical study. *Clin Implant Dent Relat Res* 2019;21(2):238-46. [Abstract](#)
158. Toia M, Stocchero M, Corra E, Becktor JP, Wennerberg A, Cecchinato D. Fixed full-arch maxillary prostheses supported by four versus six implants with a titanium CAD/CAM milled framework: 3-year multicentre RCT. *Clin Oral Implants Res* 2021;32(1):44-59. [Abstract](#)
159. Toia M, Wennerberg A, Torrisi P, Farina V, Corra E, Cecchinato D. Patient satisfaction and clinical outcomes in implant-supported overdentures retained by milled bars: Two-year follow-up. *J Oral Rehabil* 2019;46(7):624-33. [Abstract](#)
160. Vahnstrom M, Johansson PH, Svanborg P, Stenport VF. Comparison of porcelain veneer fracture in implant-supported fixed full-arch prostheses with a framework of either titanium, cobalt-chromium, or zirconia: An in vitro study. *Clin Exp Dent Res* 2022;E-pub Mar 21, doi:10.1002/cre2.558:1-8. [Abstract](#)
161. Van Nimwegen WG, Goene RJ, Van Daelen AC, Stellingsma K, Raghoobar GM, Meijer HJ. Immediate implant placement and provisionalisation in the aesthetic zone. *J Oral Rehabil* 2016;43(10):745-52. [Abstract](#)
162. Vera C, De Kok IJ, Chen W, Reside G, Tyndall D, Cooper LF. Evaluation of post-implant buccal bone resorption using cone beam computed tomography: a clinical pilot study. *Int J Oral Maxillofac Implants* 2012;27(5):1249-57. [Abstract](#)
163. Wadhvani C, Rapoport D, La Rosa S, Hess T, Kretschmar S. Radiographic detection and characteristic patterns of residual excess cement associated with cement-retained implant restorations: a clinical report. *J Prosthet Dent* 2012;107(3):151-7. [Abstract](#)
164. Wasiluk G, Chomik E, Gehrke P, Pietruska M, Skurska A, Pietruski J. Incidence of undetected cement on CAD/CAM monolithic zirconia crowns and customized CAD/CAM implant abutments. A prospective case series. *Clin Oral Implants Res* 2017;28(7):774-78. [Abstract](#)
165. Watkin A, Kerstein RB. Improving darkened anterior peri-implant tissue color with zirconia custom implant abutments. *Compend Contin Educ Dent* 2008;29(4):238-40, 42. [Abstract](#)
166. Whitesides L. Evaluation of the Atlantis abutment in implant restoration. *Inside Dentistry* 2006;Sept:98-99.

167. Whitesides LM. Solution for the challenging implant. Dent Today 2008;27(2):146, 48. [Abstract](#)
168. Wilk BL. Intraoral digital impressing for dental implant restorations versus traditional implant impression techniques. Compend Contin Educ Dent 2015;36(7):529-33. [Abstract](#)
169. Yilmaz B, Cakmak G, Batak B, Johnston WM. Screw stability of CAD-CAM titanium and zirconia abutments on different implants: An in vitro study. Clin Implant Dent Relat Res 2021;E-pub May 4, doi:0.1111/cid.13001. [Abstract](#)
170. Yilmaz B, Gilbert AB, Seidt JD, McGlumphy EA, Clelland NL. Displacement of implant abutments following initial and repeated torquing. Int J Oral Maxillofac Implants 2015;30(5):1011-8. [Abstract](#)
171. Yilmaz B, Hashemzadeh S, Seidt JD, Clelland NL. Displacement comparison of CAD-CAM titanium and zirconia abutments to implants with different conical connections. J Prosthodont Res 2018;62(2):200-03. [Abstract](#)
172. Yilmaz B, Salaita LG, Seidt JD, Clelland NL, McGlumphy EA. Load to failure of different titanium abutments for an internal hexagon implant. J Prosthet Dent 2015;114(4):513-6. [Abstract](#)
173. Yilmaz B, Salaita LG, Seidt JD, McGlumphy EA, Clelland NL. Load to failure of different zirconia abutments for an internal hexagon implant. J Prosthet Dent 2015;114(3):373-7. [Abstract](#)
174. Yoda N, Zheng K, Chen J, Li W, Swain M, Sasaki K, Li Q. Bone morphological effects on post-implantation remodeling of maxillary anterior buccal bone: A clinical and biomechanical study. J Prosthodont Res 2017;61(4):393-402. [Abstract](#)
175. Zeller S, Guichet D, Kontogiorgos E, Nagy WW. Accuracy of three digital workflows for implant abutment and crown fabrication using a digital measuring technique. J Prosthet Dent 2019;121(2):276-84. [Abstract](#)

2.2. Simplant

1. Abboud M, Wahl G, Guirado JL, Orentlicher G. Application and success of two stereolithographic surgical guide systems for implant placement with immediate loading. Int J Oral Maxillofac Implants 2012;27(3):634-43. [Abstract](#)
2. Abellan D, Barallat L, Vilarrasa J, Cabezas M, Pascual La Rocca A, Valles C, Nart J. Ridge preservation in molar sites comparing xenograft versus mineralized freeze-dried bone allograft: A randomized clinical trial. Clin Oral Implants Res 2022;E pub Feb 26, doi:10.1111/clr.13911. [Abstract](#)

3. Aboul-Hosn Centenero S, Hernandez-Alfaro F. 3D planning in orthognathic surgery: CAD/CAM surgical splints and prediction of the soft and hard tissues results - our experience in 16 cases. *J Craniomaxillofac Surg* 2012;40(2):162-8. [Abstract](#)
4. Afshari FS, Hallas MB, Knoernschild KL. An alternative approach in fabrication of fixed complete dentures using a duplicate denture. *J Prosthodont* 2012;21(7):569-72. [Abstract](#)
5. Ahmad R, Abu-Hassan MI, Chen J, Li Q, Swain MV. The relationship of mandibular morphology with residual ridge resorption associated with implant-retained overdentures. *Int J Prosthodont* 2016;29(6):573-80. [Abstract](#)
6. Ahmad R, Abu-Hassan MI, Li Q, Swain MV. Three dimensional quantification of mandibular bone remodeling using standard tessellation language registration based superimposition. *Clin Oral Implants Res* 2012;24(11):1273-9. [Abstract](#)
7. Al-Harbi SA, Sun AY. Implant placement accuracy when using stereolithographic template as a surgical guide: preliminary results. *Implant Dent* 2009;18(1):46-56. [Abstract](#)
8. Al-Harbi SA, Verrett RG. Fabrication of a stable surgical template using staged tooth extraction for immediate implant placement. *J Prosthet Dent* 2005;94(4):394-7. [Abstract](#)
9. Al-Hashedi AA, Taiyeb-Ali TB, Yunus N. Outcomes of placing short implants in the posterior mandible: a preliminary randomized controlled trial. *Aust Dent J* 2016;61(2):208-18. [Abstract](#)
10. Albiero AM, Benato R. Computer-assisted surgery and intraoral welding technique for immediate implant-supported rehabilitation of the edentulous maxilla: Case report and technical description. *Int J Med Robot* 2016;12(3):453-60. [Abstract](#)
11. Albiero AM, Benato R, Benato A, Degidi M. Use of intraoral welding to increase the predictability of immediately loaded computer-guided implants. *Int J Periodontics Restorative Dent* 2017;37(4):591-98. [Abstract](#)
12. Albiero AM, Benato R, Benato A, Degidi M. Guided-welded approach planning using digital scanning technology for combined screw- and conometric-retained implant-supported maxillary prosthesis. *Int J Comput Dent* 2020;23(4):325-33. [Abstract](#)
13. Albiero AM, Benato R, Momic S, Degidi M. Implementation of computer-guided implant planning using digital scanning technology for restorations supported by conical abutments: A dental technique. *J Prosthet Dent* 2017;119(5):720-26. [Abstract](#)
14. Albiero AM, Benato R, Momic S, Degidi M. Guided-welded approach planning using a computer-aided designed prosthetic shell for immediately loaded complete-arch rehabilitations supported by conometric abutments. *J Prosthet Dent* 2019;122(6):510-15. [Abstract](#)
15. Aljunid S, AlSiweedi S, Nambiar P, Chai WL, Ngeow WC. The management of persistent pain from a branch of the trifid mandibular canal due to implant impingement. *J Oral Implantol* 2016;42(4):349-52. [Abstract](#)

16. Allum SR. Immediately loaded full-arch provisional implant restorations using CAD/CAM and guided placement: maxillary and mandibular case reports. *Br Dent J* 2008;204(7):377-81. [Abstract](#)
17. Amet EM. Management of unscheduled anterior tooth or prosthesis loss with extraction and immediate implant placement: a clinical report. *J Oral Implantol* 2010;36(3):209-17. [Abstract](#)
18. Amet EM, Ganz SD. Implant treatment planning using a patient acceptance prosthesis, radiographic record base, and surgical template. Part 1: Presurgical phase. *Implant Dent* 1997;6(3):193-7. [Abstract](#)
19. Amet EM, Uehlein C. Alveolar nerve repositioning with rescue implants for management of previous treatment. A clinical report. *J Prosthodont* 2013;22(8):633-40. [Abstract](#)
20. Amorfini L, Migliorati M, Signori A, Silvestrini-Biavati A, Benedicenti S. Block allograft technique versus standard guided bone regeneration: a randomized clinical trial. *Clin Implant Dent Relat Res* 2014;16(5):655-67. [Abstract](#)
21. Arisan V, Bolukbasi N, Oksuz L. Computer-assisted flapless implant placement reduces the incidence of surgery-related bacteremia. *Clin Oral Investig* 2013;17(9):1985-93. [Abstract](#)
22. Arisan V, Karabuda CZ, Mumcu E, Ozdemir T. Implant positioning errors in freehand and computer-aided placement methods: a single-blind clinical comparative study. *Int J Oral Maxillofac Implants* 2013;28(1):190-204. [Abstract](#)
23. Arisan V, Karabuda CZ, Ozdemir T. Implant surgery using bone- and mucosa-supported stereolithographic guides in totally edentulous jaws: surgical and post-operative outcomes of computer-aided vs. standard techniques. *Clin Oral Implants Res* 2010;21(9):980-8. [Abstract](#)
24. Arisan V, Karabuda ZC, Avsever H, Ozdemir T. Conventional multi-slice computed tomography (CT) and cone-beam CT (CBCT) for computer-assisted implant placement. Part I: relationship of radiographic gray density and implant stability. *Clin Implant Dent Relat Res* 2013;15(6):893-906. [Abstract](#)
25. Arisan V, Karabuda ZC, Ozdemir T. Accuracy of two stereolithographic guide systems for computer-aided implant placement: a computed tomography-based clinical comparative study. *J Periodontol* 2010;81(1):43-51. [Abstract](#)
26. Arisan V, Karabuda ZC, Piskin B, Ozdemir T. Conventional multi-slice computed tomography (CT) and cone-beam CT (CBCT) for computer-aided implant placement. Part II: reliability of mucosa-supported stereolithographic guides. *Clin Implant Dent Relat Res* 2013;15(6):907-17. [Abstract](#)
27. Ashy LM. Restoration-type Outcome of Freehand Implant Placement in Single Edentulous Gaps: An Observational Study. *The journal of contemporary dental practice* 2019;20(11):1274-78.

28. Azari A, Nikzad S. Flapless implant surgery: review of the literature and report of 2 cases with computer-guided surgical approach. *J Oral Maxillofac Surg* 2008;66(5):1015-21. [Abstract](#)
29. Azari A, Nikzad S, Kabiri A. Using computer-guided implantology in flapless implant surgery of a maxilla: a clinical report. *J Oral Rehabil* 2008;35(9):690-4. [Abstract](#)
30. Azpiazu-Flores FX, Knobloch LA, Larsen PE, Lee DJ. Interdisciplinary management of a patient with dentinogenesis imperfecta type II using a combination of CAD-CAM and analog techniques: A clinical report. *Journal of Prosthodontics* 2022;n/a(n/a):1-25. [Abstract](#)
31. Baggi L, Cappelloni I, Di Girolamo M, Maceri F, Vairo G. The influence of implant diameter and length on stress distribution of osseointegrated implants related to crestal bone geometry: a three-dimensional finite element analysis. *J Prosthet Dent* 2008;100(6):422-31. [Abstract](#)
32. Bavar T. A new twist on surgical guides. *J Oral Implantol* 2008;34(6):325-9. [Abstract](#)
33. Bencharit S, Allen RK, Whitley D, 3rd. Utilization of demineralized bone matrix to restore missing buccal bone during single implant placement: Clinical report. *J Oral Implantol* 2016;42(6):490-97. [Abstract](#)
34. Bencharit S, Morelli T, Barros S, Seagroves J, Kim S, Yu N, Byrd K, Brenes C, Offenbacher S. Comparing initial wound healing and osteogenesis of porous tantalum trabecular metal and titanium alloy materials. *J Oral Implantol* 2019;45(3):173-80. [Abstract](#)
35. Bernard L, Vercruyssen M, Duyck J, Jacobs R, Teughels W, Quirynen M. A randomized controlled clinical trial comparing guided with nonguided implant placement: A 3-year follow-up of implant-centered outcomes. *J Prosthet Dent* 2019;121(6):904-10. [Abstract](#)
36. Bertos Quilez J, Guijarro-Martinez R, Aboul-Hosn Centenero S, Hernandez-Alfaro F. Virtual quad zygoma implant placement using cone beam computed tomography: sufficiency of malar bone volume, intraosseous implant length, and relationship to the sinus according to the degree of alveolar bone atrophy. *Int J Oral Maxillofac Surg* 2018;47(2):252-61. [Abstract](#)
37. Besimo CE, Lambrecht JT, Guindy JS. Accuracy of implant treatment planning utilizing template-guided reformatted computed tomography. *Dentomaxillofac Radiol* 2000;29(1):46-51. [Abstract](#)
38. Bianchi J, Fiorellini JP, Howell TH, Sekler J, Curtin H, Nevins ML, Friedland B. Measuring the efficacy of rhBMP-2 to regenerate bone: a radiographic study using a commercially available software program. *Int J Periodontics Restorative Dent* 2004;24(6):579-87. [Abstract](#)
39. Bocklage R. Computer analysis of titanium implants in atrophic arch and poor quality bone: a case report. *Implant Dent* 2001;10(3):162-7. [Abstract](#)
40. Boedeker D, Dyer J, Kraut R. Clinical outcome of immediately loaded maxillary implants: a 2-year retrospective study. *J Oral Maxillofac Surg* 2011;69(5):1335-43. [Abstract](#)

41. Bou Serhal C, Jacobs R, Van Cleynenbreugel J, van Steenberghe D. Validation of a 3D-CT based stereolithographic template for implant placement in an ex vivo atrophic mandible. *Clin Oral Implants Res* 2002;13.
42. Braidy H, Appelbaum M. Alveolar distraction osteogenesis of the severely atrophic anterior maxilla: surgical and prosthetic challenges. *J Prosthodont* 2011;20(2):139-43. [Abstract](#)
43. Buurman DJM, Speksnijder CM, de Groot RJ, Kessler P, Rieger JM. Mastication in maxillectomy patients: A comparison between reconstructed maxillae and implant supported obturators: A cross-sectional study. *J Oral Rehabil* 2020;47(9):1171-77. [Abstract](#)
44. Bynum JH. Treatment of a class III malocclusion. *J Cosmetic Dentistry* 2013;29(2):64-72.
45. Caldwell CS. Practical incorporation of computed tomography into daily implant treatment planning. *Tex Dent J* 2005;122(4):343-54. [Abstract](#)
46. Cassetta M. Immediate loading of implants inserted in edentulous arches using multiple mucosa-supported stereolithographic surgical templates: a 10-year prospective cohort study. *Int J Oral Maxillofac Surg* 2016;45(4):526-34. [Abstract](#)
47. Cassetta M, Di Mambro A, Di Giorgio G, Stefanelli LV, Barbato E. The influence of the tolerance between mechanical components on the accuracy of implants inserted with a stereolithographic surgical guide: A retrospective clinical study. *Clin Implant Dent Relat Res* 2015;17(3):580-8. [Abstract](#)
48. Cassetta M, Di Mambro A, Giansanti M, Stefanelli LV, Barbato E. Is it possible to improve the accuracy of implants inserted with a stereolithographic surgical guide by reducing the tolerance between mechanical components? *Int J Oral Maxillofac Surg* 2013;42(7):887-90. [Abstract](#)
49. Cassetta M, Di Mambro A, Giansanti M, Stefanelli LV, Barbato E. How does an error in positioning the template affect the accuracy of implants inserted using a single fixed mucosa-supported stereolithographic surgical guide? *Int J Oral Maxillofac Surg* 2014;43(1):85-92. [Abstract](#)
50. Cassetta M, Di Mambro A, Giansanti M, Stefanelli LV, Cavallini C. The intrinsic error of a stereolithographic surgical template in implant guided surgery. *Int J Oral Maxillofac Surg* 2013;42(2):264-75. [Abstract](#)
51. Cassetta M, Giansanti M, Di Mambro A, Calasso S, Barbato E. Accuracy of two stereolithographic surgical templates: A retrospective study. *Clin Implant Dent Relat Res* 2013;15(3):448-59. [Abstract](#)
52. Cassetta M, Giansanti M, Di Mambro A, Stefanelli LV. Accuracy of positioning of implants inserted using a mucosa-supported stereolithographic surgical guide in the edentulous maxilla and mandible. *Int J Oral Maxillofac Implants* 2014;29(5):1071-8. [Abstract](#)

53. Cassetta M, Stefanelli LV, Giansanti M, Di Mambro A, Calasso S. Depth deviation and occurrence of early surgical complications or unexpected events using a single stereolithographic surgi-guide. *Int J Oral Maxillofac Surg* 2011;40(12):1377-87. [Abstract](#)
54. Cassetta M, Stefanelli LV, Giansanti M, Di Mambro A, Calasso S. Accuracy of a computer-aided implant surgical technique. *Int J Periodontics Restorative Dent* 2013;33(3):317-25. [Abstract](#)
55. Chai J, Chau AC, Chu FC, Chow TW. Diagnostic performance of mandibular bone density measurements in assessing osteoporotic status. *Int J Oral Maxillofac Implants* 2014;29(3):667-74. [Abstract](#)
56. Chan CK, Chai JY, Wah CT. In vitro ultrasonographic measurement of jawbone to predict bone quality. *Int J Oral Maxillofac Implants* 2014;29(5):1042-8. [Abstract](#)
57. Chan PW, Chik FF, Pow EH, Chow TW. Stereoscopic technique for conversion of radiographic guide into implant surgical guide. *Clin Implant Dent Relat Res* 2013;15(4):613-24. [Abstract](#)
58. Chang PP, Henegbarth EA, Lang LA. Maxillary zirconia implant fixed partial dentures opposing an acrylic resin implant fixed complete denture: a two-year clinical report. *J Prosthet Dent* 2007;97(6):321-30. [Abstract](#)
59. Chen Y, Zhang X, Wang M, Jiang Q, Mo A. Accuracy of full-guided and half-guided surgical templates in anterior immediate and delayed implantation: A retrospective study. *Materials (Basel)* 2020;14(1). [Abstract](#)
60. Chow J, Hui E, Lee PK, Li W. Zygomatic implants-protocol for immediate occlusal loading: a preliminary report. *J Oral Maxillofac Surg* 2006;64(5):804-11. [Abstract](#)
61. Clelland N, Chaudhry J, Rashid RG, McGlumphy E. Split-mouth comparison of splinted and nonsplinted prostheses on short implants: 3-year results. *Int J Oral Maxillofac Implants* 2016;31(5):1135-41. [Abstract](#)
62. Cushen SE, Turkyilmaz I. Impact of operator experience on the accuracy of implant placement with stereolithographic surgical templates: An in vitro study. *J Prosthet Dent* 2013;109(4):248-54. [Abstract](#)
63. D'Haese J, De Bruyn H. Effect of smoking habits on accuracy of implant placement using mucosally supported stereolithographic surgical guides. *Clin Implant Dent Relat Res* 2013;15(3):402-11. [Abstract](#)
64. D'haese J, Van De Velde T, Elaut L, De Bruyn H. A prospective study on the accuracy of mucosally supported stereolithographic surgical guides in fully edentulous maxillae. *Clin Implant Dent Relat Res* 2012;14(2):293-303. [Abstract](#)
65. D'Haese J, Van De Velde T, Komiyama A, Hultin M, De Bruyn H. Accuracy and complications using computer-designed stereolithographic surgical guides for oral rehabilitation by means of dental implants: a review of the literature. *Clin Implant Dent Relat Res* 2012;14(3):321-35. [Abstract](#)

66. D'haese J, Vervaeke S, Verbanck N, De Bruyn H. Clinical and radiographic outcome of implants placed using stereolithographic guided surgery: a prospective monocenter study. *Int J Oral Maxillofac Implants* 2013;28(1):205-15. [Abstract](#)
67. D'Haese R, Vrombaut T, Hommeez G, Bruyn H, Vandeweghe S. Accuracy of guided implant surgery in the edentulous jaw using desktop 3D-printed mucosal supported guides. *Journal of clinical medicine* 2021;10(3). [Abstract](#)
68. D'Souza KM, Aras MA. Types of implant surgical guides in dentistry: a review. *J Oral Implantol* 2012;38(5):643-52. [Abstract](#)
69. Damstra J, Fourie Z, De Wit M, Ren Y. A three-dimensional comparison of a morphometric and conventional cephalometric midsagittal planes for craniofacial asymmetry. *Clin Oral Investig* 2012;16(1):285-94. [Abstract](#)
70. Damstra J, Fourie Z, Huddleston Slater JJ, Ren Y. Accuracy of linear measurements from cone-beam computed tomography-derived surface models of different voxel sizes. *Am J Orthod Dentofacial Orthop* 2010;137(1):16 e1-6; discussion 16-7. [Abstract](#)
71. Damstra J, Fourie Z, Huddleston Slater JJ, Ren Y. Reliability and the smallest detectable difference of measurements on 3-dimensional cone-beam computed tomography images. *Am J Orthod Dentofacial Orthop* 2011;140(3):e107-14. [Abstract](#)
72. Damstra J, Fourie Z, Ren Y. Evaluation and comparison of postero-anterior cephalograms and cone-beam computed tomography images for the detection of mandibular asymmetry. *Eur J Orthod* 2013;35(1):45-50. [Abstract](#)
73. Davies J, Johnson B, Drage N. Effective doses from cone beam CT investigation of the jaws. *Dentomaxillofac Radiol* 2012;41(1):30-6. [Abstract](#)
74. De Kok IJ, Thalji G, Bryington M, Cooper LF. Radiographic stents: integrating treatment planning and implant placement. *Dent Clin North Am* 2014;58(1):181-92. [Abstract](#)
75. Deeb G, Antonos L, Tack S, Carrico C, Laskin D, Deeb JG. Is cone-beam computed tomography always necessary for dental implant placement? *J Oral Maxillofac Surg* 2017;75(2):285-89. [Abstract](#)
76. Degidi M, Daprile G, Nardi D, Piattelli A. Buccal bone plate in immediately placed and restored implant with Bio-Oss((R)) collagen graft: a 1-year follow-up study. *Clin Oral Implants Res* 2013;24(11):1201-5. [Abstract](#)
77. Degidi M, Nardi D, Daprile G, Piattelli A. Buccal bone plate in the immediately placed and restored maxillary single implant: a 7-year retrospective study using computed tomography. *Implant Dent* 2012;21(1):62-6. [Abstract](#)
78. Dene L. Implant supported overdenture for the atrophic mandible. *N Y State Dent J* 2010;76(3):26-9. [Abstract](#)

79. Depprich RA, Ommerborn MA, Handschel JG, Naujoks CD, Meyer U, Kubler NR. Dentin dysplasia type I: a challenge for treatment with dental implants. *Head Face Med* 2007;3:31. [Abstract](#)
80. Di Giacomo GA, Cury PR, de Araujo NS, Sendyk WR, Sendyk CL. Clinical application of stereolithographic surgical guides for implant placement: preliminary results. *J Periodontol* 2005;76(4):503-7. [Abstract](#)
81. Dragonas P, Palin C, Khan S, Gajendrareddy PK, Weiner WD. Complications associated with the use of recombinant human bone morphogenetic protein-2 in ridge augmentation: A case report. *J Oral Implantol* 2017;43(5):351-59. [Abstract](#)
82. Dunn DB. All-on-4 graftless approach: Not the panacea for all cases. *Australasian Dental Practice* 2013;24(2):132-38.
83. Edelmann AR, Hosseini B, Byrd WC, Preisser JS, Tyndall DA, Nguyen T, Bencharit S. Exploring effectiveness of computer-aided planning in implant positioning for a single immediate implant placement. *J Oral Implantol* 2016;42(3):233-9. [Abstract](#)
84. Eftekhar Ashtiani R, Ghasemi Z, Nami M, Mighani F, Namdari M. Accuracy of static digital surgical guides for dental implants based on the guide system: A systematic review. *Journal of stomatology, oral and maxillofacial surgery* 2020. [Abstract](#)
85. Elian N, Ehrlich B, Jalbout Z, Cho SC, Froum S, Tarnow D. A restoratively driven ridge categorization, as determined by incorporating ideal restorative positions on radiographic templates utilizing computed tomography scan analysis. *Clin Implant Dent Relat Res* 2009;11(4):272-8. [Abstract](#)
86. Elsyad MA, Mahanna FF, Elshahat MA, Elshoukouki AH. Locators versus magnetic attachment effect on peri-implant tissue health of immediate loaded two implants retaining a mandibular overdenture: a 1-year randomised trial. *J Oral Rehabil* 2016;43(4):297-305. [Abstract](#)
87. Esteve-Pardo G, Esteve-Colomina L, Fernandez E. A new inertial navigation system for guiding implant placement. An in-vitro proof-of-concept study. *PLoS One* 2021;16(10):e0255481. [Abstract](#)
88. Eun-Suk K, Eun-Jin P, Schrott A, Schnitman PA. Immediate loading as a vehicle for interdisciplinary training in implant placement and restoration. *Int J Oral Maxillofac Implants* 2010;25(4):759-62. [Abstract](#)
89. Fourie Z, Damstra J, Gerrits PO, Ren Y. Accuracy and reliability of facial soft tissue depth measurements using cone beam computer tomography. *Forensic Sci Int* 2010;199(1-3):9-14. [Abstract](#)
90. Fourie Z, Damstra J, Schepers RH, Gerrits PO, Ren Y. Segmentation process significantly influences the accuracy of 3D surface models derived from cone beam computed tomography. *Eur J Radiol* 2012;81(4):e524-30. [Abstract](#)

91. Frongia G, Piacino MG, Bracco AA, Crincoli V, Debernardi CL, Bracco P. Assessment of the reliability and repeatability of landmarks using 3-D cephalometric software. *CRANIO* 2012;30(4):255-63. [Abstract](#)
92. Froum SJ, Bergamini M, Reis N, Wang W, Leung M, Kaufman Z, Cho S-C. A new concept of safety distance to place implants in the area of the inferior alveolar canal to avoid neurosensory disturbance. *Int J Periodontics Restorative Dent* 2021;41(4):e139-e46.
93. Froum SJ, Cho SC, Cho YS, Elian N, Tarnow D. Narrow-diameter implants: a restorative option for limited interdental space. *Int J Periodontics Restorative Dent* 2007;27(5):449-55. [Abstract](#)
94. Froum SJ, Cho SC, Suzuki T, Yu P, Corby P, Khouly I. Epicrestal and subcrestal placement of platform-switched implants: 18 month-result of a randomized, controlled, split-mouth, prospective clinical trial. *Clin Oral Implants Res* 2018;29(4):353-66. [Abstract](#)
95. Froum SJ, Tarnow DP, Wallace SS, Rohrer MD, Cho SC. Sinus floor elevation using anorganic bovine bone matrix (OsteoGraf/N) with and without autogenous bone: a clinical, histologic, radiographic, and histomorphometric analysis--Part 2 of an ongoing prospective study. *Int J Periodontics Restorative Dent* 1998;18(6):528-43. [Abstract](#)
96. Ganz SD. The triangle of bone--a formula for successful implant placement and restoration. *Implant Soc* 1995;5(5):2-6. [Abstract](#)
97. Ganz SD. Use of stereolithographic models as diagnostic and restorative aids for predictable immediate loading of implants. *Pract Proced Aesthet Dent* 2003;15(10):763-71. [Abstract](#)
98. Ganz SD. Presurgical planning with CT-derived fabrication of surgical guides. *J Oral Maxillofac Surg* 2005;63(9 Suppl 2):59-71. [Abstract](#)
99. Ganz SD. Techniques for the use of CT imaging for the fabrication of surgical guides. *Atlas Oral Maxillofac Surg Clin North Am* 2006;14(1):75-97. [Abstract](#)
100. Ganz SD. CT-derived model-based surgery for immediate loading of maxillary anterior implants. *Pract Proced Aesthet Dent* 2007;19(5):311-8. [Abstract](#)
101. Ganz SD. Defining new paradigms for assessment of implant receptor sites. The use of CT/CBCT and interactive virtual treatment planning for congenitally missing lateral incisors. *Compend Contin Educ Dent* 2008;29(5):256-8, 60-2, 64-7. [Abstract](#)
102. Ganz SD. Defining new paradigms for assessment of implant receptor sites. The use of CT/CBCT and interactive virtual treatment planning for congenitally missing lateral incisors. *Inside Dentistry* 2009;Nov/Dec:2-9. [Abstract](#)
103. Ganz SD. Dental implantology: an evolving treatment modality. *Compend Contin Educ Dent* 2013;34(8):628-9. [Abstract](#)
104. Garcia-Denche JT, Wu X, Martinez PP, Eimar H, Ikbal DJ, Hernandez G, Lopez-Cabarcos E, Fernandez-Tresguerres I, Tamimi F. Membranes over the lateral window in sinus augmentation

procedures: a two-arm and split-mouth randomized clinical trials. *J Clin Periodontol* 2013;40(11):1043-51. [Abstract](#)

105. Geng W, Liu C, Su Y, Li J, Zhou Y. Accuracy of different types of computer-aided design/computer-aided manufacturing surgical guides for dental implant placement. *International journal of clinical and experimental medicine* 2015;8(6):8442-49. [Abstract](#)
106. Gillot L, Cannas B, Buti J, Noharet R. A retrospective cohort study of 113 patients rehabilitated with immediately loaded maxillary cross-arch fixed dental prostheses in combination with immediate implant placement. *Eur J Oral Implantol* 2012;5(1):71-9. [Abstract](#)
107. Gokce SM, Gorgulu S, Gokce HS, Bengi AO, Karacayli U, Ors F. Evaluation of pharyngeal airway space changes after bimaxillary orthognathic surgery with a 3-dimensional simulation and modeling program. *Am J Orthod Dentofacial Orthop* 2014;146(4):477-92. [Abstract](#)
108. Gorgulu S, Gokce SM, Olmez H, Sagdic D, Ors F. Nasal cavity volume changes after rapid maxillary expansion in adolescents evaluated with 3-dimensional simulation and modeling programs. *Am J Orthod Dentofacial Orthop* 2011;140(5):633-40. [Abstract](#)
109. Guida L, Annunziata M, Esposito U, Sirignano M, Torrisi P, Cecchinato D. 6-mm-short and 11-mm-long implants compared in the full-arch rehabilitation of the edentulous mandible: A 3-year multicenter randomized controlled trial. *Clin Oral Implants Res* 2020;31(1):64-73. [Abstract](#)
110. Hakim SG, Glanz J, Ofer M, Steller D, Sieg P. Correlation of cone beam CT-derived bone density parameters with primary implant stability assessed by peak insertion torque and periotest in the maxilla. *J Craniomaxillofac Surg* 2019;47(3):461-67. [Abstract](#)
111. Hall SR. Implant diagnostics utilizing computed tomography imaging. *J Okla Dent Assoc* 1995;85(3):19-24. [Abstract](#)
112. Hara S, Mitsugi M, Kanno T, Nomachi A, Kawakami S, Tatemoto Y. Endoscopically assisted intraoral modified Le Fort II type midfacial advancement using piezoelectric surgery and an intraoperative RED system. *J Oral Maxillofac Surg* 2013;71(2):e93-103. [Abstract](#)
113. Hara S, Mitsugi M, Kanno T, Nomachi A, Wajima T, Tatemoto Y. Three-dimensional virtual operations can facilitate complicated surgical planning for the treatment of patients with jaw deformities associated with facial asymmetry: a case report. *Int J Oral Sci* 2013;5(3):176-82. [Abstract](#)
114. Hernandez-Alfaro F, Guijarro-Martinez R. New protocol for three-dimensional surgical planning and CAD/CAM splint generation in orthognathic surgery: an in vitro and in vivo study. *Int J Oral Maxillofac Surg* 2013;42(12):1547-56. [Abstract](#)
115. Hernandez-Alfaro F, Guijarro-Martinez R, Mareque-Bueno J. Effect of mono- and bimaxillary advancement on pharyngeal airway volume: cone-beam computed tomography evaluation. *J Oral Maxillofac Surg* 2011;69(11):e395-400. [Abstract](#)

116. Hernandez-Alfaro F, Guijarro-Martinez R, Molina-Coral A, Badia-Escriche C. "Surgery first" in bimaxillary orthognathic surgery. *J Oral Maxillofac Surg* 2011;69(6):e201-7. [Abstract](#)
117. Hernandez-Alfaro F, Guijarro-Martinez R, Peiro-Guijarro MA. Surgery first in orthognathic surgery: what have we learned? A comprehensive workflow based on 45 consecutive cases. *J Oral Maxillofac Surg* 2014;72(2):376-90. [Abstract](#)
118. Ho MH, Chiang CP, Liu YF, Kuo MY, Lin SK, Lai JY, Lee BS. Highly efficient release of lovastatin from poly(lactic-co-glycolic acid) nanoparticles enhances bone repair in rats. *J Orthop Res* 2011;29(10):1504-10. [Abstract](#)
119. Holmes S, Goldner S, Bridle C, Chin-Shong D, Visram K. Evaluation of complex craniomaxillofacial fractures by a new three-dimensional planning system. *Br J Oral Maxillofac Surg* 2006;44(5):416-7. [Abstract](#)
120. Horowitz RA. The use of osteotomes for sinus augmentation at the time of implant placement. *Compend Contin Educ Dent* 1997;18(5):441-7, 50-2; quiz 54. [Abstract](#)
121. Hosseini B, Byrd WC, Preisser JS, Khan A, Duggan D, Bencharit S. Effects of antibiotics on bone and soft-tissue healing following immediate single-tooth implant placement into sites with apical pathology. *J Oral Implantol* 2015;41(5):e202-11. [Abstract](#)
122. Hrabak K, Szabo G, Ewers R, Gyulai-Gaal S. 2D and 3D computer tomography and sinus graft analysis with various graft materials. *J Long Term Eff Med Implants* 1999;9(3):223-33. [Abstract](#)
123. Ikumi N, Tsutsumi S. Assessment of correlation between computerized tomography values of the bone and cutting torque values at implant placement: a clinical study. *Int J Oral Maxillofac Implants* 2005;20(2):253-60. [Abstract](#)
124. Ishak MI, Abdul Kadir MR, Sulaiman E, Abu Kasim NH. Finite element analysis of different surgical approaches in various occlusal loading locations for zygomatic implant placement for the treatment of atrophic maxillae. *Int J Oral Maxillofac Surg* 2012;41(9):1077-89. [Abstract](#)
125. Jacobs R. Preoperative radiologic planning of implant surgery in compromised patients. *Periodontol 2000* 2003;33:12-25. [Abstract](#)
126. Jang HY, Kim HC, Lee SC, Lee JY. Choice of graft material in relation to maxillary sinus width in internal sinus floor augmentation. *J Oral Maxillofac Surg* 2010;68(8):1859-68. [Abstract](#)
127. Jensen C, Raghoobar GM, Meijer HJ, Schepers R, Cune MS. Comparing two diagnostic procedures in planning dental implants to support a mandibular free-ending removable partial denture. *Clin Implant Dent Relat Res* 2016;18(4):678-85. [Abstract](#)
128. Jeong SM, Yoo JH, Fang Y, Choi BH, Son JS, Oh JH. The effect of guided flapless implant procedure on heat generation from implant drilling. *J Craniomaxillofac Surg* 2014;42(6):725-9. [Abstract](#)

129. Jones JL, Knox J, Key SJ. Potential reformatting errors in cone-beam computed tomography for dentoalveolar surgery: a cautionary tale. *Br J Oral Maxillofac Surg* 2017;55(1):71-73. [Abstract](#)
130. Juluri R, Moran M, Suzuki JB, Khocht A. A comparison of computed tomography scans and digital periapical radiographs ridge height measurements. *J Oral Implantol* 2015;41(2):125-31. [Abstract](#)
131. Jung YR, Kim SC, Kang KH, Cho JH, Lee EH, Chang NY, Chae JM. Placement angle effects on the success rate of orthodontic microimplants and other factors with cone-beam computed tomography. *Am J Orthod Dentofacial Orthop* 2013;143(2):173-81. [Abstract](#)
132. Kacer CM, Dyer JD, Kraut RA. Immediate loading of dental implants in the anterior and posterior mandible: a retrospective study of 120 cases. *J Oral Maxillofac Surg* 2010;68(11):2861-7. [Abstract](#)
133. Kalaiganan P, Mohan JS, Jayakumar A. Assessment of oral health-related quality of life for complex mandibular defects rehabilitated with computer-guided implant restoration. *J Int Soc Prev Community Dent* 2018;8(3):277-81. [Abstract](#)
134. Kamposiora P, Papavasiliou G, Madianos P. Presentation of two cases of immediate restoration of implants in the esthetic region, using facilitate software and guides with stereolithographic model surgery prior to patient surgery. *J Prosthodont* 2012;21(2):130-7. [Abstract](#)
135. Kaneko T, Masuda I, Horie N, Shimoyama T. New bone formation in nongrafted sinus lifting with space-maintaining management: a novel technique using a titanium bone fixation device. *J Oral Maxillofac Surg* 2012;70(3):e217-24. [Abstract](#)
136. Kang SH, Lee JW, Lim SH, Kim YH, Kim MK. Verification of the usability of a navigation method in dental implant surgery: in vitro comparison with the stereolithographic surgical guide template method. *J Craniomaxillofac Surg* 2014;42(7):1530-5. [Abstract](#)
137. Kang YH, Kim BC, Park KR, Yon JY, Kim HJ, Tak HJ, Piao Z, Kim MK, Lee SH. Visual pathway-related horizontal reference plane for three-dimensional craniofacial analysis. *Orthod Craniofac Res* 2012;15(4):245-54. [Abstract](#)
138. Kanno T, Mitsugi M, Sukegawa S, Hosoe M, Furuki Y. Computer-simulated bi-directional alveolar distraction osteogenesis. *Clin Oral Implants Res* 2008;19(12):1211-8. [Abstract](#)
139. Kanno Y, Saijo H, Mori Y, Hoshi K, Chikazu D, Kawase-Koga Y. A case of occlusal reconstruction using dental implants after Le Fort I osteotomy simultaneously with maxillary sinus floor augmentation: Require to preserve the maxillary sinus membrane? *Journal of Oral and Maxillofacial Surgery, Medicine, and Pathology* 2022;E pub Apr 21, doi:10.1016/j.ajoms.2022.03.009:1-7.
140. Katsumi Y, Tanaka R, Hayashi T, Koga T, Takagi R, Ohshima H. Variation in arterial supply to the floor of the mouth and assessment of relative hemorrhage risk in implant surgery. *Clin Oral Implants Res* 2013;24(4):434-40. [Abstract](#)

141. Kawasaki T, Komatsu K, Tsuchiya R. Tilted placement of tapered implants using a modified surgical template. *J Oral Maxillofac Surg* 2011;69(6):1642-50. [Abstract](#)
142. Kennedy KS, Jones EM, Kim DG, McGlumphy EA, Clelland NL. A prospective clinical study to evaluate early success of short implants. *Int J Oral Maxillofac Implants* 2013;28(1):170-7. [Abstract](#)
143. Kernen F, Kramer J, Wanner L, Wismeijer D, Nelson K, Flügge T. A review of virtual planning software for guided implant surgery - data import and visualization, drill guide design and manufacturing. *BMC oral health* 2020;20(1):251. [Abstract](#)
144. Ketabi AR, Kastner E, Brenner M, Lauer HC, Schulz MC. Implant insertion using an orientation template and a full-guiding template - A prospective model analysis in a cohort of dentists participating in an implantology curriculum. *Ann Anat* 2021;236:151716. [Abstract](#)
145. Kim SJ, Ribeiro AL, Atlas AM, Saleh N, Royal J, Radvar M, Korostoff J. Resonance frequency analysis as a predictor of early implant failure in the partially edentulous posterior maxilla following immediate nonfunctional loading or delayed loading with single unit restorations. *Clin Oral Implants Res* 2015;26(2):183-90. [Abstract](#)
146. Kimura K, Fukase Y, Makino M, Masaki C, Nakamoto T, Hosokawa R. Three-dimensional finite element analysis of fixed complete-arch prostheses supported by 4 immediate-loaded implants in the completely edentulous maxilla using clinical computerized tomography data. *J Oral Implantol* 2011;37 Spec No:96-105. [Abstract](#)
147. Kiyomiya H, Nogami S, Yoshiga D, Miyamoto I, Ichimiya H, Tanaka K, Kaneuji T, Yamauchi K, Yamashita Y, Takahashi T. Dento-alveolar reconstruction using titanium mesh and bone grafting followed by dental implants placement for malunion and malocclusion after a maxillo-mandibular fracture. *J Oral Maxillofac Surg Med Path* 2020;32(5):370-76. [Abstract](#)
148. Klein M, Abrams M. Computer-guided surgery utilizing a computer-milled surgical template. *Pract Proced Aesthet Dent* 2001;13(2):165-9; quiz 70. [Abstract](#)
149. Kochanowski M, Barankiewicz A, Sadowska P, Dejak B. Implantoprosthetic treatment based on Simplant Software and Azeno System. *Prosthodontics* 2022;72(1):76-83.
150. Kong N, Hui M, Miao F, Yuan H, Du Y, Chen N. Mandibular incisive canal in han chinese using cone beam computed tomography. *Int J Oral Maxillofac Surg* 2016;45(9):1142-6. [Abstract](#)
151. Koop R, Vercruyssen M, Vermeulen K, Quirynen M. Tolerance within the sleeve inserts of different surgical guides for guided implant surgery. *Clin Oral Implants Res* 2013;24(6):630-4. [Abstract](#)
152. Koutouzis T, Adeinat B, Ali A. The influence of abutment macro-design on clinical and radiographic peri-implant tissue changes for guided, placed, and restored implants: A 1-year randomized controlled trial. *Clin Oral Implants Res* 2019;30(9):882-91. [Abstract](#)

153. Kraut RA. A case for routine computed tomography imaging of the dental alveolus before implant placement. *J Oral Maxillofac Surg* 2001;59(1):64-7. [Abstract](#)
154. Kusek ER. Immediate implant placement into infected sites: bacterial studies of the hydroacoustic effects of the YSGG laser. *J Oral Implantol* 2011;37 Spec No:205-11. [Abstract](#)
155. Lal K, White GS, Morea DN, Wright RF. Use of stereolithographic templates for surgical and prosthodontic implant planning and placement. Part II. A clinical report. *J Prosthodont* 2006;15(2):117-22. [Abstract](#)
156. Lal K, White GS, Morea DN, Wright RF. Use of stereolithographic templates for surgical and prosthodontic implant planning and placement. Part I. The concept. *J Prosthodont* 2006;15(1):51-8. [Abstract](#)
157. Lavery DP, Addison O, Newsum D, Bateman G. Prosthodontic complications during implant-based oral rehabilitation of patients with head and neck cancer. *J Prosthet Dent* 2021;E-pub Jul 28, doi:10.1016/j.prosdent.2021.06.026. [Abstract](#)
158. Lavery DP, Addison O, Wubie BA, Heo G, Parmar S, Martin T, Praveen P, Pearson D, Newsum D, Murphy M, Bateman G. Outcomes of implant-based oral rehabilitation in head and neck oncology patients-a retrospective evaluation of a large, single regional service cohort. *Int J Implant Dent* 2019;5(1):8. [Abstract](#)
159. Lee BS, Ohe JY, Kim BK. Differences in bone remodeling using demineralized bone matrix in bilateral sagittal split ramus osteotomy: a study on volumetric analysis using three-dimensional cone-beam computed tomography. *J Oral Maxillofac Surg* 2014;72(6):1151-7. [Abstract](#)
160. Lee CY. Three-dimensional computer tomography (CT) in the evaluation of placement for dental implants. *Hawaii Dent J* 1996;27(3):26-9. [Abstract](#)
161. Lee CYS, Hasegawa H. Immediate load and esthetic zone considerations to replace maxillary incisor teeth using a new zirconia implant abutment in the bone grafted anterior maxilla. *J Oral Implantol* 2008;34(5):259-67. [Abstract](#)
162. Lemmerman KJ, Lemmerman NE. Osseointegrated dental implants in private practice: a long-term case series study. *J Periodontol* 2005;76(2):310-9. [Abstract](#)
163. Lethaus B, Lie N, de Beer F, Kessler P, de Baat C, Verdonck HW. Surgical and prosthetic reconsiderations in patients with maxillectomy. *J Oral Rehabil* 2010;37(2):138-42. [Abstract](#)
164. Lethaus B, Poort L, Yamauchi K, Kloss-Brandstatter A, Boeckmann R, Kessler P. Qualitative bone CT as a tool to assess vascularization in irradiated bone: an animal study. *Clin Oral Implants Res* 2013;24(7):746-9. [Abstract](#)
165. Leven J, Ali R, Butterworth CJ. Zygomatic implant-supported prosthodontic rehabilitation of edentulous patients with a history of cleft palate: A clinical report. *J Prosthet Dent* 2021;E-pub Jan 18, doi:10.1016/j.prosdent.2020.10.026. [Abstract](#)

166. Levine MH, Goddard AL, Dodson TB. Inferior alveolar nerve canal position: a clinical and radiographic study. *J Oral Maxillofac Surg* 2007;65(3):470-4. [Abstract](#)
167. Li H, Yang Y, Chen Y, Wu Y, Zhang Y, Wu D, Liang Y. Three-dimensional reconstruction of maxillae using spiral computed tomography and its application in postoperative adult patients with unilateral complete cleft lip and palate. *J Oral Maxillofac Surg* 2011;69(12):e549-57. [Abstract](#)
168. Li J, Xuan F, Choi BH, Jeong SM. Minimally invasive ridge augmentation using xenogenous bone blocks in an atrophied posterior mandible: a clinical and histological study. *Implant Dent* 2013;22(2):112-6. [Abstract](#)
169. Lin YK, Yau HT, Wang IC, Zheng C, Chung KH. A novel dental implant guided surgery based on integration of surgical template and augmented reality. *Clin Implant Dent Relat Res* 2015;17(3):543-53. [Abstract](#)
170. Lin Z, He B, Chen J, Du Z, Zheng J, Li Y. Manufacture method and clinical application of minimally invasive dental implant guide template based on registration technology. (English). *West China Journal of Stomatology* 2012;30(4):402-06. [Abstract](#)
171. Maini A, Durning P, Drage N. Resorption: within or without? The benefit of cone-beam computed tomography when diagnosing a case of an internal/external resorption defect. *Br Dent J* 2008;204(3):135-7. [Abstract](#)
172. Maloney K, Bastidas J, Freeman K, Olson TR, Kraut RA. Cone beam computed tomography and SimPlant materialize dental software versus direct measurement of the width and height of the posterior mandible: an anatomic study. *J Oral Maxillofac Surg* 2011;69(7):1923-9. [Abstract](#)
173. Mandelaris GA, Rosenfeld AL. A novel approach to the antral sinus bone graft technique: The use of a prototype cutting guide for precise outlining of the lateral wall. A case report. *Int J Periodontics Restorative Dent* 2008;28(6):568-75. [Abstract](#)
174. Mandelaris GA, Rosenfeld AL. Alternative applications of guided surgery: precise outlining of the lateral window in antral sinus bone grafting. *J Oral Maxillofac Surg* 2009;67(11 Suppl):23-30. [Abstract](#)
175. Mandelaris GA, Rosenfeld AL, King SD, Nevins ML. Computer-guided implant dentistry for precise implant placement: combining specialized stereolithographically generated drilling guides and surgical implant instrumentation. *Int J Periodontics Restorative Dent* 2010;30(3):275-81. [Abstract](#)
176. Mandelaris GA, Vlk SD. Guided implant surgery with placement of a presurgical CAD/CAM patient-specific abutment and provisional in the esthetic zone. *Compend Contin Educ Dent* 2014;35(7):494-504. [Abstract](#)

177. Mangano C, Mangano F, Piatelli A, Lezzi G, Mangano A, La Colla L. Single-tooth Morse taper connection implants after 1 year of functional loading: a multicentre study on 302 patients. *Eur J Oral Implantol* 2008;1(4):305-15. [Abstract](#)
178. Mangano C, Mangano F, Piattelli A, Iezzi G, Mangano A, La Colla L. Prospective clinical evaluation of 1920 Morse taper connection implants: results after 4 years of functional loading. *Clin Oral Implants Res* 2009;20(3):254-61. [Abstract](#)
179. Mangano C, Mangano F, Piattelli A, Iezzi G, Mangano A, La Colla L. Prospective clinical evaluation of 307 single-tooth morse taper-connection implants: a multicenter study. *Int J Oral Maxillofac Implants* 2010;25(2):394-400. [Abstract](#)
180. Mangano C, Mangano F, Shibli JA, Ricci M, Sammons RL, Figliuzzi M. Morse taper connection implants supporting "planned" maxillary and mandibular bar-retained overdentures: a 5-year prospective multicenter study. *Clin Oral Implants Res* 2011;22(10):1117-24. [Abstract](#)
181. Mangano C, Piattelli A, Mangano A, Mangano F, Iezzi G, Borges FL, d'Avila S, Shibli JA. Combining scaffolds and osteogenic cells in regenerative bone surgery: a preliminary histological report in human maxillary sinus augmentation. *Clin Implant Dent Relat Res* 2009;11 Suppl 1:e92-102. [Abstract](#)
182. Marei HF, Alshaia A, Alarifi S, Almasoud N, Abdelhady A. Effect of steam heat sterilization on the accuracy of 3D printed surgical guides. *Implant Dent* 2019;28(4):372-77. [Abstract](#)
183. Matsuo A, Chiba H, Takahashi H, Toyoda J, Abukawa H. Clinical application of a custom-made bioresorbable raw particulate hydroxyapatite/poly-L-lactide mesh tray for mandibular reconstruction. *Odontology* 2010;98(1):85-8. [Abstract](#)
184. Matsuo A, Hamada H, Oba H, Shibata K. Virtual reality head-mounted display for endoscopically-assisted implant surgery. *Br J Oral Maxillofac Surg* 2018;56(7):636-37. [Abstract](#)
185. Matsuo A, Hamada H, Takahashi H, Chikazu D. Long-term structural changes and outcomes of implants in particulate cellular bone and marrow reconstructed jawbone. *Clin Implant Dent Relat Res* 2019;21(2):360-68. [Abstract](#)
186. Matsuo A, Kono M, Toyoda J, Nakai T, Tsuzuki M, Chiba H. Navigation surgery for Le Fort 1 osteotomy in a fibrous dysplasia patient. *Odontology* 2010;98(2):181-4. [Abstract](#)
187. Matsuzaki T, Ayukawa Y, Matsushita Y, Sakai N, Matsuzaki M, Masuzaki T, Haraguchi T, Ogino Y, Koyano K. Effect of post-osseointegration loading magnitude on the dynamics of peri-implant bone: A finite element analysis and in vivo study. *J Prosthodont Res* 2019;63(4):453-59. [Abstract](#)
188. Mazzocco F, Jimenez D, Barallat L, Paniz G, Del Fabbro M, Nart J. Bone volume changes after immediate implant placement with or without flap elevation. *Clin Oral Implants Res* 2017;28(4):495-501. [Abstract](#)

189. Mendes R. Computer assisted implant planning - A case report involving severely atrophic edentulous maxillary regions. *J Chin Clin Med* 2010;5(11):665-7.
190. Mengel R, Candir M, Shiratori K, Flores-de-Jacoby L. Digital volume tomography in the diagnosis of periodontal defects: an in vitro study on native pig and human mandibles. *J Periodontol* 2005;76(5):665-73. [Abstract](#)
191. Merheb J, Temmerman A, Coucke W, Rasmusson L, Kubler A, Thor A, Quirynen M. Relation between spongy bone density in the maxilla and skeletal bone density. *Clin Implant Dent Relat Res* 2015;17(6):1180-7. [Abstract](#)
192. Merheb J, Temmerman A, Rasmusson L, Kubler A, Thor A, Quirynen M. Influence of skeletal and local bone density on dental implant stability in patients with osteoporosis. *Clin Implant Dent Relat Res* 2016;18(2):253-60. [Abstract](#)
193. Merheb J, Van Assche N, Coucke W, Jacobs R, Naert I, Quirynen M. Relationship between cortical bone thickness or computerized tomography-derived bone density values and implant stability. *Clin Oral Implants Res* 2010;21(6):612-7. [Abstract](#)
194. Merheb J, Vercruyssen M, Coucke W, Beckers L, Teughels W, Quirynen M. The fate of buccal bone around dental implants. A 12-month postloading follow-up study. *Clin Oral Implants Res* 2017;28(1):103-08. [Abstract](#)
195. Merheb J, Vercruyssen M, Coucke W, Quirynen M. Relationship of implant stability and bone density derived from computerized tomography images. *Clin Implant Dent Relat Res* 2018;20(1):50-57. [Abstract](#)
196. Mertens C, Decker C, Engel M, Sander A, Hoffmann J, Freier K. Early bone resorption of free microvascular reanastomized bone grafts for mandibular reconstruction - A comparison of iliac crest and fibula grafts. *J Craniomaxillofac Surg* 2014;42(5):e217-23. [Abstract](#)
197. Mertens C, Freudlsperger C, Bodem J, Engel M, Hoffmann J, Freier K. Reconstruction of the maxilla following hemimaxillectomy defects with scapular tip grafts and dental implants. *J Craniomaxillofac Surg* 2016;44(11):1806-11. [Abstract](#)
198. Miguel-Sánchez A, Vilaplana-Vivo J, Vilaplana-Vivo C, Vilaplana-Gomez JA, Camacho-Alonso F. Accuracy of quantitative computed tomography bone mineral density measurements in mandibles: A cadaveric study. *Clin Implant Dent Relat Res* 2015;17(4):693-9. [Abstract](#)
199. Mills EJ. CBCT and implants: Improving patient care, one implant at a time, Part 2. *Dental Economics* 2011;101(5):30-34.
200. Minamizato T, Koga T, I T, Nakatani Y, Umebayashi M, Sumita Y, Ikeda T, Asahina I. Clinical application of autogenous partially demineralized dentin matrix prepared immediately after extraction for alveolar bone regeneration in implant dentistry: a pilot study. *Int J Oral Maxillofac Surg* 2017;47(1):125-32. [Abstract](#)

201. Mischkowski RA, Zinser MJ, Neugebauer J, Kubler AC, Zoller JE. Comparison of static and dynamic computer-assisted guidance methods in implantology. *Int J Comput Dent* 2006;9(1):23-35. [Abstract](#)
202. Mol A. Imaging methods in periodontology. *Periodontol 2000* 2004;34(1):34-48. [Abstract](#)
203. Naif N. A, Tanneru N, Marei HF. Alveolar bone density and its clinical implication in the placement of dental implants and orthodontic mini-implants. *Saudi Medical Journal* 2016;37. [Abstract](#)
204. Nart J, Barallat L, Jimenez D, Mestres J, Gomez A, Carrasco MA, Violant D, Ruiz-Magaz V. Radiographic and histological evaluation of deproteinized bovine bone mineral vs. deproteinized bovine bone mineral with 10% collagen in ridge preservation. A randomized controlled clinical trial. *Clin Oral Implants Res* 2017;28(7):840-48. [Abstract](#)
205. Neugebauer J, Kistler F, Kistler S, Zudorf G, Freyer D, Ritter L, Dreiseidler T, Kusch J, Zoller JE. CAD/CAM-produced surgical guides: Optimizing the treatment workflow. *Int J Comput Dent* 2011;14(2):93-103. [Abstract](#)
206. Nijmeh AD, Goodger NM, Hawkes D, Edwards PJ, McGurk M. Image-guided navigation in oral and maxillofacial surgery. *Br J Oral Maxillofac Surg* 2005;43(4):294-302. [Abstract](#)
207. Nikzad S, Azari A. A novel stereolithographic surgical guide template for planning treatment involving a mandibular dental implant. *J Oral Maxillofac Surg* 2008;66(7):1446-54. [Abstract](#)
208. Nikzad S, Azari A. Computer-assisted implant surgery; a flapless surgical/immediate loaded approach with 1 year follow-up. *Int J Med Robot* 2008;4(4):348-54. [Abstract](#)
209. Nikzad S, Azari A. Custom-made radiographic template, computed tomography, and computer-assisted flapless surgery for treatment planning in partial edentulous patients: a prospective 12-month study. *J Oral Maxillofac Surg* 2010;68(6):1353-9. [Abstract](#)
210. Nilius M, Hölzle F, Lauer MH. Intraosseous venous malformation in an adolescent: Interdisciplinary concept for facial reconstruction after hemimandibulectomy, fibula free flap, and HDPE-chin reconstruction - 10 years follow up. *Oral and Maxillofacial Surgery Cases* 2021;7.
211. Noh K, Pae A, Lee JW, Kwon YD. Fabricating a tooth- and implant-supported maxillary obturator for a patient after maxillectomy with computer-guided surgery and CAD/CAM technology: A clinical report. *J Prosthet Dent* 2016;115(5):637-42. [Abstract](#)
212. Noharet R, Van Dooren E. Combination of cone beam computed tomography and CAD-CAM techniques for maintaining natural emergence profile in immediate extraction and/or implant placement and restoration of a central incisor: A dental technique. *J Prosthet Dent* 2019;122(3):193-97. [Abstract](#)

213. Nolan PJ, Freeman K, Kraut RA. Correlation between Schneiderian membrane perforation and sinus lift graft outcome: a retrospective evaluation of 359 augmented sinus. *J Oral Maxillofac Surg* 2014;72(1):47-52. [Abstract](#)
214. Norton MR, Gamble C. Bone classification: an objective scale of bone density using the computerized tomography scan. *Clin Oral Implants Res* 2001;12(1):79-84. [Abstract](#)
215. Odin G, Misch CE, Binderman I, Scortecchi G. Fixed rehabilitation of severely atrophic jaws using immediately loaded basal disk implants after in situ bone activation. *J Oral Implantol* 2012;38(5):611-6. [Abstract](#)
216. Ogata K, Sumita Y, Ashahina I. Safety and feasibility assessment of biodegradable poly (l-lactic acid/ ϵ -caprolactone) membrane for guided bone regeneration: A case series of first-in-human pilot study. *Journal of Dental Sciences* 2021;E-pu Sep 9, doi:10.1016/j.jds.2021.08.015.
217. Okada T, Kawana H. Two-step procedure for the treatment of a maxillary sinus with complex sinus septa: A highly predictive method for sinus floor augmentation after perforation of the maxillary sinus membrane. *Int J Periodontics Restorative Dent* 2019;39(5):e175-e80. [Abstract](#)
218. Orentlicher G, Goldsmith D, Abboud M. Computer-guided planning and placement of dental implants. *Atlas Oral Maxillofac Surg Clin North Am* 2012;20(1):53-79. [Abstract](#)
219. Orentlicher G, Goldsmith D, Horowitz A. Computer-generated implant planning and surgery: Case selection. (cover story). *Compend Contin Educ Dent* 2009;30(3):162-73. [Abstract](#)
220. Orentlicher G, Horowitz A, Abboud M. Computer- guided implant surgery: Indications and guidelines for use. *Compend Contin Educ Dent* 2012;33(10):720-33. [Abstract](#)
221. Orentlicher G, Horowitz A, Goldsmith D, Delgado-Ruiz R, Abboud M. Cumulative survival rate of implants placed "fully guided" using CT-guided surgery: A 7-year retrospective study. *Compend Contin Educ Dent* 2014;35(8):590-7. [Abstract](#)
222. Ozden Yuce M, Gunbay T, Guniz Baksi B, Comlekoglu M, Mert A. Clinical benefits and effectiveness of static computer-aided implant surgery compared with conventional freehand method for single-tooth implant placement. *J Stomatol Oral Maxillofac Surg* 2020;121(5):534-38. [Abstract](#)
223. Özkurt Z, Duygu G, Canpolat C, Kazazoglu E. Reconstruction of edentulous maxillary and mandibular arches with implant-supported fixed restorations using a digital treatment planning technique: a clinical report. *J Oral Implantol* 2008;34(3):161-8. [Abstract](#)
224. Pace-Balzan A, Shaw RJ, Butterworth C. Oral rehabilitation following treatment for oral cancer. *Periodontol* 2000 2011;57(1):102-17. [Abstract](#)
225. Pancko F, Dyer J, Weisglass S, Kraut RA. Use of tilted implants in treatment of the atrophic posterior mandible: a preliminary report of a novel approach. *J Oral Maxillofac Surg* 2010;68(2):407-13. [Abstract](#)

226. Papadimitriou DE, Salari S, Gannam C, Gallucci GO, Friedland B. Implant-prosthetic classification of the edentulous jaw for treatment planning with fixed rehabilitations. *Int J Prosthodont* 2014;27(4):320-7. [Abstract](#)
227. Paraque AR, Steve M, Vazquez L, Bolleyn A, Roze-Pellat MA, Dohan Ehrenfest D. Esthetic and functional reconstruction of the post-tumoral interrupted mandible with double-barrel fibular free flap graft: rationale for a prosthetic approach. *J Oral Implantol* 2011;37(5):571-77. [Abstract](#)
228. Park C, Raigrodski AJ, Rosen J, Spiekerman C, London RM. Accuracy of implant placement using precision surgical guides with varying occlusogingival heights: an in vitro study. *J Prosthet Dent* 2009;101(6):372-81. [Abstract](#)
229. Park E-J, Schrott A, Schnitman PA. Immediate loading as a vehicle for interdisciplinary training in implant placement and restoration. *Int J Oral Maxillofac Implants* 2010;25(5):1007-10. [Abstract](#)
230. Park KR, Park HS, Piao Z, Kim MK, Yu HS, Seo JK, Lee SH. Three-dimensional vector analysis of mandibular structural asymmetry. *J Craniomaxillofac Surg* 2013;41(4):338-44. [Abstract](#)
231. Petschelt F, Millian M, Kraußeneck T. Analysis of the precision of implant templates. *Z Zahnärztl Impl* 2013;29(1):58-69. [Abstract](#)
232. Pieralli S, Gintaute A, Beuer F, Spies BC. Digital and orthodontically driven implant planning: A multidisciplinary case history report. *Int J Prosthodont* 2019;32(32):214-16. [Abstract](#)
233. Platzer S, Bertha G, Heschl A, Wegscheider WA, Lorenzoni M. Three-dimensional accuracy of guided implant placement: indirect assessment of clinical outcomes. *Clin Implant Dent Relat Res* 2013;15(5):724-34. [Abstract](#)
234. Putra RH, Yoda N, Iikubo M, Kataoka Y, Yamauchi K, Koyama S, Cooray U, Astuti ER, Takahashi T, Sasaki K. Influence of bone condition on implant placement accuracy with computer-guided surgery. *Int J Implant Dent* 2020;6(1):62. [Abstract](#)
235. Ramaglia L, Toti P, Sbordone C, Guidetti F, Martuscelli R, Sbordone L. Implant angulation: 2-year retrospective analysis on the influence of dental implant angle insertion on marginal bone resorption in maxillary and mandibular osseous onlay grafts. *Clin Oral Investig* 2015;19(4):769-79. [Abstract](#)
236. Ramirez A. Smile without fear: SmartFix® concept for oral rehabilitation. *Compend Contin Educ Dent* 2018;39(3):8-10.
237. Rhoades KA, Leve LD, Harold GT, Kim H, Chamberlain P. Drug use trajectories after a randomized controlled trial of MTFC: Associations with partner drug use. *J Res Adolesc* 2014;24(1):40-54. [Abstract](#)

238. Rodriguez A, Anastassov GE, Lee H, Buchbinder D, Wettan H. Maxillary sinus augmentation with deproteinated bovine bone and platelet rich plasma with simultaneous insertion of endosseous implants. *J Oral Maxillofac Surg* 2003;61(2):157-63. [Abstract](#)
239. Rodriguez-Recio O, Rodriguez-Recio C, Gallego L, Junquera L. Computed tomography and computer-aided design for locating available palatal bone for grafting: two case reports. *Int J Oral Maxillofac Implants* 2010;25(1):197-200. [Abstract](#)
240. Rosenfeld AL, Mandelaris GA, Tardieu PB. Prosthetically directed implant placement using computer software to ensure precise placement and predictable prosthetic outcomes. Part 1: diagnostics, imaging, and collaborative accountability. *Int J Periodontics Restorative Dent* 2006;26(3):215-21. [Abstract](#)
241. Rosenfeld AL, Mandelaris GA, Tardieu PB. Prosthetically directed implant placement using computer software to ensure precise placement and predictable prosthetic outcomes. Part 2: rapid-prototype medical modeling and stereolithographic drilling guides requiring bone exposure. *Int J Periodontics Restorative Dent* 2006;26(4):347-53. [Abstract](#)
242. Rosenfeld AL, Mandelaris GA, Tardieu PB. Prosthetically directed implant placement using computer software to ensure precise placement and predictable prosthetic outcomes. Part 3: stereolithographic drilling guides that do not require bone exposure and the immediate delivery of teeth. *Int J Periodontics Restorative Dent* 2006;26(5):493-9. [Abstract](#)
243. Rupp J, Popovic A, Strauss M, Spuntrup E, Steiner A, Stoll C. Evaluation of the accuracy of three different computer-aided surgery systems in dental implantology: optical tracking vs. stereolithographic splint systems. *Clin Oral Implants Res* 2008;19(7):709-16. [Abstract](#)
244. Ryu KH, Min S, You HK, Sin YW, Lee W, Lee J, Kiss A, Almohaimeed M, Zadeh HH. Alveolar ridge dimensional changes following ridge preservation procedure using SocketKAP() : exploratory study of serial cone-beam computed tomography and histologic analysis in canine model. *Clin Oral Implants Res* 2016;27(9):1144-51. [Abstract](#)
245. Salama M, Coachman C, Garber D, Calamita M, Salama H, Cabral G. Prosthetic gingival reconstruction in the fixed partial restoration. Part 2: diagnosis and treatment planning. *Int J Periodontics Restorative Dent* 2009;29(6):573-81. [Abstract](#)
246. Sancho-Puchades M, Alfaro FH, Naenni N, Jung R, Hämmerle C, Schneider D. A Randomized Controlled Clinical Trial Comparing Conventional And Computer-Assisted Implant Planning and Placement in Partially Edentulous Patients. Part 2: Patient Related Outcome Measures. *Int J Periodontics Restorative Dent* 2019;39(4):e99-e110.
247. Sarment DP, Al-Shammari K, Kazor CE. Stereolithographic surgical templates for placement of dental implants in complex cases. *Int J Periodontics Restorative Dent* 2003;23(3):287-95. [Abstract](#)
248. Sarment DP, Sukovic P, Clinthorne N. Accuracy of implant placement with a stereolithographic surgical guide. *Int J Oral Maxillofac Implants* 2003;18(4):571-7. [Abstract](#)

249. Sasaki H, Hirano T, Nomoto S, Nishii Y, Yajima Y. Dental implant treatment with computer-assisted surgery for bilateral agenesis of maxillary lateral incisors: A case report. *The Bulletin of Tokyo Dental College* 2018;59(1):43-51.
250. Sawada A, Wakabayashi N, Ona M, Suzuki T. Viscoelasticity of human oral mucosa: implications for masticatory biomechanics. *J Dent Res* 2011;90(5):590-5. [Abstract](#)
251. Sbordone C, Sbordone L, Toti P, Martuscelli R, Califano L, Guidetti F. Volume changes of grafted autogenous bone in sinus augmentation procedure. *J Oral Maxillofac Surg* 2011;69(6):1633-41. [Abstract](#)
252. Sbordone C, Toti P, Guidetti F, Califano L, Bufo P, Sbordone L. Volume changes of autogenous bone after sinus lifting and grafting procedures: a 6-year computerized tomographic follow-up. *J Craniomaxillofac Surg* 2013;41(3):235-41. [Abstract](#)
253. Sbordone C, Toti P, Guidetti F, Califano L, Pannone G, Sbordone L. Volumetric changes after sinus augmentation using blocks of autogenous iliac bone or freeze-dried allogeneic bone. A non-randomized study. *J Craniomaxillofac Surg* 2014;42(2):113-8. [Abstract](#)
254. Sbordone C, Toti P, Guidetti F, Califano L, Santoro A, Sbordone L. Volume changes of iliac crest autogenous bone grafts after vertical and horizontal alveolar ridge augmentation of atrophic maxillas and mandibles: a 6-year computerized tomographic follow-up. *J Oral Maxillofac Surg* 2012;70(11):2559-65. [Abstract](#)
255. Sbordone C, Toti P, Guidetti F, Martuscelli R, Califano L, Sbordone L. Healing of donor defect after mandibular parasymphiseal block harvesting: a 6-year computerized tomographic follow-up. *J Craniomaxillofac Surg* 2012;40(5):421-6. [Abstract](#)
256. Schepers RH, Raghoobar GM, Vissink A, Lahoda LU, Van der Meer WJ, Roodenburg JL, Reintsema H, Witjes MJ. Fully 3-dimensional digitally planned reconstruction of a mandible with a free vascularized fibula and immediate placement of an implant-supported prosthetic construction. *Head Neck* 2013;35(4):E109-14. [Abstract](#)
257. Schioli G, Angiero F, Zangerl A, Benedicenti S, Ferrante F, Widmann G. Accuracy of a flapless protocol for computer-guided zygomatic implant placement in human cadavers: expectations and reality. *Int J Med Robot* 2016;12(1):102-8. [Abstract](#)
258. Schlee M, Rothamel D. Ridge augmentation using customized allogenic bone blocks: proof of concept and histological findings. *Implant Dent* 2013;22(3):212-8. [Abstract](#)
259. Schneider D, Marquardt P, Zwahlen M, Jung RE. A systematic review on the accuracy and the clinical outcome of computer-guided template-based implant dentistry. *Clin Oral Implants Res* 2009;20 Suppl 4:73-86. [Abstract](#)
260. Schneider D, Sancho-Puchades M, Benic GI, Hammerle CH, Jung RE. A randomized controlled clinical trial comparing conventional and computer-assisted implant planning and placement

in partially edentulous patients. Part 1: clinician-related outcome measures. *Int J Periodontics Restorative Dent* 2018;38(Suppl):s49-s57. [Abstract](#)

261. Schneider D, Sancho-Puchades M, Mir-Marí J, Mühlemann S, Jung R, Hämmerle C. A Randomized Controlled Clinical Trial Comparing Conventional and Computer-Assisted Implant Planning and Placement in Partially Edentulous Patients. Part 4: Accuracy of Implant Placement. *The International journal of periodontics & restorative dentistry* 2019;39(4):e111-e22.
262. Schneider D, Schober F, Grohmann P, Hammerle CH, Jung RE. In-vitro evaluation of the tolerance of surgical instruments in templates for computer-assisted guided implantology produced by 3-D printing. *Clin Oral Implants Res* 2015;26(3):320-5. [Abstract](#)
263. Schnitman PA, Hwang JW. To immediately load, expose, or submerge in partial edentulism: a study of primary stability and treatment outcome. *Int J Oral Maxillofac Implants* 2011;26(4):850-9. [Abstract](#)
264. Schwartz-Arad D, Toti P, Levin L, Laviv A, Guidetti F, Sbordone L. A comparative volumetric study of symphysis donor defects, unfilled or filled with bone substitute. *Clin Implant Dent Relat Res* 2013;15(5):684-91. [Abstract](#)
265. Sencimen M, Gulses A, Ozen J, Dergin C, Okcu KM, Ayyildiz S, Altug HA. Early detection of alterations in the resonance frequency assessment of oral implant stability on various bone types: a clinical study. *J Oral Implantol* 2011;37(4):411-9. [Abstract](#)
266. Serag M, Alnassar T, Rochford C, Alhashim A. Implementation of digital dentistry to rehabilitate a mutilated dentition with implant fixed prostheses: a clinical report. *J Oral Implantol* 2015;41(2):201-4. [Abstract](#)
267. Shahbazian M, Jacobs R, Wyatt J, Denys D, Lambrichts I, Vinckier F, Willems G. Validation of the cone beam computed tomography-based stereolithographic surgical guide aiding autotransplantation of teeth: clinical case-control study. *Oral Surg Oral Med Oral Pathol Oral Radiol* 2013;115(5):667-75. [Abstract](#)
268. Shahbazian M, Jacobs R, Wyatt J, Willems G, Pattijn V, Dhoore E, C VANL, Vinckier F. Accuracy and surgical feasibility of a CBCT-based stereolithographic surgical guide aiding autotransplantation of teeth: in vitro validation. *J Oral Rehabil* 2010;37(11):854-9. [Abstract](#)
269. Shaikh A, Chandler B, Reynolds A. Implant dentistry in the digital dental world. *Dental Nursing* 2010;6(4):18-23.
270. Shapurian T, Damoulis PD, Reiser GM, Griffin TJ, Rand WM. Quantitative evaluation of bone density using the Hounsfield index. *Int J Oral Maxillofac Implants* 2006;21(2):290-97. [Abstract](#)
271. Shen P, Zhao J, Fan L, Qiu H, Xu W, Wang Y, Zhang S, Kim YJ. Accuracy evaluation of computer-designed surgical guide template in oral implantology. *J Craniomaxillofac Surg* 2015;43(10):2189-94. [Abstract](#)

272. Shigehara S, Ohba S, Nakashima K, Takanashi Y, Asahina I. Immediate loading of dental implants inserted in edentulous maxillas and mandibles; 5-year results of a clinical study. *J Oral Implantol* 2015;41(6):701-5. [Abstract](#)
273. Shimizu T, Mizushiri M, Fukunishi K, Taniike N, Takenobu T, Nishimura M, Murata H. Full mouth reconstruction with dental implants in the conservative treatment of bilateral condylar fractures: a clinical letter. *J Oral Implantol* 2015;41(1):89-92. [Abstract](#)
274. Solow RA. Channel retention for fixed implant superstructures: A clinical report. *J Prosthet Dent* 2015;114(3):323-7. [Abstract](#)
275. Somogyi-Ganss E, Holmes HI, Jokstad A. Accuracy of a novel prototype dynamic computer-assisted surgery system. *Clin Oral Implants Res* 2015;26(8):882-90. [Abstract](#)
276. Sondergaard K, Hosseini M, Jensen SS, Spin-Neto R, Gotfredsen K. Fully- versus conventionally guided implant placement by dental students. A randomized controlled trial. *Clin Oral Implants Res* 2021;E-pub Jun 28, doi: 10.1111/clr.13802. [Abstract](#)
277. Song WW, Kim SS, Sandor GK, Kim YD. Maxillary yaw as the primary predictor of maxillary dental midline deviation: 3D analysis using cone-beam computed tomography. *J Oral Maxillofac Surg* 2013;71(4):752-62. [Abstract](#)
278. Star H, Thevissen P, Jacobs R, Fieuws S, Solheim T, Willems G. Human dental age estimation by calculation of pulp-tooth volume ratios yielded on clinically acquired cone beam computed tomography images of monoradicular teeth. *J Forensic Sci* 2011;56 Suppl 1:S77-82. [Abstract](#)
279. Stockham CD. Using CT and SIM/Plant to plan implant therapy. *Alpha Omegan* 1996;89(4):35-8. [Abstract](#)
280. Stokbro K, Aagaard E, Torkov P, Bell RB, Thygesen T. Virtual planning in orthognathic surgery. *Int J Oral Maxillofac Surg* 2014;43(8):957-65. [Abstract](#)
281. Stoppie N, Pattijn V, Van Cleynenbreugel T, Wevers M, Vander Sloten J, Ignace N. Structural and radiological parameters for the characterization of jawbone. *Clin Oral Implants Res* 2006;17(2):124-33. [Abstract](#)
282. Stubinger S, Buitrago-Tellez C, Cantelmi G. Deviations between placed and planned implant positions: an accuracy pilot study of skeletally supported stereolithographic surgical templates. *Clin Implant Dent Relat Res* 2014;16(4):540-51. [Abstract](#)
283. Sudbrink SD. Computer-guided implant placement with immediate provisionalization: a case report. *J Oral Maxillofac Surg* 2005;63(6):771-4. [Abstract](#)
284. Tahmaseb A, Wismeijer D, Coucke W, Derksen W. Computer technology applications in surgical implant dentistry: a systematic review. *Int J Oral Maxillofac Implants* 2014;29 Suppl:25-42. [Abstract](#)

285. Tajima N, Ohba S, Sawase T, Asahina I. Evaluation of sinus floor augmentation with simultaneous implant placement using platelet-rich fibrin as sole grafting material. *Int J Oral Maxillofac Implants* 2013;28(1):77-83. [Abstract](#)
286. Takuma T, Oishi K, Manabe T, Yoneda S, Nagata T. Buccal bone resorption around posterior implants after surgery: a 1-year prospective study. *Int J Oral Maxillofac Implants* 2014;29(3):634-41. [Abstract](#)
287. Tanaka K, Sailer I, Iwama R, Yamauchi K, Nogami S, Yoda N, Takahashi T. Relationship between cortical bone thickness and implant stability at the time of surgery and secondary stability after osseointegration measured using resonance frequency analysis. *J Periodontal Implant Sci* 2018;48(6):360-72. [Abstract](#)
288. Tang T, Huang Z, Liao L, Gu X, Zhang J, Zhang X. Factors that influence direction deviation in freehand implant placement. *J Prosthodont* 2019;28(5):511-18. [Abstract](#)
289. Tang T, Liao L, Huang Z, Gu X, Zhang X. Accuracy of the evaluation of implant position using a completely digital registration method compared with a radiographic method. *J Prosthet Dent* 2019;122(6):537-42. [Abstract](#)
290. Tardieu PB, Vrielinck L, Escolano E, Henne M, Tardieu AL. Computer-assisted implant placement: scan template, simplant, surgiguide, and SAFE system. *Int J Periodontics Restorative Dent* 2007;27(2):141-9. [Abstract](#)
291. Temmerman A, Meeus M, Dhondt R, Wierinck E, Teughels W, Naert I, Quirynen M. Oral implant placement and restoration by undergraduate students: clinical outcomes and student perceptions. *Eur J Dent Educ* 2016;20(2):73-83. [Abstract](#)
292. Testori T, Robiony M, Parenti A, Luongo G, Rosenfeld AL, Ganz SD, Mandelaris GA, Del Fabbro M. Evaluation of accuracy and precision of a new guided surgery system: A multicenter clinical study. *Int J Periodontics Restorative Dent* 2014;34(suppl):s59-s69. [Abstract](#)
293. Tischler M. Simplified fixed implant prosthetics. *Dent Today* 2003;22(9):84-6. [Abstract](#)
294. Tischler M. Interactive computerized tomography for dental implants. Treatment planning from the prosthetic end result. *Dent Today* 2004;23(3):90, 92-3. [Abstract](#)
295. Tischler M. Full-arch fixed prosthetics supported by dental implants and natural teeth: planning, provisionalization, treatment sequences: 2 case examples. *Dent Today* 2004;23(9):86, 88, 90-1. [Abstract](#)
296. Tischler M. Dental implant placement in the maxillary anterior region: guidelines for aesthetic success. *Dent Today* 2005;24(3):72, 74, 76 passim; quiz 78, 61. [Abstract](#)
297. Todisco M, Trisi P. Bone mineral density and bone histomorphometry are statistically related. *Int J Oral Maxillofac Implants* 2005;20(6):898-904. [Abstract](#)

298. Todorovic VS, Postma TC, van Zyl AW. Assessment of the anterior loop of the inferior alveolar nerve using reformatted computed tomography: a retrospective study. *Br J Oral Maxillofac Surg* 2018;56(3):186-91. [Abstract](#)
299. Torres J, Tamimi F, Alkhraisat MH, Manchon A, Linares R, Prados-Frutos JC, Hernandez G, Lopez Cabarcos E. Platelet-rich plasma may prevent titanium-mesh exposure in alveolar ridge augmentation with anorganic bovine bone. *J Clin Periodontol* 2010;37(10):943-51. [Abstract](#)
300. Torres J, Tamimi F, Martinez PP, Alkhraisat MH, Linares R, Hernandez G, Torres-Macho J, Lopez-Cabarcos E. Effect of platelet-rich plasma on sinus lifting: A randomized-controlled clinical trial. *J Clin Periodontol* 2009;36(8):677-87. [Abstract](#)
301. Tremblay G. Innovative advanced occlusion planning with superimposed CT and optical scans. *Compend Contin Educ Dent* 2011;32(3):50-2, 54-6, 58. [Abstract](#)
302. Tremblay G. Rehabilitation of surgically relocated integrated dental implants with and without bone morphogenesis protein-2. *J Oral Implantol* 2013;39(4):409-15. [Abstract](#)
303. Trikeriotis D, Paravalou E, Diamantopoulos P, Nikolaou D. Anterior mandible canal communications: a potential portal of entry for tumour spread. *Dentomaxillofac Radiol* 2008;37(3):125-9. [Abstract](#)
304. Uchida T, Yoshida T, Kashiwagi K, Lee S, Kobayashi W, Takahashi K, Murai M, Sato S, Ito K. Clinical, radiographic, and histologic evaluation of localized ridge augmentation using a mandibular bone block. *Int J Periodontics Restorative Dent* 2008;28(2):180-87. [Abstract](#)
305. Valente F, Schioli G, Sbrenna A. Accuracy of computer-aided oral implant surgery: A clinical and radiographic study. *Int J Oral Maxillofac Implants* 2009;24(2):234-42. [Abstract](#)
306. Van Assche N, Quirynen M. Tolerance within a surgical guide. *Clin Oral Implants Res* 2010;21(4):455-58. [Abstract](#)
307. Van de Velde T, Glor F, De Bruyn H. A model study on flapless implant placement by clinicians with a different experience level in implant surgery. *Clin Oral Implants Res* 2008;19(1):66-72. [Abstract](#)
308. Van de Velde T, Sennerby L, De Bruyn H. The clinical and radiographic outcome of implants placed in the posterior maxilla with a guided flapless approach and immediately restored with a provisional rehabilitation: a randomized clinical trial. *Clin Oral Implants Res* 2010;21(11):1223-33. [Abstract](#)
309. Van de Wiele G, Teughels W, Vercruyssen M, Coucke W, Temmerman A, Quirynen M. The accuracy of guided surgery via mucosa-supported stereolithographic surgical templates in the hands of surgeons with little experience. *Clin Oral Implants Res* 2015;26(12):1489-94. [Abstract](#)
310. Van Steenberghe D, Malevez C, Van Cleynenbreugel J, Bou Serhal C, Dhoore E, Schutyser F, Suetens P, Jacobs R. Accuracy of drilling guides for transfer from three-dimensional CT-based

planning to placement of zygoma implants in human cadavers. Clin Oral Implants Res 2003;14(1):131-6. [Abstract](#)

311. van Zyl AW, van Heerden WF. A retrospective analysis of maxillary sinus septa on reformatted computerised tomography scans. Clin Oral Implants Res 2009;20(12):1398-401. [Abstract](#)
312. Vandenberghe B, Luchsinger S, Hostens J, Dhoore E, Jacobs R. The influence of exposure parameters on jawbone model accuracy using cone beam CT and multislice CT. Dentomaxillofac Radiol 2012;41(6):466-74. [Abstract](#)
313. Varol A, Basa S. The role of computer-aided 3D surgery and stereolithographic modelling for vector orientation in premaxillary and trans-sinusoidal maxillary distraction osteogenesis. Int J Med Robot 2009;5(2):198-206. [Abstract](#)
314. Verardi S. CT scans may not be indicated to analyze the distribution of the arteries in the lateral wall of the maxillary sinus. J Evid Based Dent Pract 2006;6(4):276-7. [Abstract](#)
315. Vercruyssen M, Coucke W, Naert I, Jacobs R, Teughels W, Quirynen M. Depth and lateral deviations in guided implant surgery: an RCT comparing guided surgery with mental navigation or the use of a pilot-drill template. Clin Oral Implants Res 2015;26(11):1315-20. [Abstract](#)
316. Vercruyssen M, Cox C, Coucke W, Naert I, Jacobs R, Quirynen M. A randomized clinical trial comparing guided implant surgery (bone- or mucosa-supported) with mental navigation or the use of a pilot-drill template. J Clin Periodontol 2014;41(7):717-23. [Abstract](#)
317. Vercruyssen M, Cox C, Naert I, Jacobs R, Teughels W, Quirynen M. Accuracy and patient-centered outcome variables in guided implant surgery: a RCT comparing immediate with delayed loading. Clin Oral Implants Res 2016;27(4):427-32. [Abstract](#)
318. Vercruyssen M, Jacobs R, Van Assche N, van Steenberghe D. The use of CT scan based planning for oral rehabilitation by means of implants and its transfer to the surgical field: a critical review on accuracy. J Oral Rehabil 2008;35(6):454-74. [Abstract](#)
319. Vercruyssen M, van de Wiele G, Teughels W, Naert I, Jacobs R, Quirynen M. Implant- and patient-centred outcomes of guided surgery, a 1-year follow-up: An RCT comparing guided surgery with conventional implant placement. J Clin Periodontol 2014;41(12):1154-60. [Abstract](#)
320. Verdonck HD, Meijer GJ, Laurin T, Nieman FHM, Stoll C, Riediger D, Stoelinga PJW, de Baat C. Assessment of vascularity in irradiated and nonirradiated maxillary and mandibular minipig alveolar bone using laser doppler flowmetry. Int J Oral Maxillofac Implants 2007;22(5):774-78. [Abstract](#)
321. Verdonck HW, Meijer GJ, Laurin T, Nieman FH, Stoll C, Riediger D, Stoelinga PJ, de Baat C. Implant stability during osseointegration in irradiated and non-irradiated minipig alveolar bone: an experimental study. Clin Oral Implants Res 2008;19(2):201-6. [Abstract](#)

322. Verdonck HW, Meijer GJ, Nieman FH, Stoll C, Riediger D, de Baat C. Quantitative computed tomography bone mineral density measurements in irradiated and non-irradiated minipig alveolar bone: an experimental study. *Clin Oral Implants Res* 2008;19(5):465-8. [Abstract](#)
323. Vermeulen J. The accuracy of implant placement by experienced surgeons: Guided vs freehand approach in a simulated plastic model. *Int J Oral Maxillofac Implants* 2017;32(3):617-24. [Abstract](#)
324. Vivek R, Singh A, Chaturvedi TP. Radiographic techniques and advancement for preoperative assessment in dental implant therapy: An overview. *Indian Journal of Dental Sciences* 2013;5(5):116-20.
325. Vogl S, Stopper M, Hof M, Theisen K, Wegscheider WA, Lorenzoni M. Immediate occlusal vs nonocclusal loading of implants: A randomized prospective clinical pilot study and patient centered outcome after 36 months. *Clin Implant Dent Relat Res* 2019;21(4):766-74. [Abstract](#)
326. Vogl S, Stopper M, Hof M, Wegscheider WA, Lorenzoni M. Immediate occlusal versus non-occlusal loading of implants: A randomized clinical pilot study. *Clin Implant Dent Relat Res* 2015;17(3):589-97. [Abstract](#)
327. Vrielinck L, Politis C, Schepers S, Pauwels M, Naert I. Image-based planning and clinical validation of zygoma and pterygoid implant placement in patients with severe bone atrophy using customized drill guides. Preliminary results from a prospective clinical follow-up study. *Int J Oral Maxillofac Surg* 2003;32(1):7-14. [Abstract](#)
328. Wakimoto M, Matsumura T, Ueno T, Mizukawa N, Yanagi Y, Iida S. Bone quality and quantity of the anterior maxillary trabecular bone in dental implant sites. *Clin Oral Implants Res* 2012;23(11):1314-9. [Abstract](#)
329. Wang WH, Deng JY, Li M, Zhu J, Xu B. Preoperative three-dimensional reconstruction in vascularized fibular flap transfer. *J Craniomaxillofac Surg* 2012;40(7):599-603. [Abstract](#)
330. Wang WH, Deng JY, Zhu J, Li M, Xia B, Xu B. Computer-assisted virtual technology in intracapsular condylar fracture with two resorbable long-screws. *Br J Oral Maxillofac Surg* 2013;51(2):138-43. [Abstract](#)
331. Wang WH, Zhu J, Deng JY, Xia B, Xu B. Three-dimensional virtual technology in reconstruction of mandibular defect including condyle using double-barrel vascularized fibula flap. *J Craniomaxillofac Surg* 2013;41(5):417-22. [Abstract](#)
332. Widmann G, Bale RJ. Accuracy in computer-aided implant surgery--a review. *Int J Oral Maxillofac Implants* 2006;21(2):305-13. [Abstract](#)
333. Wildburger A, Payer M, Jakse N, Strunk D, Etchard-Liechtenstein N, Sauerbier S. Impact of autogenous concentrated bone marrow aspirate on bone regeneration after sinus floor augmentation with a bovine bone substitute--a split-mouth pilot study. *Clin Oral Implants Res* 2014;25(10):1175-81. [Abstract](#)

334. Witherington T, Cheung A, Nagy L, Brewer L. Enhanced Implant Case Planning Using Dual Scan CBCT of an Existing Prosthesis: Report of a Case. *J Oral Implantol* 2017;43(5):381-86. [Abstract](#)
335. Wong HH, Pow EH, Choi WW. Management of mandibular rotation after a mandibulectomy: a clinical report. *J Prosthet Dent* 2013;110(6):532-7. [Abstract](#)
336. Xiaojun C, Ming Y, Yanping L, Yiqun W, Chengtao W. Image guided oral implantology and its application in the placement of zygoma implants. *Comput Methods Programs Biomed* 2009;93(2):162-73. [Abstract](#)
337. Yoda N, Zheng K, Chen J, Li W, Swain M, Sasaki K, Li Q. Bone morphological effects on post-implantation remodeling of maxillary anterior buccal bone: A clinical and biomechanical study. *J Prosthodont Res* 2017;61(4):393-402. [Abstract](#)
338. Younes F, Cosyn J, De Bruyckere T, Cleymaet R, Bouckaert E, Eghbali A. A randomized controlled study on the accuracy of free-handed, pilot-drill guided and fully guided implant surgery in partially edentulous patients. *J Clin Periodontol* 2018;45(6):721-32. [Abstract](#)
339. Yuce MO, Gunbay T, Baksi BG, Comlekoglu M, Mert A. Clinical benefits and effectiveness of static computer-aided implant surgery compared with conventional freehand method for single-tooth implant placement. *J Stomatol Oral Maxillofac Surg* 2019;E-pub Nov 2, doi:10.1016/j.jormas.2019.10.008. [Abstract](#)
340. Zeren KJ. Use of bone morphogenetic protein-2 in molar extraction sockets for immediate implant placement: A prospective case series. *Int J Periodontics Restorative Dent* 2018;38(1):87-93. [Abstract](#)
341. Zhang S, Liu X, Xu Y, Yang C, Undt G, Chen M, Haddad MS, Yun B. Application of rapid prototyping for temporomandibular joint reconstruction. *J Oral Maxillofac Surg* 2011;69(2):432-8. [Abstract](#)
342. Zhang W, Shen G, Wang X, Yu H, Fan L. Evaluation of alveolar bone grafting using limited cone beam computed tomography. *Oral Surg Oral Med Oral Pathol Oral Radiol* 2012;113(4):542-8. [Abstract](#)
343. Zheng J, Zhang S, Lu E, Yang C, Zhang W, Zhao J. Systematic modification and evaluation of a canine model for elevation of the floor of the maxillary sinus. *Br J Oral Maxillofac Surg* 2014;52(9):784-8. [Abstract](#)
344. Zinser MJ, Mischkowski RA, Sailer HF, Zoller JE. Computer-assisted orthognathic surgery: feasibility study using multiple CAD/CAM surgical splints. *Oral Surg Oral Med Oral Pathol Oral Radiol* 2012;113(5):673-87. [Abstract](#)
345. Zinser MJ, Sailer HF, Ritter L, Braumann B, Maegele M, Zoller JE. A paradigm shift in orthognathic surgery? A comparison of navigation, computer-aided designed/computer-aided manufactured splints, and "classic" intermaxillary splints to surgical transfer of virtual orthognathic planning. *J Oral Maxillofac Surg* 2013;71(12):2151 e1-21. [Abstract](#)

2.3. PrimeScan

1. Bjelica R, Viskic J, Batinjan G, Zore IF. Implantoprosthodontic rehabilitation by computer-guided implant surgery (M-Guide): Case report. *Acta Stomatologica Croatia* 2022;56(1):89-94. [Abstract](#)
2. Cakmak G, Donmez MB, Atalay S, Yilmaz H, Kokat AM, Yilmaz B. Accuracy of single implant scans with a combined healing abutment-scan body system and different intraoral scanners: An in vitro study. *J Dent* 2021;E-pub Aug 14:103773. [Abstract](#)
3. Chen Y, Zhai Z, Li H, Yamada S, Matsuoka T, Ono S, Nakano T. Influence of liquid on the tooth surface on the accuracy of intraoral scanners: An in vitro study. *J Prosthodont* 2022;31(1):59-64. [Abstract](#)
4. D'Haese R, Vrombaut T, Roeykens H, Vandeweghe S. In vitro accuracy of digital and conventional impressions for full-arch implant-supported prostheses. *J Clin Med* 2022;11(3):1-10. [Abstract](#)
5. Donmez MB, Marques VR, Cakmak G, Yilmaz H, Schimmel M, Yilmaz B. Congruence between the meshes of a combined healing abutment-scan body system acquired with four different intraoral scanners and the corresponding library file: An in vitro analysis. *J Dent* 2021;118:103938. [Abstract](#)
6. Ebeid K, Sabet A, Della Bona A. Accuracy and repeatability of different intraoral scanners on shade determination. *J Esthet Restor Dent* 2021;33(6):844-48. [Abstract](#)
7. Espona J, Vidal-Ponsoda C, Quintana P, Henarejos-Domingo V, Roig M. A fully digital protocol to provide a fixed interim complete denture for immediate loading for a completely edentulous patient: A dental technique. *J Prosthet Dent* 2021;E-pub Oct 26, doi:10.1016/j.prosdent.2021.09.011. [Abstract](#)
8. Graf T, Guth JF, Diegritz C, Liebermann A, Schweiger J, Schubert O. Efficiency of occlusal and interproximal adjustments in CAD-CAM manufactured single implant crowns - cast-free vs 3D printed cast-based. *J Adv Prosthodont* 2021;13(6):351-60. [Abstract](#)
9. Gutmacher Z, Kelly A, Renne W, Hoover M, Mennito A, Teich S, Cayouette M, Ludlow M. Evaluation of the accuracy of multiple digital impression systems on a fully edentulous maxilla. *Quintessence Int* 2021;52(6):488-95. [Abstract](#)
10. Jorquera GJ, Sampaio CS, Bozzalla A, Hirata R, Sanchez JP. Evaluation of trueness and precision of two intraoral scanners and a conventional impression: an in vivo clinical study. *Quintessence Int* 2021;52(10):904-10. [Abstract](#)

11. Jurado CA, Lederman R, Cohen J, Tsujimoto A. Intraoral Scanning with Rubber Dam Isolation in Place for Fabrication of a Chairside Computer-assisted Design and Computer-assisted Manufacture Ceramic Restoration. *J Contemp Dent Pract* 2021;22(8):943-46. [Abstract](#)
12. Kim JH, Son SA, Lee H, Kim RJ, Park JK. In vitro analysis of intraoral digital impression of inlay preparation according to tooth location and cavity type. *J Prosthodont Res* 2021;65(3):400-06. [Abstract](#)
13. Kongkiatkamon S, Rokaya D. Full digital workflow in the esthetic dental restoration. *Case Reports in Dentistry* 2022;E-pub June 18, doi:10.1155/2022/8836068:1-6. [Abstract](#)
14. Kontis P, Guth JF, Keul C. Accuracy of full-arch digitalization for partially edentulous jaws - a laboratory study on basis of coordinate-based data analysis. *Clin Oral Investig* 2022;E-pub Jan 4, doi:10.1007/s00784-021-04335-3. [Abstract](#)
15. Kontis P, Guth JF, Schubert O, Keul C. Accuracy of intraoral scans of edentulous jaws with different generations of intraoral scanners compared to laboratory scans. *J Adv Prosthodont* 2021;13(5):316-26. [Abstract](#)
16. Lee JH, Bae JH, Lee SY. Trueness of digital implant impressions based on implant angulation and scan body materials. *Sci Rep* 2021;11(1):21892. [Abstract](#)
17. Masu R, Tanaka S, Sanda M, Miyoshi K, Baba K. Effect of assistive devices on the precision of digital impressions for implants placed in edentulous maxilla: an in vitro study. *Int J Implant Dent* 2021;7(1):1-9. [Abstract](#)
18. Ozal C, Ulusoy M. In-vitro evaluation of marginal and internal fit of 3-unit monolithic zirconia restorations fabricated using digital scanning technologies. *J Adv Prosthodont* 2021;13(6):373-84. [Abstract](#)
19. Pan Y, Heng C, Wu ZJ, Tam J, Hsung RT, Pow EH, Lam WY. Comparison of the virtual techniques in registering single implant position with a universal-coordinate system: An in vitro study. *J Dent* 2022;117:103925. [Abstract](#)
20. Panagiotis K, Jan-Frederik G, Christine K. Accuracy of full-arch digitalization for partially edentulous jaws - a laboratory study on basis of coordinate-based data analysis. *Clin Oral Investig* 2022;E-pub Jan 4, doi:10.1007/s00784-021-04335-3. [Abstract](#)
21. Passos L, Meiga S, Brigagao V, Neumann M, Street A. Digital impressions' accuracy through "cut-out-rescan" and "data exchange by over scanning" techniques in complete arches of two intraoral scanners and CAD/CAM software. *J Prosthodont Res* 2021;E-pub Nov 18, doi:10.2186/jpr.JPR_D_20_00089. [Abstract](#)
22. Revell G, Simon B, Mennito A, Evans ZP, Renne W, Ludlow M, Vag J. Evaluation of complete-arch implant scanning with 5 different intraoral scanners in terms of trueness and operator experience. *J Prosthet Dent* 2021;E-pub Apr10, doi:10.1016/j.prosdent.2021.01.013. [Abstract](#)

23. Rutkunas V, Gedrimiene A, Al-Haj Husain N, Pletkus J, Barauskis D, Jegelevicius D, Ozcan M. Effect of additional reference objects on accuracy of five intraoral scanners in partially and completely edentulous jaws: An in vitro study. *J Prosthet Dent* 2021;E-pub Nov 16, doi:10.1016/j.prosdent.2021.09.032. [Abstract](#)
24. Tan YY, Ho TK, Goo CL. Effect of training on time efficiency and marginal adaptation of computer-aided design/computer-aided manufacturing crowns among dental students. *Eur J Dent Educ* 2021;E-pub Sep 21, doi:10.1111/eje.12722. [Abstract](#)
25. Thanasrisuebwong P, Kulchotirat T, Anunmana C. Effects of inter-implant distance on the accuracy of intraoral scanner: An in vitro study. *J Adv Prosthodont* 2021;13(2):107-16. [Abstract](#)
26. Unkovskiy A, Spintzyk S, Beuer F, Huettig F, Rohler A, Kraemer-Fernandez P. Accuracy of capturing nasal, orbital, and auricular defects with extra- and intraoral optical scanners and smartphone: An in vitro study. *J Dent* 2022;117:1-9. [Abstract](#)
27. Waldecker M, Bomicke W, Behnisch R, Rammelsberg P, Rues S. In-vitro accuracy of complete arch scans of the fully dentate and the partially edentulous maxilla. *J Prosthodont Res* 2021;E-pub Dec 7, doi:10.2186/jpr.JPR_D_21_00100. [Abstract](#)
28. Waldecker M, Rues S, Behnisch R, Rammelsberg P, Bomicke W. Effect of scan-path length on the scanning accuracy of completely dentate and partially edentulous maxillae. *J Prosthet Dent* 2022;E-pub Mar 30, doi:10.1016/j.prosdent.2022.02.016. [Abstract](#)

3. Regenerative

3.1 Symbios Algipore

1. Ahmed GMT, Al-Rubaye ESH. Histological evaluation of Bone healing with Algipore bone substitute material. *Annals of Tropical Medicine and Public Health* 2020;23(13). [Abstract](#)
2. Barbeck M, Najman S, Stojanovic S, Mitic Z, Zivkovic JM, Choukroun J, Kovacevic P, Sader R, Kirkpatrick CJ, Ghanaati S. Addition of blood to a phylogenetic bone substitute leads to increased in vivo vascularization. *Biomed Mater* 2015;10(5):055007. [Abstract](#)
3. Bressan E, Grusovin MG, D'Avenia F, Neumann K, Sbricoli L, Luongo G, Esposito M. The influence of repeated abutment changes on peri-implant tissue stability: 3-year post-loading results from a multicentre randomised controlled trial. *Eur J Oral Implantol* 2017;10(4):373-90. [Abstract](#)
4. Cano J, Campo J, Ewers R. Expansion of the alveolar bone crest in two stages: two clinical cases. *Oral Surgery* 2011;4(1):30-34. [Abstract](#)

5. Charalampakis G, Rabe P, Leonhardt A, Dahlen G. A follow-up study of peri-implantitis cases after treatment. *J Clin Periodontol* 2011;38(9):864-71. [Abstract](#)
6. Enislidis G, Fock N, Millesi-Schobel G, Klug C, Wittwer G, Yerit K, Ewers R. Analysis of complications following alveolar distraction osteogenesis and implant placement in the partially edentulous mandible. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2005;100(1):25-30. [Abstract](#)
7. Enislidis G, Wittwer G, Ewers R. Preliminary report on a staged ridge splitting technique for implant placement in the mandible: a technical note. *Int J Oral Maxillofac Implants* 2006;21(3):445-9. [Abstract](#)
8. Esposito M, Bressan E, Grusovin MG, D'Avenia F, Neumann K, Sbricoli L, Luongo G. Do repeated changes of abutments have any influence on the stability of peri-implant tissues? One-year post-loading results from a multicentre randomised controlled trial. *Eur J Oral Implantol* 2017;10(1):57-72. [Abstract](#)
9. Ewers R. Maxilla sinus grafting with marine algae derived bone forming material: a clinical report of long-term results. *J Oral Maxillofac Surg* 2005;63(12):1712-23. [Abstract](#)
10. Ewers R, Fock N, Millesi-Schobel G, Enislidis G. Pedicled sandwich plasty: a variation on alveolar distraction for vertical augmentation of the atrophic mandible. *Br J Oral Maxillofac Surg* 2004;42(5):445-7. [Abstract](#)
11. Ewers R, Goriwoda W, Schopper C, Moser D, Spassova E. Histologic findings at augmented bone areas supplied with two different bone substitute materials combined with sinus floor lifting. Report of one case. *Clin Oral Implants Res* 2004;15(1):96-100. [Abstract](#)
12. Garlini G, Redemagni M, Canciani E, Dellavia C. Maxillary sinus floor augmentation with vegetal hydroxyapatite "versus" demineralized bovine bone: A randomized clinical study with a split-mouth design. *Journal of Dental Implants* 2014;4(2):118-25. [Abstract](#)
13. Ghanbari H, Moeintaghavi A, Sargolzaei N, Foroozfar A, Dadpour Y. Comparative study of Aligipore and decalcified freeze-dried bone allograft in open maxillary sinus elevation using piezoelectric surgery. *J Periodontol Implant Dent* 2013;5(1):1-6.
14. Gille J, Dorn B, Kekow J, Bruns J, Behrens P. Bone substitutes as carriers for transforming growth factor-beta(1) (TGF-beta(1)). *Int Orthop* 2002;26(4):203-6. [Abstract](#)
15. Gossweiner S, Watzinger F, Ackerman KL, Ewers R. Horseshoe Le Fort I osteotomy: an augmentation technique for the severely atrophied maxilla--an eight-year follow-up. *J Long Term Eff Med Implants* 1999;9(3):193-202. [Abstract](#)
16. Henningsen A, Smeets R, Koppen K, Sehner S, Kornmann F, Grobe A, Heiland M, Gerlach T. Immediate loading of subcrestally placed dental implants in anterior and premolar sites. *J Craniomaxillofac Surg* 2017;45(11):1898-905. [Abstract](#)

17. Herr G, Wahl D, Kusswetter W. Osteogenic activity of bone morphogenetic protein and hydroxyapatite composite implants. *Ann Chir Gynaecol Suppl* 1993;207:99-107. [Abstract](#)
18. Hrabak K, Szabo G, Ewers R, Gyulai-Gaal S. 2D and 3D computer tomography and sinus graft analysis with various graft materials. *J Long Term Eff Med Implants* 1999;9(3):223-33. [Abstract](#)
19. Iezzi G, Degidi M, Piattelli A, Mangano C, Scarano A, Shibli JA, Perrotti V. Comparative histological results of different biomaterials used in sinus augmentation procedures: a human study at 6 months. *Clin Oral Implants Res* 2012;23(12):1369-76. [Abstract](#)
20. Jayme SJ, Muglia VA, de Oliveira RR, Novaes AB. Optimization in multi-implant placement for immediate loading in edentulous arches using a modified surgical template and prototyping: a case report. *Int J Oral Maxillofac Implants* 2008;23(4):759-62. [Abstract](#)
21. Jennissen HP. Aspects of multimodal hybrid biomaterials. *Current Directions in Biomedical Engineering* 2019;5(1):303-06. [Abstract](#) 6
22. Kasperk C, Ewers R, Simons B, Kasperk R. Algae-derived (phycogene) hydroxylapatite. A comparative histological study [corrected and issued with original paging in *Int J Oral Maxillofac Surg* 1988 Oct;17(5)]. *Int J Oral Maxillofac Surg* 1988;17(6):319-24. [Abstract](#)
23. Khoury F, Hanser T. Three-dimensional vertical alveolar ridge augmentation in the posterior maxilla: A 10-year clinical study. *Int J Oral Maxillofac Implants* 2019;34(2):471-80. [Abstract](#)
24. Khoury F, Hidajat H. Extensive autogenous bone augmentation and implantation in patients under bisphosphonate treatment: A 15-case series. *Int J Periodontics Restorative Dent* 2016;36(1):9-18. [Abstract](#)
25. Khoury F, Keller P, Keeve PL. Stability of grafted implant placement sites after sinus floor elevation using a layering technique: 10-year clinical and radiographic results. *Int J Oral Maxillofac Implants* 2017;32(5):1086-96. [Abstract](#)
26. Kirmeier R, Payer M, Wehrsuetz M, Jakse N, Platzer S, Lorenzoni M. Evaluation of three-dimensional changes after sinus floor augmentation with different grafting materials. *Clin Oral Implants Res* 2008;19(4):366-72. [Abstract](#)
27. Klein M, Goetz H, Pazen S, Al-Nawas B, Wagner W, Duschner H. Pore characteristics of bone substitute materials assessed by microcomputed tomography. *Clin Oral Implants Res* 2009;20(1):67-74. [Abstract](#)
28. Klongnoi B, Rupperecht S, Kessler P, Zimmermann R, Thorwarth M, Pongsiri S, Neukam FW, Wiltfang J, Schlegel KA. Lack of beneficial effects of platelet-rich plasma on sinus augmentation using a fluorohydroxyapatite or autogenous bone: an explorative study. *J Clin Periodontol* 2006;33(7):500-9. [Abstract](#)
29. Koike H, Kawahara D, Kawahara H. Clinical characterization of several bone grafting materials as a dental implant supporting tissue. *Adv Sci Techn* 2006;49:300-05. [Abstract](#)

30. Kubler A, Neugebauer J, Oh JH, Scheer M, Zoller JE. Growth and proliferation of human osteoblasts on different bone graft substitutes: an in vitro study. *Implant Dent* 2004;13(2):171-9. [Abstract](#)
31. Kuhl S, Gotz H, Hansen T, Kreisler M, Behneke A, Heil U, Duschner H, d'Hoedt B. Three-dimensional analysis of bone formation after maxillary sinus augmentation by means of microcomputed tomography: a pilot study. *Int J Oral Maxillofac Implants* 2010;25(5):930-8. [Abstract](#)
32. Lee CY, Rohrer MD, Prasad HS, Stover JD, Suzuki JB. Sinus grafting with a natural fluorohydroxyapatite for immediate load: a study with histologic analysis and histomorphometry. *J Oral Implantol* 2009;35(4):164-75. [Abstract](#)
33. Lee HW, Lin WS, Morton D. A retrospective study of complications associated with 100 consecutive maxillary sinus augmentations via the lateral window approach. *Int J Oral Maxillofac Implants* 2013;28(3):860-8. [Abstract](#)
34. Luczyszyn SM, Papalexiou V, Novaes AB, Jr., Grisi MF, Souza SL, Taba M, Jr. Acellular dermal matrix and hydroxyapatite in prevention of ridge deformities after tooth extraction. *Implant Dent* 2005;14(2):176-84. [Abstract](#)
35. Luongo G, Bressan E, Grusovin MG, d'Avenia F, Neumann K, Sbricoli L, Esposito M. Do repeated changes of abutments have any influence on the stability of peri-implant tissues? Four-month post-loading preliminary results from a multicentre randomised controlled trial. *Eur J Oral Implantol* 2015;8(2):129-40. [Abstract](#)
36. Metzler P, von Wilmowsky C, Zimmermann R, Wiltfang J, Schlegel KA. The effect of current used bone substitution materials and platelet-rich plasma on periosteal cells by ectopic site implantation: an in-vivo pilot study. *J Craniomaxillofac Surg* 2012;40(5):409-15. [Abstract](#)
37. Mladenovic Z, Sahlin-Platt A, Bengtsson Å, Ransjö M, Shchukarevb A. Surface characterization of bone graft substitute materials conditioned in cell culture medium. *Surf Interface Anal* 2010;42(6-7):452-56. [Abstract](#)
38. Neugebauer J, Iezzi G, Perrotti V, Fischer JH, Khoury F, Piattelli A, Zoeller JE. Experimental immediate loading of dental implants in conjunction with grafting procedures. *J Biomed Mater Res B* 2009;91(2):604-12. [Abstract](#)
39. Pabst AM, Walter C, Ehbauer S, Zwiener I, Ziebart T, Al-Nawas B, Klein MO. Analysis of implant-failure predictors in the posterior maxilla: A retrospective study of 1395 implants. *J Craniomaxillofac Surg* 2015;43(3):414-20. [Abstract](#)
40. Pieri F, Lucarelli E, Corinaldesi G, Fini M, Aldini NN, Giardino R, Donati D, Marchetti C. Effect of mesenchymal stem cells and platelet-rich plasma on the healing of standardized bone defects in the alveolar ridge: a comparative histomorphometric study in minipigs. *J Oral Maxillofac Surg* 2009;67(2):265-72. [Abstract](#)

41. Pieri F, Lucarelli E, Corinaldesi G, Iezzi G, Piattelli A, Giardino R, Bassi M, Donati D, Marchetti C. Mesenchymal stem cells and platelet-rich plasma enhance bone formation in sinus grafting: a histomorphometric study in minipigs. *J Clin Periodontol* 2008;35(6):539-46. [Abstract](#)
42. Poeschl PW, Ziya-Ghazvini F, Schicho K, Buchta C, Moser D, Seemann R, Ewers R, Schopper C. Application of platelet-rich plasma for enhanced bone regeneration in grafted sinus. *J Oral Maxillofac Surg* 2012;70(3):657-64. [Abstract](#)
43. Roos-Jansåker AM, Lindahl C, Persson GR, Renvert S. Long-term stability of surgical bone regenerative procedures of peri-implantitis lesions in a prospective case-control study over 3 years. *J Clin Periodontol* 2011;38(6):590-7. [Abstract](#)
44. Roos-Jansåker AM, Persson GR, Lindahl C, Renvert S. Surgical treatment of peri-implantitis using a bone substitute with or without a resorbable membrane: a 5-year follow-up. *J Clin Periodontol* 2014;41(11):1108-14. [Abstract](#)
45. Roos-Jansåker AM, Renvert H, Lindahl C, Renvert S. Surgical treatment of peri-implantitis using a bone substitute with or without a resorbable membrane: a prospective cohort study. *J Clin Periodontol* 2007;34(7):625-32. [Abstract](#)
46. Roos-Jansåker AM, Renvert H, Lindahl C, Renvert S. Submerged healing following surgical treatment of peri-implantitis: a case series. *J Clin Periodontol* 2007;34(8):723-7. [Abstract](#)
47. Rusmueller G, Winkler L, Lieber R, Seemann R, Pirklbauer K, Perisanidis C, Kapeller B, Spassova E, Halwax E, Poeschl WP, Macfelda K, Moser D. In vitro effects of particulate bone substitute materials on the resorption activity of human osteoclasts. *Eur Cell Mater* 2017;34:291-306. [Abstract](#)
48. Scarano A, Cholakis AK, Piattelli A. Histologic evaluation of sinus grafting materials after peri-implantitis-induced failure: A case series. *Int J Oral Maxillofac Implants* 2017;32(2):e69-e75. [Abstract](#)
49. Scarano A, Degidi M, Perrotti V, Piattelli A, Iezzi G. Sinus augmentation with phycogene hydroxyapatite: histological and histomorphometrical results after 6 months in humans. A case series. *Oral Maxillofac Surg* 2012;16(1):41-5. [Abstract](#)
50. Scarano A, Perrotti V, Degidi M, Piattelli A, Iezzi G. Bone regeneration with algae-derived hydroxyapatite: a pilot histologic and histomorphometric study in rabbit tibia defects. *Int J Oral Maxillofac Implants* 2012;27(2):336-40. [Abstract](#)
51. Schliephake H, Drewes M, Mihatovic I, Schwarz F, Becker J, Iglhaut G. Use of a self-curing resorbable polymer in vertical ridge augmentations - A pilot study in dogs. *Clin Oral Implants Res* 2014;25(4):435-40. [Abstract](#)
52. Schopper C, Goriwoda W, Moser D, Spassova E, Watzinger E, Ewers R. Long-term results after guided bone regeneration with resorbable and microporous titanium membranes. *J Oral Maxillofac Surg Clin NA* 2001;30(3):157-61.

53. Schopper C, Moser D, Sabbas A, Lagogiannis G, Spassova E, Konig F, Donath K, Ewers R. The fluorohydroxyapatite (FHA) FRIOS Algipore is a suitable biomaterial for the reconstruction of severely atrophic human maxillae. *Clin Oral Implants Res* 2003;14(6):743-9. [Abstract](#)
54. Schopper C, Moser D, Wanschitz F, Watzinger F, Lagogiannis G, Spassova E, Ewers R. Histomorphologic findings on human bone samples six months after bone augmentation of the maxillary sinus with Algipore. *J Long Term Eff Med Implants* 1999;9(3):203-13. [Abstract](#)
55. Schulz MC, Lode A, Wittig S, Stadlinger B, Kuhlisch E, Eckelt U, Gelinsky M, Mai R. Characterization of the osseointegration of Algipore and Algipore modified with mineralized collagen type I. *Oral Surg Oral Med Oral Pathol Oral Radiol* 2012;114(5 Suppl):S160-6. [Abstract](#)
56. Shchukarev A, Z. M, M. R. Surface characterization of bone graft substitute materials conditioned in cell culture medium. 2. Protein adsorption. *Surf Interface Anal* 2012;44(8):919-23. [Abstract](#)
57. Simunek A, Cierny M, Kopecka D, Kohout A, Bukac J, Vahalova D. The sinus lift with phyogenic bone substitute. A histomorphometric study. *Clin Oral Implants Res* 2005;16(3):342-8. [Abstract](#)
58. Smiler D, Soltan M, Lee JW. A histomorphogenic analysis of bone grafts augmented with adult stem cells. *Implant Dent* 2007;16(1):42-53. [Abstract](#)
59. Tadic D, Epple M. A thorough physicochemical characterisation of 14 calcium phosphate-based bone substitution materials in comparison to natural bone. *Biomaterials* 2004;25(6):987-94. [Abstract](#)
60. Terheyden H, Jepsen S, Vogeler S, Tucker M, Rueger DC. Recombinant human osteogenic protein 1 in the rat mandibular augmentation model: differences in morphology of the newly formed bone are dependent on the type of carrier. *Mund Kiefer Gesichtschir* 1997;1(5):272-5. [Abstract](#)
61. Thompson DM, Rohrer MD, Prasad HS. Comparison of bone grafting materials in human extraction sockets: clinical, histologic, and histomorphometric evaluations. *Implant Dent* 2006;15(1):89-96. [Abstract](#)
62. Thorwarth M, Wehrhan F, Srouf S, Schultze-Mosgau S, Felszeghy E, Bader RD, Schlegel KA. Evaluation of substitutes for bone: comparison of microradiographic and histological assessments. *Br J Oral Maxillofac Surg* 2007;45(1):41-7. [Abstract](#)
63. Traini T, Piattelli A, Caputi S, Degidi M, Mangano C, Scarano A, Perrotti V, Iezzi G. Regeneration of human bone using different bone substitute biomaterials. *Clin Implant Dent Relat Res* 2015;17(1):150-62. [Abstract](#)
64. Turhani D, Cvikl B, Watzinger E, Weissenbock M, Yerit K, Thurnher D, Lauer G, Ewers R. In vitro growth and differentiation of osteoblast-like cells on hydroxyapatite ceramic granule calcified from red algae. *J Oral Maxillofac Surg* 2005;63(6):793-9. [Abstract](#)
65. Turhani D, Item C, Thurnher D, Kapral D, Cvikl B, Weissenbock M, Yerit K, Erovic B, Moser D, Watzinger F, Ewers R, Lauer G. [Evidence of osteocalcin expression in osteoblast cells of

- mandibular origin growing on biomaterials with RT-PCR and SDS-PAGE/Western blotting]. *Mund Kiefer Gesichtschir* 2003;7(5):294-300. [Abstract](#)
66. Turhani D, Watzinger E, Weissenbock M, Cvikl B, Thurnher D, Wittwer G, Yerit K, Ewers R. Analysis of cell-seeded 3-dimensional bone constructs manufactured in vitro with hydroxyapatite granules obtained from red algae. *J Oral Maxillofac Surg* 2005;63(5):673-81. [Abstract](#)
 67. Turhani D, Watzinger E, Weissenbock M, Yerit K, Cvikl B, Thurnher D, Ewers R. Three-dimensional composites manufactured with human mesenchymal cambial layer precursor cells as an alternative for sinus floor augmentation: an in vitro study. *Clin Oral Implants Res* 2005;16(4):417-24. [Abstract](#)
 68. Turhani D, Weissenbock M, Stein E, Wanschitz F, Ewers R. Exogenous recombinant human BMP-2 has little initial effects on human osteoblastic cells cultured on collagen type I coated/noncoated hydroxyapatite ceramic granules. *J Oral Maxillofac Surg* 2007;65(3):485-93. [Abstract](#)
 69. Turhani D, Weissenbock M, Watzinger E, Yerit K, Cvikl B, Ewers R, Thurnher D. In vitro study of adherent mandibular osteoblast-like cells on carrier materials. *Int J Oral Maxillofac Surg* 2005;34(5):543-50. [Abstract](#)
 70. Wanschitz F, Figl M, Wagner A, Rolf E. Measurement of volume changes after sinus floor augmentation with a phylogenetic hydroxyapatite. *Int J Oral Maxillofac Implants* 2006;21(3):433-8. [Abstract](#)
 71. Wanschitz F, Nell A, Patruta S, Wagner A, Ewers R. Influence of three currently used bone replacing materials on the in vitro proliferation of human peripheral blood mononuclear cells. *Clin Oral Implants Res* 2005;16(5):570-4. [Abstract](#)
 72. Watzinger F, Luksch J, Millesi W, Schopper C, Neugebauer J, Moser D, Ewers R. Guided bone regeneration with titanium membranes: a clinical study. *Br J Oral Maxillofac Surg* 2000;38(4):312-5. [Abstract](#)
 73. Weissenboeck M, Stein E, Undt G, Ewers R, Lauer G, Turhani D. Particle size of hydroxyapatite granules calcified from red algae affects the osteogenic potential of human mesenchymal stem cells in vitro. *Cells Tissues Organs* 2006;182(2):79-88. [Abstract](#)
 74. Yerit KC, Posch M, Guserl U, Turhani D, Schopper C, Wanschitz F, Wagner A, Watzinger F, Ewers R. Rehabilitation of the severely atrophied maxilla by horseshoe Le Fort I osteotomy (HLFO). *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2004;97(6):683-92. [Abstract](#)
 75. Yerit KC, Posch M, Hainich S, Turhani D, Klug C, Wanschitz F, Wagner A, Watzinger F, Ewers R. Long-term implant survival in the grafted maxilla: results of a 12-year retrospective study. *Clin Oral Implants Res* 2004;15(6):693-9. [Abstract](#)

76. Zhou AJ, Peel SA, Clokie CM. An evaluation of hydroxyapatite and biphasic calcium phosphate in combination with Pluronic F127 and BMP on bone repair. *J Craniofac Surg* 2007;18(6):1264-75. [Abstract](#)

3.2. Symbios Ossix

1. Abundo R, Di Domenico A, Perelli M. Buccal tissue augmentation with a sugar cross-linked collagen matrix: a case series study (PR9XH2). *Clin Oral Implants Res* 2020;31(S20):151-51. [Abstract](#)
2. Adornato MC, Morcos I, Rozanski J. The treatment of bisphosphonate-associated osteonecrosis of the jaws with bone resection and autologous platelet-derived growth factors. *J Am Dent Assoc* 2007;138(7):971-7. [Abstract](#)
3. Anzalone JV, Vastardis S. Oroantral communication as an osteotome sinus elevation complication. *J Oral Implantol* 2010;36(3):231-7. [Abstract](#)
4. Artzi Z, Weinreb M, Carmeli G, Lev-Dor R, Dard M, Nemcovsky CE. Histomorphometric assessment of bone formation in sinus augmentation utilizing a combination of autogenous and hydroxyapatite/biphasic tricalcium phosphate graft materials: at 6 and 9 months in humans. *Clin Oral Implants Res* 2008;19(7):686-92. [Abstract](#)
5. Bach L, Borzabadi-Farahani A. Treatment of labial mucosal recession around maxillary anterior implants with tenting screws, particulate allograft, and xenogenic membrane: A case report. *J Oral Implantol* 2016;42(5):427-31. [Abstract](#)
6. Beitlitum I, Artzi Z, Nemcovsky CE. Clinical evaluation of particulate allogeneic with and without autogenous bone grafts and resorbable collagen membranes for bone augmentation of atrophic alveolar ridges. *Clin Oral Implants Res* 2010;21(11):1242-50. [Abstract](#)
7. Capri D, Smukler H, Landi L. A less invasive approach to mandibular horizontal ridge augmentation using autogenous bone: A human histological case series. *The Journal of Implant & Advanced Clinical Dentistry* 2012;4(5):27-36.
8. Castillo R. Horizontal Ridge Augmentation Before Placing Implants Using a Double-bone, Double Resorbable Membrane Technique: Two Clinical Cases. *Eur J Esthet Dent* 2010;5(4):340-56. [Abstract](#)
9. Chackartchi T, Gleis R, Sculean A, Nevins M. A novel surgical approach to modify the periodontal phenotype for the prevention of mucogingival complications related to orthodontic treatment. *Int J Periodontics Restorative Dent* 2021;41(6):811-17. [Abstract](#)

10. Chia-Lai PJ, Orłowska A, Al-Maawi S, Dias A, Zhang Y, Wang X, Zender N, Sader R, Kirkpatrick CJ, Ghanaati S. Sugar-based collagen membrane cross-linking increases barrier capacity of membranes. *Clin Oral Investig* 2018;22(4):1851-63. [Abstract](#)
11. Chiang T, Roca AL, Rostkowski S, Drew HJ, Simon B. Reconstruction of the narrow ridge using combined ridge split and guided bone regeneration with rhPDGF-BB growth factor-enhanced allograft. *Int J Periodontics Restorative Dent* 2014;34(1):123-30. [Abstract](#)
12. Clem DS, Hinds KF. The team approach to replacing the congenitally missing lateral incisor: Restorative and periodontal considerations. *Clinical Advances in Periodontics* 2013;3(2):106-14. [Abstract](#)
13. Cook DC, Mealey BL. Histologic comparison of healing following tooth extraction with ridge preservation using two different xenograft protocols. *J Periodontol* 2013;84(5):585-94. [Abstract](#)
14. D'Souza NL, Bhide VM. Prognosis of implant in previously failed surgical sites. *Oral Health Group* 2021;8.
15. Do JH. Periimplantitis and Concomitant Perigraftitis of an Implant Placed in a Site that Had Alveolar Ridge Preservation Three Decades Earlier: A Case Report with Human Histology. *Clin Adv Periodontics* 2021;E-pub Aug 10, doi:10.1002/cap.10181. [Abstract](#)
16. Dowlatshahi S, Chen CY, Zigdon-Giladi H, Horwitz J, Ahn C, Kim DM, Machtei EE. Volumetric assessment of changes in the alveolar ridge dimension following GBR using a combination FDBA with collagen membrane or novel resorbable scaffold: A prospective two-center clinical trial. *J Periodontol* 2021;E-pub Jul 16, doi:10.1002/JPER.21-0006. [Abstract](#)
17. Eliezer M, Friedmann A. Bone regeneration around immediate implant placement using only GLYMATRIX technology P429. 2019;Abstract at Osteology,.
18. Fagan MC, Owens H, Smaha J, Kao RT. Simultaneous hard and soft tissue augmentation for implants in the esthetic zone: report of 37 consecutive cases. *J Periodontol* 2008;79(9):1782-8. [Abstract](#)
19. Fathima KH, Harish VS, Jayavelly P, Harinath P. Perforated schneiderian membrane repair during sinus augmentation in conjunction with immediate implant placement. *J Pharm Bioallied Sci* 2014;6(Suppl 1):S174-7. [Abstract](#)
20. Friedmann A, Dard M, Kleber BM, Bernimoulin JP, Bosshardt DD. Ridge augmentation and maxillary sinus grafting with a biphasic calcium phosphate: histologic and histomorphometric observations. *Clin Oral Implants Res* 2009;20(7):708-14. [Abstract](#)
21. Friedmann A, Dehnhardt J, Kleber BM, Bernimoulin JP. Cytobiocompatibility of collagen and ePTFE membranes on osteoblast-like cells in vitro. *J Biomed Mater Res A* 2008;86(4):935-41. [Abstract](#)

22. Friedmann A, Gissel K, Konermann A, Gotz W. Tissue reactions after simultaneous alveolar ridge augmentation with biphasic calcium phosphate and implant insertion--histological and immunohistochemical evaluation in humans. *Clin Oral Investig* 2015;19(7):1595-603. [Abstract](#)
23. Friedmann A, Gissel K, Soudan M, Kleber BM, Pitaru S, Dietrich T. Randomized controlled trial on lateral augmentation using two collagen membranes: morphometric results on mineralized tissue compound. *J Clin Periodontol* 2011;38(7):677-85. [Abstract](#)
24. Friedmann A, Goetz W. Composite block sponge proved facilitating bone augmentation (e-poster VEGVX). *Clin Oral Implants Res* 2020;31(S20):159-59. [Abstract](#)
25. Friedmann A, Strietzel FP, Marezki B, Pitaru S, Bernimoulin JP. Observations on a new collagen barrier membrane in 16 consecutively treated patients. Clinical and histological findings. *J Periodontol* 2001;72(11):1616-23. [Abstract](#)
26. Friedmann A, Strietzel FP, Marezki B, Pitaru S, Bernimoulin JP. Histological assessment of augmented jaw bone utilizing a new collagen barrier membrane compared to a standard barrier membrane to protect a granular bone substitute material. *Clin Oral Implants Res* 2002;13(6):587-94. [Abstract](#)
27. Froum SJ. Regenerative treatment for a peri-implantitis-affected implant: A case report. *Clinical Advances in Periodontics* 2013;3(3):140-46. [Abstract](#)
28. Froum SJ, Froum SH, Rosen PS. Successful management of peri-implantitis with a regenerative approach: A consecutive series of 51 treated implants with 3- to 7.5-year follow-up. *Int J Periodontics Restorative Dent* 2012;32(1):11-20. [Abstract](#)
29. Froum SJ, Froum SH, Rosen PS. A Regenerative Approach to the Successful Treatment of Peri-implantitis: A Consecutive Series of 170 Implants in 100 Patients with 2- to 10-Year Follow-up. *Int J Periodontics Restorative Dent* 2015;35(6):857-63. [Abstract](#)
30. Froum SJ, Rosen PS. Reentry evaluation following treatment of peri-implantitis with a regenerative approach. *Int J Periodontics Restorative Dent* 2014;34(1):47-59. [Abstract](#)
31. Funato A, Tonotsuka R, Murabe H, Hirota M, Ogawa T. A novel strategy for bone integration and regeneration: Case studies. *Journal of Cosmetic Dentistry* 2014;29(4).
32. Ghaly M, Kerns DG, Hallmon WW, Solomon ES, Rossmann JA. Comparison of guided bone regeneration using a bovine collagen membrane vs a calcium sulfate barrier. *Journal of Contemporary Dentistry* 2013;3(3):138. [Abstract](#)
33. Griffin TJ, Cheung WS. Guided tissue regeneration-based root coverage with a platelet concentrate graft: a 3-year follow-up case series. *J Periodontol* 2009;80(7):1192-9. [Abstract](#)
34. Hameed F, Harrish VS. Immediate implant placement with GBR A proven method for dehiscence correction - A 5-years follow-up Case Report. *International Journal of Current Research* 2015;7(8):19667-70.

35. Hoang TN, Mealey BL. Histologic comparison of healing after ridge preservation using human demineralized bone matrix putty with one versus two different-sized bone particles. *J Periodontol* 2012;83(2):174-81. [Abstract](#)
36. Hong HR, Chen C-Y, Kim DM, Macheti E. Socket preservation procedures revisited: A randomized controlled trial to evaluate dimensional changes with two different surgical protocols. 20XX;Abstract.
37. Hong HR, Chen CY, Kim DM, Machtei EE. Ridge preservation procedures revisited: A randomized controlled trial to evaluate dimensional changes with two different surgical protocols. *J Periodontol* 2019;90(4):331-38. [Abstract](#)
38. Hur Y, Tsukiyama T, Yoon TH, Griffin T. Double flap incision design for guided bone regeneration: a novel technique and clinical considerations. *J Periodontol* 2010;81(6):945-52. [Abstract](#)
39. Hurzeler MB, von Mohrenschildt S, Zuhr O. Stage-two implant surgery in the esthetic zone: a new technique. *Int J Periodontics Restorative Dent* 2010;30(2):187-93. [Abstract](#)
40. Jeong KI, Lee J, Um IW, Kim YK. Alveolar cleft restoration using autogenous tooth bone graft material for implant placement: A case report. *J Oral Implantol* 2015;41(4):487-90. [Abstract](#)
41. Jun CM, Yun JH. Three-dimensional bone regeneration of alveolar ridge defects using corticocancellous allogeneic block grafts: histologic and immunohistochemical analysis. *Int J Periodontics Restorative Dent* 2016;36(1):75-81. [Abstract](#)
42. Kang DW, Kim SH, Choi YH, Kim YK. Repeated failure of implants at the same site: a retrospective clinical study. *Maxillofac Plast Reconstr Surg* 2019;41(1):27. [Abstract](#)
43. Kim HS, Park JC, Yun PY, Kim YK. Evaluation of bone healing using rhBMP-2 soaked hydroxyapatite in ridge augmentation: a prospective observational study. *Maxillofac Plast Reconstr Surg* 2017;39(1):40. [Abstract](#)
44. Kim JH, Kim YK, Bae JH. Retrospective clinical study on sinus bone graft and tapered-body implant placement. *J Korean Assoc Oral Maxillofac Surg* 2013;39(2):77-84. [Abstract](#)
45. Kim SY, Kim YK, Kim HS, Yun PY, Kim SG, Choi YH. Extraction socket sealing using palatal gingival grafts and resorbable collagen membranes. *Maxillofac Plast Reconstr Surg* 2017;39(1):39. [Abstract](#)
46. Kim YK, Kim SG, Lim SC. Familial tooth bone graft for ridge and sinus augmentation: a report of two cases. *J Korean Assoc Oral Maxillofac Surg* 2014;40(1):37-42. [Abstract](#)
47. Kim YK, Kim SG, Lim SC, Lee HJ, Yun PY. A clinical study on bone formation using a demineralized bone matrix and resorbable membrane. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2010;109(6):e6-11. [Abstract](#)
48. Kim YK, Kim SG, Um IW, Kim KW. Bone grafts using autogenous tooth blocks: a case series. *Implant Dent* 2013;22(6):584-9. [Abstract](#)

49. Kim YK, Lee JY, Kim SG, Lim SC. Guided bone regeneration using demineralized allogenic bone matrix with calcium sulfate: case series. *J Adv Prosthodont* 2013;5(2):167-71. [Abstract](#)
50. Kim YK, Yun PY, Lim SC, Kim SG, Lee HJ, Ong JL. Clinical evaluations of OSTEON as a new alloplastic material in sinus bone grafting and its effect on bone healing. *J Biomed Mater Res B Appl Biomater* 2008;86(1):270-7. [Abstract](#)
51. Kim YK, Yun PY, Oh JS, Kim SG. Prognosis of closure of large sinus membrane perforations using pedicled buccal fat pads and a resorbable collagen membrane: case series study. *J Korean Assoc Oral Maxillofac Surg* 2014;40(4):188-94. [Abstract](#)
52. Klinger A, Asad R, Shapira L, Zubery Y. In vivo degradation of collagen barrier membranes exposed to the oral cavity. *Clin Oral Implants Res* 2010;21(8):873-6. [Abstract](#)
53. Kontovazainitis G, Griffin TJ, Cheung WS. Treatment of gingival recession using platelet concentrate with a bioabsorbable membrane and coronally advanced flap: a report of two cases. *Int J Periodontics Restorative Dent* 2008;28(3):301-7. [Abstract](#)
54. Kumar S, Singh K, Shill M. A solution to regain bone-loss around immediately loaded short implant: A clinical report. *Journal of Orofacial Rehabilitation* 2021;1(2):140-44.
55. Landsberg C. Use of bovine bone mineral, titanium mesh, and a cross-linked collagen membrane in single implant site development at a maxillary central incisor tooth site: A 3-year follow-up case report. *International Journal of Esthetic Dentistry* 2019;14(2):182-97. [Abstract](#)
56. Landsberg C, Sawdayee E. Overcoming surgical and prosthetic challenges. *Journal of Cosmetic Dentistry* 2015;31(1):58-73.
57. Le B. Minimally invasive particulate grafting for esthetic implant site development. *Int J Oral Implantol Clin Res* 2010;1(2):113-15.
58. Le B, Burstein J, Sedghizadeh PP. Cortical tenting grafting technique in the severely atrophic alveolar ridge for implant site preparation. *Implant Dent* 2008;17(1):40-50. [Abstract](#)
59. Le B, Rohrer MD, Prasad HS. Screw "tent-pole" grafting technique for reconstruction of large vertical alveolar ridge defects using human mineralized allograft for implant site preparation. *J Oral Maxillofac Surg* 2010;68(2):428-35. [Abstract](#)
60. Le BT, Borzabadi-Farahani A. Simultaneous implant placement and bone grafting with particulate mineralized allograft in sites with buccal wall defects, a three-year follow-up and review of literature. *J Craniomaxillofac Surg* 2014;42(5):552-9. [Abstract](#)
61. Lee DW, Kim KT, Joo YS, Yoo MK, Yu JA, Ryu JJ. The role of two different collagen membranes for dehiscence defect around implants in humans. *J Oral Implantol* 2015;41(4):445-8. [Abstract](#)
62. Lee J-Y, Kim Y-K. Implant placement using various surgical techniques: Case Report. *J Kor Dent Sci* 2015;3(2):50-59.

63. Lee JY, Kim YK, Yi YJ, Choi JH. Clinical evaluation of ridge augmentation using autogenous tooth bone graft material: case series study. *J Korean Assoc Oral Maxillofac Surg* 2013;39(4):156-60. [Abstract](#)
64. Levin BP. Framing the restorative result: How tissue augmentation and preservation maximizes implant therapy outcomes. *Compend Contin Educ Dent* 2018;39(7):458-66. [Abstract](#)
65. Levin BP, Rubinstein S. Simultaneous crestal sinus elevation and implant placement using a ribose cross-linked, collagen bone graft material: Case series of 28 consecutive patients. *Compend Contin Educ Dent* 2020;41(3):156-63. [Abstract](#)
66. Levin BP, Wilk BL. Rehabilitation of an esthetic compromise in a patient previously treated with maxillary anterior implants. *Compend Contin Educ Dent* 2021;42(4):158-62. [Abstract](#)
67. Levin BP, Zubery Y. Use of a sugar cross-linked collagen membrane offers cell exclusion and ossification. *Compend Contin Educ Dent (15488578)* 2018;39(1):44-48.
68. Llambes F, Silvestre FJ, Caffesse R. Vertical guided bone regeneration with bioabsorbable barriers. *J Periodontol* 2007;78(10):2036-42. [Abstract](#)
69. Lorenc ZP, Nir E, Azachi M. Characterization of physical properties and histologic evaluation of injectable Dermicol-p35 porcine-collagen dermal filler. *Plast Reconstr Surg* 2010;125(6):1805-13. [Abstract](#)
70. Mendoza-Azpur G, Ortiz J, Valdivia E, De souza G, Collares F, Meza J, Shibli JA. Cyanoacrylate tissue adhesive as a membrane in socket preservation: In vitro cytotoxicity and clinical evaluation. *J Osseointegr* 2021;13(4):220-26.
71. Morr T. Achieving optimal esthetic outcome with previously placed, compromised implants. *Compend Contin Educ Dent* 2019;40(7):454-65. [Abstract](#)
72. Moses O, Pitaru S, Artzi Z, Nemcovsky CE. Healing of dehiscence-type defects in implants placed together with different barrier membranes: a comparative clinical study. *Clin Oral Implants Res* 2005;16(2):210-9. [Abstract](#)
73. Moses O, Shemesh A, Aboodi G, Tal H, Weinreb M, Nemcovsky CE. Systemic tetracycline delays degradation of three different collagen membranes in rat calvaria. *Clin Oral Implants Res* 2009;20(2):189-95. [Abstract](#)
74. Moses O, Vitrial D, Aboodi G, Sculean A, Tal H, Kozlovsky A, Artzi Z, Weinreb M, Nemcovsky CE. Biodegradation of three different collagen membranes in the rat calvarium: a comparative study. *J Periodontol* 2008;79(5):905-11. [Abstract](#)
75. Narins RS, Brandt FS, Lorenc ZP, Maas CS, Monheit GD, Smith SR, McIntyre S. A randomized, multicenter study of the safety and efficacy of Dermicol-P35 and non-animal-stabilized hyaluronic acid gel for the correction of nasolabial folds. *Dermatol Surg* 2007;33 Suppl 2:S213-21; discussion S21. [Abstract](#)

76. Nart J, de Tapia B, Pujol A, Pascual A, Valles C. Vancomycin and tobramycin impregnated mineralized allograft for the surgical regenerative treatment of peri-implantitis: a 1-year follow-up case series. *Clin Oral Investig* 2018;22(6):2199-207. [Abstract](#)
77. Nart J, Gagari E, Kahn MA, Griffin TJ. Use of guided tissue regeneration in the treatment of a lateral periodontal cyst with a 7-month reentry. *J Periodontol* 2007;78(7):1360-4. [Abstract](#)
78. Neiva R, Eliezer M. Correction of a buccal ridge deficiency at a second stage implant surgery using a sugar cross-linked collagen scaffold #428. 2019;Abstract at Osteology 2019,.
79. Neiva R, Pagni G, Duarte F, Park CH, Yi E, Holman LA, Giannobile WV. Analysis of tissue neogenesis in extraction sockets treated with guided bone regeneration: clinical, histologic, and micro-CT results. *Int J Periodontics Restorative Dent* 2011;31(5):457-69. [Abstract](#)
80. Nevins M, Mendoza-Azpur G, De Angelis N, Kim DM. The biocompatibility of cyanoacrylate tissue adhesive in conjunction with a collagen membrane for providing soft and hard tissue regeneration in extraction socket preservation procedures. *Int J Periodontics Restorative Dent* 2018;Supplement:s37-s42. [Abstract](#)
81. Nishimura G, Hadaya D, Pi-anfruns J, Moy P, Aghaloo T. Osseous healing of rat calvarial defects augmented with PRF sticky bone (Poster). Abstract at Academy of Osseointegration 2019 annual Meeting, Washington March 13-16 2019 2019.
82. Nissan J, Ghelfan O, Mardinger O, Calderon S, Chaushu G. Efficacy of cancellous block allograft augmentation prior to implant placement in the posterior atrophic mandible. *Clin Implant Dent Relat Res* 2011;13(4):279-85. [Abstract](#)
83. Nissan J, Mardinger O, Calderon S, Romanos GE, Chaushu G. Cancellous bone block allografts for the augmentation of the anterior atrophic maxilla. *Clin Implant Dent Relat Res* 2011;13(2):104-11. [Abstract](#)
84. Nissan J, Mardinger O, Strauss M, Peleg M, Sacco R, Chaushu G. Implant-supported restoration of congenitally missing teeth using cancellous bone block-allografts. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2011;111(3):286-91. [Abstract](#)
85. O'Neill R, Al-Hezaimi K. Identification of an odontogenic keratocyst and treatment with guided tissue regeneration: case report. *J Can Dent Assoc* 2011;77:b6. [Abstract](#)
86. Ogawa T, Saruwatari L, Takeuchi K, Aita H, Ohno N. Ti nano-nodular structuring for bone integration and regeneration. *J Dent Res* 2008;87(8):751-6. [Abstract](#)
87. Oh JS, Seo YS, Lee GJ, You JS, Kim SG. A comparative study with biphasic calcium phosphate to deproteinized bovine bone in maxillary sinus augmentation: A prospective randomized and controlled clinical trial. *Int J Oral Maxillofac Implants* 2019;34(1):233-42. [Abstract](#)
88. Ottenbacher N, Alkildani S, Korzinaskas T, Pissarek J. Novel histomorphometrical approach to evaluate the integration pattern and functionality of barrier membranes. *Dent J* 2021;9(11):127. [Abstract](#)

89. Park JK, Yeom J, Oh EJ, Reddy M, Kim JY, Cho DW, Lim HP, Kim NS, Park SW, Shin HI, Yang DJ, Park KB, Hahn SK. Guided bone regeneration by poly(lactic-co-glycolic acid) grafted hyaluronic acid bi-layer films for periodontal barrier applications. *Acta Biomater* 2009;5(9):3394-403. [Abstract](#)
90. Raz P, Brosh T, Ronen G, Tal H. Tensile properties of three selected collagen membranes. *Biomed Res Int* 2019;2019:5163603. [Abstract](#)
91. Rothamel D, Schwarz F, Sager M, Herten M, Sculean A, Becker J. Biodegradation of differently cross-linked collagen membranes: an experimental study in the rat. *Clin Oral Implants Res* 2005;16(3):369-78. [Abstract](#)
92. Rothamel D, Schwarz F, Sculean A, Herten M, Scherbaum W, Becker J. Biocompatibility of various collagen membranes in cultures of human PDL fibroblasts and human osteoblast-like cells. *Clin Oral Implants Res* 2004;15(4):443-9. [Abstract](#)
93. Scala M, Gipponi M, Pasetti S, Dellacha E, Ligorio M, Villa G, Margarino G, Giannini G, Strada P. Clinical applications of autologous cryoplatelet gel for the reconstruction of the maxillary sinus. A new approach for the treatment of chronic oro-sinusual fistula. *In Vivo* 2007;21(3):541-7. [Abstract](#)
94. Scheyer ET, McGuire MK. Evaluation of premature membrane exposure and early healing in guided bone regeneration of peri-implant dehiscence and fenestration defects with a slowly resorbing porcine collagen ribose cross-linked membrane: A consecutive case series. *Clin Adv Periodontics* 2015;5(3):165-70. [Abstract](#)
95. Schwarz F, Rothamel D, Herten M, Sager M, Becker J. Angiogenesis pattern of native and cross-linked collagen membranes: an immunohistochemical study in the rat. *Clin Oral Implants Res* 2006;17(4):403-9. [Abstract](#)
96. Schwarz F, Rothamel D, Herten M, Wustefeld M, Sager M, Ferrari D, Becker J. Immunohistochemical characterization of guided bone regeneration at a dehiscence-type defect using different barrier membranes: an experimental study in dogs. *Clin Oral Implants Res* 2008;19(4):402-15. [Abstract](#)
97. Sela MN, Babitski E, Steinberg D, Kohavi D, Rosen G. Degradation of collagen-guided tissue regeneration membranes by proteolytic enzymes of *Porphyromonas gingivalis* and its inhibition by antibacterial agents. *Clin Oral Implants Res* 2009;20(5):496-502. [Abstract](#)
98. Shoshani D, Markovitz E, Cohen Y, Heremans A, Goldlust A. Skin test hypersensitivity study of a cross-linked, porcine collagen implant for aesthetic surgery. *Dermatol Surg* 2007;33 Suppl 2:S152-8. [Abstract](#)
99. Silva F, Neiva R. LASSO GBR for lingual alveolar ridge augmentation. *SVOA Dentistry* 2021;2(1):10-14.

100. Smidt A, Gutmacher Z, Sharon E. A nouveau collagen scaffold to simplify lateral augmentation of deficient ridges between natural teeth. *Quintessence Int* 2019;50(7):576-82. [Abstract](#)
101. Smukler H, Capri D, Landi L. Harvesting bone in the recipient sites for ridge augmentation. *Int J Periodontics Restorative Dent* 2008;28(4):411-9. [Abstract](#)
102. Takai Y, Ouhara K, Movila A, Kawai T. Retrospective Case Series Analysis to Evaluate Ridge Augmentation Procedure Applied to Immediate Implant Placement in the Esthetic Zone: Five-Year Longitudinal Evaluation Using Cone Beam Computed Tomography. *Int J Periodontics Restorative Dent* 2017;37(4):521-30. [Abstract](#)
103. Tal H, Kozlovsky A, Artzi Z, Nemcovsky CE, Moses O. Long-term bio-degradation of cross-linked and non-cross-linked collagen barriers in human guided bone regeneration. *Clin Oral Implants Res* 2008;19(3):295-302. [Abstract](#)
104. Tal H, Kozlovsky A, Artzi Z, Nemcovsky CE, Moses O. Cross-linked and non-cross-linked collagen barrier membranes disintegrate following surgical exposure to the oral environment: a histological study in the cat. *Clin Oral Implants Res* 2008;19(8):760-6. [Abstract](#)
105. Tanaka S, Avigad G, Brodsky B, Eikenberry EF. Glycation induces expansion of the molecular packing of collagen. *J Mol Biol* 1988;203(2):495-505. [Abstract](#)
106. Tanaka S, Avigad G, Eikenberry EF, Brodsky B. Isolation and partial characterization of collagen chains dimerized by sugar-derived cross-links. *J Biol Chem* 1988;263(33):17650-7. [Abstract](#)
107. Testori T, Bianchi F, Del Fabbro M, Capelli M, Zuffetti F, Berlucchi I, Taschieri S, Francetti L, Weinstein RL. Implant aesthetic score for evaluating the outcome: immediate loading in the aesthetic zone. *Pract Proced Aesthet Dent* 2005;17(2):123-30; quiz 32. [Abstract](#)
108. Toscano N, Holtzclaw D, Mazor Z, Rosen P, Horowitz R, Toffler M. Horizontal ridge augmentation utilizing a composite graft of demineralized freeze-dried allograft, mineralized cortical cancellous chips, and a biologically degradable thermoplastic carrier combined with a resorbable membrane: a retrospective evaluation of 73 consecutively treated cases from private practices. *J Oral Implantol* 2010;36(6):467-74. [Abstract](#)
109. Urban T, Kostopoulos L, Wenzel A. Immediate implant placement in molar regions: risk factors for early failure. *Clin Oral Implants Res* 2012;23(2):220-27. [Abstract](#)
110. Urban T, Wenzel A. Discomfort experienced after immediate implant placement associated with three different regenerative techniques. *Clin Oral Implants Res* 2010;21(11):1271-7. [Abstract](#)
111. Veis AA, Dabarakis NN, Parisis NA, Tsirlis AT, Karanikola TG, Printza DV. Bone regeneration around implants using spherical and granular forms of bioactive glass particles. *Implant Dent* 2006;15(4):386-94. [Abstract](#)
112. Wallace S, Gellin R. Clinical evaluation of freeze-dried cancellous block allografts for ridge augmentation and implant placement in the maxilla. *Implant Dent* 2010;19(4):272-9. [Abstract](#)

113. Warnke PH, Douglas T, Sivananthan S, Wiltfang J, Springer I, Becker ST. Tissue engineering of periosteal cell membranes in vitro. *Clin Oral Implants Res* 2009;20(8):761-6. [Abstract](#)
114. Weinberg E, Artzi Z, Eliezer M. Correction of alveolar ridge deficiency using a hydroxyapatite and sugar cross-linked collagen sponge – a clinical and histological analyses (e-poster P-CI-008). *Clin Oral Implants Res* 2019;30:222-24.
115. Zubery Y, Goldlust A, Alves A, Nir E. Ossification of a novel cross-linked porcine collagen barrier in guided bone regeneration in dogs. *J Periodontol* 2007;78(1):112-21. [Abstract](#)
116. Zubery Y, Nir E, Goldlust A. Ossification of a collagen membrane cross-linked by sugar: A human case series. *J Periodontol* 2008;79(6):1101-7. [Abstract](#)

3.3 Symbios other products and instruments

1. Abbas Alhussaini HA, Lateef Hassan TA, Mohammed HB. Evaluation of implant stability following sinus augmentation utilizing bovine bone mixed with platelet-rich fibrin. *Indian Journal of Forensic Medicine & Toxicology* 2021;15(4):390-99.
2. Ahmed M, Salah MK, Khairy N. Computer-aided design/computer-aided manufacturing cutting guides for odontectomy of deeply impacted mandibular third molars. *Open Access Maced J Med Sci* 2018;6(12):2395-401. [Abstract](#)
3. al Ruhaimi KA. Effect of adding resorbable calcium sulfate to grafting materials on early bone regeneration in osseous defects in rabbits. *Int J Oral Maxillofac Implants* 2000;15(6):859-64. [Abstract](#)
4. Al Ruhaimi KA. Bone graft substitutes: a comparative qualitative histologic review of current osteoconductive grafting materials. *Int J Oral Maxillofac Implants* 2001;16(1):105-14. [Abstract](#)
5. Al-Hezaimi K, Iezzi G, Rudek I, Al-Daafas A, Al-Hamdan K, Al-Rasheed A, Javed F, Piattelli A, Wang HL. Histomorphometric analysis of bone regeneration using a dual layer of membranes (dPTFE placed over collagen) in fresh extraction sites: A canine model. *J Oral Implantol* 2015;41(2):188-95. [Abstract](#)
6. Al-Hezaimi K, Rudek I, Al-Hamdan KS, Javed F, Nooh N, Wang HL. Efficacy of using a dual layer of membrane (dPTFE placed over collagen) for ridge preservation in fresh extraction sites: a micro-computed tomographic study in dogs. *Clin Oral Implants Res* 2013;24(10):1152-7. [Abstract](#)
7. Al-Maawi S, Vorakulpipat C, Orłowska A, Zrnc TA, Sader RA, Kirkpatrick CJ, Ghanaati S. In vivo implantation of a bovine-derived collagen membrane leads to changes in the physiological

- cellular pattern of wound healing by the induction of multinucleated giant cells: An adverse reaction? *Front Bioeng Biotechnol* 2018;6(104):104. [Abstract](#)
8. Almohandes A, Carcuac O, Abrahamsson I, Lund H, Berglundh T. Re-osseointegration following reconstructive surgical therapy of experimental peri-implantitis. A pre-clinical in vivo study. *Clin Oral Implants Res* 2019;30(5):447-56. [Abstract](#)
 9. Aludden H, Mordenfeld A, Cederlund A, Dahlin C, Spin-Neto R, Veiss-Pedersen P, Sritharan B, Starch-Jensen T. Radiographic changes in height and volume after lateral GBR procedures with different ratios of deproteinized bovine bone mineral and autogenous bone at different time points. An experimental study. *Clin Oral Implants Res* 2021;32(2):167-79. [Abstract](#)
 10. Aludden H, Mordenfeld A, Dahlin C, Hallman M, Starch-Jensen T. Histological and histomorphometrical outcome after lateral guided bone regeneration augmentation of the mandible with different ratios of deproteinized bovine bone mineral and autogenous bone. A preclinical in vivo study. *Clin Oral Implants Res* 2020;31(10):1025-36. [Abstract](#)
 11. Amet EM. Management of unscheduled anterior tooth or prosthesis loss with extraction and immediate implant placement: a clinical report. *J Oral Implantol* 2010;36(3):209-17. [Abstract](#)
 12. Arpak MN, Alkan A, Nergiz I. A case of localized ridge augmentation from using a titanium membrane: a pilot study. *J Oral Sci* 2000;42(3):133-8. [Abstract](#)
 13. Badr M, Coulthard P, Alissa R, Oliver R. The efficacy of platelet-rich plasma in grafted maxillae. A randomised clinical trial. *Eur J Oral Implantol* 2010;3(3):233-44. [Abstract](#)
 14. Bahat O, Fontanessi RV. Efficacy of implant placement after bone grafting for three-dimensional reconstruction of the posterior jaw. *Int J Periodontics Restorative Dent* 2001;21(3):220-31. [Abstract](#)
 15. Barros RR, Novaes AB, Jr., Roriz VM, Oliveira RR, Grisi MF, Souza SL, Taba M, Jr., Palioto DB. Anorganic bovine matrix/p-15 "flow" in the treatment of periodontal defects: case series with 12 months of follow-up. *J Periodontol* 2006;77(7):1280-7. [Abstract](#)
 16. Basler T, Naenni N, Schneider D, Hammerle CHF, Jung RE, Thoma DS. Randomized controlled clinical study assessing two membranes for guided bone regeneration of peri-implant bone defects: 3-year results. *Clin Oral Implants Res* 2018;29(5):499-507. [Abstract](#)
 17. Behfarnia P, Khorasani MM, Birang R, Abbas FM. Histological and histomorphometric analysis of animal experimental dehiscence defect treated with three bio absorbable GTR collagen membrane. *Dent Res J (Isfahan)* 2012;9(5):574-81. [Abstract](#)
 18. Bhongade ML, Tiwari IR. A comparative evaluation of the effectiveness of an anorganic bone matrix/cell binding peptide with an open flap debridement in human infrabony defects: a clinical and radiographic study. *J Contemp Dent Pract* 2007;8(6):25-34. [Abstract](#)
 19. Borges T, Fernandes D, Almeida B, Pereira M, Martins D, Azevedo L, Marques T. Correlation between alveolar bone morphology and volumetric dimensional changes in immediate maxillary

- implant placement: A 1-year prospective cohort study. *J Periodontol* 2020;91(9):1167-76. [Abstract](#)
20. Botros M, Gaber H, Abbas E, El-Mofty M. Split-block graft versus cortico-cancellous block graft for horizontal ridge augmentation: cone beam computed tomography and histomorphometric study. *Brazilian Dental Sciences* 2021;E-pub, doi:10.14295/bds.xxxx.vxxxix.xxxx. [Abstract](#)
21. Brawn PR, Kwong-Hing A. Histologic comparison of light emitting diode phototherapy-treated hydroxyapatite-grafted extraction sockets: a same-mouth case study. *Implant Dent* 2007;16(2):204-11. [Abstract](#)
22. Butz F, Bachle M, Ofer M, Marquardt K, Kohal RJ. Sinus augmentation with bovine hydroxyapatite/synthetic peptide in a sodium hyaluronate carrier (PepGen P-15 Putty): a clinical investigation of different healing times. *Int J Oral Maxillofac Implants* 2011;26(6):1317-23. [Abstract](#)
23. Cede J, Graf A, Zeitlinger J, Wagner F, Willinger K, Klug C. Evaluation of facial aesthetics by laypersons in patients undergoing intraoral quadrangular Le Fort II osteotomy compared with conventional Le Fort I osteotomy. *Int J Oral Maxillofac Surg* 2021;E-pub Feb 20, doi:10.1016/j.ijom.2021.01.013,. [Abstract](#)
24. Chee Y. Vertical ridge augmentation with mandibular ramus block bone for implant surgery. *The Korean Academy of Oral and Maxillofacial Implantology* 2021;25(1):22-36. [Abstract](#)
25. Chen L, Cha J. An 8-year retrospective study: 1,100 patients receiving 1,557 implants using the minimally invasive hydraulic sinus condensing technique. *J Periodontol* 2005;76(3):482-91. [Abstract](#)
26. Cheung HS, Tofe AJ. Mechanism of cell growth on calcium phosphate particles: role of cell-mediated dissolution of calcium phosphate matrix. *S.T.P. Pharma Sciences* 1993;3(1):51-55.
27. Chu SJ, Levin BP, Egbert N, Saito H, Nevins M. Use of a novel implant with an inverted body-shift and prosthetic angle correction design for immediate tooth replacement in the esthetic zone: A clinical case series. *Int J Periodontics Restorative Dent* 2021;41(2):195-204. [Abstract](#)
28. Cortellini S, Castro AB, Temmerman A, Van Dessel J, Pinto N, Jacobs R, Quirynen M. Leucocyte- and platelet-rich fibrin block for bone augmentation procedure: A proof-of-concept study. *J Clin Periodontol* 2018;45(5):624-34. [Abstract](#)
29. Cortes AR, Cortes DN. Nontraumatic bone expansion for immediate dental implant placement: an analysis of 21 cases. *Implant Dent* 2010;19(2):92-7. [Abstract](#)
30. Cortes AR, Cortes DN, Arita ES. Effectiveness of piezoelectric surgery in preparing the lateral window for maxillary sinus augmentation in patients with sinus anatomical variations: a case series. *Int J Oral Maxillofac Implants* 2012;27(5):1211-5. [Abstract](#)

31. Cullum D, Lucas M. Minimally invasive extraction site management with dehydrated amnion/chorion membrane (dHACM): Open-socket grafting. *Compend Contin Educ Dent* 2019;40(3):178-83. [Abstract](#)
32. Dahlet JC, Boukari A, Collavini M, Hemmerle J. Ultrastructure and analytical features of the sinus floor augmentation with osteograph and pepgen P-15. *J Biomater Nanobiotechnol* 2013;4(1):64-73. [Abstract](#)
33. De Stavola L, Tunkel J. Results of vertical bone augmentation with autogenous bone block grafts and the tunnel technique: a clinical prospective study of 10 consecutively treated patients. *Int J Periodontics Restorative Dent* 2013;33(5):651-9. [Abstract](#)
34. De Stavola L, Tunkel J. A new approach to maintenance of regenerated autogenous bone volume: delayed relining with xenograft and resorbable membrane. *Int J Oral Maxillofac Implants* 2013;28(4):1062-7. [Abstract](#)
35. Degidi M, Daprile G, Piattelli A. Primary stability determination of implants inserted in sinus augmented sites: 1-step versus 2-step procedure. *Implant Dent* 2013;22(5):530-3. [Abstract](#)
36. Degidi M, Piattelli M, Scarano A, Iezzi G, Piattelli A. Maxillary sinus augmentation with a synthetic cell-binding peptide: histological and histomorphometrical results in humans. *J Oral Implantol* 2004;30(6):376-83. [Abstract](#)
37. Donovan R, Fetner A, Koutouzis T, Lundgren T. Crestal bone changes around implants with reduced abutment diameter placed non-submerged and at subcrestal positions: a 1-year radiographic evaluation. *J Periodontol* 2010;81(3):428-34. [Abstract](#)
38. Emam H, Beheiri G, Elsalanty M, Sharawy M. Microcomputed tomographic and histologic analysis of anorganic bone matrix coupled with cell-binding peptide suspended in sodium hyaluronate carrier after sinus augmentation: a clinical study. *Int J Oral Maxillofac Implants* 2011;26(3):561-70. [Abstract](#)
39. Emam HA, Behiri G, El-Alaily M, Sharawy M. The efficacy of a tissue-engineered xenograft in conjunction with sodium hyaluronate carrier in maxillary sinus augmentation: a clinical study. *Int J Oral Maxillofac Surg* 2015;44(10):1287-94. [Abstract](#)
40. Engler-Hamm D, Cheung WS, Yen A, Stark PC, Griffin T. Ridge preservation using a composite bone graft and a bioabsorbable membrane with and without primary wound closure: a comparative clinical trial. *J Periodontol* 2011;82(3):377-87. [Abstract](#)
41. Eto AL, Joly JC, Jeffcoat M, de Araujo NS, de Araujo VC, Cury PR. Use of anorganic bovine-derived hydroxyapatite matrix/cell-binding peptide (P-15) in the treatment of class II furcation defects: a clinical and radiographic study in humans. *J Periodontol* 2007;78(12):2277-83. [Abstract](#)
42. Evian CI, Al-Momani A, Rosenberg ES, Sanavi F. Therapeutic management for immediate implant placement in sites with periapical deficiencies where coronal bone is present: technique and case report. *Int J Oral Maxillofac Implants* 2006;21(3):476-80. [Abstract](#)

43. Fernandes D, Nunes S, al. e. Effect of customized healing abutments on the peri-implant linear and volumetric tissue changes at maxillary immediate implant sites: A 1-year prospective randomized clinical trial. *Clin Impl Dent Rel Res* 2021;E-pub Aug, doi:10.1111/cid.13044. [Abstract](#)
44. Figueiredo M, Henriques J, Martins G, Guerra F, Judas F, Figueiredo H. Physicochemical characterization of biomaterials commonly used in dentistry as bone substitutes--comparison with human bone. *J Biomed Mater Res B* 2010;92(2):409-19. [Abstract](#)
45. Froum SJ, Tarnow DP, Wallace SS, Rohrer MD, Cho SC. Sinus floor elevation using anorganic bovine bone matrix (OsteoGraf/N) with and without autogenous bone: a clinical, histologic, radiographic, and histomorphometric analysis--Part 2 of an ongoing prospective study. *Int J Periodontics Restorative Dent* 1998;18(6):528-43. [Abstract](#)
46. Galindo-Moreno P, Abril-Garcia D, Carrillo-Galvez AB, Zurita F, Martin-Morales N, O'Valle F, Padiál-Molina M. Maxillary sinus floor augmentation comparing bovine versus porcine bone xenografts mixed with autogenous bone graft. A split-mouth randomized controlled trial. *Clin Oral Implants Res* 2022;E-pub Feb 27, doi:10.1111/clr.13912. [Abstract](#)
47. Galindo-Moreno P, Padiál-Molina M, Lopez-Chaichio L, Gutierrez-Garrido L, Martin-Morales N, O'Valle F. Algae-derived hydroxyapatite behavior as bone biomaterial in comparison with anorganic bovine bone: A split-mouth clinical, radiological, and histologic randomized study in humans. *Clin Oral Implants Res* 2020;31(6):536-48. [Abstract](#)
48. Ghivari S, Patil AC, Patil S, Shivanand S, Tyagi A. Interdisciplinary management of an isolated intrabony defect. *Case Rep Dent* 2014;2014:672152. [Abstract](#)
49. Gluckman H, Du Toit J, Salama M. The palatal bone block graft for onlay grafting combined with maxillary implant placement: A case series. *Int J Periodontics Restorative Dent* 2016;36(4):517-23. [Abstract](#)
50. Grizas E, Kourtis S, Andrikopoulou E, Romanos GE. A detailed decision tree to create, preserve, transfer, and support the emergence profile in anterior maxillary implants using custom abutments. *Quintessence Int* 2018;49(5):349-64. [Abstract](#)
51. Guda T, Walker JA, Singleton BM, Hernandez JW, Son JS, Kim SG, Oh DS, Appleford MR, Ong JL, Wenke JC. Guided bone regeneration in long-bone defects with a structural hydroxyapatite graft and collagen membrane. *Tissue Eng Part A* 2013;19(17-18):1879-88. [Abstract](#)
52. Hahn J. 8-year onlay bone graft and ridge augmentation with PepGen P-15: a clinical and radiographic case study. *Implant Dent* 2004;13(3):228-31. [Abstract](#)
53. Hahn J, Rohrer MD, Tofe AJ. Clinical, radiographic, histologic, and histomorphometric comparison of PepGen P-15 particulate and PepGen P-15 flow in extraction sockets: a same-mouth case study. *Implant Dent* 2003;12(2):170-4. [Abstract](#)

54. Hammerle CH, Olah AJ, Schmid J, Fluckiger L, Gogolewski S, Winkler JR, Lang NP. The biological effect of natural bone mineral on bone neoformation on the rabbit skull. *Clin Oral Implants Res* 1997;8(3):198-207. [Abstract](#)
55. Hanser T, Doliveux R. MicroSaw and Piezosurgery in harvesting mandibular bone blocks from the retromolar region: A randomized split-mouth prospective clinical trial. *Int J Oral Maxillofac Implants* 2018;33(2):365-72. [Abstract](#)
56. Hanser T, Khoury F. Extraction site management in the esthetic zone using autogenous hard and soft tissue grafts: a 5-year consecutive clinical study. *Int J Periodontics Restorative Dent* 2014;34(3):305-12. [Abstract](#)
57. Hasegawa H, Masui S, Ishihata H, Kaneko T, Ishida D, Endo M, Kanno C, Yamazaki M, Kitabatake T, Utsunomiya S, Izumi K, Sasaki K. Evaluation of a Newly Designed Microperforated Pure Titanium Membrane for Guided Bone Regeneration. *Int J Oral Maxillofac Implants* 2019;34(2):411-22.
58. Hoffmann O, Beaumont C, Zafiropoulos GG. Immediate implant placement: a case series. *J Oral Implantol* 2006;32(4):182-9. [Abstract](#)
59. Hole BB, Schwarz JA, Gilbert JL, Atkinson BL. A study of biologically active peptide sequences (P-15) on the surface of an ABM scaffold (PepGen P-15) using AFM and FTIR. *J Biomed Mater Res A* 2005;74(4):712-21. [Abstract](#)
60. Jakse N, Payer M, Tangl S, Berghold A, Kirmeier R, Lorenzoni M. Influence of low-level laser treatment on bone regeneration and osseointegration of dental implants following sinus augmentation: An experimental study on sheep. *Clin Oral Implants Res* 2007;18(4):517-24. [Abstract](#)
61. Javed F, Lau J, Delgado-Ruiz R, Romanos GE. In-vitro evaluation of the primary stability of multiple condensing thread designed implants placed by novice and experienced clinicians. *Surgery in Practice and Science* 2020;2. [Abstract](#)
62. Jimbo R, Jinno Y, Vennerberg A. Bone regenerative properties of biphasic bone substitutes. A critical size defect study in the rabbit calvaria (P255). *Clin Oral Implants Res* 2015;26(Supplement S12):84. [Abstract](#)
63. Johansson LA, Isaksson S, Lindh C, Becktor JP, Sennerby L. Maxillary sinus floor augmentation and simultaneous implant placement using locally harvested autogenous bone chips and bone debris: a prospective clinical study. *J Oral Maxillofac Surg* 2010;68(4):837-44. [Abstract](#)
64. Juarez Broon N, Bello Hernandez C, Ruiz Montanez OI, Diaz Rosales E, Padron Santana J, Calderon Escamilla AZ. Autotransplantation, surgical repositioning of retained canine, and apical filling of two incisors with root resorption. *Iran Endod J* 2018;13(2):267-70. [Abstract](#)
65. Jung SR, Bashutski JD, Linebaugh ML. Application of modified bony lid technique to remove or replace compromised implants: case series. *Implant Dent* 2013;22(3):206-11. [Abstract](#)

66. Kablan F. The use of cortical bone wedges from the mandibular ramus “wedge technique”: For 3-dimensional bone augmentation of the atrophic ridges. technique presentation and report of case series. *Open Journal of Stomatology* 2018;8(06):217. [Abstract](#)
67. Kahnberg KE, Wallstrom M, Rasmusson L. Local sinus lift for single-tooth implant. I. Clinical and radiographic follow-up. *Clin Implant Dent Relat Res* 2009;13(3):231-7. [Abstract](#)
68. Kainulainen V, Oikarinen K. Comparison of four bone collectors designed for oral and maxillofacial surgery--an in vitro study. *Clin Oral Implants Res* 1998;9(5):327-32. [Abstract](#)
69. Kainulainen VT, Kainulainen TJ, Oikarinen KS, Carmichael RP, Sandor GK. Performance of six bone collectors designed for dental implant surgery. *Clin Oral Implants Res* 2006;17(3):282-87. [Abstract](#)
70. Kasaj A, Rohrig B, Reichert C, Willershausen B. Clinical evaluation of anorganic bovine-derived hydroxyapatite matrix/cell-binding peptide (P-15) in the treatment of human infrabony defects. *Clin Oral Investig* 2008;12(3):241-7. [Abstract](#)
71. Keeve PL, Khoury F. Long-term results of peri-implant conditions in periodontally compromised patients following lateral bone augmentation. *Int J Oral Maxillofac Implants* 2017;32(1):137-46. [Abstract](#)
72. Khashu H, Vandana KL. Clinical and radiographic evaluation of human periodontal osseous defect (mandibular grade II furcation) treated with PepGen P-15 and a bioresorbable membrane (Atrisorb). *J Indian Soc Periodontol* 2012;16(4):569-76. [Abstract](#)
73. Khoury F. The bony lid approach in pre-implant and implant surgery: a prospective study. *Eur J Oral Implantol* 2013;6(4):375-84. [Abstract](#)
74. Khoury F, Hanser T. Mandibular bone block harvesting from the retromolar region: a 10-year prospective clinical study. *Int J Oral Maxillofac Implants* 2015;30(3):688-397. [Abstract](#)
75. Klug C, Cede J. Technical modifications for intraoral quadrangular Le Fort II osteotomy. *J Oral Maxillofac Surg* 2017;75(2):402 e1-02 e16. [Abstract](#)
76. Kohal RJ, Straub LM, Wolkewitz M, Bachle M, Patzelt SB. Evaluation of guided bone regeneration around oral implants over different healing times using two different bovine bone materials: a randomized, controlled clinical and histological investigation. *Clin Implant Dent Relat Res* 2015;17(5):957-71. [Abstract](#)
77. Kolk A, Boskov M, Haidari S, Tischer T, van Griensven M, Bissinger O, Plank C. Comparative analysis of bone regeneration behavior using recombinant human BMP-2 versus plasmid DNA of BMP-2. *J Biomed Mater Res A* 2019;107(1):163-73. [Abstract](#)
78. Korsch M. Tooth shell technique: A proof of concept with the use of autogenous dentin block grafts. *Aust Dent J* 2021;66(2):159-68. [Abstract](#)

79. Koutouzis T, Fetner M, Fetner A, Lundgren T. Retrospective evaluation of crestal bone changes around implants with reduced abutment diameter placed non-submerged and at subcrestal positions: the effect of bone grafting at implant placement. *J Periodontol* 2011;82(2):234-42. [Abstract](#)
80. Kratz F, Müller C, Körber N, Umanskaya N, Hannig M, Ziegler C. Characterization of protein films on dental materials: Bicinchoninic acid assay (BCA) studies on loosely and firmly adsorbed protein layers. *physica status solidi (a)* 2013;210(5):964-67. [Abstract](#)
81. Krauser JT, Rohrer MD, Wallace SS. Human histologic and histomorphometric analysis comparing OsteoGraf/N with PepGen P-15 in the maxillary sinus elevation procedure: a case report. *Implant Dent* 2000;9(4):298-302. [Abstract](#)
82. Krennmair S, Hunger S, Forstner T, Malek M, Krennmair G, Stimmelmayer M. Implant health and factors affecting peri-implant marginal bone alteration for implants placed in staged maxillary sinus augmentation: A 5-year prospective study. *Clin Implant Dent Relat Res* 2019;21(1):32-41. [Abstract](#)
83. Landi L, Pretel RW, Jr., Hakimi NM, Setayesh R. Maxillary sinus floor elevation using a combination of DFDBA and bovine-derived porous hydroxyapatite: a preliminary histologic and histomorphometric report. *Int J Periodontics Restorative Dent* 2000;20(6):574-83. [Abstract](#)
84. Levin BP. Immediate temporization of immediate implants in the esthetic zone: evaluating survival and bone maintenance. *Compend Contin Educ Dent* 2011;32(4):52-6, 58-60, 62. [Abstract](#)
85. Levin BP. The dermal apron technique for immediate implant socket management: A novel technique. *J Esthet Restor Dent* 2016;28(1):18-28. [Abstract](#)
86. Levin BP, Chu SJ. Changes in peri-implant soft tissue thickness with bone grafting and Dermis Allograft: A case series of 15 consecutive patients. *Int J Periodontics Restorative Dent* 2018;38(5):719-27. [Abstract](#)
87. Levin BP, Chu SJ, Saito H, Nevins M, Levin JP. A novel implant design for immediate extraction sites: determining primary stability. *Int J Periodontics Restorative Dent* 2021;41(3):357-64. [Abstract](#)
88. Levin BP, Saito H, Reynolds MA, Chu SJ. Changes in peri-implant soft tissue thickness with bone grafting and dermis allograft. Part II: A comparative retrospective case series using a subcrestal angle correction implant Design. *Int J Periodontics Restorative Dent* 2020;40(4):539-47. [Abstract](#)
89. Levin BP, Wilk BL. Immediate provisionalization of immediate implants in the esthetic zone: a prospective case series evaluating implant survival, esthetics, and bone maintenance. *Compend Contin Educ Dent* 2013;34(5):352-61. [Abstract](#)

90. Levin BP, Wilk BL. The teamwork approach to esthetic tooth replacement with immediate implant placement and immediate temporization. *Compend Contin Educ Dent* 2015;36(9):682-8. [Abstract](#)
91. Lu SY, Huang CC. Resolution of an active peri-implantitis in a chronic steroid user by bone augmentation with PepGen P-15 and a barrier membrane. *J Oral Implantol* 2007;33(5):280-7. [Abstract](#)
92. Lutz R, Prectl C, Nonhoff J, Weisel T, Damien CJ, Schlegel KA. Biofunctionalization of the implant surface with different concentrations of a synthetic peptide (P-15). *Clin Oral Implants Res* 2013;24(7):781-6. [Abstract](#)
93. Mahesh L, Lahori M, Bali P, Choudary S. Lateral ridge augmentation by titanium membrane using autografts and alloplast: A case report with 3 years radiological follow-up. *Int J Oral Implantol Clin Res* 2010;1(1):e37-42.
94. Mardas N, Stavropoulos A, Karring T. Calvarial bone regeneration by a combination of natural anorganic bovine-derived hydroxyapatite matrix coupled with a synthetic cell-binding peptide (PepGen): an experimental study in rats. *Clin Oral Implants Res* 2008;19(10):1010-5. [Abstract](#)
95. Matos S, Guerra F, Krauser JT, Figueiredo H, Marcelino JP, Sanz M. Evaluation of an anorganic bovine-derived mineral with P-15 hydrogel bone graft: preliminary study in a rabbit cranial bone model. *Clin Oral Implants Res* 2012;23(6):698-705. [Abstract](#)
96. Matos SM, Guerra FA, Krauser J, Marques F, Ermida JM, Sanz M. Clinical evaluation of the combination of anorganic bovine-derived hydroxyapatite matrix/cell-binding peptide (P-15) in particulate and hydrogel form as a bone replacement graft material in human periodontal osseous defects: 6-month reentry controlled clinical study. *J Periodontol* 2007;78(10):1855-63. [Abstract](#)
97. Melker DJ. The use of PerioDerm for root coverage and correction of insufficiently attached gingiva. *CHAIRSIDE magazine* 2013;8(2):47-59. [Abstract](#)
98. Mir-Mari J, Benic GI, Valmaseda-Castellon E, Hammerle CHF, Jung RE. Influence of wound closure on the volume stability of particulate and non-particulate GBR materials: an in vitro cone-beam computed tomographic examination. Part II. *Clin Oral Implants Res* 2017;28(6):631-39. [Abstract](#)
99. Mir-Mari J, Wui H, Jung RE, Hammerle CH, Benic GI. Influence of blinded wound closure on the volume stability of different GBR materials: an in vitro cone-beam computed tomographic examination. *Clin Oral Implants Res* 2016;27(2):258-65. [Abstract](#)
100. Mohanram Y, Zhang J, Tsiridis E, Yang XB. Comparing bone tissue engineering efficacy of HDPSCs, HBMSCs on 3D biomimetic ABM-P-15 scaffolds in vitro and in vivo. *Cytotechnology* 2020;72(5):715-30. [Abstract](#)

101. Möller B, Acil Y, Birkenfeld F, Behrens E, Terheyden H, Wiltfang J. Highly porous hydroxyapatite with and without local harvested bone in sinus floor augmentation: a histometric study in pigs. *Clin Oral Implants Res* 2014;25(7):871-8. [Abstract](#)
102. Molnar B, Deutsch T, Marton R, Orban K, Martin A, Windisch P. Demonstration of radiographic bone fill in postextraction sockets using a novel implant-site development technique: A retrospective comparative case series. *Int J Periodontics Restorative Dent* 2019;39(6):845-52. [Abstract](#)
103. Naenni N, Schneider D, Jung RE, Husler J, Hammerle CHF, Thoma DS. Randomized clinical study assessing two membranes for guided bone regeneration of peri-implant bone defects: clinical and histological outcomes at 6 months. *Clin Oral Implants Res* 2017;28(10):1309-17. [Abstract](#)
104. Naenni N, Stucki L, Husler J, Schneider D, Hammerle CHF, Jung RE, Thoma DS. Implants sites with concomitant bone regeneration using a resorbable or non-resorbable membrane result in stable marginal bone levels and similar profilometric outcomes over 5 years. *Clin Oral Implants Res* 2021;E-pub May 13, doi:10.1111/clr.13764. [Abstract](#)
105. Najafi B, Kheirieh P, Torabi A, Cappetta EG. Periodontal regenerative treatment of intrabony defects in the esthetic zone using modified vestibular incision subperiosteal tunnel access (M-VISTA). *Int J Periodontics Restorative Dent* 2018;38(Suppl):e9-e16. [Abstract](#)
106. Nazareth CA, Cury PR. Use of anorganic bovine-derived hydroxyapatite matrix/cell-binding peptide (P-15) in the treatment isolated Class I gingival recession of defects: a pilot study. *J Periodontol* 2011;82(5):700-7. [Abstract](#)
107. Noelken R, Moergel M, Kunkel M, Wagner W. Immediate and flapless implant insertion and provisionalization using autogenous bone grafts in the esthetic zone: 5-year results. *Clin Oral Implants Res* 2018;29(3):320-27. [Abstract](#)
108. Noelken R, Neffe BA, Kunkel M, Wagner W. Maintenance of marginal bone support and soft tissue esthetics at immediately provisionalized OsseoSpeed implants placed into extraction sites: 2-year results. *Clin Oral Implants Res* 2014;25(2):214-20. [Abstract](#)
109. Noelken R, Oberhansl F, Kunkel M, Wagner W. Immediately provisionalized OsseoSpeed() Profile implants inserted into extraction sockets: 3-year results. *Clin Oral Implants Res* 2016;27(6):744-9. [Abstract](#)
110. Noelken R, Pausch T, Wagner W, Al-Nawas B. Peri-implant defect grafting with autogenous bone or bone graft material in immediate implant placement in molar extraction sites-1- to 3-year results of a prospective randomized study. *Clin Oral Implants Res* 2020;31(11):1138-48. [Abstract](#)
111. Nomura T, Katz JL, Powers MP, Saito C. Evaluation of the micromechanical elastic properties of potential bone-grafting materials. *J Biomed Mater Res B* 2005;73(1):29-34. [Abstract](#)

112. Ogutcen-Toller M, Sener I, Kasap V, Cakir-Ozkan N. Maxillary myxoma: surgical treatment and reconstruction with buccal fat pad flap: a case report. *J Contemp Dent Pract* 2006;7(1):107-16. [Abstract](#)
113. Ortiz-Vigon A, Suarez I, Martinez-Villa S, Sanz-Martin I, Bollain J, Sanz M. Safety and performance of a novel collagenated xenogeneic bone block for lateral alveolar crest augmentation for staged implant placement. *Clin Oral Implants Res* 2017;29(1):36-45. [Abstract](#)
114. Otto K, Schopper C, Ewers R, Lambrecht JT. [Guided bone regeneration beneath titanium foils]. *Schweiz Monatsschr Zahnmed* 2004;114(10):996-1002.
115. Pereira KK, Alves OC, Novaes AB, Jr., de Oliveira FS, Yi JH, Zaniquelli O, Wolf-Brandstetter C, Scharnweber D, Variola F, Nanci A, Rosa AL, de Oliveira PT. Progression of osteogenic cell cultures grown on microtopographic titanium coated with calcium phosphate and functionalized with a type I collagen-derived peptide. *J Periodontol* 2013;84(8):1199-210. [Abstract](#)
116. Pettinicchio M, Traini T, Murmura G, Caputi S, Degidi M, Mangano C, Piattelli A. Histologic and histomorphometric results of three bone graft substitutes after sinus augmentation in humans. *Clin Oral Investig* 2012;16(1):45-53. [Abstract](#)
117. Pinho MN, Roriz VL, Novaes AB, Jr., Taba M, Jr., Grisi MF, de Souza SL, Palioto DB. Titanium membranes in prevention of alveolar collapse after tooth extraction. *Implant Dent* 2006;15(1):53-61. [Abstract](#)
118. Pistilli R, Felice P, Piattelli M, Nisii A, Barausse C, Esposito M. Blocks of autogenous bone versus xenografts for the rehabilitation of atrophic jaws with dental implants: preliminary data from a pilot randomised controlled trial. *Eur J Oral Implantol* 2014;7(2):153-71. [Abstract](#)
119. Pohl V, Pohl S, Sulzbacher I, Fuerhauser R, Mailath-Pokorny G, Haas R. Alveolar ridge augmentation using dystopic autogenous youth: 2-year results of an open prospective study. *Int J Oral Maxillofac Implants* 2017;32(4):870-79. [Abstract](#)
120. Possamai V, Scott A, Neil W. Bone pate collection: a simple solution. *Clin Otolaryngol* 2008;33(2):199. [Abstract](#)
121. Radhakrishnan S, Anusuya CN. Comparative clinical evaluation of combination anorganic bovine-derived hydroxyapatite matrix (ABM)/cell binding peptide (P-15) and open flap debridement (DEBR) in human periodontal osseous defects: a 6 month pilot study. *J Int Acad Periodontol* 2004;6(3):101-7. [Abstract](#)
122. Restoy-Lozano A, Dominguez-Mompell JL, Infante-Cossio P, Lara-Chao J, Lopez-Pizarro V. Calvarial bone grafting for three-dimensional reconstruction of severe maxillary defects: a case series. *Int J Oral Maxillofac Implants* 2015;30(4):880-90. [Abstract](#)

123. Romanos GE, Gaertner K, Nentwig GH. Long-term evaluation of immediately loaded implants in the edentulous mandible using fixed bridges and platform shifting. *Clin Implant Dent Relat Res* 2014;16(4):601-8. [Abstract](#)
124. Romanos GE, Nentwig GH. Regenerative therapy of deep peri-implant infrabony defects after CO2 laser implant surface decontamination. *Int J Periodontics Restorative Dent* 2008;28(3):245-55. [Abstract](#)
125. Rosen PS, Summers R, Mellado JR, Salkin LM, Shanaman RH, Marks MH, Fugazzotto PA. The bone-added osteotome sinus floor elevation technique: multicenter retrospective report of consecutively treated patients. *Int J Oral Maxillofac Implants* 1999;14(6):853-8. [Abstract](#)
126. Rosen VB, Hobbs LW, Spector M. The ultrastructure of anorganic bovine bone and selected synthetic hydroxyapatites used as bone graft substitute materials. *Biomaterials* 2002;23(3):921-8. [Abstract](#)
127. Sakkas A, Winter K, Rath M, Mascha F, Pietzka S, Schramm A, Wilde F. Factors influencing the long-term prognosis of root tip resected teeth. *GMS Interdiscip Plast Reconstr Surg DGPW* 2019;8:Doc13. [Abstract](#)
128. Salgar N. Osseodensified crestal sinus window augmentation: An alternative procedure to the lateral window technique. *J Oral Implantol* 2021;47(1):45-55. [Abstract](#)
129. Sanz M, Ferrantino L, Vignoletti F, de Sanctis M, Berglundh T. Guided bone regeneration of non-contained mandibular buccal bone defects using deproteinized bovine bone mineral and a collagen membrane: an experimental in vivo investigation. *Clin Oral Implants Res* 2017;28(11):1466-76. [Abstract](#)
130. Sanz-Esporrin J, Blanco J, Sanz-Casado JV, Munoz F, Sanz M. The adjunctive effect of rhBMP-2 on the regeneration of peri-implant bone defects after experimental peri-implantitis. *Clin Oral Implants Res* 2019;30(12):1209-19. [Abstract](#)
131. Schmid J, Hammerle CH, Fluckiger L, Winkler JR, Olah AJ, Gogolewski S, Lang NP. Blood-filled spaces with and without filler materials in guided bone regeneration. A comparative experimental study in the rabbit using bioresorbable membranes. *Clin Oral Implants Res* 1997;8(2):75-81. [Abstract](#)
132. Schopper C, Moser D, Spassova E, Goriwoda W, Lagogiannis G, Hoering B, Ewers R, Redl H. Bone regeneration using a naturally grown HA/TCP carrier loaded with rh BMP-2 is independent of barrier-membrane effects. *J Biomed Mater Res A* 2008;85(4):954-63. [Abstract](#)
133. Schopper C, Moser D, Spassova-Tzekova E, Rusmueller G, Goriwoda W, Lagogiannis G, Ewers R, Redl H. Mineral apposition rates provide significant information on long-term effects in BMP-induced bone regeneration. *J Biomed Mater Res A* 2009;89(3):679-86. [Abstract](#)
134. Schopper C, Ziya-Ghazvini F, Goriwoda W, Moser D, Wanschitz F, Spassova E, Lagogiannis G, Auterith A, Ewers R. HA/TCP compounding of a porous CaP biomaterial improves bone

- formation and scaffold degradation--a long-term histological study. *J Biomed Mater Res B* 2005;74(1):458-67. [Abstract](#)
135. Shuman IE. Long-term provisionalization following tooth extraction. An innovative approach. *Dent Today* 2003;22(6):60-3. [Abstract](#)
136. Simion M, Ferrantino L, Idotta E, Maglione M. The association of guided bone regeneration and enamel matrix derivative for suprabony reconstruction in the esthetic area: a case report. *Int J Periodontics Restorative Dent* 2015;35(6):767-72. [Abstract](#)
137. Sirin Y, Yildirimturk S, Aytugar E, Cakarer S, Horasan S, Guven K. A comparison of panoramic radiography and cone beam computed tomography in the detection of osteosynthesis complications in sheep mandibular angle fractures. *Oral Surg Oral Med Oral Pathol Oral Radiol* 2019;127(2):167-74. [Abstract](#)
138. Sorour N, Fahd A, Kamel H. Evaluation of bone healing of odontogenic maxillary cystic defects grafted with hemihydrated calcium sulphate granules Versus biphasic calcium phosphate granules: A Randomized Controlled Clinical Trial. *Egyptian Dental Journal* 2020;66(4):2091-100. [Abstract](#)
139. Spassova E, Gintenreiter S, Halwax E, Moser D, Schopper C, Ewers R. Chemistry, ultrastructure and porosity of monophasic and biphasic bone forming materials derived from marine algae. *Mat.-wiss. u Werkstofftech.* 2007;38(12):1-8. [Abstract](#)
140. Starch-Jensen T, Ahmad M, Bruun NH, Becktor JP. Patient's perception of recovery after maxillary sinus floor augmentation with autogenous bone graft compared with composite grafts: a single-blinded randomized controlled trial. *Int J Implant Dent* 2021;7(1):1-15. [Abstract](#)
141. Starch-Jensen T, Bruun NH. Patient's perception of recovery after sinus membrane elevation and blood coagulum compared with 1:1 mixture of autogenous bone graft and deproteinized porcine bone mineral. Secondary outcomes from a single-blinded randomized controlled trial. *Clin Oral Implants Res* 2021;E-pub Oct 6, doi:10.1111/clr.13866. [Abstract](#)
142. Suh JJ, Shelemay A, Choi SH, Chai JK. Alveolar ridge splitting: a new microsaw technique. *Int J Periodontics Restorative Dent* 2005;25(2):165-71. [Abstract](#)
143. Sullivan JP. Implant placement in the aesthetic zone following an autogenous bone graft from an intraoral site: a case study. *Prim Dent J* 2013;2(4):49-55. [Abstract](#)
144. Takamoto M, Takechi M, Ohta K, Ninomiya Y, Ono S, Shigeishi H, Tada M, Kamata N. Risk of bacterial contamination of bone harvesting devices used for autogenous bone graft in implant surgery. *Head Face Med* 2013;9:3. [Abstract](#)
145. Taylor JC, Cuff SE, Leger JP, Morra A, Anderson GI. In vitro osteoclast resorption of bone substitute biomaterials used for implant site augmentation: a pilot study. *Int J Oral Maxillofac Implants* 2002;17(3):321-30. [Abstract](#)

146. Tezulas E, Dilek OC, Topcuoglu N, Kulekci G. Decontamination of autogenous bone grafts collected during dental implant site preparation: a pilot study. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2009;107(5):656-60. [Abstract](#)
147. Thoma DS, Weber FE, Bienz SP, Ge Y, Hammerle CHF, Jung RE. Biodegradation and tissue integration of various polyethylene glycol matrices: A comparative study in rabbits. *Clin Oral Implants Res* 2017;28(11):e244-e51. [Abstract](#)
148. Thorwarth M, Schultze-Mosgau S, Wehrhan F, Kessler P, Srouf S, Wiltfang J, Andreas Schlegel K. Bioactivation of an anorganic bone matrix by P-15 peptide for the promotion of early bone formation. *Biomaterials* 2005;26(28):5648-57. [Abstract](#)
149. Tiefengraber J, Diedrich P, Fritz U, Lantos P. Orthodontic space closure in combination with membrane supported healing of extraction sockets (MHE) a pilot study. *J Orofac Orthop* 2002;63(5):422-8. [Abstract](#)
150. Tischler M. Multi-modality anterior extraction site grafting. Increased predictability for aesthetics. *Dent Today* 2003;22(3):94-6, 98. [Abstract](#)
151. Tovar N, Jimbo R, Gangolli R, Perez L, Manne L, Yoo D, Lorenzoni F, Witek L, Coelho PG. Evaluation of bone response to various anorganic bovine bone xenografts: an experimental calvaria defect study. *Int J Oral Maxillofac Surg* 2014;43(2):251-60. [Abstract](#)
152. Trasatti C, Spears R, Gutmann JL, Opperman LA. Increased Tgf-beta1 production by rat osteoblasts in the presence of PepGen P-15 in vitro. *J Endod* 2004;30(4):213-7. [Abstract](#)
153. Tunkel J, Stavola L, Kloss-Brandstätter A. Alveolar ridge augmentation using the shell technique with allogeneic and autogenous bone plates in a split-mouth design—A retrospective case report from five patients. *Clin Case Rep* 2020;E-pub Dec, doi:10.1002/ccr3.3626. [Abstract](#)
154. Tunkel J, Wurdinger R, de Stavola L. Vertical 3D bone reconstruction with simultaneous implantation: A case series report. *Int J Periodontics Restorative Dent* 2018;38(3):413-21. [Abstract](#)
155. Uludag H, D'Augusta D, Golden J, Li J, Timony G, Riedel R, Wozney JM. Implantation of recombinant human bone morphogenetic proteins with biomaterial carriers: A correlation between protein pharmacokinetics and osteoinduction in the rat ectopic model. *J Biomed Mater Res* 2000;50(2):227-38. [Abstract](#)
156. Urban IA, Klokkevold PR, Takei HH. Abutment-supported papilla: A combined surgical and prosthetic approach to papilla reformation. *Int J Periodontics Restorative Dent* 2016;36(5):665-71. [Abstract](#)
157. Valentini P, Abensur D, Albertini JF, Rocchesani M. Immediate provisionalization of single extraction-site implants in the esthetic zone: a clinical evaluation. *Int J Periodontics Restorative Dent* 2010;30(1):41-51. [Abstract](#)

158. Velazquez OI, Tresguerres FGF, Berrocal IL, Tresguerres IF, Lopez-Pintor RM, Carballido J, Lopez-Quiles J, Torres J. Split bone block technique: 4-month results of a randomised clinical trial comparing clinical and radiographic outcomes between autogenous and xenogeneic cortical plates. *Int J Oral Implantol (Berl)* 2021;14(1):41-52. [Abstract](#)
159. Verardi S, Pastagia J. Obliteration of the nasopalatine canal in conjunction with horizontal ridge augmentation. *Compend Contin Educ Dent* 2012;33(2):116-20, 22. [Abstract](#)
160. Wenz B, Oesch B, Horst M. Analysis of the risk of transmitting bovine spongiform encephalopathy through bone grafts derived from bovine bone. *Biomaterials* 2001;22(12):1599-606. [Abstract](#)
161. Widmark G, Ivanoff CJ. Augmentation of exposed implant threads with autogenous bone chips: prospective clinical study. *Clin Implant Dent Relat Res* 2000;2(4):178-83. [Abstract](#)
162. Windisch P, Orban K, Salvi GE, Sculean A, Molnar B. Vertical-guided bone regeneration with a titanium-reinforced d-PTFE membrane utilizing a novel split-thickness flap design: a prospective case series. *Clin Oral Investig* 2021;25(5):2969-80. [Abstract](#)
163. Wong DH, Kendrick S. Peptide-enhanced bovine xenograft to treat severe recession. *Dent Today* 2010;29(11):174, 76, 78-9. [Abstract](#)
164. Young MP, Carter DH, Worthington H, Korachi M, Drucker DB. Microbial analysis of bone collected during implant surgery: a clinical and laboratory study. *Clin Oral Implants Res* 2001;12(2):95-103. [Abstract](#)
165. Young MP, Korachi M, Carter DH, Worthington HV, McCord JF, Drucker DB. The effects of an immediately pre-surgical chlorhexidine oral rinse on the bacterial contaminants of bone debris collected during dental implant surgery. *Clin Oral Implants Res* 2002;13(1):20-9. [Abstract](#)
166. Young MP, Worthington HV, Lloyd RE, Drucker DB, Sloan P, Carter DH. Bone collected during dental implant surgery: A clinical and histological study. *Clin Oral Implants Res* 2002;13(3):298-303. [Abstract](#)
167. Yu H, Qiu L. A prospective randomized controlled trial of two-window versus solo-window technique by lateral sinus floor elevation in atrophic posterior maxilla: Results from a 1-year observational phase. *Clin Implant Dent Relat Res* 2017;19(5):783-92. [Abstract](#)
168. Yu HS, Noh WC, Park JW, Lee JM, Yang DJ, Park KB, Suh JY. Comparative study on the cellular activities of osteoblast-like cells and new bone formation of anorganic bone mineral coated with tetra-cell adhesion molecules and synthetic cell binding peptide. *J Periodontal Implant Sci* 2011;41(6):293-301. [Abstract](#)
169. Yukna R, Salinas TJ, Carr RF. Periodontal regeneration following use of ABM/P-1 5: a case report. *Int J Periodontics Restorative Dent* 2002;22(2):146-55. [Abstract](#)
170. Yukna RA, Callan DP, Krauser JT, Evans GH, Aichelmann-Reidy ME, Moore K, Cruz R, Scott JB. Multi-center clinical evaluation of combination anorganic bovine-derived hydroxyapatite matrix

- (ABM)/cell binding peptide (P-15) as a bone replacement graft material in human periodontal osseous defects. 6-month results. *J Periodontol* 1998;69(6):655-63. [Abstract](#)
171. Yukna RA, Krauser JT, Callan DP, Evans GH, Cruz R, Martin M. Multi-center clinical comparison of combination anorganic bovine-derived hydroxyapatite matrix (ABM)/cell binding peptide (P-15) and ABM in human periodontal osseous defects. 6-month results. *J Periodontol* 2000;71(11):1671-9. [Abstract](#)
172. Yukna RA, Krauser JT, Callan DP, Evans GH, Cruz R, Martin M. Thirty-six month follow-up of 25 patients treated with combination anorganic bovine-derived hydroxyapatite matrix (ABM)/cell-binding peptide (P-15) bone replacement grafts in human infrabony defects. I. Clinical findings. *J Periodontol* 2002;73(1):123-8. [Abstract](#)
173. Zechner W, Trinkl N, Watzak G, Busenlechner D, Tepper G, Haas R, Watzek G. Radiologic follow-up of peri-implant bone loss around machine-surfaced and rough-surfaced interforaminal implants in the mandible functionally loaded for 3 to 7 years. *Int J Oral Maxillofac Implants* 2004;19(2):216-21. [Abstract](#)
174. Zhou AJ, Clokie CM, Peel SA. Bone formation in algae-derived and synthetic calcium phosphates with or without poloxamer. *J Craniofac Surg* 2013;24(2):354-9. [Abstract](#)